Baseline Assessment – Stream Attributes

Reach S-F36a (4) (Temporary Access Road) Perennial Spread D Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓ Water quality readings from benthic sampling date
FCI Calculator and HGM Form	N/A – Perennial stream; slope <4%
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓Sampling date 9/14/2021
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, CNJ Lat: 38.418122 Long: -80.574566




Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, CNJ Lat: 38.418122 Long: -80.574566




Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, CNJ Lat: 38.418122 Long: -80.574566



Photo Type: DS View at Center Location, Orientation, Photographer Initials: Center ROW, Downstream View, CNJ Lat: 38.418122 Long: -80.574566



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, CNJ Lat: 38.418122 Long: -80.574566



Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, CNJ
Lat: 38.418122 Long: -80.574566




Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, CNJ Lat: 38.418122 Long: -80.574566



Photo Type: Riffle, DS View
Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, CNJ
Lat: 38.418122 Long: -80.574566



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, CNJ Lat: 38.418122 Long: -80.574566



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, CNJ Lat: 38.418122 Long: -80.574566

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.418122	Lon.	-80.574566	WEATHER:	40% Cloud Cover	DATE:	9/14/2021
				(=								5/14/2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S-F3	S-F36a (4)		MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)					Comments:	
STREAM IMPACT LENGTH:	20	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple		Five Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennia	ı	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	оре	0.3	Percent Stream Channel Slo	рре		Percent Stream Channe	Slope	0	Percent Stream Channel Sle	оре 0	Percent Stream Channel St	lope
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (att	ach data forn	is):	HGM Score (attach da	ita forms):	HGM Score (attach d	ata forms):
Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling	Average 0		Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling	Average 0	Hydrology Biogeochemical Cycling	Ave
PART I - Physical, Chemical and	Biological Indicator	s	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical	al and Biologic	al Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Sits Score		Points Scale Range Site
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classificatio	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RAPP (High Gradient Data Sheet) I. Epifarund Schartak Available Cover 2. Embedsderieses 3. Vedecky Depth Regime 4. Sediment Deposition 4. Sediment Deposition 5. Sediment Deposition 7. Frequency of Riffles (or bends) 8. Bank Stability (18.8 RB) 9. Vegetative Protection (18.8 RB) 10. Regiment Vegetative Zore Width (18.4 RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter CHEMICAL INDICATOR (Applies to Intermitter Specific Conductivity)			USEPA RRIP (Low Gradient Data Sheet) L. Enflanand Subratah-Analizable Con- L. Post Gobstriate Characterization 2. Post Gobstriate Characterization 3. Post Variability 4. Sedment Deposition 4. Sedment Deposition 5. Characterization 7. Characterization 7. Characterization 7. Characterization 8. Bank Stability (L. B. R. B) 6. Vegetative Protection (L. B. R. B) 10. (Repaint Neptite Zere Width (L. B. R. B) 17. Data RPB Score Sub-17. Sed	0.30 0.		USEPA REP (High Gradient Data Shee Leaflauma Budantea Available Cover 2. Embeddefrees 3. Valocity Depth Regime 4. Sediment Deposition 4. Sediment Deposition 6. Channel Alteration 7. Frequency of Riffles (or bands) 8. Bank Stability (18.8 RB) 9. Vegetative Protection (LB & RB) 10. Reparts Vegetative Zere Width (LB & RE Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Interna- tional Control of Chemical Control of Chemical Ch	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0	USEPA RBP (High Gradient Data Sheet) L. Epfanual Substrate/Available Cover 2. Embeddedness 3. Valocity Depth Regims 4. Sediment Deposition 5. Sediment Deposition 6. Channel Afterston 7. Frequency of Riffles (or bends) 8. Bank Stablity (B. B. RB) 9. Vegetative Protection (LB & RB) 10. Register Vegetative (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitten WYDEP Water Quality Indicators (General Speciel Conductivity		USEPA RBP (High Gradient Data Sheet) 1. Epituma Subtar tate/Available Cover 2. Embeddedness 3. Velocity Uppin Regime 4. Sediment Deposition 6. Schamet Beharston 7. Fraquency of Riffles (or bends) 8. Bank Stathff (18 A RB) 9. Vegetative Protection (1.8 & RB) 10. Registra vegetative Zow Width (1.8 A RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitten WDEP Water Quality Indicators (General Specific Conductivity)	
<=99 - 90 points 4 6.0-8.0 = 80 points >5.0 = 30 points b-Total	0-80 0-1	7.24 6.43	pH DO Sub-Total	10-30		pH DO Sub-Total	5-90	0.1	pH DO Sub-Total	5-90 0-1	pH DO Sub-Total	5-90 0-1
BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial Strea	ms)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to In	termittent and F	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Stream
WV Stream Condition Index (WVSCI) Fair Sub-Total	0-100 0-1	45.4 0.354	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1		WV Stream Condition Index (WVSCI) Sub-Total	0-100	0-1	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1
PART II - Index and U	nit Score		PART II - Index and	Unit Score		PART II - Index	and Unit Scor	9	PART II - Index and U	nit Score	PART II - Index and U	nit Score
Index	Linear Feet U	nit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit
0.691	20 13	.8266667	0	0 0		0	0	0	0	0 0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION							
STATION # RIVERMILE	STREAM CLASS							
LAT LONG	RIVER BASIN							
STORET#	AGENCY							
INVESTIGATORS								
FORM COMPLETED BY	DATE	REASON FOR SURVEY						

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Wetland S-F36 a 14)
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy					
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous				
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No				
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)					
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü				
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks				
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,				
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)					
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black very fine ergenie					
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	black, very fine organic (FPOM)					

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).		
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-F	36a	(4)				LOCATION Webster County														
STATION #	R	IVE	RM	MILE STREAM CLASS Perennial																
LAT 38.418122	L	ONC	j -80	.574566	;		RIV	ER BA	SIN	Noi	пе									
STORET#							AGF	ENCY	WVDE	P										
INVESTIGATORS S	M PF	:					LOT NUMBER								NUMBER					
FORM COMPLETED	ВY	S	M				DAT TIM		14/2021]	REA	SON FOR SURVEY	Baselir	ne A	sse	ssm	ent
HABITAT TYPES	∥Ľ	Cob	ble 7	70	%	tage of Sn	ags	habita % %	t type	Vε	get	ated	Ban	ks	%					
SAMPLE COLLECTION	H In V	Gear used □D-frame ☑kick-net □Other □ How were the samples collected? ☑ wading □ from bank □ from boat Indicate the number of jabs/kicks taken in each habitat type. ☑ Cobble ⁴ □ Snags □ Vegetated Banks □ Sand □ Submerged Macrophytes □ Other ()																		
GENERAL COMMENTS	US: Temp: 17.3*C, pH: 7.29, SPC:53.6 us/cm, DO: 6.47 mg/L DS: Temp: 17.1*C, pH: 7.24, SPC: 58.4 us/cm, DO: 6.43 mg/L Observed fish and crayfish.																			
QUALITATIVE I Indicate estimated Dominant									rved,	1	= F	Raro	e, 2	= (Common, 3= Abu	ndant,	4 =	=		
Periphyton					0	1 2	2 3	4			Slir	nes				0	1	2	3	4
Filamentous Algae					0	1 2	2 3	4			Ma	croi	nve	rteb	rates	0	1	2	3	4
Macrophytes					0	1 2	3	4			Fisl	1				0	1	2	3	4
FIELD OBSERVA Indicate estimated				e:	0 =	Absen	t/Not	t Obse							rganisms), 2 = Co				ıs)	
Porifera	0	1	2	3	4	Anis	optera	a	()	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4		ptera		(1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4		iptera		(1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4		optera		(1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	_	dopte	ra	(1	2	3	4						
Oligochaeta	0	1	2	3	4	Siali			(1	2	3	4						
Isopoda	0	1	2	3	4		dalida	ae	(1	2	3	4						
Amphipoda Decapoda	0	1	2	3	4	Tipu			(1	2	3	4						
Gastropoda	0	1 1	2 2	3	4	_	ididae ıliidae		(1	2 2	3	4						
Gasiropoda	U	T	4	3	+	լ ծառ	mudd	_	(,	T	4	3	+	I					

Tabinidae Culcidae

0 1 2 3 4

Bivalvia

S-F36a(4)	Notes: Lim
-----------	------------

Insects	Count	Tolerance	TV	Insects	Count	Tolerance	TV	Non-Insects	Count	Tolerance	TV	SITE ID:	S-F36a(4)
Ephemeroptera			6	Odonata			2	Crustacea			0		9/14/2021
Ameletidae		2	0	Aeshnidae	1	3	3	Asellidae		7	0	1	
Baetidae		4	0	Calopterygidae		6	0	Cambaridae		5	0	1	
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0		
Caenidae		5	0	Cordulegastridae	1	3	3	Palaemonidae		5	0	1	
Ephemerellidae	3	3	9	Gomphidae		5	0	Annelida			0	1	
Ephemeridae	1	5	5	Lestidae		7	0	Hirudinea		10	0	1	
Heptageniidae		3	0	Libellulidae		7	0	Nematoda		10	0	1	
Isonychiidae		3	0	Coleoptera			8	Nematomorpha		10	0	1	
Leptophlebiidae	2	4	8	Chrysomelidae		7	0	Oligochaeta		10	0	1	
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0		
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0]	
Tricorythidae		5	0	Elmidae	2	4	8	Bivalvia			0		
Plecoptera			5	Gyrinidae		5	0	Corbiculidae		6	0]	
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0]	
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0		
Leuctridae	2	2	4	Psephenidae	6	3	18	Gastropoda	•		0	1	
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0	1	
Peltoperlidae		1	0	Hemiptera	•	•	0	Hydrobiidae		4	0	1	
Perlidae		1	0	Belostomatidae		8	0	Physidae		7	0		
Perlodidae	3	1	3	Corixidae		8	0	Planorbidae		5	0	1	
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0		
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0		
Trichoptera	•	•	8	Nepidae		8	0	Miscellaneous	•		0	1	
Brachycentridae		2	0	Notonectidae		8	0	Collembola		6	0		
Glossosomatidae		2	0	Megaloptera	•	•	3	Lepidoptera		5	0	1	
Helicopsychidae		3	0	Corydalidae	3	3	9	Neuroptera		5	0		
Hydropsychidae	5	5	25	Sialidae		6	0	Hydrachnidae		6	0	1	
Hydroptilidae		3	0	Diptera			100	Totala	Total	number	132		
Lepidostomatidae		3	0	Athericidae		3	0	Totals	Total	families	19		
Leptoceridae		3	0	Blephariceridae		2	0			N	letric calc	ulations	
Limnephilidae		4	0	Ceratopogonidae	3	8	24		CCI NA-+ :	C		Additiona	metrics
Molannidae		3	0	Chironomidae	91	9	819] wv	SCI Metric	Scores		Ephemeroptera Taxa	3
Philopotamidae		4	0	Culicidae		10	0	Total Tax	a	19	86.4	Plecoptera Taxa	2
Phryganeidae		4	0	Dixidae	1	6	6	EPT Taxa	1	8	61.5	Trichoptera Taxa	3
Polycentropodidae	2	5	10	Empididae	1	7	7	% EPT Abund	ance	14.4	16.1	Long-lived Taxa	12
Psychomiidae		4	0	Psychodidae		8	0	% Chironom	idae	68.9	31.6	Odonata Taxa	2
Rhyacophilidae	1	3	3	Ptychopteridae		8	0	Hilsenhoff Biotic Ir	Hilsenhoff Biotic Index (HBI) 7.47 34.2 Diptera T		Diptera Taxa	6	
Uenoidae	1	2	0	Simuliidae		7	0	% 2 Dominant	таха	73.5	42.3	COET Taxa	10
	Total Tole	rance Value	986	Stratiomyidae		10	0				•	% Sensitive	14.4
West Virginia Stre	am Condit	ion Index (W	VSCI)	Syrphidae		10	0					% Tolerant	73.5

7

15

7

5

3

WV Stream Condition Index

% Clingers

% Net-spinners

13.6

5.3

45.4

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

Tabanidae

Tipulidae

Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream

condition index for West Virginia wadeable streams. Tetra

Tech, Inc. Owing Mills, MD.

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-F36a (4)


Stream Name: UNT to Birch River (4)

HUC Code: Basin:

Survey Date: 9/9/2021 Surveyors: CJ, CC, JD Impact Reach: 16.55 m

Type: Bankfull Channel


	D + DETCT E		LE COUNT			T	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		•	0	0.00	0.00
	Fine	.12525		-	0	0.00	0.00
	Medium	.255	SAND	A	0	0.00	0.00
	Coarse	.50-1.0		-	0	0.00	0.00
.0408	Very Coarse	1.0-2		-	0	0.00	0.00
.0816	Very Fine	2 -4	GRAVEL	A	0	0.00	0.00
.1622	Fine	4 -5.7		A	0	0.00	0.00
.2231	Fine	5.7 - 8		A	2	2.00	2.00
.3144	Medium	8 -11.3		A	2	2.00	4.00
.4463	Medium	11.3 - 16		A	8	8.00	12.00
.6389	Coarse	16 -22.6		A	2	2.00	14.00
.89 - 1.26	Coarse	22.6 - 32		A	4	4.00	18.00
1.26 - 1.77	Vry Coarse	32 - 45		A	10	10.00	28.00
1.77 -2.5	Vry Coarse	45 - 64		A	6	6.00	34.00
2.5 - 3.5	Small	64 - 90	COBBLE	A	18	18.00	52.00
3.5 - 5.0	Small	90 - 128		A	12	12.00	64.00
5.0 - 7.1	Large	128 - 180		A	16	16.00	80.00
7.1 - 10.1	Large	180 - 256		A	4	4.00	84.00
10.1 - 14.3	Small	256 - 362	BOULDER	A	10	10.00	94.00
14.3 - 20	Small	362 - 512		A	2	2.00	96.00
20 - 40	Medium	512 - 1024		A	4	4.00	100.0
40 - 80	Large	1024 -2048		A	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		A	0	0.00	100.0
	Bedrock		BDRK		0	0.00	100.0
				Totals:	100		





	Size (r	nm)		
775	D16	27	=32	
	D35	65		
	D50	87		
	D65	130		
	D84	260		
	D95	430		


Size Distribution				
mean	83.8			
dispersion	3.1			
skewness	-0.02			

¥.
)
)
)









SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 +

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 9, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-F36A (4) BASELINE CROSS-SECTION A



CROSS SECTION LEGEND

CROSS SECTION

H: 1"=10'
V: 1"=5'

— EXISTING GRADE

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No