Baseline Assessment – Stream Attributes

Reach S-H107 (Pipeline ROW) Intermittent Spread C Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Insufficient Riffle Habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, HC/SK/JB Lat: 38.548467 Long: -80.540073



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, HC/SK/JB Lat: 38.548467 Long: -80.540073



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, HC/SK/JB Lat: 38.548467 Long: -80.540073




Photo Type: DS View at Center Location, Orientation, Photographer Initials: Center ROW, Downstream View, HC/SK/JB Lat: 38.548467 Long: -80.540073



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, HC/SK/JB Lat: 38.548467 Long: -80.540073



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, HC/SK/JB Lat: 38.548467 Long: -80.540073



Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP-stream assessment **Location:** Webster County, Spread C

Sampling Date: 9/8/2021 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-H107

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.21
Biogeochemical Cycling	0.26
Habitat	0.07

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V_{EMBED}	Average embeddedness of channel.	5.00	0.50
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.10	0.05
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V_{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	0.00	0.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	9.38	0.11
V_{HERB}	Average percent cover of herbaceous vegetation.	40.00	0.53
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.37	0.39

Version 10-20-17

			High-C		Headwa Data She			-	а		
	Team [.]	Tetra tech	HC. IB SK	rieia i	Jala Sile	et and C			M Northing	: 38.548467	
Pr			m assessme	ent					ū	: -80.540073	}
	•		ounty, Sprea					_	npling Date		
SA	AR Number:	S-H107	Reach	Length (ft):	23.77	Stream Ty	/pe: Inter	mittent Strea	m		_
	Top Strata:	Sh	ırub/Herb Stı	rata	(determine	d from perce					
Site	and Timing:	Project Site	!			•	Before Proje	ct			•
mpl	e Variables	1-4 in strea	am channel								
1	V _{CCANOPY}	equidistant 20%, enter	ercent cover points alono at least one measuremel	g the stream e value betw	n. Measure reen 0 and 1	only if tree/s 9 to trigger	apling cove	r is at least			Not Used <20%
	0	0	0	0	0 0	0	0	0	0	0	1
		, ,		Ů	Ů	Ů		, ,	, ,	,	
2	V _{EMBED}	along the s surface and to the follow		ect a particle unding the p If the bed is	from the be particle that an artificial	ed. Before r is covered b surface, or o	noving it, de by fine sedin composed o	etermine the nent, and er	percentage nter the ratir	•	
		Embedded Minshall 19	Iness rating (for gravel, c	obble and b	oulder partic	cles (rescale	ed from Plat	ts, Megahai	n, and	
		Rating	Rating Des	scription							
		5			covered, sur					k)	
		3			ace covered face covere			-			
		2	51 to 75 pe	ercent of sur	face covere	d, surrounde	ed, or buried	d by fine sec	diment		
	13-40 ***	1			covered, su	ırrounded, o	r buried by	fine sedime	nt (or artifici	ial surface)	
			point below		E	E	E	E	F	E	
	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5	5 5	
	5	5	5	5	5	5	5	5	5	5	
			J	3	3	3	3	3	3		
			5.70 0.06			0.10	0.10 0.06	0.10	10.40	9 in, asphalt 16.00 0.06	
	90.00	8.00	32.00	129.00	0.10	90.00	87.00	4.00	0.50	14.00	
4	V_{BERO}	-	ent of eroded ne total perce to 200%.								0 %
			Left Bank:	0	ft		Right Bank:	() ft		
mpl			the entire r	_				-			
5	V_{LWD}	stream rea	down wood ch. Enter th et of stream	ne number fr	om the entir llated.		ouffer and w	ithin the cha	. , .		0.0
6	V_{TDBH}		oh of trees (i		ly if V _{CCANOP}	_Y tree/saplin). Trees ar	e at least 4	Not Use
		List the dbl	cm) in diam) within the	buffer on ea	ach side of		1401 056
		the stream	Left Side			l		Right Side			
			_5.1. 5100					grit Glue			
7	V_{SNAG}		snags (at le stream, and			•		Enter numl	per of snags	s on each	0.0
			Left Side:		0		Right Side:		0		
8	V_{SSD}	if tree cove	saplings and er is <20%). of stream wil Left Side:	Enter numb	per of sapling	-	, .	side of the s	•	easure only the amount	0.0
9	V _{SRICH}	Group 1 in	egetation spe the tallest s er 100 feet a	ecies richne tratum. Che	ss per 100 f eck all exotic	and invasiv	m reach. C /e species p	heck all spe present in al	cies presen		0.00

		Grou	ıp 1 = 1.0			Group 2 (-1.0)					
	Acer rubrur	n		Magnolia ti	ripetala		□ Ailanthus altissima □			Lonicera ja	ponica
	Acer sacch	arum		Nyssa sylv	atica		Albizia julib	rissin		Lonicera ta	tarica
	Aesculus fl	ava		Oxydendrum	arboreum		Alliaria peti	olata		Lotus corni	culatus
	Asimina tril	oba		Prunus ser	otina		Alternanthe			Lythrum sa	licaria
	Betula alleg	haniensis		Quercus al	ba		philoxeroide	es		Microstegiun	n vimineum
	Betula lenta	a		Quercus co	occinea		Aster tatari	cus		Paulownia	tomentosa
	Carya alba			Quercus in	nbricaria		Cerastium	fontanum		Polygonum o	cuspidatum
	Carya glabi	ra		Quercus pi	rinus		Coronilla va	aria		Pueraria m	ontana
	Carya ovali	is		Quercus ru	ıbra		Elaeagnus u	mbellata		Rosa multif	flora
	Carya ovat	a		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flor	ida		Sassafras	albidum		Lespedeza	cuneata		Verbena br	asiliensis
	Fagus gran	difolia		Tilia amerio	cana		Ligustrum ob	tusifolium			
	Fraxinus ar	mericana		Tsuga can	adensis		Ligustrum s	sinense			
	Liriodendron	tulipifera		Ulmus ame	ericana						
	Magnolia a	cuminata									
		0	Species in	Group 1				0	Species in	Group 2	
	e Variables The four sul									n 25 feet fro	m each
10							naterial. Wo			er and <36"	
							yer at each s			_	9.38 %
				Side				Side			
		0	0	0	0	20	30	20	5	=	
11	V_{HERB}	Average pe	ercentage co	over of herb	aceous vege	etation (mea	asure only if	tree cover is	s <20%). D	o not	
							there may b				40 %
		each subpl		s up trirougi	1 200% are a	ассеріец. Е	inter the per	cent cover (oi ground ve	egetation at	
			Left	Side			Right	Side] '	
		5	5	5	5	80	70	80	70		
ampl	e Variable 1	2 within the	e entire cat	chment of	the stream.						
12	V_{WLUSE}	Weighted A	Average of F	Runoff Score	e for watersh	ned:					0.37
			Land	Use (Choos	se From Dro	p List)			Runoff	% in Catch	Running Percent
						. ,			Score	ment	(not >100)
	Newly grade	d areas (bare	soil, no veget	ation or pave	ment)			•	0	44	44
	Forest and na	ative range (5	0% to 75% gr	ound cover)				•	0.7	49.53	93.53
	Open space (pasture, lawn	ıs, parks, etc.),	grass cover >	·75%			—	0.3	6.47	100
		<u> </u>						_			
								•			
								▼			
								•			
								•			
	S-	-H107					No	tes:		1	
\/	′ariable	Value	VSI								
		Not Used,		ł							
	CANOPY	<20%	Not Used								
VE	MBED	5.0	0.50								
Vs	UBSTRATE	0.10 in	0.05								
V	ERO	0 %	1.00								
V _{LWD} 0.0 0.00											
V _T	V _{TDBH} Not Used Not Used										
Vs	V _{SNAG} 0.0 0.10										
.,											
V _S		0.0	0.00								
	SD										
Vs	SD	0.00	0.00								
V _s	SD RICH ETRITUS	0.00 9.4 %	0.00 0.11								
V _S V _D	SD	0.00	0.00								

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Past 24 hours Yes No Air Temperature Other	
SITE LOCATION/MAP	Timber mat Road S-H107	LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other Other	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources		
RIPARIA VEGETA (18 meter	ΓION	Indicate the dominant type and record the dominant species present Trees Shrubs Grasses Herbaceous Dominant species present						
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No		
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)			
AQUATIO VEGETA						Ü		
WATER QUALITY (DS, US)		Temperature C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used			Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks		
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,		
INC	INORGANIC SUBSTRATE COMPONENTS (should add up to 100%) ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type Diameter		er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)			
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2		,		(FPOM)			

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Para	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
sampling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS		LOT NUMBER				
FORM COMPLETED BY	DATE REASON FOR SURVEY TIME					
HABITAT TYPES Indicate the percentage of	each habitat type present					

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.
	Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-H107

Stream Name: UNT to Camp Creek


HUC Code: Basin:


Survey Date: 9/8/2021


Surveyors: HC, JB, SK Impact Reach: 7.25 m

Type: Bankfull Channel


	1		BBLE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	•	5	5.00	5.00
	Very Fine	.062125		•	5	5.00	10.00
	Fine	.12525		•	5	5.00	15.00
	Medium	.255	SAND	•	0	0.00	15.00
	Coarse	.50-1.0		•	7	7.00	22.00
.0408	Very Coarse	1.0-2		A	0	0.00	22.00
.0816	Very Fine	2 -4		A	0	0.00	22.00
.1622	Fine	4 -5.7]	•	0	0.00	22.00
.2231	Fine	5.7 - 8	1	A	5	5.00	27.00
.3144	Medium	8 -11.3	GRAVEL	A	10	10.00	37.00
.4463	Medium	11.3 - 16		A	30	30.00	67.0
.6389	Coarse	16 -22.6		A	10	10.00	77.0
.89 - 1.26	Coarse	22.6 - 32		•	0	0.00	77.0
1.26 - 1.77	Vry Coarse	32 - 45		^	0	0.00	77.0
1.77 -2.5	Vry Coarse	45 - 64	1	▲	0	0.00	77.0
2.5 - 3.5	Small	64 - 90		A	10	10.00	87.0
3.5 - 5.0	Small	90 - 128	Ī	▲	3	3.00	90.0
5.0 - 7.1	Large	128 - 180	COBBLE	^	10	10.00	100.0
7.1 - 10.1	Large	180 - 256	7	A	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		^	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	•	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.0
40 - 80	Large	1024 -2048	7	A	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.0
	Bedrock		BDRK	A	0	0.00	100.0
				Totals:	100		







AS-BUILT TABLE: S-H107 CROSS SECTION B									
	PI	PRE-CROSSING							
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.				
TS-L	13998550.9800	1771931.1640	1620.121'						
BS-L	13998550.7800	1771930.80901	1619.964'						
THW	13998550.9700	1771929.7000	1619.845'						
BS-R	13998550.1200	1771930.3900	1619.899'	·					
TS-R	13998548.8500	1771929.1870	1620.548'						



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 8, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-H107 BASELINE CROSS-SECTION A



S-H107 BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION
H: 1"=10'
V: 1"=5' SCALE:

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No. Checked

Drawing No.