Baseline Assessment – Stream Attributes

Reach S-H110 (Timber Mat Crossing) Ephemeral Spread C Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓- Low flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	√

Spread C Stream S-H110 (Timber Mat Crossing) Webster County



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, HK
Lat: 38.5872, Long: -80.509634



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, HK Lat: 38.5872, Long: -80.509634

Spread C Stream S-H110 (Timber Mat Crossing) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, HK Lat: 38.5872, Long: -80.509634



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, HK Lat: 38.5872, Long: -80.509634

Spread C Stream S-H110 (Timber Mat Crossing) Webster County



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, HK
Lat: 38.5872, Long: -80.509634



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, HK Lat: 38.5872, Long: -80.509634

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES:	Lat.	38.5872	Lon.	-80.509634	WEATHER:	Partly cloudy	DATE:		
(V2.1, Sept 2015)				(in Decimal Degrees)								9/9/20	021
IMPACT STREAM/SITE ID			S-I	1110	+	MITIGATION STREAM CLAS					Comments:	No benthics	take due t
(watershed size (acreage)	, unaltered or impairme	ents)				(watershed size {acn	eage), unaitered	or impairments)				low f	flow
STREAM IMPACT LENGTH:	22	FORM OF		MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
		MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Column No. 1- Impact Existin	g Condition (Debit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple		Five Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	cted at Maturity (Cr	redit)
Stream Classification:	Epheme	eral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0)
Percent Stream Channel Si	оре	7.8	Percent Stream Channel Sle	оре		Percent Stream Channe	I Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel S	Slope	0
HGM Score (attach d	ata forms):		HGM Score (attach	data forms):		HGM Score (atta	ch data forr	ns):	HGM Score (attach da	ata forms):	HGM Score (attach o	data forms):	
		Average		Average				Average		Average			Average
Hydrology	0.17		Hydrology			Hydrology			Hydrology		Hydrology		
Biogeochemical Cycling Habitat	0.15	0.13666667	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and		ors	PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemica	I and Biologic	cal Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	d Biological Indica	ators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classification	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	0	Epifaunal Substrate/Available Cover Pool Substrate Characterization	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20	Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime	0-20	0	Pool Substrate Characterization Pool Variability	0-20		Embeddedness Velocity/ Depth Regime	0-20 0-20		Embeddedness Velocity/ Depth Regime	0-20	Embeddedness Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	5	Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	0	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	0.1	5. Channel Flow Status	0-20 0.4	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20	18	Channel Alteration	0-20		6. Channel Alteration	0-20	G-1	6. Channel Alteration	0-20	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	18	Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20	70	Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20		 Riparian Vegetative Zone Width (LB & RB Total RBP Score) 0-20 Po	0	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 O	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	
Sub-Total	Suboptimal	0.58333333	Sub-Total	Poor 0		Sub-Total	Po	0	Sub-Total	Poor 0	Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermitter			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Interm	ittent and Peren	nial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	at and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Stres	sams)
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gene	eral)		WVDEP Water Quality Indicators (General)	WVDEP Water Quality Indicators (General	al)	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity	_	
<=99 - 90 points	0-90	42.1		0-90			0-90			0-90		0-90	
pH			pH			pH			pH		pH		
	0-80	6.89		5-90 0-1			5-90	0-1		5-90 0-1		5-90	
6.0-8.0 = 80 points													
DO			DO			DO			DO		DO		
>5.0 = 30 points	10-30	5		10-30			10-30			10-30		10-30	
Sub-Total		1	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial Stre	eams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Int	termittent and F	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	mittent and Perennia	ial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
	0-100 0-1			0-100 0-1			0-100	0-1	-	0-100 0-1		0-100 0-1	
0			0.1.7.1.1			0.1.7.1.1			0.1.7.1.1		0.1.7.11		
Sub-Total		J	Sub-Total	U		Sub-Total		U	Sub-Total	U	Sub-Total		U
PART II - Index and L	Init Score		PART II - Index and	Unit Score		PART II - Index	and Unit Scor	е	PART II - Index and U	nit Score	PART II - Index and	Unit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Scor
	22	10.2116667	0	0 0		0	0	0	0	0 0	0	0	0
0.464													

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Webster County, Spread C

Sampling Date: 9-9-21 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-H110

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.17
Biogeochemical Cycling	0.15
Habitat	0.09

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V_{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	190.91	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	36.25	0.44
V_{HERB}	Average percent cover of herbaceous vegetation.	63.75	0.85
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.31	0.33

Version 10-20-17 High-Gradient Headwater Streams in Appalachia Field Data Sheet and Calculator Latitude/UTM Northing: 38.5872 Team: Tetra Tech Project Name: MVP Stream Assessment Longitude/UTM Easting: -80.509634 Location: Webster County, Spread C Sampling Date: 9-9-21 SAR Number: S-H110 Reach Length (ft): Stream Type: Ephemeral Stream (determined from percent calculated in V_{CCANOPY}) Top Strata: Shrub/Herb Strata Site and Timing: Project Site Before Project Sample Variables 1-4 in stream channel Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If Not Used <20% less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.) List the percent cover measurements at each point below: V_{EMBED} 1.0 points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5. Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983) Rating Description <5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)</p> 5 to 25 percent of surface covered, surrounded, or buried by fine sediment 26 to 50 percent of surface covered, surrounded, or buried by fine sediment 51 to 75 percent of surface covered, surrounded, or buried by fine sediment >75 percent of surface covered, surrounded, or buried by fine sediment (or artificial List the ratings at each point below: 1 1 V_{SUBSTRATE} Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant 0.08 in points along the stream; use the same points and particles as used in V_{EMBED} Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): 0.08 V_{BERO} Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each side and the total percentage will be calculated If both banks are eroded, total erosion for the stream 0 % may be up to 200%. Left Bank: 0 ft Right Bank: Sam 6

ple Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).												
	V_{LWD}	Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated.									0.0	
		Number of downed woody stems: 0										
	V_{TDBH}					_{PY} tree/sapli Is in inches.		at least 20	%). Trees a	re at least	Not Used	
		List the dbl of the strea		nents of indi	vidual trees	(at least 4	in) within th	e buffer on	each side	'		
			Left Side					Right Side				
	0					0						
	V _{SNAG}) per 100 fee eet will be ca		. Enter nur	nber of sna	gs on each	0.0	
			Left Side:		0		Right Side:		0			
	V _{SSD}	only if tree	cover is <2	0%). Enter		s up to 4 inc saplings and l.					190.9	
			Left Side:	3	35		Right Side:		7			

9 V _{SR}		Group 1 in richness pe	er 100 feet a	and the sub		ouiouiuto		autu.			
		Grou	p 1 = 1.0					Group	2 (-1.0)		
] Ace	er rubrur	m		Magnolia t	tripetala		Ailanthus a	Itissima		Lonicera ja	aponica
] Ace	er sacch	arum		Nyssa sylv	/atica		Albizia julib	rissin		Lonicera ta	atarica
] Aes	sculus fla	ava		Oxydendrur	m arboreum		Alliaria peti	olata		Lotus corn	iculatus
Asir	imina trilo	oba		Prunus se	rotina		Alternanthe	era		Lythrum sa	alicaria
Beta	tula alleg	haniensis		Quercus a	lba		philoxeroid		V	Microstegiu	m vimineu
] Bet	tula lenta	a		Quercus c	occinea		Aster tatari	cus		Paulownia	tomento
	rya alba			Quercus in			Cerastium			Polygonum	
	•			Quercus p			Coronilla v			Pueraria n	-
	rya glabi						Elaeagnus u				
	rya ovali			Quercus ru			ū			Rosa mult	
	rya ovat			Quercus v			Lespedeza			Sorghum I	•
] Cor	rnus flor	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena b	rasiliensi
] Fag	gus gran	ndifolia		Tilia ameri	icana		Ligustrum o	btusifolium			
] Fra.	axinus ar	mericana		Tsuga can	nadensis		Ligustrum	sinense			
] Lirio	odendron	tulipifera		Ulmus am	ericana						
] Mag	agnolia a	cuminata									
		0	Species in					1			
nk. The f	four sul	bplots sho Average pe	uld be place ercent cove	r of leaves,	y equidistar sticks, or ot	ntly along her organi	m) in the rip each side o c material. V etrital layer a	f the streat Voody deb	ı m. ris <4" diam		36.25
			Left	Side			Right	Side		1	
		90	0	0	0	100	0	0	100		
11 V _{HF}		include wo	ody stems a	at least 4" d entages up	lbh and 36" i	all. Becau	neasure only use there may epted. Enter	be severa	al layers of	ground	64 %
· · · · · · · · · · · · · · · · · · ·	1	vegetation					Right	Side		1	
· · · · · · · ·			Left	Side	100	0		Side	0	}	
mple Va	ariable 1	10	Left 100 e entire ca	Side 100	100 f the stream re for waters		Right	100	0		0.31
mple Va	ariable 1	10	Left 100 e entire ca Average of	Side 100 tchment of	f the stream	ı. hed:			Runoff	% in Catch-	0.31 Runnin
mple Va	ariable 1	10	Left 100 e entire ca Average of	Side 100 tchment of	f the stream	ı. hed:					Runnin
imple Vai	ariable 1	10	Left 100 e entire ca Average of Land	Side 100 tchment of Runoff Scor	f the stream	ı. hed:			Runoff	Catch-	Runnin Percer
imple Val	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream	ı. hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
imple Vai 12 V _{WL}	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	LUSE	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	ariable 1	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:		100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
imple Vai 12 V _{WL}	est and no	10 2 within th Weighted A ative range { (pasture, law	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
imple Vai 12 V _{WL}	est and no	10 2 within the Weighted A	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
imple Vai 12 V _{WL}	est and notes a space of	10 2 within th Weighted A ative range { (pasture, law	Left 100 e entire ca Average of Land <50% ground	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Fore Ope	est and name space (ative range ((pasture, law	Left 100 e entire ca Average of l Land <50% grouns, parks, etc	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab	est and not space of S-bble	10 12 within th Weighted / ative range ((pasture, law)	Left 100 e entire ca Average of I Land <50% grounding, parks, etc.	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Fore Ope	est and not space of S-bble	ative range ((pasture, law	Left 100 e entire ca Average of l Land <50% grouns, parks, etc	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab	sest and name space (ative range ((pasture, law H110 Value Not Used, <20%	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab V _{EMB}	est and notes that the space of	ative range { (pasture, law) Value Not Used, <20% 1.0 0.08 in	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.04	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab	est and notes that the space of	ative range ((pasture, law) H110 Value Not Used, <20% 1.0	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab V _{EMB}	est and notes an	ative range { (pasture, law) Value Not Used, <20% 1.0 0.08 in	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.04	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab Vaca Value	S-ble ANOPY BED BSTRATE RO	ative range ((pasture, law) H110 Value Not Used, <20% 1.0 0.08 in 0 % 0.0	Left 100 Land Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.04 1.00 0.00	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab VSUB VBER	S-ble ANOPY BED BSTRATE RO	ative range ((pasture, law H110 Value Not Used, <20% 1.0 0.08 in 0 %	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.04 1.00	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab Vaca Value	est and name of space (ative range ((pasture, law) H110 Value Not Used, <20% 1.0 0.08 in 0 % 0.0	Left 100 Land Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.04 1.00 0.00	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab Vaus Variab Vaus Variab Vaus Variab Vaus Variab Vaus Vaus Variab	est and not space of	ative range ((pasture, law) HH110 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab Variab Variab Vsus Vsus Vsus Vsus Vsna Vsso	S-ble ANOPY BED BSTRATE RO D BH AG D	ative range ((pasture, law) H110 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 190.9	Left 100 Land Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.00 Not Used 0.10 1.00	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab Vaus Variab Vaus Variab Vaus Variab Vaus Variab Vaus Vaus Variab	S-ble ANOPY BED BSTRATE RO D BH AG D	ative range ((pasture, law) HH110 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab	S-ble ANOPY BED BSTRATE RO D BH AG D	ative range ((pasture, law) H110 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 190.9	Left 100 Land Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.00 Not Used 0.10 1.00	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnir Percer (not >10
Variab	S-ble ANOPY BED BSTRATE RO D CH FRITUS	10 12 within th Weighted / ative range { (pasture, law) H110 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 190.9 0.00	Left 100 Land Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.00 Not Used 0.10 1.00 0.00 0.00	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10
Variab	est and notes an	10 12 within th Weighted / ative range { (pasture, law Upasture, law 1.0 0.08 in 0 % 0.0 Not Used 0.0 190.9 0.00 36.3 %	Left 100 e entire ca Average of I Land <50% ground ns, parks, etc VSI Not Used 0.10 0.00 Not Used 0.10 1.00 0.00 0.44	Side 100 tchment of Runoff Scot Use (Choose d cover)	f the stream re for waters se From Dro	ı. hed:	100	100	Runoff Score	Catch- ment 37.51	Runnin Percer (not >10

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE REASON FOR SURVEY				

WEATHER CONDITIONS	Now Past 24 hours Past 24 hours Yes No Air Temperature Cother Other Other No Air Temperature Other Other	
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)	
NY	Sang DDO Tong. Sang of the Machine France o	
1000	Ephemeral	
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other Stream Type Catchment Area km²	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck Mud	black very fine ergenie	
Gravel	2-64 mm (0.1"-2			Muck-Mud black, very fine organic (FPOM)		

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category Ontimal Subontimal Marginal Poor								
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County: Webster Stream ID: S-H110

Stream Name: UNT to Houston Run


HUC Code: Survey Date: 9/9/2021

Surveyors: HK VM Impact Reach: 6 m

Type: Bankfull Channel

			LE COUNT			_	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	A	90	90.00	90.00
	Very Fine	.062125		4	0	0.00	90.00
	Fine	.12525]	*	0	0.00	90.00
	Medium	.255	SAND	4	5	5.00	95.00
	Coarse	.50-1.0		4	5	5.00	100.0
.0408	Very Coarse	1.0-2		A	0	0.00	100.0
.0816	Very Fine	2 -4		+	0	0.00	100.0
.1622	Fine	4 -5.7		4	0	0.00	100.0
.2231	Fine	5.7 - 8		4	0	0.00	100.0
.3144	Medium	8 -11.3		4	0	0.00	100.0
.4463	Medium	11.3 - 16	GRAVEL	•	0	0.00	100.0
.6389	Coarse	16 -22.6]	*	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32]	•	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45		A	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64		4	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		*	0	0.00	100.0
3.5 - 5.0	Small	90 - 128	COBBLE	4	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	4	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		•	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		4	0	0.00	100.0
14.3 - 20	Small	362 - 512		•	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	4	0	0.00	100.0
40 - 80	Large	1024 -2048		4	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		•	0	0.00	100.0
	Bedrock		BDRK	^	0	0.00	100.0
				Totals:	100		







	Size (mm)	•
39	D16	0.062	- Q.
	D35	0.062	
	D50	0.062	
	D65	0.062	
	D84	0.062	
	D95	0.5	


Size Distr	ibution
mean	0.1
dispersion	1.0
skewness	

Туре			
silt/clay	90%		
sand	10%		
gravel	0%		
cobble	0%		
boulder	0%		





AS-BUILT TABLE: S-H110 CROSS SECTION A								
	PI	AŞ-E	BUILT					
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.			
TS-L	14012466.9000	1780392.83001	2304.204'					
BS-L	14012464.8700	1780387.04101	2302.856'					
THW	14012698.9900	1780522.8640	2322.758'					
BS-R	14012471.9800	1780380.5850	2302.804'					
TS-R	14012468.0300	1780374.70301	2303.807'	_				



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)

2318 -

2316

0+00

0+10

0+20

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 9, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS PENDING CROSSING

> PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

> > PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

Drawing No.

CAD File No.

S-H110 BASELINE CROSS-SECTION A 2328 -2322 -

0 + 40

DISTANCE ALONG CROSS-SECTION (FT)

0+50

CROSS SECTION LEGEND — EXISTING GRADE

0+70

0+60

- 2330

- 2328

- 2326

- 2324

- 2318

— 2316

0+80

CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.