Baseline Assessment – Stream Attributes

Reach S-H113 (3) (Pipeline ROW) Perennial Spread C Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓ Water quality used from benthic sample 09/14/21
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓ Stream was reassessed on 09/21/21
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓ Collected on 09/14/21
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/VM
Lat: 38.612874 Long: -80.503682



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/VM
Lat: 38.612874 Long: -80.503682



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/VM Lat: 38.612874 Long: -80.503682



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/VM Lat: 38.612874 Long: -80.503682



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/VM
Lat: 38.612874 Long: -80.503682



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RH/VM Lat: 38.612874 Long: -80.503682




Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, RH/VM Lat: 38.612874 Long: -80.503682




Photo Type: Riffle, US View
Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, RH/VM
Lat: 38.612874 Long: -80.503682

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.612874 L	Lon.	-80.503682	WEATHER:	99%	Cloud Cover	DATE:	09/14	4/21
IMPACT STREAM/SITE ID (watershed size (acreage),			S-H1	113 (3)		MITIGATION STREAM CLASS./SII (watershed size {acreage}, u						Comments:		
STREAM IMPACT LENGTH:	9	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	L	Lon.		PRECIPITATION PAST 48 HRS:	PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	Condition (Deb	oit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Proje Post Completion (C		ve Years	Column No. 4- Mitigation Proje Post Completion (C		ars	Column No. 5- Mitigation Projecte	d at Maturity (C	redit)
Stream Classification:	Perer	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:	o)	Stream Classification:	a	
Percent Stream Channel Sid	оре	2	Percent Stream Channel Slo	оре		Percent Stream Channel Slop	ю	0	Percent Stream Channel Slo	оре	0	Percent Stream Channel SI	оре	0
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (attach da	ata forms):	HGM Score (attach da	ita forms):		HGM Score (attach da	ta forms):	
Hydrology Biogeochemical Cycling Habitat		Average 0	Hydrology Biogeochemical Cycling	Average 0		Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling Habitat		Average 0	Hydrology Biogeochemical Cycling Habitat		Average 0
PART I - Physical, Chemical and	Biological Indica	ators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and I	Biologica	Indicators	PART I - Physical, Chemical and I	Biological Indica	ators	PART I - Physical, Chemical and	Biological Indica	ators
	Points Scale Range	Site Score		Points Scale Range Site Score				tange Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams cla	assifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	6	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	16	Pool Substrate Characterization	0-20			0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	}
3. Velocity/ Depth Regime	0-20	3	3. Pool Variability	0-20			0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	16	4. Sediment Deposition	0-20			0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	
Channel Flow Status Channel Alteration	0-20 0-1	19	5. Channel Flow Status	0-20 0-1			0-20	0-1	5. Channel Flow Status	0-20 0-1		Channel Flow Status Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20	18	Channel Alteration Channel Sinuosity	0-20			0-20		Channel Alteration Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	17	8. Bank Stability (LB & RB)	0-20			0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	10	9. Vegetative Protection (LB & RB)	0-20			0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	20	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20	
Total RBP Score	Suboptimal	134	Total RBP Score	Poor 0		Total RBP Score	Poor		Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.67	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent ar	nd Perennia	l Streams)	CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Str	eams)	CHEMICAL INDICATOR (Applies to Intermitten	and Perennial Stre	sams)
WVDEP Water Quality Indicators (General) Specific Conductivity)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity		
<=99 - 90 points	0-90	31.6	nН	0-90		pH	0-90		ρΗ	0-90		pH	0-90	
6.0-8.0 = 80 points	0-80	6.8		5-90 0-1			5-90	0-1		5-90 0-1			5-90 0-1	
>5.0 = 30 points	10-30	9.6	DO	10-30		Во	10-30		DO	10-30		DO	10-30	
Sub-Total		1	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitt	lent and Perennial S	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Pe	rennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenn	ial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ttent and Perennia	al Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1	72.87	WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100	0-1	WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	
Good Sub-Total		0.7287	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index and U	nit Score		PART II - Index and U	nit Score		PART II - Index and U	nit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear F	eet Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.800	9	7.1961	0	0 0		0	0	0	0	0	0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE	REASON FOR SURVEY				

WEATHER CONDITIONS SITE LOCATION/MAP	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Other Draw a map of the site and indicate the areas sampled (or attach a photograph)
	S-HII3(3)
	Timber Mat Pipe Ch
	Going Away In
	LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other Stream Type Coldwater Warmwater Catchment Area km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Forest Field/	Pasture Industrial Other	rcial	Local Watershed NPS I No evidence □ Som Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIAN VEGETATION (18 meter buffer)	Trees	the dominant type and Si nt species present	hrubs		rbaceous
INSTREAM FEATURES	Estimate Samplin Area in Estimate	ed Stream Depth Velocitym	m m² km² m	High Water Mark Proportion of Reach Re Morphology Types	epresented by Stream Run% No
LARGE WOODY DEBRIS	LWD Density	m² of LWDm	n ² /km ² (LWD/	reach area)	
AQUATIC VEGETATION	Roote Floatii Domina	d emergent Ro ng Algae At	ooted submerge tached Algae		C
WATER QUALITY (DS ONLY)	Specific Dissolve pH Turbidi	ature0 C Conductance d Oxygen by trument Used		Fishy Water Surface Oils Slick Sheen	Chemical Other Globs Flecks red)
SEDIMENT/ SUBSTRATE	Odors Norma Chem Other Other	ical Anaerobic		L ρoking at stones which are the undersides black	Paper fiber Sand Other h are not deeply embedded, k in color?
	UBSTRATE (ld add up to 1	COMPONENTS 00%)		ORGANIC SUBSTRATE CO	
Substrate Type Dia	meter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock Boulder > 256 mm (10")		Detritus	sticks, wood, coarse plant materials (CPOM)	

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale). habitat; well-suited for full colonization potential; availability less than desirable; substrate frequently disturbed or removed. habitat; habitat availability less than desirable; substrate frequently disturbed or removed.							
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).					
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			


Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Webster County

STREAM NAME S-H113 (3)

STATION #	RIVERMILE					STREAM CLASS Perennial											
LAT 38.612874	L	ONO	j -80.	503682	2	RIVER BAS	SIN										
STORET #						AGENCY V	AGENCY WVDEP										
INVESTIGATORS M	вн	2				•				I	LOT	NUMBER					
FORM COMPLETED	BY	Η	С			DATE 09/1. TIME 1530				I	REA!	SON FOR SURVEY Ba	aselir	ne A	.sse:	ssm	ent
HABITAT TYPES	✓	Cob	ble_5	50	%	tage of each habitat Snags% phytes%	Ūν	eget	t ated Other	Banl	ks	% □Sand)%	_%				
SAMPLE COLLECTION	H In ✓	ow v dica Cob	vere ite th	the :	samp imbe	ame ☑kick-net les collected? ☑ r of jabs/kicks taken ☐ Snags phytes	√wadin in each	g hal eget	□ bitat	fron type Banl	n bar						
GENERAL COMMENTS	U	S: S:	Te Te	mp mp	o: 1 o: 1	8.6 C, SPC:	31.4	us	/cn	า, [: 9.5 mg/L, pH : 9.6 mg/L, pH					
QUALITATIVE I Indicate estimated Dominant							ved, 1	. =]	Rare	e, 2	= C	ommon, 3= Abund	lant,	4 =	=		
Periphyton					0	1 2 3 4		Sli	mes				0	1	2	3	4
Filamentous Algae					0	1 2 3 4		Ma	croi	nve	rtebi	rates	0	1	2	3	4
Macrophytes					0	1 2 3 4		Fis	h				0	1	2	3	4
	labi	und	anc	e:	0 = orga	Absent/Not Obser anisms), 3= Abun	dant (>10	org	anis	sms)	rganisms), 2 = Con , 4 = Dominant (>5	50 oı	rgar	nism		
Porifera						1			2			Chironomidae			2		
Hydrozoa					4							Ephemeroptera					
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea Oligochaeta	0	l 1	2	3	4	Lepidoptera	0	1	2	3	4						
Isopoda	0	1	2 2	3	4	Sialidae Corydalidae	0	1	2 2	3	4 4						
Amphipoda	0	1	2	3	4	Tipulidae Tipulidae	0	1	2	3	4						
Decapoda Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						



WOLMAN PEBBLE COUNT FORM

Basin:

County: Webster Stream ID: S-H113 (3)

Stream Name: UNT to Elk River (3)


HUC Code:

Survey Date: 9/21/2021

Surveyors: VM RH Reach 0.5m

Type: Bankfull Channel


			BLE COUNT			_	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	A	11	11.00	11.00
	Very Fine	.062125		^	6	6.00	17.00
	Fine	.12525		A	8	8.00	25.00
	Medium	.255	SAND	*	8	8.00	33.00
	Coarse	.50-1.0		4	3	3.00	36.00
.0408	Very Coarse	1.0-2]	^	4	4.00	40.00
.0816	Very Fine	2 -4		^	6	6.00	46.00
.1622	Fine	4 -5.7	1	^	7	7.00	53.00
.2231	Fine	5.7 - 8	1	^	5	5.00	58.00
.3144	Medium	8 -11.3	1	A	7	7.00	65.00
.4463	Medium	11.3 - 16	GRAVEL	A	6	6.00	71.00
.6389	Coarse	16 -22.6	1	A	8	8.00	79.00
.89 - 1.26	Coarse	22.6 - 32	1	A	2	2.00	81.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	2	2.00	83.00
1.77 -2.5	Vry Coarse	45 - 64	1	A	5	5.00	88.00
2.5 - 3.5	Small	64 - 90		A	3	3.00	91.00
3.5 - 5.0	Small	90 - 128		A	5	5.00	96.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	1	1.00	97.00
7.1 - 10.1	Large	180 - 256	1	A	3	3.00	100.00
10.1 - 14.3	Small	256 - 362		A	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	<u> </u>	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.00
40 - 80	Large	1024 -2048	1	<u> </u>	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.00
	Bedrock		BDRK	<u> </u>	0	0.00	100.00
				Totals:	100		



:	Size (mm)	1
	D16	0.11	
	D35	0.79	
	D50	5	
	D65	11	
	D84	48	
	D95	120	

Size Distribution		
mean	2.3	
dispersion	27.5	
skewness	-0.21	

	Туре	
silt/clay	11%	
sand	29%	
gravel	48%	
cobble	12%	
boulder	0%	



SURVEY NOTES:

S-H113 (1) BASELINE CROSS-SECTION A

0+20

DISTANCE ALONG CROSS-SECTION (FT)

S-H113 (1) BASELINE CROSS-SECTION B

RIFFLE

0 + 20

DISTANCE ALONG CROSS-SECTION (FT)

S-H113 (3) BASELINE CROSS-SECTION C

DISTANCE ALONG CROSS-SECTION (FT)

0+10

1060 -

1058 -

0+00

0+00

0+30 0+35

- 1058

- 1054

-- 1050

CROSS SECTION LEGEND

CROSS SECTION
H: 1"=10'
V: 1"=5'

— EXISTING GRADE

0+40 0+45

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 8, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

PRE-CROSSING PHOTOS






PHOTO TAKEN LOOKING UPSTREAM FROM





PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

Drawing No

CAD File No.