# Reach S-H114 (Timber Mat Crossing) Ephemeral Spread C Webster County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	$\checkmark$
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	N/A – No flow
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

## Spread C Stream S-H114 (Timber Mat Crossing) Webster County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, VM Lat: 38.613259 Long: -80.504243



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, VM Lat: 38.613259 Long: -80.504243

DEP Draft Permit #WQC-21-005

## Spread C Stream S-H114 (Timber Mat Crossing) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, VM Lat: 38.613259 Long: -80.504243



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream, VM Lat: 38.613259 Long: -80.504243

DEP Draft Permit #WQC-21-005

## Spread C Stream S-H114 (Timber Mat Crossing) Webster County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, HK Lat: 38.613259 Long: -80.504243



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, HK Lat: 38.613259 Long: -80.504243

DEP Draft Permit #WQC-21-005

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountair	n Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.613259	Lon.	-80.504243	WEATHER:	30% cloud cover	DATE:	9/8/20	021
IMPACT STREAM/SITE ID (watershed size (acreage))		S-I	1114		MITIGATION STREAM CLA (watershed size (ac	SS./SITE ID AND SI reage}, unaltered or impai				Comments:		
STREAM IMPACT LENGTH:	22 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	Condition (Debit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigatio Post Comp	on Projected at Five Y letion (Credit)	ears	Column No. 4- Mitigation P Post Completio		Column No. 5- Mitigation Project	ted at Maturity (C	redit)
Stream Classification:	Ephemeral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel Sic	ope 10.7	Percent Stream Channel Slo	ope		Percent Stream Chann	el Slope	0	Percent Stream Channel	Slope 0	Percent Stream Channel S	lope	0
HGM Score (attach da	ita forms):	HGM Score (attach o	data forms):		HGM Score (at	tach data forms):		HGM Score (attach	n data forms):	HGM Score (attach o	lata forms):	
Hydrology	Average	Hydrology	Average		Hydrology		Average	Hydrology	Average	Hydrology		Average
Biogeochemical Cycling Habitat	0.35 0.31666667	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	-	0
PART I - Physical, Chemical and I	Biological Indicators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemic	cal and Biological Ind	cators	PART I - Physical, Chemical a	nd Biological Indicators	PART I - Physical, Chemical and	Biological Indica	ators
	Points Scale Range Site Score		Points Scale Range Site Score			Points Scale Range	Site Score		Pointa Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all str			PHYSICAL INDICATOR (Applies to all street		PHYSICAL INDICATOR (Applies to all stream	s classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data She			USEPA RBP (High Gradient Data Sheet		USEPA RBP (High Gradient Data Sheet)		
Epitaunal Substrate/Available Cover     Embeddedness	0-20 0 0-20 9	1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20 0	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20 9	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20	1
5. Channel Flow Status	0-20 0.4 0	5. Channel Flow Status	0-20 0.4		5. Channel Flow Status	0-20 0.4		5 Channel Elow Status	0-20	5. Channel Flow Status	0.20	
6. Channel Alteration	0-20 0-1 18	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0.20 0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0.20	
8. Bank Stability (LB & RB)					8. Bank Stability (LB & RB)					8. Bank Stability (LB & RB)		
		8. Bank Stability (LB & RB)	0-20			0-20		8. Bank Stability (LB & RB)	0-20		0-20	
9. Vegetative Protection (LB & RB)		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0.20	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20		10. Riparian Vegetative Zone Width (LB & R Total RBP Score	(B) 0-20 Poor	•	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0	Total RBP Score	0-20 Poor	
Total RBP Score Sub-Total	Suboptimal 77 0.64166667	Sub-Total	Poor 0		Sub-Total	Poor	0	Sub-Total	Poor 0	Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermittent		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial Stre	ams)	CHEMICAL INDICATOR (Applies to Intermi		CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Stre	
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Ger	neral)		WVDEP Water Quality Indicators (Gene	eral)	WVDEP Water Quality Indicators (Genera	d)	
Specific Conductivity		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
	0-90		0-90			0-90			0-90		0-90	
100-199 - 85 points												
рН		рН			рн			рн		рН		
5050 45 14	0-80		5-90 0-1			5-90 0-1			5-90 0-1		5-90 0-1	
5.6-5.9 = 45 points		DO.			20			<b>PO</b>		00		
00		00			00			50		00		
	10-30	II	10-30			10-30			10-30		10-30	
Sub-Total		Sub-Total	0		Sub-Total		0	Sub-Total		Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to In	ntermittent and Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Inte	ermittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perenni	al Streams)
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
0	0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1	
Sub-Total	0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
PART II - Index and U	nit Score	PART II - Index and	Unit Score		PART II - Index	and Unit Score		PART II - Index and	d Unit Score	PART II - Index and	Unit Score	
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Scor
		-										

0.519

11.4125

### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment Location: Webster County, Spread C Sampling Date: 09-08-21	Project Site	Before Project
Subclass for this SAR: Ephemeral Stream		
Uppermost stratum present at this SAR: Shrub/Herb Strata	SAR number:	S-H114

### Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.51
Biogeochemical Cycling	0.35
Habitat	0.09

### Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
V <sub>EMBED</sub>	Average embeddedness of channel.	1.77	0.38
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.08	0.04
V <sub>BERO</sub>	Total percent of eroded stream channel bank.	15.33	0.99
V <sub>LWD</sub>	Number of down woody stems per 100 feet of stream.	0.00	0.00
V <sub>TDBH</sub>	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	0.00	0.00
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	13.75	0.17
V <sub>HERB</sub>	Average percent cover of herbaceous vegetation.	85.63	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	1.00	1.00

			High-G			ter Strea et and C			-	а		
	Team:	AC VM H	(						Latitude/UT	M Northing:	38.613259	
Pr	oject Name:	MVP Strea	m Assessm	ent				L	.ongitude/U	TM Easting:	-80.504243	
	Location:	Webster C	ounty, Sprea	ad C					San	pling Date:	09-08-21	
S/	AR Number:	ber: S-H114 Reach Length (ft): 150 Stream T					/pe:	Ephe	emeral Stream	ı		-
	Top Strata:	Sh	rub/Herb Sti	rata	(determine	d from perce	ent calc	ulate	d in V <sub>CCANO</sub>	<sub>9Y</sub> )		
	and Timing:	NY 1992 844 95				-	Before	Proje	ct			-
<u> </u>	e Variables							Mag	aura at no f	awar than 1	0 roughly	
1	V <sub>CCANOPY</sub>	equidistant	points alone at least one	g the stream value betw	. Measure een 0 and 1	nd sapling ca only if tree/s 9 to trigger	apling	cove	r is at least :			Not Used <20%
	0											
2	V <sub>EMBED</sub>	along the s surface and to the follow of 1. If the	tream. Sele d area surro ving table. I bed is comp	ect a particle unding the p f the bed is posed of bec	from the be particle that an artificial drock, use a	I. Measure ed. Before n is covered b surface, or c rating score	noving by fine s compos e of 5.	it, de edin ed of	termine the nent, and en fine sedime	percentage ter the rating ents, use a r	of the g according rating score	1.8
		Minshall 19	983)		obble and b	oulder partic	cles (res	scale	d from Platt	s, Megahan	i, and	
		Rating 5	Rating Des		overed our	rounded, or	buried	hv fi-	na sadimant	(or bodrock	()	
		4				, surrounded					9	
		3				d, surrounde						
		2				d, surrounde irrounded, o					al surfaco)	
	List the rati	ings at each			covereu, sc	inounded, o	Durieu	л Бу Г	ine seuimer		ai Sullace)	
	1	1	1	4	3	1	2		1	3	1	
	4	3	1	2	2	2	2		1	3	3	
	1	2	2	1	1	1	1		1	1	1	
3		Median stre										
	Enter partie		tream; use t ches to the i	he same po nearest 0.1	ints and par inch at each	ticles as use	ed in V <sub>e</sub>	EMBED			-	0.08 in
	1.50	0.30	0.08	0.08	0.40	0.90	1.2	0	0.08	0.70	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.0	8	0.20	0.20	0.08	
	0.08	0.08	0.08	0.20	0.10	1.20	0.0	8	1.90	0.08	0.08	
4	V <sub>BERO</sub>		al percentag			Enter the to oth banks a						15 %
			Left Bank:	1:	3 ft		Right B	ank:	1(	) ft		
ampl	e Variables				-				•			
5	V <sub>LWD</sub>	stream rea		e number fr	om the entir llated.	es in diamet e 50'-wide b f downed wo	ouffer a	nd w	thin the cha	<i>,</i> .		0.0
6	V <sub>TDBH</sub>	Average dt	oh of trees (r	measure on		v tree/saplin	_			<b>,</b>	at least 4	
		inches (10	cm) in diam	eter. Enter	tree DBHs i		-					Not Use
			Left Side						Right Side			
								_				
7	V <sub>SNAG</sub>					per 100 feet et will be cal			Enter numb	er of snags	on each	0.0
			Left Side:		0		Right S	Side:		0		
8	V <sub>SSD</sub>	Number of				up to 4 inch					asure only	
-	000	if tree cove		Enter numb	er of sapling	gs and shrul						0.0
			Left Side:		0		Right S	Side <sup>.</sup>		C		

9	9 V <sub>SRICH</sub> Riparian vegetation species richness per 100 feet of stream reach. Check all species present from Group 1 in the tallest stratum. Check all exotic and invasive species present in all strata. Species richness per 100 feet and the subindex will be calculated from these data.								0.00		
		Grou	p 1 = 1.0					Grou	p 2 (-1.0)		
	Acer rubru	m		Magnolia ti	ripetala		Ailanthus a	ltissima		Lonicera ja	ponica
	Acer sacch	narum		Nyssa sylv	vatica		Albizia julib	rissin		Lonicera ta	tarica
	Aesculus fi	lava		Oxydendrun	n arboreum		Alliaria peti	olata		Lotus corn	iculatus
	Asimina tril	loba		Prunus ser	rotina		Alternanthe			Lythrum sa	licaria
	Betula alleg			Quercus a			philoxeroid			Microstegiur	
	Betula lenta			Quercus co			Aster tatari	cus		Paulownia	
				Quercus in							
	Carya alba						Cerastium			Polygonum	
	Carya glab			Quercus p			Coronilla va			Pueraria m	
	Carya oval			Quercus ru			Elaeagnus u			Rosa multi	
	Carya ovat	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flor	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena bi	rasiliensis
	Fagus grar	ndifolia		Tilia amerio	cana		Ligustrum ol	otusifolium			
	Fraxinus a	mericana		Tsuga can	adensis		Ligustrum s	sinense			
	Liriodendron	n tulipifera		Ulmus ame	ericana						
	Magnolia a	cuminata									
		0	Species in	Group 1				0	Species in	Group 2	
		bplots shou Average pe	ild be place ercent cover clude. Enter	d roughly of leaves, s	equidistant	y along ea	ch side of the material. Wo	ne stream body debri ubplot.	<b>zone within</b> s <4" diamete		n <b>each</b> 13.75 %
		0	5	31de 35	25	0	Right 0	t Side 10	35		
		0	5		25	0	0	10		-	
11	V <sub>HERB</sub>	include woo	ody stems a percentages ot.	t least 4" db s up through	oh and 36" ta	II. Because	e there may b Enter the per	e several cent cove	is <20%). D layers of gro of ground ve	und cover	86 %
		100		Side	75	100		t Side	CE.		
		100	95	65	75	100	100	85	65		
Sampl	e Variable 1	2 within the	entire cate	chment of t	he stream.						
Sampl	e Variable 1 V <sub>WLUSE</sub>		verage of F	Runoff Score	e for watersh				Runoff	% in	1.00 Running
			verage of F	Runoff Score					Runoff Score	% in Catch- ment	
	V <sub>wluse</sub>		verage of F Land	Runoff Score	e for watersh					Catch-	Running Percent
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wluse</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh				Score	Catch- ment	Running Percent (not >100)
	V <sub>wLUSE</sub>	Weighted A	verage of F Land	Runoff Score	e for watersh		Νο	tes:	Score	Catch- ment	Running Percent (not >100)
12	V <sub>WLUSE</sub>	Weighted A native range (: -H114	Land	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
	V <sub>WLUSE</sub> Forest and n	Weighted A native range (: -H114 Value	Verage of F Land	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
	V <sub>WLUSE</sub>	Weighted A native range (: -H114	Land	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
	V <sub>WLUSE</sub> Forest and n	Weighted A native range (: -H114 Value Not Used,	Verage of F Land	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
12 	V <sub>wLUSE</sub> Forest and m	-H114 Not Used, <20%	VSI Not Used	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
12 	V <sub>WLUSE</sub> Forest and n	-H114 -H114 Value Not Used, <20% 1.8	VSI Not Used 0.38	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
12 	VwLUSE Forest and n S 'ariable VcCANOPY VEMBED VSUBSTRATE	-H114 Value Not Used, <20% 1.8 0.08 in	VSI Not Used 0.38 0.04	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
12 V V	VwLUSE Forest and m S 'ariable VcCANOPY VEMBED VSUBSTRATE VBERO	-H114 -H114 Value Not Used, <20% 1.8 0.08 in 15 %	VSI Not Used 0.38 0.04 0.99	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
	VwLuse Forest and n S fariable Vccanopy Vembed Vsubstrate Vbero VLWD	-H114 -H114 Value Not Used, <20% 1.8 0.08 in 15 % 0.0	VSI Not Used 0.38 0.04 0.99 0.00	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
12 V	VwLUSE Forest and n S 'ariable VcCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH	-H114 -H114 Value Not Used, <20% 1.8 0.08 in 15 % 0.0 Not Used	VSI VSI Not Used 0.00 Not Used	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
12 V	VwLUSE Forest and m Forest and m S ariable Vccanopy Vembed Vsubstrate Vbero VLWD VtDBH Vsnag	-H114 -H114 Value Not Used, <20% 1.8 0.08 in 15 % 0.0 Not Used 0.0	VSI VSI Not Used 0.38 0.04 0.99 0.00 Not Used 0.10	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
	VwLUSE Forest and n S S fariable VcCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH VSNAG VSSD	Weighted A native range (: -H114 Value Not Used, <20% 1.8 0.08 in 15 % 0.0 Not Used 0.0 0.0	VSI VSI Not Used 0.38 0.04 0.99 0.00 Not Used 0.10 0.00	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)
	V <sub>WLUSE</sub> Forest and n S S S S S S S S S S S S S S S S S S S	-H114 -H114 Value Not Used, <20% 1.8 0.08 in 15 % 0.0 Not Used 0.0 0.0 0.0 0.0	VSI VSI Not Used 0.38 0.04 0.99 0.00 Not Used 0.10 0.00 0.00	Runoff Score	e for watersh		No	tes:	Score	Catch- ment	Running Percent (not >100)

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?       Storm (heavy rain) rain (steady rain) showers (intermittent) %     Air Temperature0 C       % cloud cover clear/sunny    %
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
NZI	UB VLY DS LOP VLY VLY
	Timbermat
JX V	Ephemeral S-H114 RB Veg
STREAM CHARACTERIZATION	Stream Subsystem Perennial     Stream Type Coldwater     Warmwater       Stream Origin Glacial     Spring-fed Mixture of origins Swamp and bog     Catchment Area_km <sup>2</sup>

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse       Local Watershed NPS Pollution         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Other         Indicate the dominant type and record the dominant species present       Herbaceous         Trees       Shrubs       Grasses         Dominant species present       Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm <sup>2</sup>
DEBRIS	Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent       Rooted submergent       Rooted floating       Free floating         Floating Algae       Attached Algae       Booted floating       Free floating       Free floating         Dominant species present
WATER QUALITY (DS, US)	Temperature0 C       Water Odors Normal/None       Sewage         Specific Conductance       Petroleum Fishy       Chemical Other         Dissolved Oxygen       Water Surface Oils Slick       Sheen None       Globs       Flecks         pH       Turbidity (if not measured) Clear       Slightly turbid       Turbid Turbid       Turbid Opaque       Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal     Sewage     Petroleum     Deposits       Chemical     Anaerobic     None     Sludge     Sawdust     Paper fiber     Sand       Other     Other     Epoking at stones which are not deeply embedded are the undersides black in color?     How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant			
Boulder	> 256 mm (10")			materials (CPOM)			
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2.5")			(FPOM)			
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments			
Silt	0.004-0.06 mm						
Clay	< 0.004 mm (slick)						

### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	1 Category					
Parameter	Optimal	Suboptimal	Marginal	Poor				
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabior or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
SCORE(LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total Score \_\_\_\_\_

### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN							
STORET #		AGENCY	AGENCY						
INVESTIGATORS			LOT NUMBER						
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY						
HABITAT TYPES	Indicate the percentage of Cobble% Sn Submerged Macrophytes	ags% Vegetated B	anks% Sand% )%						
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand						
GENERAL COMMENTS									

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

### WOLMAN PEBBLE COUNT FORM

Basin:

County:WebsterStream Name:UNT to Elk RiverHUC Code:Survey Date:9/8/2021Surveyors:AC, VM, HK


Type:

Bankfull Channel

Stream ID: S-H114

Impact Reach: 46m


Inches	PARTICLE	Millimeters					
				Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	* *	50	50.00	50.00
	Very Fine	.062125		•	0	0.00	50.00
	Fine	.12525		• •	0	0.00	50.00
	Medium	.255	S A N D	• •	0	0.00	50.00
	Coarse	.50-1.0		• •	0	0.00	50.00
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	50.00
.0816	Very Fine	2 -4		* *	0	0.00	50.00
.1622	Fine	4 -5.7		• •	10	10.00	60.00
.2231	Fine	5.7 - 8		* *	12	12.00	72.00
.3144	Medium	8 -11.3		<b>•</b>	10	10.00	82.00
.4463	Medium	11.3 - 16	G R A V E L	* *	0	0.00	82.0
.6389	Coarse	16 -22.6		▲ ▼	5	5.00	87.00
.89 - 1.26	Coarse	22.6 - 32		* *	3	3.00	90.00
1.26 - 1.77	Vry Coarse	32 - 45		* *	0	0.00	90.00
1.77 -2.5	Vry Coarse	45 - 64		* *	0	0.00	90.00
2.5 - 3.5	Small	64 - 90		* *	10	10.00	100.0
3.5 - 5.0	Small	90 - 128	CODDIE	• •	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	* *	0	0.00	100.0
7.1 - 10.1	Large	180 - 256	]	<b>•</b>	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		• •	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	* *	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	* *	0	0.00	100.0
40 - 80	Large	1024 -2048	1	* *	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	* *	0	0.00	100.0
	Bedrock		BDRK	* *	0	0.00	100.0
				Totals:	100		




cumulative %

# of particles

### Bankfull Channel Pebble Count, S-H114, UNT to Elk River



AS-BUILT TABLE: S-H114 CROSS SECTION A										
	PI	RE-CROSSING		AS-E	SUILT					
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HÓRZ. DIFF.					
TS-L	-	-	-							
BS-L	-	-	-							
THW	14022211.3400	1782004.0540'	1047.137'							
BS-R	-	-	-							
TS-R	-	-	-							




 SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 8, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.

3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.

- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.



NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

