# Reach S-H117 (Pipeline ROW) Perennial Spread C Braxton County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	$\checkmark$
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, HK/VM Lat: 38.73102 Long: -80.50628



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, HK/VM Lat: 38.73102 Long: -80.50628



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, HK/VM Lat: 38.73102 Long: -80.50628



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, HK/VM Lat: 38.73102 Long: -80.50628



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, HK/VM Lat: 38.73102 Long: -80.50628



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, HK/VM Lat: 38.73102 Long: -80.50628



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, HK/VM Lat: 38.73102 Long: -80.50628



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, HK/VM Lat: 38.73102 Long: -80.50628

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017


USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain V	Mountain Valley Pipeline IMPACT (in De		Lat.	39.73102	Lon.	-80.50628	WEATHER:	Sunny		DATE:	September 4, 2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S-I	H117		MITIGATION STREAM CLASS (watershed size (acreage						Comments:	
STREAM IMPACT LENGTH:	82	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)		Column No. 2- Mitigation Existing C	Condition - Baseline (Credit)		Column No. 3- Mitigation Pr Post Completio	ojected at Five )	'ears	Column No. 4- Mitigation Proj Post Completion (	ected at Ten Years Credit)		Column No. 5- Mitigation Projecte	d at Maturity (Credit)
Stream Classification:	Perennial	1	Stream Classification:			Stream Classification:		0	Stream Classification:	0		Stream Classification:	0
Percent Stream Channel Slo	ope	4.8	Percent Stream Channel SI	оре		Percent Stream Channel S	lope	0	Percent Stream Channel SI	ope 0		Percent Stream Channel St	ope 0
HGM Score (attach da	ita forms):		HGM Score (attach	data forms):		HGM Score (attach	data forms):		HGM Score (attach da	ata forms):		HGM Score (attach da	ita forms):
Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and I		o s	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical an	Average 0 d Biological Indicators		Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical at	nd Biological Ind	Average 0 icators	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and	Avera 0 Biological Indicators	ige	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and I	Average 0 Biological Indicators
	Points Scale Range :	Site Score		Point Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Sco	are		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RATB (High Gradient Data Sheet) LSEPAR RATB (High Gradient Data Sheet) L. Ernbeiddenheas J. Ernbeiddenheas J. Schwart Deposition 4. Sediment Deposition 6. Channel Row Status 6. Channel Alteration 8. Bark Statuliny (LB & RB) 9. Vergataler Portection (LB & RB) 10. Repart Vegetater Zow Widm (LB & RB) 10. Repart Vegetater Zow Widm (LB & RB) 10. Repart Vegetater Zow Widm (LB & RB) 20.6 Total REMEICAL INDICATOR (Apples to Intermittent WIDEP Water Quality Indicators (General) Specific Conductivity <	0-20 0-20	53.8	USEPA RBP (Low Gradient Data Sheet) Lipfaural Stortate/Available Cover 2. Pod Substrate Characterization 3. Pod Variabity 4. Sediment Deposition 6. Charanet Flow Status 6. Charanet Alexation 3. Charanet Stroket 8. Bark Stability (LB & RB) 10. Repaire Vagetate/Protection ILB	0-90		USEPA KRB (High Gradient Data Sheet) I: Epifaund Storatal-Available Cover 2: Embeddedness 3: Velocity/Depth Regime 4: Sediment Deposition 5: Channel Fleve Status 6: Channel Avartation 5: Channel Avartation 5: Channel Avartation 6: Channel Avartation 5: Bank Stability (LB & RB) 10: Reptan Vegetalev Zove Widh (LB	0 0-90 5-90 0-1	0 0 0 0 0 0 0 0 0 0	USEPA RBP (High cradient Data Sheet) 1: Epifurual Substrate/Available Cover 2: Embeddedress 3: Velocity Upgh Regime 4: Sediment Deposition 5: Channel Alteration 5: Channel Alteration 5: Resulting (LB & RB) 9: Vegatalable Protection (LB & RB) 10: Regarain Vegatalable Zone Work (LB & RB) 1	0-90 0-1		USEPA REP (High Gradient Data Sheet) 1. Epifauna Usbartas/Avalatic Cover 2. Embeddedress 3. Velocity Depits Regime 4. Sediment Deposition 5. Channel Roro Status 6. Channel Roro Status 6. Channel Roro Status 10. Engenero (2016) 9. Vegetative Zoro Within (LS & RB) 10. Repears Vegetative Zoro Within (LS & RB) 10. CHEMICAL INDCATOR (Applies to Intermittent WYDEP Water Quality Indicators (General) Specific Conductivity BH	0-90 0-1
>5.0 = 30 points Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte WV Stream Condition Index (WVSCI)	ent and Perennial Stream		Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitt WY Stream Condition Index (WVSCI)	10-30     0     0     0     0     0     0     0     0     0     0     0     0     0     0     0     0     0		Sub-Total BIOLOGICAL INDICATOR (Applies to Intern WV Stream Condition Index (WVSCI)	10-30 nittent and Perenn 0-100 0-1	0 ial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intern WV Stream Condition Index (WVSCI)	10-30 0 ittent and Perennial Stream		Sub-Total BIOLOGICAL INDICATOR (Applies to Intermi WV Stream Condition Index (WVSCI)	10-30 0 ittent and Perennial Streams) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Good Sub-Total			Sub-Total	0		Sub-Total	0-100 0-1	0	Sub-Total	0100 011		Sub-Total	0.00 0.1
PART II - Index and U	nit Score		PART II - Index and	Unit Score		PART II - Index and	I Unit Score		PART II - Index and U	nit Score		PART II - Index and U	nit Score
Index	Linear Feet Un	nit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Se	core	Index	Linear Feet Unit Score
0.814	82 66.	7534667	0	0 0		0	0	0	0	0 0		0	0 0

Index	Linear Feet	Unit Score
0.814	82	66.7534667

	PART II - IIIdex and C	,,,,,
Unit Score	Index	L
0	0	

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY



# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Indicate the dominant type and record the domin         Trees       Shrubs         Dominant species present	Local Watershed Erosion None Moderate Heavy inant species present Grasses Herbaceous					
INSTREAM FEATURES	Estimated Reach Length       m         Estimated Stream Width       m         Sampling Reach Area       m²         Area in km² (m²x1000)       km²         Estimated Stream Depth       m         Surface Velocity       m/sec         (at thalweg)       m	Canopy Cover Partly open       Partly shaded       Shaded         High Water Mark      m         Proportion of Reach Represented by Stream         Morphology Types         Riffle       %         Pool      %         Channelized       Yes       No         Dam Present       Yes       No					
LARGE WOODY DEBRIS AQUATIC VEGETATION	LWDm²         Density of LWDm²/km² (LWD/ reac         Indicate the dominant type and record the domin         Rooted emergent       Rooted submergent         Floating Algae       Attached Algae         Dominant species present	ant species present Rooted floating Free floating					
WATER QUALITY	Temperature0 C         Specific Conductance         Dissolved Oxygen         pH         Turbidity         WQ Instrument Used	Water Odors Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Slick         Slick       Sheen       Globs         Fishy       Other         Turbidity (if not measured)       Clear         Clear       □ Slightly turbid       Turbid         Opaque       Stained       Other					
SEDIMENT/ SUBSTRATE	Odors         Petroleum           Normal         Sewage         Petroleum           Chemical         Anaerobic         None           Other	Deposits Sludge       Sawdust       Paper fiber       Sand         Relict shells       Other         Lpoking at stones which are not deeply embedded, are the undersides black in color?         Yes       No					

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)					
Substrate Type	Type Sampling Reach brock		Substrate Type						
Bedrock			Detritus	sticks, wood, coarse plant					
Boulder	> 256 mm (10")			materials (CPOM)					
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic (FPOM)					
Gravel	2-64 mm (0.1"-2.5")			(FPOM)					
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments					
Silt	0.004-0.06 mm		]						
Clay	< 0.004 mm (slick)								

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET #	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY		

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high epd of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 4 13 12 11	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
ram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	f islands or point bars nd less than 5% of the ottom affected by sediment; 5-30% of the					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	0 9 8 7 6	5 4 3 2 1 0			

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

## HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction <u>is important</u> .	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
ampl	SCORE	20 19 🚺 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to b	SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score \_\_\_\_\_

### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION				
STATION #	_ RIVERMILE	STREAM CLASS				
LAT	LONG	RIVER BASIN				
STORET #		AGENCY				
INVESTIGATORS			LOT NUMBER			
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY			
HABITAT TYPES	Cobble% Sn	Indicate the percentage of each habitat type present         Cobble%       Snags%       Vegetated Banks%       Sand%         Submerged Macrophytes%       Other ( )%				
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand			
GENERAL COMMENTS						

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Filamentous Algae       0       1       2       3       4       Macroinvertebrates       0       1       2       3       4         Macrophytes       0       1       2       3       4       Fish       0       1       2       3       4	Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Macrophytes 0 1 2 3 4 Fish 0 1 2 3 4	Filamentous Algae	0	1	2	3	4	Macroinvertebrates	• • •	1	2	3	4
	Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						ļ
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

## EB Benthic WVSCI

Sample ID

**REIC2513** 

ORG ID

## West Virginia Stream Condition Index (WVSCI)

IMPORTANT: A blank screen below means that you have not entered the Benthic Identifications correctly! All individuals that are part of the 200-count subsample must be designated as such in the Sample Methodolgy column on the Benthic ID forms (Family or Genus)!

2		Count -	TV - 0		V	wse	I Metrics and	Scores ORG ID REIC2513
	Cambaridae 🤜	5	5			1100	i motrico dila	
	Ceratopogonidae		6				WVSCI	
	Chironomidae		6				Standardized	Benthic Density
	Chloroperlidae	1	1			DOV	Score w BSV 1996-2001	Dentific Density
	Dryopidae		5	and the second s	Metrics	BSV	1336-2001	# of grids Picked 100 Total # of grids 100
	Elmidae		4	% 2 Dominant Taxa (Family)	43.36	37.3	90.33	
	Ephemeridae		4	% Chironomidae	15.93	1.7	85.52	
	Goeridae		4			and a state of the second	and the second sec	Total IBI Individuals 113
	Heptageniidae		4	% EPT (Family)	40.71	89.3	45.59	# of Organisms per Grid 1.13
	Hydropsychidae		5	HBI (Family)	4.60	2.61	73.05	Organisms per Sq cm 0.0113
	Oligochaeta	2	10	# EPT Taxa (Family)	8	13	61.54	
	Perlidae		1					Organisms per Sq m 113.00
	Polycentropodidae		6	# Total Taxa (Family)	17	22	77.27	
	Psephenidae		4		WSCI Se			
	Pteronarcyidae		0		BSV 199	6-2001		
	Tipulidae		3	WVSCI Catego		Inimpa	ired-Good	
	Veliidae	3	6	in the standy				
					Unir	npaired	hresholds 1 = >68.00	
							0.61 to 68.00 = <60.61	

#### WOLMAN PEBBLE COUNT FORM

Basin:

County:BraxtonStream ID:S-H117Stream Name:Stonecoal Run

 HUC Code:
 05030203

 Survey Date:
 9/4/2021

 Surveyors:
 VM, HK


Type:


Bankfull Channel

T ....1 TZ


Little Kanawha


PEBBLE COUNT Inches PARTICLE Millimeters Particle Total # Item % % Cum Count Silt/Clay < .062 S/C ٠ 0 0.00 0.00 -.062-.125 ٠ Very Fine 0 0.00 0.00• .125-.25 Fine ٠ 0 0.00 0.00 -.25-.5 Medium ٠ SAND 0 0.00 0.00 -.50-1.0 Coarse ٠ 9 9.00 9.00 -.04-.08 1.0-2 Very Coarse ٠ 7 7.00 16.00 -.08 -.16 Very Fine 2 - 4 ٠ 17 17.00 33.00 -.16 - .22 Fine 4 - 5.7 ٠ 4 4.00 37.00 -.22 - .31 Fine 5.7 - 8 ٠ 5 5.0042.00 • .31 - .44 Medium 8 -11.3 ٠ 7 7.00 49.00 • .44 - .63 Medium 11.3 - 16 ٠ GRAVEL 3 3.00 52.00 • .63 - .89 16-22.6 Coarse ٠ 5 5.00 57.00 -.89 - 1.26 22.6 - 32 Coarse ٠ 6 6.00 63.00 -1.26 - 1.77 32 - 45 Vry Coarse ٠ 1.00 64.00 1 -1.77 -2.5 Vry Coarse 45 - 64 ٠ 6 6.00 70.00 -2.5 - 3.5 Small 64 - 90 ٠ 4.00 74.00 4 -3.5 - 5.0 Small 90 - 128 ٠ 6.00 80.00 6 • COBBLE 5.0 - 7.1 Large 128 - 180 ٠ 3 3.00 83.00 • Large 7.1 - 10.1 180 - 256 ٠ 6.00 89.00 6 • 10.1 - 14.3 Small 256 - 362 ٠ 4 4.0093.00 • 14.3 - 20 362 - 512 Small ٠ 2 2.00 95.00 -20 - 40 Medium 512 - 1024 ٠ BOULDER 5 5.00 100.00 • 40 - 80 1024 - 2048 Large 0 0.00 100.00 -2048 - 4096 80 - 160 Vry Large ٠ 0 100.00 0.00 -Bedrock BDRK ٠ 0.00 100.00 0 -Totals: 100 Total Tally:





AS-BUILT TABLE: S-H117 CROSS SECTION A									
	PF	AS-BUILT							
PT. LOC.	NORTHING	FACTINIC		VERT.	HORZ.				
	NORTHING	EASTING	ELEV	DIFF.	DIFF.				
TS-L	14065087.2	1781192.091	1039.27						
BS-L	14065076.19	1781190.826	1033.96						
THW	14065062.83	1781192.276	1027.96						
BS-R	14065052.6	1781192.071	1028.19						
TS-R	14065042.92	1781192.068	1031.05						





·1030

1028

1026

1024

1022

- 1020

1+00

- LOCATIONS WERE COMPLETED ON SEPTEMBER, 4 2021.
- PIPELINE.

GENERATE A CLEAN PRE-CROSSING SURFACE.

