Baseline Assessment – Stream Attributes

Reach S-H145 (Pipeline ROW) Perennial Spread B Lewis County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A - Lack of riffle habitat for suitable sampling
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	√



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, PL, AE Lat: 38.918986 Long: -80.573838



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, PL, AE
Lat: 38.918986 Long: -80.573838




Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, PL, AE Lat: 38.918986 Long: -80.573838



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, PL, AE Lat: 38.918986 Long: -80.573838



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, PL, AE
Lat: 38.918986 Long: -80.573838



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, PL, AE Lat: 38.918986 Long: -80.573838



Photo Type: Pool, DS View
Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, PL, AE
Lat: 38.918986 Long: -80.573838



Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, PL, AE
Lat: 38.918986 Long: -80.573838



Photo Type: Riffle DS View
Location, Orientation, Photographer Initials: Upstream at ROW looking downstream, PL, AE
Lat: 38.918986 Long: -80.573838




Photo Type: Riffle US View
Location, Orientation, Photographer Initials: Upstream at ROW looking downstream, PL, AE
Lat: 38.918986 Long: -80.573838

### Contact Co	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Me	ountain Va	alley Pipeline		COORDINATES: cimal Degrees)	Lat.	38.918986	Lon.	-80.573838				Sunny		DATE:	August	31, 2021
Settler file 1. Trapped Controller 1. Trappe					S-H145 PIP	PELINE ROW										Cor	nments:		
March Private Privat	STREAM IMPACT LENGTH:	91			RESTORATION (Levels I-III)			Lat.		Lon.		PRECIPITATI	ON PAST 48 HRS:			Mitigat	ion Length:		
Price Binari Channel Blogs E1	Column No. 1- Impact Existing C	Condition (Deb	it)		Column No. 2- Mitigation Existing C	ondition - Base	eline (Credit)				Years	Colum			ars	Column N	o. 5- Mitigation Project	ed at Maturity (0	Credit)
Mode Part Manager	Stream Classification:	Peren	inial		Stream Classification:				Stream Classification:		0	Stream Classificat	ion:		0	Stream Classificati	on:		0
Autority	· ·		6.1			•					0				0			•	0
Part Physical Chemical and biological indications		•			HGM Score (attach o	data forms):			HGM Score (at	tach data forms):			•				•		
Package Pack			Average				Average				Average				Average				Average
Report Page	Hydrology				Hydrology				Hydrology			Hydrology				Hydrology			
PATT Prysical, Chemical and Biological Indications PATT Pa			0				0				0		vclina		0		vclina		0
### PRISEAL RICCATOR (piges to at transmit solution) ### PRISEAL RICCATOR (piges to at transmit solut			-				-						, ,						
PATSCAL MICRATOR (piges to all assess constraints)	PART I - Physical, Chemical and Bi	iological Indica	itors		PART I - Physical, Chemical and	d Biological Ind	licators				dicators	PART I - F	Physical, Chemical and	d Biological Indic	cators	PART I - F	Physical, Chemical and	Biological Indic	ators
SEPARATE Plays Control Date Service February Separate plays Control		Points Scale Range	Site Score			Points Scale Range	Site Score			Poinza Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score
Epidemic Scienter Analytic Core 20	PHYSICAL INDICATOR (Applies to all streams cl	lassifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all st	reams classifications)		PHYSICAL INDICA	TOR (Applies to all stream	ns classifications)		PHYSICAL INDICA	TOR (Applies to all streams	classifications)	
Production Pro	USEPA RBP (High Gradient Data Sheet)																		
New York Page Figure F				Į.									ate/Available Cover				te/Available Cover		
Section Sect					Pool Substrate Characterization				2. Embeddedness			Embeddedness				Embeddedness			
Common Flore Statists																			
Charmet Alteration			19																
Frequency of Riffes (or bends)																			
Bank Stability (B. 8 RB)																			
To Reparts Vegetates Zone Width (1.6 A RIS)																			
Total RPB Score	Vegetative Protection (LB & RB)		18							0-20				0-20				0-20	
Sub-Total 0.82 CHEMICAL NDICATOR (applies to Intermittent and Preserval Streams) WVDEP Water Quality Indicators (General) Specific Conductivity WVDEP Water Quality Indicators (General) Specific Conductivity ### ### ### ### ### ### ### ### ### #							0				0		e Zone Width (LB & RB)		0		e Zone Width (LB & RB)		_
WYDEP Water Quality Indicators (General) Specific Conductivity Specific		Suboptimal				Pool	0			Pool	- J			Pool	0			PUUI	0
Specific Conductivity 200-299-80 points 0-80 0-1 7.9 0-80-8.0 - 80 points 0-80 0-1 7.9 0-80-8.0 - 80 points 0-80 0-1	CHEMICAL INDICATOR (Applies to Intermittent a	and Perennial Stre	sams)		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Str	reams)		CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial St	reams)	CHEMICAL INDICA	TOR (Applies to Intermitt	ent and Perennial St	treams)	CHEMICAL INDICA	TOR (Applies to Intermitten	t and Perennial Str	reams)
Specific Conductivity 200-299-80 points 0-80 0-1 7.9 0-80-8.0 - 80 points 0-80 0-1 7.9 0-80-8.0 - 80 points 0-80 0-1	WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (Ge	neral)		WVDEP Water Qua	lity Indicators (General	al)		WVDEP Water Qua	lity Indicators (General		
Part														,					
Part		0.90	227			0.90				0.90				0-90				0.90	
6.0-8.0 = 80 points	200-299 - 80 points			ŀ	nU .				nU			nU				nU			
6.0-8.0 = 80 points	pn	0-1		ŀ	рп	0-1			pn	0-1		pn		0-1		рп		0-1	
Sub-Total 10-30 8.4 Sub-Total 0-95 Sub-Total 10-30 9 Sub-Total 10-		0-80	7.9			5-90			200	5-90		20		5-90		20		5-90	
Sub-Total 0.95 BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSC) WY Stream Condition Index (WYSC) Districted 0.00 Sub-Total 0.00 Sub		10-20	9.4		DO	10.20			DO	10.20		БО		10.20		ВО		10.20	
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY S	>5.0 = 30 points	10-30	-		Sub Total	10-30			Sub Total	10-30	0	Sub Total		10-30	0	Sub Total		10-30	0
O		nt and Perennial S				ent and Perennial	- J			ntermittent and Peren			CATOR (Applies to Inter	mittent and Perenr			CATOR (Applies to Interm	ittent and Perenn	
O	WV Stream Condition Index (WVSCI)			j	WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condit	ion Index (WVSCI)			WV Stream Conditi	ion Index (WVSCI)		
PART II - Index and Unit Score PART II - Index and Unit Score		0-100 0-1		İ	,	0-100 0-1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				,	0-100 0-1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0-100 0-1	
Index Linear Feet Unit Score Unit Score Index Linear Feet Unit Score Index	Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub-Total		1 1	0	Sub-Total		1 1	0
Index Linear Feet Unit Score Unit Score Index Linear Feet Unit Score Index				_															
	PART II - Index and Uni	it Score		I	PART II - Index and	Unit Score			PART II - Index	x and Unit Score			PART II - Index and	Unit Score			PART II - Index and U	nit Score	
0.885 91 80.535 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score
	0.885	91	80.535		0	0	0		0	0	0		0	0	0		0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN	RIVER BASIN					
STORET#	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY					



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ome potential sources					
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous					
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	Run%					
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)						
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü					
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks					
SEDIMEN SUBSTRA		Oils	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,					
Oils					ORGANIC SUBSTRATE C (does not necessarily add						
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area					
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)						
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic						
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)						

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN							
STORET#		AGENCY	AGENCY						
INVESTIGATORS			LOT NUMBER						
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY						
HABITAT TYPES Indicate the percentage of each habitat type present Cobble % Snags % Vageteted Banks % Sand %									

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Lewis Stream ID: S-H145

Stream Name: UNT to Indian Fork

HUC Code: Basin:


Survey Date: 8/31/2021

Surveyors: AJE PEL Impact Reach: 23.2 m

Type: Bankfull Channel

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125	SAND	~	0	0.00	0.00
	Fine	.12525		^	0	0.00	0.00
	Medium	.255		~	2	2.00	2.00
	Coarse	.50-1.0	1	A	9	9.00	11.00
.0408	Very Coarse	1.0-2	1	*	1	1.00	12.00
.0816	Very Fine	2 -4		*	0	0.00	12.00
.1622	Fine	4 -5.7		A	0	0.00	12.00
.2231	Fine	5.7 - 8		^	4	4.00	16.00
.3144	Medium	8 -11.3	1	^	1	1.00	17.00
.4463	Medium	11.3 - 16	GRAVEL	^	8	8.00	25.00
.6389	Coarse	16 -22.6	1	^	5	5.00	30.00
.89 - 1.26	Coarse	22.6 - 32		A	7	7.00	37.00
1.26 - 1.77	Vry Coarse	32 - 45		^	6	6.00	43.00
1.77 -2.5	Vry Coarse	45 - 64	1	^	21	21.00	64.00
2.5 - 3.5	Small	64 - 90		^	12	12.00	76.00
3.5 - 5.0	Small	90 - 128		^	12	12.00	88.00
5.0 - 7.1	Large	128 - 180	COBBLE	^	5	5.00	93.00
7.1 - 10.1	Large	180 - 256		A	3	3.00	96.00
10.1 - 14.3	Small	256 - 362		A	2	2.00	98.00
14.3 - 20	Small	362 - 512	BOULDER	A	2	2.00	100.00
20 - 40	Medium	512 - 1024		A	0	0.00	100.00
40 - 80	Large	1024 -2048		A	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		A	0	0.00	100.00
	Bedrock		BDRK	<u> </u>	0	0.00	100.00
			1	Totals:	100		
	Total Tally:			•			







Size (mm)				
D16	8			
D35	29			
D50	51			
D65	66			
D84	110			
D95	230			


Size Distribution		
mean	29.7	
dispersion	4.3	
skewness	-0.22	

	Гуре	
silt/clay	0%	
sand	12%	
gravel	52%	
cobble	32%	
boulder	4%	





AS-BUILT TABLE: S-H145 CROSS SECTION B					
	PRE-CROSSING			AS-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ.
TS-L	14133414.53	1761617.06	1036.92		
B\$-L	14133413.24	1761619.87	1033.92		
THW	14133412.61	1761621.27	1031.97		
B\$-R	14133409.89	1761627.24	1032.97		
TS-R	14133409.15	1761628.87	1033.65		



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 2, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-H145 BASELINE CROSS-SECTION A POOL



S-H145 BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION

H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Drawing No