# **Baseline Assessment – Stream Attributes**

# Reach S-I45 (Timber Mat Crossing) Perennial Spread D Nicholas County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/VM Lat: 38.290061 Long: -80.680304



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/VM Lat: 38.290061 Long: -80.680304



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/VM Lat: 38.290061 Long: -80.680304



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/VM Lat: 38.290061 Long: -80.680304



Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/VM
Lat: 38.290061 Long: -80.680304



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RH/VM Lat: 38.290061 Long: -80.680304



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, RH/VM Lat: 38.290061 Long: -80.680304



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, RH/VM Lat: 38.290061 Long: -80.680304



Photo Type: Pool, DS View
Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, RH/VM
Lat: 38.290061 Long: -80.680304



Photo Type: Pool, US View
Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, RH/VM
Lat: 38.290061 Long: -80.680304

MPACT STREAM/SITE D AND SITE DESCRIPTION:   Content	March   State   Stat	USACE FILE NO./ Project Name:		Mountair	Valley Pipeline	IMPACT COORDINATES:	Lat.	38.290061	Lon.	-80.680304	WEATHER:	Cloudy	DATE:		
THE MAN PART   1960    1960	TRIAN AMPLICAL LIASCITO   19   19   19   19   19   19   19   1	(v2.1, Sept 2015)				(in Decimal Degrees)								8/31/2	2021
Property	The control of the	IMPACT STREAM/SITE ID	AND SITE DESC	CRIPTION:	S	-145		MITIGATION STREAM CLAS	S./SITE ID A	ND SITE DESCRIPTION:		ļ	Comments:		
Ministry	Court in 1	(watershed size (acreage),	), unaltered or impairm	ents)				(watershed size {acre	age), unaltered	or impairments)					
Column No. 1 in yeart Calcular (Column No. 2 in yeart Calcul	Column No. 1 report Entrop Confidence (Date)	STREAM IMPACT LENGTH:	22				Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Windows   Compared	March   Control and   March   Control and   March			MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Proced Bream Channel Stope	Price   System Chairmed Biggs	Column No. 1- Impact Existing	g Condition (Debi	it)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)				Five Years			Column No. 5- Mitigation Project	ed at Maturity (Cr	redit)
Part	Mode   Second parts   Author	Stream Classification:	Peren	nial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Among	Part	Percent Stream Channel SI	lope	5.1	Percent Stream Channel Sle	оре		Percent Stream Channel	Slope	0	Percent Stream Channel Si	ope 0	Percent Stream Channel Si	оре	0
March   Marc	Part	HGM Score (attach d	iata forms):		HGM Score (attach	data forms):		HGM Score (atta	ch data for	ns):	HGM Score (attach da	ata forms):	HGM Score (attach da	ata forms):	
Part   Proposed Colorida   Colo	Part			Average		Average				Average		Average			Average
Respectation   Cycles   Separate	Respectation of Cycling   Security   Cycling   Security   Cycling   Security   Cycling   Security   Cycling   Security	Hydrology			Hydrology			Hydrology			Hydrology		Hydrology		
## AFFT : Physical, Chemical and Biological Incidents   PAFFT : Physical Andrews   PAFFT : Physical Andrews   PAFFT : Physical, Chemical and Biological Incidents   PAFFT : Physical Andrews   PAFFT : Physical An	### FATT - Physical, Chemical and Biological Indicators   Mark	Biogeochemical Cycling		0		0				0		0			0
## MYSCAL NDCATOR (pugins to all reason countrications)  ## SECOLATION (pugins to all	### APP CAL NOCATOR (sports to all exercit counts of actions counts about 100 per 1		l Biological Indica	tors		d Biological Indicators			and Biologi	cal Indicators		Biological Indicators		Biological Indica	tors
SEPARE Play Content Date Short	SEPARATE Plays Contained beam Plays (Separate Dates Description Contained Description		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Epithonal Software Analysis Control   2.5   Epithonal Software Analysis Control   2.5   Epithonal Software Analysis   2.5   Epithonal So	Effected Splitters Annual Splitters An	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stres	ms classification	ins)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
2   Control Allering   2-0-0   Control Allerin	Embeldebriess														
3   Section (Popular Regime   0.20   1   1   1   1   1   1   1   1   1	Newton Depth Regime			9											
4 Sectioner Deposition	Sedement Deposition		0-20	2											_
Channel Place States	Common Flow Statis	Velocity Deptil Regime     Sediment Denosition	0-20			0-20		Velocity Depth Regime     Sediment Deposition	0-20		Velocity Depth Regime     A Serliment Denosition	0-20	Velocity Depth Regime     Sediment Denosition	0-20	
Comment Alteration	Comment Alteration   Column Alteration   Col														
Frequency of Riffes (or bands)	Frequency of Riffles (or bends)   2-32   14   15   15   15   15   15   15   15			19						0-1					
S. Bank Soabhirt/LE & RIS)	Bert Stability (B & R8)														
	Vogetative Protection (LB 4 RB)														
10. Rigorian Vispositive Zone Width (1.8 A RB)   0.30   1.4   1.0   1.	Comparison representative Window (Lad ARS)   Comparison														
Total Piles Soors	Total RPB Score   Subcription   126   Sub-Total   126   Sub-Tota														
Sub-Total 0.63 CHEMICAL NOICATOR (Applies to Intermittent and Perential Streams) WVDEP Water Quality Indicators (General) Specific Conductivity  WVDEP Water Quality Indicators (General) Spec	Sub-Total   O.S.   Sub-Total									or 0	Total RBP Score				0
## WOEP Water Quality Indicators (General)	## WDEP Water Quality indicators (General)	Sub-Total			Sub-Total	0		Sub-Total			Sub-Total Sub-Total	0	Sub-Total	<u>'</u>	0
Specific Conductivity    Pl	Specific Conductivity  H  Code 1 0 points			ams)						nial Streams)					ams)
A	##   0.50		1)		WVDEP Water Quality Indicators (General)				ral)			)		)	
Part	##	Specific Collubrativity			Specific conductivity			Specific conductivity			Specific conductivity		Specific colladetivity	_	
Signature   Sign	6 0-9 0 = 80 points  DO  DO  DO  DO  DO  DO  DO  DO  DO  D	<=99 - 90 points	0-90	47		0-90			0-90			0-90		0-90	
Signature   Sign	6 0-9 0 = 80 points  DO  DO  DO  DO  DO  DO  DO  DO  DO  D	pH			pH			pH			pH		pH		
6 0-8 0 = 80 points DO Sub-Total 10-30 T.2 Sub-Total Sub	6 0-9 0 = 80 points  DO  DO  DO  DO  DO  DO  DO  DO  DO  D		0-80	6.68		5-90			5-90	0-1		5-90 0-1		5-90 0-1	
10-30   10-	1														
Sub-Total   Sub-	Sub-Total Sub-To	DO			DO			DO			DO		DO		
Sub-Total   Sub-	Sub-Total 0 Sub-To	>5.0 = 30 points	10-30	7.2		10-30			10-30			10-30		10-30	
Sub-Total	BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)  W Stream Condition Index (WVSCI)  W Stream Condition Index (WVSCI)  Sub-Total  PART II - Index and Unit Score  Index  Linear Feet Unit Score  In		1 1	1	Sub-Total	-		Sub-Total		0	Sub-Total	-	Sub-Total	1	0
W Stream Condition Index (WVSCI)	W Stream Condition Index (WVSCI)		ttent and Perennial St	reams)		ent and Perennial Streams)			ermittent and	Perennial Streams)		nittent and Perennial Streams)		ittent and Perennia	al Streams)
0 0 10 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O			,											,
O Sub-Total O Sub-	Sub-Total 0 Sub-To		0-100 0-1			0-100 0-1		(WOO)	0-100	0-1	(71001)	0-100 0-1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0-100 0-1	
PART II - Index and Unit Score  Index  Linear Feet Unit Score  Index  Linear Feet Unit Score  Index	PART II - Index and Unit Score  Index Linear Feet Unit Score  PART II - Index and Unit Score  PART I	0							0-100						
Index Linear Feet Unit Score Index Linear Fee	Index Linear Feet Unit Score Index Linear Fee	Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
		PART II - Index and U	Unit Score		PART II - Index and	Unit Score		PART II - Index a	ind Unit Sco	re	PART II - Index and U	nit Score	PART II - Index and U	Init Score	
		tada:	Linea Fo	Unit Casas	lade.	Linear Foot   Unit 0		l-d-	1.15	Foot Unit Cons	la des	Linear Free Literature	lada:	Linear Fo. 1	Heis Co
' 0.815   22   17.93       0   0   0   0   0   0   0   0	0.815   22   17.93     0   0   0   0   0   0   0   0   0														
		0.815	22	17.93	0	0 0		0	0	0	0	0 0	0	0	0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LATLONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE	REASON FOR SURVEY		

WEATHER CONDITIONS	Now Past 24 hours Yes No  storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny  Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature0 C  Other	
SITE LOCATION/MAP  Stream and flow direction  Pipeline and flow direction  ROW	Draw a map of the site and indicate the areas sampled (or attach a photograph)	
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater  Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other  Stream Type Coldwater Warmwater  Catchment Area km²	

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R  Morphology Types Riffle Pool 9  Channelized Yes  Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 <sup>2</sup> /km <sup>2</sup> ( <b>LWD</b> / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy  Water Surface Oils Slick Sheen None Other  Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total	Caama	
i otai	Score	

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS		LOT NUMBER					
FORM COMPLETED BY		DATE REASON FOR SURVEY					
HABITAT TYPES Indicate the percentage of each habitat type present  Cobble % Snags % Vacastated Banks % Sand %							

HABITAT TYPES	Indicate the percentage of each habitat type present  Cobble% Snags% Vegetated Banks% Sand%  Submerged Macrophytes% Other ( )%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.  Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ( )
GENERAL COMMENTS	

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM

County: Nicholas Stream ID: S-I45

Stream Name: UNT to Big Run

HUC Code:


Basin:


Survey Date: 8/31/2021

Surveyors: SM, JM Reach: 26.67 m

Type: Bankfull Channel

			EBBLE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cu
	Silt/Clay	< .062	S/C	<b>A</b>	0	0.00	0.00
	Very Fine	.062125		<u> </u>	29	29.00	29.00
	Fine	.12525	-	<u> </u>	0	0.00	29.00
	Medium	.255	SAND	<u> </u>	0	0.00	29.00
	Coarse	.50-1.0	1	<u> </u>	0	0.00	29.0
.0408	Very Coarse	1.0-2	-	<u> </u>	1	1.00	30.00
.0816	Very Fine	2 -4		<u> </u>	11	11.00	41.0
.1622	Fine	4 -5.7	-	<u> </u>	2	2.00	43.0
.2231	Fine	5.7 - 8	-	<b>A</b>	3	3.00	46.0
.3144	Medium	8 -11.3	1	<b>A</b>	10	10.00	56.0
.4463	Medium	11.3 - 16	GRAVEL	<b>A</b>	4	4.00	60.0
.6389	Coarse	16 -22.6		A .	19	19.00	79.0
.89 - 1.26	Coarse	22.6 - 32		<u> </u>	4	4.00	83.0
.26 - 1.77	Vry Coarse	32 - 45		<u> </u>	3	3.00	86.0
1.77 -2.5	Vry Coarse	45 - 64	1	•	2	2.00	88.0
2.5 - 3.5	Small	64 - 90		•	5	5.00	93.0
3.5 - 5.0	Small	90 - 128		•	4	4.00	97.0
5.0 - 7.1	Large	128 - 180	- COBBLE	<b>A</b>	2	2.00	99.0
7.1 - 10.1	Large	180 - 256	-	•	1	1.00	100.0
0.1 - 14.3	Small	256 - 362		<b>A</b>	0	0.00	100.0
14.3 - 20	Small	362 - 512		<b>A</b>	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<b>A</b>	0	0.00	100.0
40 - 80	Large	1024 -2048		<b>▲</b>	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		<b>A</b>	0	0.00	100.0
	Bedrock		BDRK	<b>▲</b>	0	0.00	100.0
				Totals:	100		







Size (mm)					
D16	0.091				
D35	2.7				
D50	9.1				
D65	17				
D84	36				
D95	110				


Size Dist	ribution
mean	1.8
dispersion	52.0
skewness	-0.44

ype	
0%	
30%	
58%	
12%	
0%	
	0% 30% 58% 12%





AS-BUILT TABLE: S-145 CROSS SECTION A							
	PI	AS-BUILT					
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.		
TS-L	13904313.3000	1732154.9390'	2331.170'				
BS-L	13904315.5800	1732157.82701	2329.553'				
THW	13904316.4700	1732158.2450'	2329.023'				
BS-R	13904317.4400	1732159.6700'	2330.310'				
TS-R	13904321.2700	1732164.4420	2332.173'				



#### SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


**1176.87** 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 31, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-145 BASELINE CROSS-SECTION A



# S-145 BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

#### PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No.