Baseline Assessment – Stream Attributes

Reach S-I47 (Pipeline ROW) Intermittent Spread D Nicholas County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, JM/SM
Lat: 38.284291 Long: -80.685885



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, JM/SM
Lat: 38.284291 Long: -80.685885



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, JM/SM Lat: 38.284291 Long: -80.685885



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, JM/SM Lat: 38.284291 Long: -80.685885



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, JM/SM Lat: 38.284291 Long: -80.685885



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, JM/SM
Lat: 38.284291 Long: -80.685885

USACE FILE NO./ Project Name:		Mountair	Valley Pipeline	IMPACT COORDINATES:	Lat.	38.284291	Lon.	-80.685885	WEATHER:	Sunny	DATE:		
(v2.1, Sept 2015)				(in Decimal Degrees)							8/31/2	2021	
IMPACT STREAM/SITE ID	AND SITE DESC	RIPTION:	S	-147	-	MITIGATION STREAM CLASS	S./SITE ID A	ND SITE DESCRIPTION:			Comments:		
(watershed size (acreage),	, unaltered or impairme	ents)				(watershed size (acrea	ge), unaltered	or impairments)					
STREAM IMPACT LENGTH:	80	FORM OF		MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
		MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Column No. 1- Impact Existing	g Condition (Debit	:)	Column No. 2- Mitigation Existing C	Condition - Baseline (Credit)		Column No. 3- Mitigation F Post Completi		Five Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	ed at Maturity (Cr	redit)
Stream Classification:	Intermit	tent	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	1
Percent Stream Channel SI	lope	8.6	Percent Stream Channel SI	оре		Percent Stream Channel S	Slope	0	Percent Stream Channel Sle	ope 0	Percent Stream Channel Si	оре	0
HGM Score (attach d	lata forms):		HGM Score (attach	data forms):		HGM Score (attac	h data forn	ns):	HGM Score (attach da	ata forms):	HGM Score (attach da	ata forms):	
		Average		Average				Average		Average			Average
Hydrology	0.86		Hydrology			Hydrology			Hydrology		Hydrology		
Biogeochemical Cycling		0.68333333	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling	0	Biogeochemical Cycling		0
PART I - Physical, Chemical and	0.56 Biological Indicat	ors	Habitat PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemical a	and Biologic	al Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indica	ators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classificatio	16)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	0	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime	0-20	10	Pool Substrate Characterization Pool Variability	0-20		Embeddedness Velocity/ Depth Regime	0-20 0-20		Embeddedness Velocity/ Depth Regime	0-20	Embeddedness Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	20	Sediment Deposition	0-20		4. Sediment Deposition	0-20		Velocity Depart Regime Sediment Deposition	0-20	Velocity Depart regime Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	0	5. Channel Flow Status	0-20 0.1		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20 0.1	5. Channel Flow Status	0-20 0-1	
5. Channel Alteration	0-20	19	6. Channel Alteration	0-20		6. Channel Alteration	0-20	0-1	6. Channel Alteration	0-1	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	14	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	16	Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	14	 Riparian Vegetative Zone Width (LB & RB) 	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20	 Riparian Vegetative Zone Width (LB & RB) 	0-20	
Total RBP Score Sub-Total	Marginal	93 0.465	Total RBP Score Sub-Total	Poor 0		Total RBP Score Sub-Total	Pos	0	Total RBP Score Sub-Total	Poor 0	Total RBP Score Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Strea		CHEMICAL INDICATOR (Applies to Intermitten)	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermitte	ent and Peren	ial Streams)	CHEMICAL INDICATOR (Applies to Intermitten		CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Stres	ams)
WVDEP Water Quality Indicators (General	D		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General	al)		WVDEP Water Quality Indicators (General))	WVDEP Water Quality Indicators (General))	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
	0-90			0-90			0-90			0-90		0-90	
100-199 - 85 points			nH			au	\perp		nH		au		
рп	0-80 0-1		pri	5-90 0-1		pri		0-1	pri	0-1	pri	0-1	
5.6-5.9 = 45 points	0-80			5-90			5-90			5-90		5-90	
DO			DO			DO			DO		DO		
	10-30			10-30			10-30			10-30		10-30	
Sub-Total	1 1		Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	1 1	0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial Str	eams)	BIOLOGICAL INDICATOR (Applies to Intermitte			BIOLOGICAL INDICATOR (Applies to Inter	mittent and F		BIOLOGICAL INDICATOR (Applies to Interm		BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennia	
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
, and the same of	0-100 0-1			0-100 0-1		,	0-100	0-1	, , , , , , , , , , , , , , , , , , , ,	0-100 0-1	, , , , , , , , , , , , , , , , , , , ,	0-100 0-1	
0	1			1 11 22								1	
Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
PART II - Index and U	Jnit Score		PART II - Index and	Unit Score		PART II - Index ar	nd Unit Scor	9	PART II - Index and U	nit Score	PART II - Index and U	Init Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Scor
0.658	80	52.6333333	0	0 0		0	0	0	0	0 0	0	0	0
0.000	00	JE.0000000	II			II					U U	U	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY			

WEATHER CONDITIONS SITE LOCATION/MAP	Now storm (heavy rain) rain (steady rain) showers (intermittent) %-cloud cover clear/sunny Mass there been a heavy rain in the last 7 days? Yes No Air Temperature ° C
STDFAM	Stream Subsystem Stream Type
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat	Condition Category									
	Parameter	Optimal	Suboptimal	Marginal	Poor						
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.						
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).						
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS		LOT NUMBER				
FORM COMPLETED BY	DATE REASON FOR SURVEY TIME					
HABITAT TYPES Indicate the percentage of each habitat type present						

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.
	Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Nicholas Stream ID: S-I47

Stream Name: UNT to Gauley River

HUC Code: Basin:


Survey Date: 8/31/2021

Surveyors: JM, SM Impact Reach: 18.8 m

Type: Bankfull Channel

			EBBLE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cu
	Silt/Clay	< .062	S/C	<u> </u>	0	0.00	0.00
	Very Fine	.062125		<u> </u>	5	5.00	5.00
	Fine	.12525	_		0	0.00	5.00
	Medium	.255	SAND		0	0.00	5.00
	Coarse	.50-1.0	_	A	0	0.00	5.00
.0408	Very Coarse	1.0-2	_	<u> </u>	0	0.00	5.00
.0816	Very Fine	2 -4			6	6.00	11.0
.1622	Fine	4 -5.7	_	<u> </u>	8	8.00	19.0
.2231	Fine	5.7 - 8	_	A	5	5.00	24.0
.3144	Medium	8 -11.3			4	4.00	28.0
.4463	Medium	11.3 - 16	GRAVEL	<u> </u>	4	4.00	32.0
.6389	Coarse	16 -22.6	_	<u> </u>	14	14.00	46.0
.89 - 1.26	Coarse	22.6 - 32		<u> </u>	17	17.00	63.0
1.26 - 1.77	Vry Coarse	32 - 45	_	<u> </u>	10	10.00	73.0
1.77 -2.5	Vry Coarse	45 - 64		<u> </u>	13	13.00	86.0
2.5 - 3.5	Small	64 - 90		<u> </u>	6	6.00	92.0
3.5 - 5.0	Small	90 - 128		<u> </u>	6	6.00	98.0
5.0 - 7.1	Large	128 - 180	COBBLE	<u> </u>	2	2.00	100.0
7.1 - 10.1	Large	180 - 256		<u> </u>	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		<u> </u>	0	0.00	100.0
14.3 - 20	Small	362 - 512	7	<u> </u>	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>	0	0.00	100.0
40 - 80	Large	1024 -2048	7		0	0.00	100.0
80 - 160	Vry Large	2048 -4096	7	<u> </u>	0	0.00	100.0
	Bedrock		BDRK	<u> </u>	0	0.00	100.0
				Totals:	100		







Size (n	nm)	100
D16	5.2	
D35	17	
D50	24	
D65	34	
D84	61	
D95	110	


0:-/-

Size Distr	ibution
mean	17.8
dispersion	3.6
skewness	-0.13

T	уре	
silt/clay	0%	
sand	5%	
gravel	81%	
cobble	14%	
boulder	0%	








SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 31, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-147 BASELINE CROSS-SECTION A



POST-CROSSING PHOTOS

PHOTO TAKEN LOOKING DOWNSTREAM

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PENDING CROSSING

FROM UPSTREAM IMPACT LIMITS

CAD File No.

Approved

Drawing No

LEGEND

STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG

1176.87 十

EXISTING SURVEYED GROUND SHOT ELEVATION

PIPE CENTERLINE

CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION

H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.