Baseline Assessment – Stream Attributes

Reach S-I60 (Timber Mat Crossing) Intermittent Spread C Braxton County, West Virginia

Data	Included		
Photos	✓		
SWVM Form	✓		
FCI Calculator and HGM Form	✓		
RBP Physical Characteristics Form	✓		
Water Quality Data	✓ Taken from standing pools		
RBP Habitat Form	✓		
RBP Benthic Form	✓		
Benthic Identification Sheet	N/A – Low flow		
Wolman Pebble Count	✓		
Reference Reach Software Pebble Count Data	✓		
Longitudinal Profile and Cross Sections	√		

Spread C Stream S-I60 (Timber Mat Crossing) Braxton County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DH, HK Lat: 38.781068 Long: -80.524577



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DH, HK Lat: 38.781068 Long: -80.524577

Spread C Stream S-I60 (Timber Mat Crossing) Braxton County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, DH, HK Lat: 38.781068 Long: -80.524577



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, DH, HK Lat: 38.781068 Long: -80.524577

Spread C Stream S-I60 (Timber Mat Crossing) Braxton County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DH, HK Lat: 38.781068 Long: -80.524577



Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DH, HK
Lat: 38.781068 Long: -80.524577

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.781068 Lon	n.	-80.524577	WEATHER:		Sunny	DATE:	09/04	4/21
IMPACT STREAM/SITE ID			S	i-l60		MITIGATION STREAM CLASS./SITE						Comments:		
(watershed size (acreage),	, unaltered or impai	rments)				(watershed size (acreage), unalf	iltered or imp	pairments)						
STREAM IMPACT LENGTH:	22	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon	n.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing	g Condition (De	bit)	Column No. 2- Mitigation Existing C	Condition - Baseline (Credit)		Column No. 3- Mitigation Projecte Post Completion (Cre		Years	Column No. 4- Mitigation Proje Post Completion (4		ars	Column No. 5- Mitigation Projecte	d at Maturity (C	Credit)
Stream Classification:	Interr	nittent	Stream Classification:			Stream Classification:		0	Stream Classification:		0	Stream Classification:	a	ò
Percent Stream Channel SI	оре	11.3	Percent Stream Channel SI	ope		Percent Stream Channel Slope		0	Percent Stream Channel Sle	оре	0	Percent Stream Channel SI	ре	0
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (attach data	a forms):		HGM Score (attach da	ita forms):		HGM Score (attach da	ta forms):	
		Average		Average				Average			Average			Average
Hydrology	0.11		Hydrology			Hydrology			Hydrology			Hydrology		
Biogeochemical Cycling	0.37	0.16666667	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling		0
PART I - Physical, Chemical and		cators	PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemical and Bio	ological In	ndicators	PART I - Physical, Chemical and	Biological India	ators	PART I - Physical, Chemical and	3iological Indica	ators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points	rs Scale Rang	e Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams classif	ifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	dassifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	1	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 0.3	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	3	Pool Substrate Characterization	0-20			0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	6	3. Pool Variability	0-20			0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
Sediment Deposition Channel Flow Status	0-20	12 10	Sediment Deposition Channel Flow Status	0-20			0-20		Sediment Deposition Channel Flow Status	0-20		Sediment Deposition Channel Flow Status	0-20	
Channel Flow Status Channel Alteration	0-20 0-20	20	Channel Flow Status Channel Alteration	0-20 0-1			0-1		Channel Flow Status Channel Alteration	0-20 0-20		6. Channel Alteration	0-20 0-20	
7. Frequency of Riffles (or bends)	0-20	5	7. Channel Sinuosity	0-20			0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	20	8. Bank Stability (LB & RB)	0-20			0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	20	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-:	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Suboptimal	20 117	Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0			Poor	•	Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0	Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0
Sub-Total	Suboptimal	0.585	Sub-Total	Poor		Sub-Total	Poor	0	Sub-Total	Poor	0	Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Str		CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and F	Perennial S	itreams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial St		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stre	
WVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (General) Specific Conductivity)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity		
<=99 - 90 points	0-90	98	Specific Conductivity	0-90			0-90		Specific Conductivity	0-90		Specific Conductivity	0-90	
рН			рН			pH			pH			рН		
>9.1 = 10 points	0-80	9.3		5-90 0-1		5-1	5-90 0-1			5-90 0-1			5-90 0-1	
DO DO			DO			DO			DO			DO		
	10-30	8.2		10-30		10-	0-30			10-30			10-30	
>5.0 = 30 points Sub-Total	11	0.65	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitti	tent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent	t and Peren	inial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Peren	nial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perenni	ial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)	•		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
	0-100 0-1			0-100 0-1		0-1	-100 0-1			0-100 0-1			0-100 0-1	
Sub-Total	 	0	Sub-Total	0		Sub-Total	-	0	Sub-Total		0	Sub-Total		0
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index and Unit	t Score		PART II - Index and U	nit Score		PART II - Index and U	nit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Lii	inear Feet	t Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.392	22	8.62583333	0	0 0		0	0	0	0	0	0	0	0	0
0.392	22	0.0200333				<u> </u>	J	J		U	, ,	,		

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Braxton County, Spread C

Sampling Date: 9-4-2021 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-I60

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.11
Biogeochemical Cycling	0.37
Habitat	0.02

Variable Measure and Subindex Summary:


Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	4.20	0.90
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.01	0.00
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	15.96	0.25
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	30.00	0.37
V _{HERB}	Average percent cover of herbaceous vegetation.	70.00	0.93
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.20	0.21

			High-0				-	palachia	3	Version	on 10-20-17
	_			Field I	Data She	et and C					
Dr		MVP Stream		ont				Latitude/UT .ongitude/U	_		,
FI		Braxton Co						-	npling Date:		
SA	AR Number:			Length (ft):	94	Stream Ty	pe: Inte	mittent Strea		0 . 202.	~
	Top Strata:	Sh	rub/Herb St	ata	(determine	d from perce	ent calculate	ed in V _{CCANO}	_{PY})		
Site	and Timing:	Project Site				•	Before Proje	ct			•
Sample	Variables	1-4 in strea	m channel								
1	1 V _{CCANOPY} Average percent cover over channel by tree and sapling canopy. Measure equidistant points along the stream. Measure only if tree/sapling cover is at 20%, enter at least one value between 0 and 19 to trigger Top Strata choice. List the percent cover measurements at each point below:				er is at least			Not Used, <20%			
	15	Cent cover i	neasureme	its at each	Doint below.						Ī
	10										
2	V _{EMBED}	along the s surface and according t rating score	tream. Seled area surro to the following of the following of 1. If the	ect a particle unding the p ing table. If bed is com	from the be particle that the bed is a posed of be	ed. Before n is covered b in artificial s drock, use a	noving it, do by fine sedin urface, or co a rating sco	than 30 roughtermine the ment, and er omposed of re of 5.	percentage nter the ratin fine sedime	of the ag ents, use a	4.2
		Minshall 19	983)			oulder partit	, , , , , , , , , , , , , , , , , , ,		to, mogariar	i, unu	
		Rating 5	Rating Des		overed sur	rounded or	huried by fi	ne sediment	t (or hedrool	()	
		4						by fine sedi		\)	
		3	26 to 50 pe	rcent of sur	face covere	d, surrounde	ed, or burie	d by fine sec	diment		
		<u>2</u> 1						d by fine sec fine sedime		al surface)	
	List the rati	ings at each			covereu, sc	irrourided, o	i builed by	ille seulillei	iii (oi aitiiici	ai suilace)	l
	2	3	3	2	3	2	4	2	2	3	
	5	5	5	5	5	5	5	5	5	5	
	5	5	5	5	5	5	5	5	5	5	
3		Median stre along the s cle size in in	tream; use t	he same po	ints and par	ticles as use	ed in V _{EMBE}).			0.01 in
	asphalt or o	concrete as	0.0 in, sand	or finer par	ticles as 0.0	8 in):	`				
	3.60	2.70	5.00	2.20	5.50	2.40	1.10	0.50	0.10	3.00	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
4	V _{BERO}	Total perce	nt of eroded	stream cha	annel bank.	Enter the to	tal number	of feet of er	oded bank o	on each	
	DENO	side and th may be up		entage will b	e calculate	d If both bar	nks are ero	ded, total er	rosion for the	e stream	0 %
			Left Bank:	0	ft	l	Right Bank:	0	ft		
Sample	Variables	5-9 within t	he entire ri	parian/buff	er zone adj	acent to the	stream ch	annel (25 fe	eet from ea	ch bank).	
5	V_{LWD}	stream read	ch. Enter th		om the entir llated.	e 50'-wide b	uffer and w	ches in leng	annel, and th		0.0
6	V _{TDBH}	Average db	h of trees (measure on		f downed wo		it least 20%)	0). Trees are	at least 4	
	TUBH	inches (10	cm) in diam n measurem	eter. Enter	tree DBHs i	n inches.		buffer on ea			Not Used
			Left Side					Right Side			
	0					0					
7	V _{SNAG}					per 100 feet et will be cal		Enter numb	er of snags	on each	0.0
			I off C: 4		n		Diabt C: -		0		
8	V _{SSD}	Number of	Left Side: saplings an		oody stems		Right Side: es dbh) per	100 feet of	0 stream (mea	asure only	
J	- 880	if tree cove	r is <20%). of stream wil	Enter numb	er of sapling ted.	gs and shrul	os on each	side of the s	stream, and		16.0
	Left Side: 10 Right Side: 5										

9	V _{SRICH} Riparian vegetation species richness per Group 1 in the tallest stratum. Check all or richness per 100 feet and the subindex w					and invas	sive species p	resent in all			0.00
			p 1 = 1.0					Group	2 (-1.0)		
	Acer rubru	m		Magnolia t	ripetala		Ailanthus a	ltissima		Lonicera ja	ponica
	Acer sacch	narum		Nyssa sylv	atica		Albizia julibi	rissin		Lonicera ta	tarica
	Aesculus fi	ava		Oxydendrun	n arboreum		Alliaria petio	olata		Lotus corni	culatus
	Asimina trii	oba		Prunus sei	rotina		Alternanthe	ra		Lythrum sa	licaria
	Betula alleg	haniensis		Quercus a	lba		philoxeroide	es		Microstegium	vimineum
	Betula lent	а		Quercus c	occinea		Aster tatario	cus		Paulownia	tomentosa
	Carya alba			Quercus imbricaria Cerastium fontanum			Polygonum c	uspidatum			
	Carya glab	ra		Quercus p	rinus		Coronilla va	aria		Pueraria m	ontana
	Carya oval	is		Quercus ru	ıbra		Elaeagnus ur	mbellata		Rosa multif	lora
	Carya ovat	'a		Quercus v	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flor	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena br	asiliensis
	Fagus gran	ndifolia		Tilia ameri	cana		Ligustrum ob	tusifolium			
	Fraxinus a	mericana		Tsuga can	adensis		Ligustrum s	sinense			
	Liriodendron	tulipifera		Ulmus ame	ericana						
	Magnolia a	cuminata									
		0	Species in	Group 1				0	Cnasios in	Croup 2	
		U	Species in	Group i				U	Species in	Group 2	
		Average pe	uld be place ercent cover clude. Ente	of leaves, s r the percer	equidistant sticks, or oth	ly along e er organic	n) in the ripar ach side of the material. Wo ayer at each s	he stream. body debris subplot.			30.00 %
		20	50	Side 30	20	20	Right 50	Side 20	30		
		20	50	30	20	20	50	20	30		
11	V_{HERB}	include woo	ody stems a percentages ot.	t least 4" dt s up througl	h and 36" ta	all. Becaus	easure only if e there may b Enter the per	e several la cent cover d	yers of gro	und cover	70 %
		80	50	Side 70	80	80	Right 50	80	70		
		- 00	- 00	70	00	- 00	00	00	70		
Sampl 12	V _{WLUSE}				the stream.	ned:					0.20 Running
			Land	Use (Choos	se From Dro	p List)			Runoff Score	% in Catch- ment	Percent
	Forest and n	ative range (<	50% ground								(not >100)
	Open space	(pasture, lawn		cover)				•	0.5	12.4	(not >100)
	Open space	(nastura laum	s, parks, etc.)		<50%			*			
		(pasture, lawn		, grass cover				*	0.5 0.1	12.4 35.4	12.4 47.8
		(pasture, lawr	ns, parks, etc.),	, grass cover				*	0.5	12.4	12.4
	-	(pasture, lawr		, grass cover				~	0.5 0.1	12.4 35.4	12.4 47.8
1	-	(pasture, lawn		, grass cover				\ \ \ \	0.5 0.1	12.4 35.4	12.4 47.8
		(pasture, iawr		, grass cover				~	0.5 0.1	12.4 35.4	12.4 47.8
		(pasture, iawn		, grass cover				V	0.5 0.1	12.4 35.4	12.4 47.8
		(pasture, iawn		, grass cover				*	0.5 0.1	12.4 35.4	12.4 47.8
				, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
		S-160	ns, parks, etc.)	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
	/ariable	S-I60 Value	vsi	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
		S-160	ns, parks, etc.)	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
Vc	/ariable	S-I60 Value Not Used,	vsi	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C	/ariable	S-I60 Value Not Used, <20%	vSI Not Used	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _E V _S	CCANOPY EMBED SUBSTRATE	S-I60 Value Not Used, <20% 4.2	VSI Not Used 0.90	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _E V _S	CCANOPY EMBED SUBSTRATE BERO	S-I60 Value Not Used, <20% 4.2 0.01 in 0 %	VSI Not Used 0.90 0.00 1.00	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _E V _S V _B	Variable CCANOPY EMBED SUBSTRATE BERO	S-I60 Value Not Used, <20% 4.2 0.01 in 0 % 0.0	VSI Not Used 0.90 0.00 1.00	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _E V _S V _B	CCANOPY EMBED SUBSTRATE BERO	S-I60 Value Not Used, <20% 4.2 0.01 in 0 %	VSI Not Used 0.90 0.00 1.00	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _E V _S V _B V _L	Variable CCANOPY EMBED SUBSTRATE BERO	S-I60 Value Not Used, <20% 4.2 0.01 in 0 % 0.0	VSI Not Used 0.90 0.00 1.00	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _B V _S V _B V _C V _S V _C V _S	dariable CCANOPY EMBED SUBSTRATE BERO LWD	S-I60 Value Not Used, <20% 4.2 0.01 in 0 % 0.0 Not Used	VSI Not Used 0.90 0.00 1.00 0.00 Not Used	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _E V _S V _L V _T V _S V _S	CANOPY EMBED SUBSTRATE BERO WD TOBH SNAG	S-I60 Value Not Used, <20% 4.2 0.01 in 0 % 0.0 Not Used 0.0	VSI Not Used 0.90 0.00 1.00 0.00 Not Used 0.10	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _B V _S V _L V _T V _S V _S V _S	CANOPY EMBED BUBSTRATE BERO WD TOBH BNAG SSD	S-I60 Value Not Used, <20% 4.2 0.01 in 0 % 0.0 Not Used 0.0 16.0 0.00	VSI Not Used 0.90 0.00 1.00 Not Used 0.10 0.25 0.00	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _B V _S V _L V _T V _S V _S V _S V _D	CANOPY EMBED BUBSTRATE BERO WD TOBH BNAG SSD GRICH DETRITUS	S-I60 Value Not Used, <20% 4.2 0.01 in 0 % 0.0 Not Used 0.0 16.0 0.00 30.0 %	VSI Not Used 0.90 0.00 1.00 0.00 Not Used 0.10 0.25 0.00 0.37	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8
V _C V _E V _S V _B V _L V _T V _S V _S V _S V _C V _H	CANOPY EMBED BUBSTRATE BERO WD TOBH BNAG SSD	S-I60 Value Not Used, <20% 4.2 0.01 in 0 % 0.0 Not Used 0.0 16.0 0.00	VSI Not Used 0.90 0.00 1.00 Not Used 0.10 0.25 0.00	, grass cover			Not	* * * * * * * * * * * * * * * * * * *	0.5 0.1	12.4 35.4	12.4 47.8

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
sampli	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County: Stream ID: S-I60

Stream Name: UNT to Falls Run


HUC Code:

Survey Date: 9/4/2021

Surveyors: AE PL Impact Reach: 28.9 m

Type: Bankfull Channel


			BLE COUNT				_
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	^	80	80.00	80.00
	Very Fine	.062125		•	0	0.00	80.00
	Fine	.12525		A	0	0.00	80.00
	Medium	.255	SAND	A	0	0.00	80.00
	Coarse	.50-1.0		A	0	0.00	80.00
.0408	Very Coarse	1.0-2		*	4	4.00	84.00
.0816	Very Fine	2 -4		A	0	0.00	84.00
.1622	Fine	4 -5.7		*	1	1.00	85.00
.2231	Fine	5.7 - 8		A	0	0.00	85.00
.3144	Medium	8 -11.3		^	3	3.00	88.00
.4463	Medium	11.3 - 16	GRAVEL	^	3	3.00	91.00
.6389	Coarse	16 -22.6		A	0	0.00	91.00
.89 - 1.26	Coarse	22.6 - 32	_	^	0	0.00	91.00
1.26 - 1.77	Vry Coarse	32 - 45	_	A	0	0.00	91.00
1.77 -2.5	Vry Coarse	45 - 64	_	A	2	2.00	93.00
2.5 - 3.5	Small	64 - 90		A	4	4.00	97.00
3.5 - 5.0	Small	90 - 128	_	A	1	1.00	98.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	2	2.00	100.00
7.1 - 10.1	Large	180 - 256	_	A	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		<u> </u>	0	0.00	100.00
14.3 - 20	Small	362 - 512		<u> </u>	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER		0	0.00	100.00
40 - 80	Large	1024 -2048		<u> </u>	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		<u> </u>	0	0.00	100.00
	Bedrock		BDRK	<u> </u>	0	0.00	100.00
				Totals:	100		
	Total Tally:						




Size (r	nm)	1
□16	0.062	
□35	0.062	
□50	0.062	
□65	0.062	
□84	4	
□95	76	


Size Dist	ribution
mean	0.5
dispersion	32.8
skewness	0.67

	Type	
silt/clay	80%	
sand	4%	
gravel	9%	
cobble	7%	
boulder	0%	





AS-BUILT TABLE: S-160 CROSS SECTION A							
	PR	AS-E	UILT				
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.		
TS-L	14083264.1800 ^r	1775884.3560	1026.163'				
BS-L	14083264.9600	1775884.24801	1025.530'				
THW	14083271.1300	1775884.4800	1025.005'				
BS-R	14083271.6700	1775884.4240	1025.136'	·			
TS-R	14083274.3900	1775884.54601	1025.842'				



SURVEY NOTES:

LEGEND


STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 4, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-160 BASELINE CROSS-SECTION A



S-160 BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.



Drawing No.