Reach S-IJ62 (Pipeline ROW) Intermittent Spread D Nicholas County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No flow
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark




Spread D Stream S-IJ62 (Pipeline ROW) Nicholas County

Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, JR KP Lat: 38.343547 Long: -80.647035




Spread D Stream S-IJ62 (Pipeline ROW) Nicholas County

Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, JR KP Lat: 38.343547 Long: -80.647035




Spread D Stream S-IJ62 (Pipeline ROW) Nicholas County

Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, JR KP Lat: 38.343547 Long: -80.647035



Spread D Stream S-IJ62 (Pipeline ROW) Nicholas County

Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, JR KP Lat: 38.343547 Long: -80.647035



Spread D Stream S-IJ62 (Pipeline ROW) Nicholas County

Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, JR KP Lat: 38.343547 Long: -80.647035



Spread D Stream S-IJ62 (Pipeline ROW) Nicholas County

Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, JR KP Lat: 38.343547 Long: -80.647035

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.343547 Lon.	-80.647035		WEATHER:	Steady Rain	DATE:	08/31/2021	
IMPACT STREAM/SITE ID (watershed size (acreage),			S-I	u62		MITIGATION STREAM CLASS./SITE ID (watershed size (acreage), unalten		N:			Comments:	N/A - Water Qua WVSCI (No flor	
STREAM IMPACT LENGTH:	79	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.			PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	g Condition (De	bit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected Post Completion (Credit	t Five Years		Column No. 4- Mitigation Proje Post Completion (C	cted at Ten Years Credit)	Column No. 5- Mitigation Projec	ted at Maturity (Credit)	
Stream Classification:	Interr	nittent	Stream Classification:			Stream Classification:	0		Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel St	оре	4.5	Percent Stream Channel Sic	ope		Percent Stream Channel Slope	0		Percent Stream Channel Sic	ope 0	Percent Stream Channel S	lope	0
HGM Score (attach da	ata forms):	<u></u>	HGM Score (attach o	data forms):		HGM Score (attach data fo	rms):		HGM Score (attach da	ta forms):	HGM Score (attach o	lata forms):	
		Average		Average			Average	Ī		Average		Av	verage
Hydrology	0.55		Hydrology			Hydrology			Hydrology		Hydrology		
Biogeochemical Cycling Habitat	0.18	0.27333333	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and		ators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and Biolog	ical Indicators		PART I - Physical, Chemical and E	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators	
	Points Scale Range	Site Score		Points Scale Range Silte Score		Points Sca	Range Site Score	-		Points Scale Range Site Score		Points Scale Range Sit	lite Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams classification	ions)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20	0	 Epifaunal Substrate/Available Cover 	0-20		1. Epifaunal Substrate/Available Cover 0-20			1. Epifaunal Substrate/Available Cover	0-20	1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	0	2. Pool Substrate Characterization	0-20		2. Embeddedness 0-20			2. Embeddedness	0-20	2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	0	3. Pool Variability	0-20		3. Velocity/ Depth Regime 0-20			3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	0	4. Sediment Deposition	0-20		4. Sediment Deposition 0-20			4. Sediment Deposition	0-20	4. Sediment Deposition	0-20	<u> </u>
5. Channel Flow Status	0-20 0-1	0	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status 0-20	0-1		5. Channel Flow Status	0-20 0-1	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20	15	6. Channel Alteration	0-20		6. Channel Alteration 0-20			6. Channel Alteration	0-20	6. Channel Alteration	0-20	<u> </u>
7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20	14	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-20 8. Bank Stability (LB & RB) 0-20			7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20	7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20	<u> </u>
 Bank Stability (LB & RB) Vegetative Protection (LB & RB) 	0-20	14	8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20						0-20	 Bank Stability (LB & RB) Vegetative Protection (LB & RB) 		<u> </u>
 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB) 	0-20		 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB) 	0-20		9. Vegetative Protection (LB & RB) 0-20 10. Riparian Vegetative Zone Width (LB & RB) 0-20			9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20	 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB) 	0-20	ļ
Total RBP Score	Poor	57	Total RBP Score	Poor 0			oor 0		Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total	1 001	0.285	Sub-Total	9		Sub-Total	0		Sub-Total	0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Str		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and Per	nnial Streams)		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)	
WVDEP Water Quality Indicators (General)	0		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General	I)	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
100-199 - 85 points	0-90			0-90		0-90				0-90		0-90	
nH	-		nH			nH			nH		nH		
p	0-80 0-1		p.,	5-90 0-1		5.90	0-1		p	5-90 0-1		5-90 0-1	
5.6-5.9 = 45 points	0-00			5-50		0.00				5.55		0-50	
DO			DO			DO			DO		DO		
	10-30			10-30		10-30				10-30		10-30	
Sub-Total	1 1		Sub-Total	0		Sub-Total	0	1	Sub-Total	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitte	tent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent an	Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Strea	ams)
WV Stream Condition Index (WVSCI)		-	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
-	0-100 0-1			0-100 0-1		0-100	0-1			0-100 0-1		0-100 0-1	
0 Sub-Total	I I	0	Sub-Total	0		Sub-Total	0		Sub-Total	0	Sub-Total		0
					_			-					
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index and Unit Sc	pre		PART II - Index and Ur	nit Score	PART II - Index and	Unit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Line	r Feet Unit Score	1	Index	Linear Feet Unit Score	Index	Linear Feet Unit	it Score
0.408	79	32.2254167	0	0 0		0	0 0		0	0 0	0	0	0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

=	MVP Sream Assessment Nicholas County, Spread D 8/31/21		Project Site	Before Project
Subclass for this S	AR: Intermittent Stream			
Uppermost stratum	present at this SAR: Shrub/Herb Strata		SAR number:	S-IJ62
Functional Resu	Its Summary:	Enter Results in Section A	of the Mitigation Su	fficiency Calculator
	Functi	on	Functional Capacity Index	
	Hydrology		0.55	
	Biogeochemical Cycling		0.18	

0.09

Variable Measure and Subindex Summary:

Habitat

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	13.51	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	1.35	0.17
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	2.70	0.04
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	9.29	0.11
V _{HERB}	Average percent cover of herbaceous vegetation.	91.25	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	1.00	1.00

			High-G		Headwat Data She					a	versio	n 10-20-17
	Team	JR KP		Field L		et and C	aicui			A Northing.	38.343547	
Pro	oject Name:		n Assessme	ent							-80.647035	
		Nicholas C							•	pling Date:		
SA	R Number:	S-IJ62	Reach	Length (ft):	74	Stream T	ype:	Inter	mittent Strea	m		•
	Top Strata:	Shi	rub/Herb St	rata	(determine	d from perc	ent calo	culat	ed in V _{CCAN}	OPY)		
	and Timing:	1939-1949-1949				•	Before	Proje	ct			•
Sample 1	e Variables V _{CCANOPY}				nel by tree a	and sapling	canopy	/ Me	easure at n	fewer than	10	
		roughly equiless than 2	uidistant po 0%, enter a	ints along th t least one	ne stream. value betwe	Measure or en 0 and 1	nly if tre	e/sa	pling cover	is at least 2		Not Used, <20%
		rcent cover	measureme	ents at each	point below	/:						i i
	1											
2	V _{EMBED}	Average er	nbeddedne	ss of the str	eam channe	el. Measure	e at no	fewe	r than 30 ro	ughly equic	listant	4.0
					particle from							1.0
		according t a rating sco	o the follow ore of 1. If f	ing table. I the bed is c	ng the partion f the bed is omposed of	an artificial bedrock, u	surface se a rat	e, or ting s	composed score of 5.	of fine sedir	nents, use	
		Embedded Minshall 19	0	for gravel, o	cobble and l	boulder par	ticles (r	esca	aled from Pl	atts, Megah	an, and	
		Rating	Rating De			manned - 1	u la · · · · *	J	fine c - · · ·	at (ar h	al()	
		5			covered, su ace covered						CK)	
		3			face covered							
		2			face covere							
	List the ret	1 ings at each			covered, s	urrounded,	or burie	ed by	/ fine sedim	ent (or artifi	cial	l
	List the rat	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		w. 1	1	1	1		1	1	1	ľ
	1	1	1	1	1	1	1		1	1	1	
	1	1	1	1	1	1	1		1	1	1	
3	Vauparaura	Median str	eam channe	el substrate	particle size	Measure	at no f	ewei	than 30 ro	iaply earlig	istant	
	Enter partie	points alon cle size in ir	g the strear thes to the	n; use the s nearest 0.1	ame points 1 inch at eac articles as 0.	and particle	es as us	sed i	n V _{EMBED} .			0.08 in
	0.08	0.08	0.08	0.08	0.08	0.08	0.0	8	0.08	0.08	0.08	ľ
	0.08	0.08	0.08	0.08	0.08	0.08	0.0		0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.0	8	0.08	0.08	0.08	
4	V _{BERO}				annel bank							
		may be up		entage will	be calculate	d if both b	anks ar	e er	oded, total	erosion for	the stream	14 %
			Left Bank:	5	ft	I	Right Ba	ank:	5	ft		
Sample	e Variables	5-9 within	the entire r	iparian/but	ffer zone ac	ljacent to t	he stre	am	channel (28	5 feet from	each bank)	
5	V _{LWD}	stream rea	ch. Enter th	ne number f	least 4 inch rom the enti l be calculat	re 50'-wide				0 / 1		1.4
		•			Number of	downed wo	ody ste	ems:		1		
6	V _{TDBH}				nly if V _{CCANO} er tree DBH			er is	at least 20°	%). Trees a	ire at least	Not Used
		List the dbl of the strea	am below:	nents of indi	vidual trees	(at least 4	in) with	in th		each side		
			Left Side						Right Side			
								_				
7	Vaura	Number of	snags (at le	ast 4" dbh	and 36" tall)	ner 100 fe	et of str	eam	Enter nur	ober of snar	ns on each	
,	V _{SNAG}				nt per 100 fe					or stid	5 011 04011	0.0
			Left Side:		0		Right S	ide:)		
8	V _{SSD}		saplings an		voody stems	up to 4 inc	hes db	h) pe				
			r 100 ft of st	tream will be	number of s e calculated						n, and the	2.7
			Left Side:		2		Right S	aue:)		

9	V _{SRICH}	Group 1 in richness pe			oindex will be		d from these				
		Grou	ip 1 = 1.0					Group	2 (-1.0)		
	Acer rubru	m		Magnolia t	tripetala		Ailanthus a	ltissima		Lonicera j	aponica
	Acer sacch	harum		Nyssa sylv	vatica		Albizia julib	rissin		Lonicera t	atarica
	Aesculus f	lava		Oxydendrur	m arboreum		Alliaria peti	olata		Lotus corr	niculatus
	Asimina tri	loba		Prunus se	Prunus serotina		Alternanthe	era		Lythrum s	alicaria
	Betula alleg	ghaniensis		Quercus a	alba		philoxeroid	es		Microstegiu	ım vimineui
	Betula lent	ta		Quercus c	occinea		Aster tatari	cus		Paulownia	a tomentos
	Carya alba	9		Quercus in	mbricaria		Cerastium	fontanum		Polygonum	n cuspidatur
]	Carya glab	ora		Quercus p	orinus		Coronilla v	aria		Pueraria r	nontana
-	Carya ova			Quercus ru			Elaeagnus ı		-	Rosa muli	
]	Carya ova			Quercus v			Lespedeza				halepense
]	Cornus flor			Sassafras			Lespedeza			-	prasiliensis
										verbena i	1 8311011313
	Fagus grai			Tilia ameri —			Ligustrum o				
]	Fraxinus a			Tsuga can			Ligustrum	sinense			
]	Liriodendroi	n tulipifera		Ulmus am	ericana						
]	Magnolia a	acuminata									
nk.	The four su	bplots sho	uld be pla	8 subplots ced roughly	y equidistar	ntly along	m) in the rip each side o	f the strea	m.	hin 25 feet	from eac
10	V _{DETRITUS}						c material. V etrital layer a			eterano	9.29 %
		J		Side			•	Side		1	
		15	5	10	5	5	15	10			
11 V _{HERB} Average percentage cov include woody stems at cover vegetation percen vegetation at each subp			at least 4" d	lbh and 36" t	all. Becau	se there may	be severa	l layers of g	round	91 %	
		vegetation			unough 200					-	
			Left	Side	-			Side	05	1	
		85 12 within th	Left 95 e entire ca	Side 90 tchment of	95 f the stream	<u>95</u>	Right	Side 90	95		
amp 12	le Variable ⁻ V _{WLUSE}	85 12 within th	Left 95 e entire ca	Side 90 tchment of Runoff Score	95 f the stream re for waters	95 I.				% in	1.00 Running
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream	95 I.			Runoff Score	Catch- ment	
	V _{WLUSE}	85 12 within th	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff	Catch-	Running Percen
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{WLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.			Runoff Score	Catch- ment	Runnin Percen (not >10
	V _{wLUSE}	85 12 within th Weighted /	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85		Runoff Score	Catch- ment	Runnin Percen (not >10
12	V _{wLUSE}	85 12 within th Weighted / hative range (S-IJ62	Left 95 e entire ca Average of Land	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
v	VwLUSE	85 12 within th Weighted /	Left 95 e entire ca Average of Land >75% ground	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percer (not >10
v	V _{WLUSE}	85 12 within th Weighted / hative range (S-IJ62 Value	Left 95 e entire ca Average of Land >75% ground	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
12 v	VwLUSE	85 12 within th Weighted / hative range (S-IJ62 Value Not Used,	Left 95 e entire ca Average of Land >75% ground	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percer (not >10
V	VwLUSE	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20%	Left 95 Average of Land >75% ground VSI Not Used	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V	VwLUSE Forest and r	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20% 1.0 0.08 in	Left 95 e entire ca Average of Land >75% ground VSI Not Used 0.10 0.04	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V	VwLUSE	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20% 1.0	Left 95 e entire ca Average of Land >75% ground >75% ground VSI Not Used 0.10	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V	VwLUSE Forest and r	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20% 1.0 0.08 in	Left 95 e entire ca Average of Land >75% ground VSI Not Used 0.10 0.04	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V 12	VwLUSE Forest and r	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20% 1.0 0.08 in 14 % 1.4	Left 95 e entire ca Average of Land >75% ground >75% ground VSI Not Used 0.10 0.04 1.00 0.17	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V	VwLUSE Forest and r Forest and r S Variable Vccanopy Vembed Vsubstrate VBERO VLWD VLWD	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20% 1.0 0.08 in 14 % 1.4 Not Used	Left 95 e entire ca Average of Land >75% ground VSI Not Used 0.10 0.04 1.00 0.17 Not Used	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percer (not >10
V V V	VwLUSE Forest and r	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20% 1.0 0.08 in 14 % 1.4	Left 95 e entire ca Average of Land >75% ground >75% ground VSI Not Used 0.10 0.04 1.00 0.17	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
v	VwLUSE Forest and r Forest and r S Variable Vccanopy Vembed Vsubstrate VBERO VLWD VLWD	85 12 within th Weighted / hative range (S-IJ62 Value Not Used, <20% 1.0 0.08 in 14 % 1.4 Not Used	Left 95 e entire ca Average of Land >75% ground VSI Not Used 0.10 0.04 1.00 0.17 Not Used	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V V V	VwLUSE Forest and r	85 12 within th Weighted / hative range { S-IJ62 Value Not Used, <20% 1.0 0.08 in 14 % 1.4 Not Used 0.0 2.7	Left 95 e entire ca Average of Land >75% ground >75% g	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
v	VwLUSE Forest and r Forest and r S Variable Vccanopy Vembed Vsubstrate VBERO VLWD VLWD VLWD VLWD VSNAG VSSD VSRICH	85 12 within th Weighted / hative range { S-IJ62 Value Not Used, -20% 1.0 0.08 in 14 % 1.4 Not Used 0.0 2.7 0.00	Left 95 e entire ca Average of Land >75% groun >75% groun 0.10 0.04 1.00 0.17 Not Used 0.10 0.04 0.00	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V 	VwLUSE Forest and r Forest and r S Variable Vccanopy Vembed Vsubstrate VBERO VLWD VLWD VLWD VLWD VTDBH VSNAG VSSD VSRICH VDETRITUS	85 12 within th Weighted / hative range { S-IJ62 Value Not Used, <20% 1.0 0.08 in 14 % 1.4 Not Used 0.0 2.7	Left 95 e entire ca Average of Land >75% ground >75% g	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10
V 	VwLUSE Forest and r Forest and r S Variable Vccanopy Vembed Vsubstrate VBERO VLWD VLWD VLWD VLWD VSNAG VSSD VSRICH	85 12 within th Weighted / hative range { S-IJ62 Value Not Used, -20% 1.0 0.08 in 14 % 1.4 Not Used 0.0 2.7 0.00	Left 95 e entire ca Average of Land >75% groun >75% groun 0.10 0.04 1.00 0.17 Not Used 0.10 0.04 0.00	Side 90 tchment of Runoff Scor Use (Choos	95 f the stream re for waters	95 I.	85	90 • • • •	Runoff Score	Catch- ment	Runnin Percen (not >10

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET #	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY		

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? Storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny Air Temperature0 C
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
STREAM	Stream Subsystem Perennial Intermittent Tidal Coldwater Warmwater
CHARACTERIZATION	Stream Origin Catchment Area km² Glacial Spring-fed Mixture of origins Swamp and bog Other Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential	Local Watershed NPS Pollution No evidence Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy ant species present Grasses Herbaceous
INSTREAM FEATURES	Dominant species present	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle % Riffle % Pool % Channelized Yes No No
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ reac	h area)
AQUATIC VEGETATION	Indicate the dominant type and record the dominant record the dominant type and record the domin Rooted submergent Rooted submergent Attached Algae Dominant species present Portion of the reach with aquatic vegetation	Rooted floating Free floating
WATER QUALITY (DS, US)	Temperature0 C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other	Deposits Paper fiber Sand Sludge Sawdust Paper fiber Sand Relict shells Other

INC	DRGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant			
Boulder	> 256 mm (10")			materials (CPOM)			
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2.5")			(FPOM)			
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments			
Silt	0.004-0.06 mm						
Clay	< 0.004 mm (slick)						

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET #	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY		

	Habitat		Condition	ı Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.	
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).	
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	channel and mostly	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat	Condition Category											
Parameter	Optimal	Suboptimal	Marginal	Poor								
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.								
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.								
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.								
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0								
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0								
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.								
SCORE(LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0								
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0								
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.								
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0								
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0								

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN						
STORET #		AGENCY	AGENCY					
INVESTIGATORS			LOT NUMBER					
FORM COMPLETED BY		DATE TIME	REASON FOR SURVEY					
HABITAT TYPES	Cobble% Sn	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%						
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand					
GENERAL COMMENTS								

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS


Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						


WOLMAN PEBBLE COUNT FORM

County:	Nicholas	Stream ID:	S-IJ62
Stream Name:	UNT to Cherry Run		
HUC Code:		Basin:	
Survey Date:	8/31/2021		
Surveyors:	JR KP	Impact Reach:	22.6 m
Type:	Bankfull Channel		

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	▲ ▼	80	80.00	80.00
	Very Fine	.062125		•	10	10.00	90.00
	Fine	.12525		▲ ▼	5	5.00	95.00
	Medium	.255	S A N D	▲ ▼	5	5.00	100.00
	Coarse	.50-1.0		▲ ▼	0	0.00	100.00
.0408	Very Coarse	1.0-2		* *	0	0.00	100.00
.0816	Very Fine	2 -4		▲ ▼	0	0.00	100.00
.1622	Fine	4 -5.7		▲ ▼	0	0.00	100.00
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	100.00
.3144	Medium	8 -11.3	G R A V E L	▲ ▼	0	0.00	100.00
.4463	Medium	11.3 - 16		▲ ▼	0	0.00	100.00
.6389	Coarse	16 -22.6		•	0	0.00	100.00
.89 - 1.26	Coarse	22.6 - 32		•	0	0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45		* *	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		▲ ▼	0	0.00	100.00
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	0	0.00	100.00
7.1 - 10.1	Large	180 - 256		•	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		•	0	0.00	100.00
14.3 - 20	Small	362 - 512		▲ ▼	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.00
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		▲ ▼	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
				Totals:	100		



Bankfull Channel Pebble Count, S-IJ62, UNT to Cherry Run



THW


TS: TOP OF SLOPE

BS: BOTTOM OF SLOPE

THW: THALWEG (INVERT)

BS-R 13923823.89 1741615.24 2280.18

TS-R 13923823.85 1741614.81 2280.26



SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 31, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

