Reach S-J24 (2) (Pipeline ROW) Perennial Spread D Nicholas County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	\checkmark
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A –Low flow
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, SM/JM Lat: 38.256248 Long: -80.687358




Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, SM/JM Lat: 38.256248 Long: -80.687358

Spread D Stream S-J24(2) (Pipeline ROW) Nicholas County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, SM/JM Lat: 38.256248 Long: -80.687358




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, SM/JM Lat: 38.256248 Long: -80.687358

Spread D Stream S-J24(2) (Pipeline ROW) Nicholas County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, SM/JM Lat: 38.256248 Long: -80.687358




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, SM/JM Lat: 38.256248 Long: -80.687358

Spread D Stream S-J24(2) (Pipeline ROW) Nicholas County



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, SM/JM Lat: 38.256248 Long: -80.687358

Spread D Stream S-J24(2) (Pipeline ROW) Nicholas County



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, SM/JM Lat: 38.256248 Long: -80.687358




Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, SM/JM Lat: 38.256248 Long: -80.687358




Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, SM/JM Lat: 38.256248 Long: -80.687358

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017


USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline		OORDINATES: mal Degrees)	Lat.	38.256248	Lon.	-80.687358		WEATHER:		Sunny	DATE:	9/2/20)21
IMPACT STREAM/SITE ID (watershed size (acreage),			S-J:	24 (2)			MITIGATION STREAM CLASS (watershed size (acrea	S./SITE ID AND SI sge}, unaltered or impai		:				Comments:		
STREAM IMPACT LENGTH:	76	FORM OF MITIGATION:	RESTORATION (Levels I-III)		ORDINATES: mal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Del	bit)	Column No. 2- Mitigation Existing C	ondition - Baselir	ne (Credit)		Column No. 3- Mitigation Post Complet		ears		Column No. 4- Mitigation Proje Post Completion (C		rs	Column No. 5- Mitigation Projecte	d at Maturity (Cr	redit)
Stream Classification:	Pere	nnial	Stream Classification:				Stream Classification:		0	SI	tream Classification:	0		Stream Classification:	0	
Percent Stream Channel Slo	оре	1.4	Percent Stream Channel Slo	ppe			Percent Stream Channel	Slope	0		Percent Stream Channel Slo	pe	0	Percent Stream Channel Slo	оре	0
HGM Score (attach da	ata forms):		HGM Score (attach o	iata forms):			HGM Score (attac	ch data forms):			HGM Score (attach dat	ta forms):		HGM Score (attach da	ta forms):	
		Average			Average				Average				Average			Average
Hydrology Biogeochemical Cycling		o	Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0	в	lydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		0
Habitat PART I - Physical, Chemical and	Biological Indic	ators	Habitat PART I - Physical, Chemical and	d Biological Indic	cators		Habitat PART I - Physical, Chemical	and Biological Indi	cators	н	labitat PART I - Physical, Chemical and E	liological Indica	tors	Habitat PART I - Physical, Chemical and I	Biological Indica	itors
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all stream	ms classifications)		PI	HYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				ISEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20	13	1. Epifaunal Substrate/Available Cover	0-20			1. Epifaunal Substrate/Available Cover	0-20				0-20		1. Epifaunal Substrate/Available Cover	0-20	<u> </u>
2. Embeddedness 3. Velocity/ Depth Regime	0-20	7	2. Pool Substrate Characterization 3. Pool Variability	0-20			2. Embeddedness 3. Velocity/ Depth Regime	0-20			. Embeddedness . Velocity/ Depth Regime	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20	<u> </u>
4. Sediment Deposition	0-20	19	4. Sediment Deposition	0-20			4. Sediment Deposition	0-20			. Sediment Deposition	0-20		4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	15	5. Channel Flow Status	0-20 0.1			5. Channel Flow Status	0-20 0.1		5.	Channel Flow Status	0-20 0.1		5. Channel Flow Status	0-20 0-1	1
6. Channel Alteration	0-20	20	6. Channel Alteration	0-20			6. Channel Alteration	0-20		6.	Channel Alteration	0-20		6. Channel Alteration	0-20	1
7. Frequency of Riffles (or bends)	0-20	9	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7.	. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	14	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8.	Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
	0-20	14	 Riparian Vegetative Zone Width (LB & RB) 	0-20			10. Riparian Vegetative Zone Width (LB & RB)				 Riparian Vegetative Zone Width (LB & RB) 	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20	
Total RBP Score	Suboptimal	143	Total RBP Score	Poor	0		Total RBP Score	Poor	0		otal RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Str	0.715 eams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stream	ms)		Sub-Total CHEMICAL INDICATOR (Applies to Intermit	tent and Perennial Stre	ams)		iub-Total HEMICAL INDICATOR (Applies to Intermittent	and Perennial Stre	ams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stre-	o ams)
WVDEP Water Quality Indicators (General)	0		WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (Gener	al)		w	WDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		
Specific Conductivity			Specific Conductivity				Specific Conductivity			S	pecific Conductivity			Specific Conductivity		
<=99 - 90 points	0-90	72		0-90				0-90				0-90			0-90	
pH	0-80 0-1	7.08	pH	5-90 0-1			рН	5-90 0-1		pl	н	5-90 0-1		pH	5-90 0-1	
6.0-8.0 = 80 points			DO				DO			D	00			DO		
>5.0 = 30 points	10-30	8.4		10-30				10-30				10-30			10-30	1
Sub-Total		1	Sub-Total		0		Sub-Total		0		iub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial 3	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Str	eams)		BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Perennia	il Streams)	_	BOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennia	al Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	Itent and Perennia	.I Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1			WV Stream Condition Index (WVSCI)	0-100 0-1		w	VV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	
0 Sub-Total		0	Sub-Total		0		Sub-Total		0	S	iub-Total		0	Sub-Total		0
PART II - Index and U	lait Casas		PART II - Index and	Unit Con an			PART II - Index a	ad Unit Casas			PART II - Index and Un	it C		PART II - Index and U	-it Casas	
PART II - IIIdex and U	Juin Score		PART # - Index and	onit acore			PART II - INDEX a	na offit Score			PART II - Index and Un	it Score		. Act is a lindex and only score		
Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	-	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Scor
																1

0.858

65.17

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY			



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential	Local Watershed NPS Pollution No evidence Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy ant species present Grasses Herbaceous
INSTREAM FEATURES	Dominant species present	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle % Riffle % Pool % Channelized Yes No No
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ reac	h area)
AQUATIC VEGETATION	Indicate the dominant type and record the dominant record the dominant type and record the domin Rooted submergent Rooted submergent Attached Algae Dominant species present Portion of the reach with aquatic vegetation	Rooted floating Free floating
WATER QUALITY (DS, US)	Temperature0 C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other	Deposits Paper fiber Sand Sludge Sawdust Paper fiber Sand Relict shells Other

INC	DRGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	e Diameter % Composition in Sampling Reach		% Composition in Sampling Area						
Bedrock			Detritus	sticks, wood, coarse plant					
Boulder	> 256 mm (10")			materials (CPOM)					
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic					
Gravel	2-64 mm (0.1"-2.5")			(FPOM)					
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments					
Silt	0.004-0.06 mm								
Clay	< 0.004 mm (slick)								

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN							
STORET #		AGENCY	AGENCY						
INVESTIGATORS			LOT NUMBER						
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY						
HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%								
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand						
GENERAL COMMENTS									

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM


Basin:


County: Nicholas Stream Name: UNT to Little Laurel Creek (2) HUC Code: Stream ID: S-J24 (2)


HUC Code:Survey Date:9/2/2021Surveyors:SM, JMType:Bankfull Channel


Impact Reach: 15.5 m

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	0	0.00	0.00
	Very Fine	.062125		•	3	3.00	3.00
	Fine	.12525		•	0	0.00	3.00
	Medium	.255	S A N D	•	0	0.00	3.00
	Coarse	.50-1.0		•	0	0.00	3.00
.0408	Very Coarse	1.0-2		•	0	0.00	3.00
.0816	Very Fine	2 -4		• •	3	3.00	6.00
.1622	Fine	4 -5.7		•	4	4.00	10.00
.2231	Fine	5.7 - 8		•	7	7.00	17.00
.3144	Medium	8 -11.3		•	4	4.00	21.00
.4463	Medium	11.3 - 16	G R A V E L	* *	3	3.00	24.00
.6389	Coarse	16 -22.6		•	8	8.00	32.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	6	6.00	38.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	15	15.00	53.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	20	20.00	73.00
2.5 - 3.5	Small	64 - 90		•	19	19.00	92.00
3.5 - 5.0	Small	90 - 128	COBBLE	•	3	3.00	95.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	2	2.00	97.00
7.1 - 10.1	Large	180 - 256		•	3	3.00	100.00
10.1 - 14.3	Small	256 - 362		•	0	0.00	100.00
14.3 - 20	Small	362 - 512		•	0	0.00	100.00
20 - 40	Medium	512 - 1024	B O U L D E R	• •	0	0.00	100.00
40 - 80	Large	1024 -2048]	▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		* *	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
	- 1			Totals:	100		
	Total Tally:						









SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 2, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

