# **Baseline Assessment – Stream Attributes**

# Reach S-J32 (Timber Mat Crossing) Perennial Spread D Nicholas County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	<b>√</b>
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	<b>√</b>
Longitudinal Profile and Cross Sections	✓




Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, KY/ZS
Lat: 38.331763 Long: -80.670342




Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, KY/ZS Lat: 38.331763 Long: -80.670342




Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, KY/ZS Lat: 38.331763 Long: -80.670342




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, KY/ZS Lat: 38.331763 Long: -80.670342



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, KY/ZS Lat: 38.331763 Long: -80.670342



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, KY/ZS Lat: 38.331763 Long: -80.670342



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, KY/ZS Lat: 38.331763 Long: -80.670342




Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, KY/ZS Lat: 38.331763 Long: -80.670342



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, KY/ZS Lat: 38.331763 Long: -80.670342



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, KY/ZS Lat: 38.331763 Long: -80.670342

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.331763	Lon.	-80.670342	WEATHER:	90% Cloud Cover	DATE:	9/14/2021
,				(iii beeiiidi begiees)								9/14/2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S.	J32		MITIGATION STREAM CLAS (watershed size (acc					Comments:	
STREAM IMPACT LENGTH:	22	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple		Five Years	Column No. 4- Mitigation Proje Post Completion (		Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennia	ı	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	оре	0.9	Percent Stream Channel Sle	оре		Percent Stream Channe	l Slope	0	Percent Stream Channel Sle	ope 0	Percent Stream Channel St	lope
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (atta	ch data forr	ns):	HGM Score (attach da	ata forms):	HGM Score (attach d	uta forms):
Hydrology Biogeochemical Cycling	,	Average	Hydrology Biogeochemical Cycling	Average		Hydrology Biogeochemical Cycling		Average	Hydrology Biogeochemical Cycling	Average	Hydrology Biogeochemical Cycling	Ave
Habitat PART I - Physical, Chemical and	Biological Indicator		Habitat  PART I - Physical, Chemical an			Habitat  PART I - Physical, Chemica	I and Biologic		Habitat PART I - Physical, Chemical and		Habitat  PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range Site
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classification	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
1. Epifaural Substrate/Available Cover 2. Embeddedness 3. Velootify Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Regiment Vegetative Protection (LB & RB) 10. Regiment Vegetative Protection (LB & RB) 10. Regiment Vegetative Zime Widnit (LB & RB) 10. Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitten WDEP Water Quality Indicators (General Specific Conductivity)	)	999 - 30 points	L Enfanal Substrate/Available Cover 2 Pool Substrate/Available Cover 3 Pool Variability 4 Sedment Deposition 5 Channel Flow Status 6 Channel Altradan 7 Channel Simussity 7 Channel Simussity 8 Bank Stability (LB & RB) 9 Vegetative Protection (LB & RB) 10 Repair Vegetar Care With LB & RB) 10 Repair Vegetar Care With LB & RB) 17 Catal RBP Score 2 McDel Status CHEMICAL INDICATOR (Applies to Intermittent WYDEP Water Quality Indicators (General) Specific Conductivity	· · · · · · · · · · · · · · · · · · ·		1. Epifaumil Substrate Available Cover 2. Embeddeforenes 3. Velocity Depth Regime 4. Sediment Deposition 5. Charnel Flow Status 6. Charnel Flow Status 6. Charnel Flow Status 7. Frequency of Riffles (or bends) 8. Bank Stability (16.8 RB) 9. Vegetative Protection (18.8 RB) 10. Regimal Westellin Zone Width (1.0 8 RB 10. Total RDP Score 8.00-Total CHEMICAL INDICATOR (Applies to telem WDEP Water Quality Indicators (Gen Specific Conductivity)	Pointent and Peren	0	Epifaunii Substratel/Available Cover     Embaddefines     3. Velocity Depth Regime     4. Sediment Deposition     5. Channel Flow Status     6. Channel Flow Status     6. Channel Flow Status     7. Frequency of Riffles (or bends)     8. Bank Stability (LB & RB)     9. Vegetative Protection (LB & RB)     10. Reginative Questione Zone Width (LB & RB)     Total REP Score     30-b-Total     CHEMICAL INDICATOR (Applies to Intermitten     WVDEP Water Quality Indicators (General     Specie Conductivity		Epifaunal SubstrateAvailable Cover     Embeddefines     Welochty Depth Regime     Sediment Deposition     Ender Depth Regime     Sediment Deposition     Ender Albertation     Ender Albertation     Frequency of Riffles (or bends)     Brank Sabbilly (LB & RB)     Segetative Protection (LB & RB)     Segetative Protection (LB & RB)     Total RBP Score     Sub-Total     CHEMICAL INDICATOR (Applies to Intermitten     WVDEP Water Quality Indicators (General     Specific Conductivity)	
750-999 - 30 points  H  8.1-9.0 = 45 points  O  >5.0 = 30 points  ub-Total  IOLOGICAL INDICATOR (Applies to Intermit	0-80 0-1	8.3 9.4 0.525	DO Sub-Total BIOLOGICAL INDICATOR (Applies to Infermitta	10-30		PH  DO  Sub-Total  BIOLOGICAL INDICATOR (Applies to in	5-90	0.1	DO Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	5-90 0-1	DO Sub-Total BIOLOGICAL INDICATOR (Applies to Interme	5-90 0-1
WV Stream Condition Index (WVSCI)	ient and Perennial Stream		WV Stream Condition Index (WVSCI)	sit and Peletinal Suedins)		WV Stream Condition Index (WVSCI)	eriiitteiit aliu i	erennar Streams)	WV Stream Condition Index (WVSCI)	ittent and Perennial Streams)	WV Stream Condition Index (WVSCI)	ttent and Ferenman Stream
Grey Zone Sub-Total		65.9 0.659	Sub-Total	0-100 0-1		Sub-Total	0-100	0-1	Sub-Total	0-100 0-1	Sub-Total	0-100 0-1
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index	and Unit Scor	e	PART II - Index and U	nit Score	PART II - Index and U	nit Score
Index	Linear Feet U	nit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit
0.658	22	14.476	0	0 0		0	0	0	0	0 0	0	0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY

WEATHER CONDITIONS	Now  storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours  Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature   Other
SITE LOCATION/MAP	Draw a map of the site and indicate th	e areas sampled (or attach a photograph)
		→ S-J32
	Tim	nber Mat
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tid  Stream Origin Glacial Spring-fe Non-glacial montane Mixture of Swamp and bog Other	Catchment Area km <sup>2</sup>

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Forest Field/	Pasture Industrial Other	rcial	Local Watershed NPS I  No evidence □ Som  Obvious sources  Local Watershed Erosi  None Moderate	ne potential sources
RIPARIAN VEGETATION (18 meter buffer)	Trees	the dominant type and Si nt species present	hrubs		rbaceous
INSTREAM FEATURES	Estimate Samplin Area in Estimate	ed Stream Depth Velocitym	m m² km² m	High Water Mark  Proportion of Reach Re Morphology Types	epresented by Stream Run% No
LARGE WOODY DEBRIS	LWD Density	m² of LWDm	n <sup>2</sup> /km <sup>2</sup> (LWD/	reach area)	
AQUATIC VEGETATION	Roote Floatii <b>Domina</b>	d emergent Ro ng Algae At	ooted submerge tached Algae		C
WATER QUALITY (DS ONLY)	Specific Dissolve pH Turbidi	ature0 C  Conductance d Oxygen  by trument Used		Fishy  Water Surface Oils  Slick Sheen	Chemical Other  Globs Flecks  red)
SEDIMENT/ SUBSTRATE	Odors Norma Chem Other Other	ical Anaerobic		<b>L</b> ρoking at stones which are the undersides black	Paper fiber Sand Other h are not deeply embedded, k in color?
	UBSTRATE ( ld add up to 1	COMPONENTS 00%)		ORGANIC SUBSTRATE CO	
Substrate Type Dia	meter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock Boulder > 256 mm (	10")		Detritus	sticks, wood, coarse plant materials (CPOM)	

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

## HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Nicholas

STREAM NAME S-J32

STATION #	R	IVE	RMI	LE_		STREAM C	LASS F	ere	nnia								
LAT 38.331763	_ L	ONO	] <u>-</u> 80.	67034:	2	RIVER BAS	SIN										
STORET#						AGENCY W	/VDEP										
INVESTIGATORS A	E EF	₹								I	LOT	NUMBER					
FORM COMPLETED	ЭBY	Ε	R			DATE	D!: A								ent		
HABITAT TYPES	∥☑	Cob	ble_9	0	%	tage of each habitat Snags % phytes %	Πīν	eget	ated	Banl	ks	%	%				
SAMPLE	G	ear	used		D-fi	ame			Other				_				
COLLECTION	<b> </b>   ,,			4ha		des collected?	7adin	~		l from	n har	ık 🔲 from boa	-				
	∥ "	ow v	were	tne	samp	oles collected?	wadin	g	Ь	ıror	n bar	ık 🔲 from boa	ιτ				
	II ☑	Col	ble 4			r of jabs/kicks taken Snags phytes	$\square$ V	eget	bitat ated Other	Banl	:. ks	Sand )	_				
GENERAL COMMENTS												0.3 mg/L, pH: .4 mg/L, pH: 8					
<b>Dominant</b> Periphyton	l ab				0 = A	Absent/Not Obser	ved, 1		Rare	e, 2	= C	ommon, 3= Abun	0	1	2	3	
Filamentous Algae					0	1 2 3 4		Ma	croi	nve	rtebi	ates			2		
Macrophytes					0	1 2 3 4		Fis	h				0	_1_	2	3	4
FIELD OBSERV	d ab	und	anc	e:	0 = org	Absent/Not Obser anisms), 3= Abund						rganisms), 2 = Co , 4 = Dominant (>	50 oı	rgar	ıism		
Porifera					4				2			Chironomidae					
Hydrozoa						Zygoptera						Ephemeroptera	0				
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae Comidelidae	0	1	2	3	4						
Isopoda Amphipoda	0	1	2	3	4	Corydalidae Tipulidae	0	1 1	2	3	4 4						
Ampnipoda Decapoda	0	1	2	3	4	Empididae	0	1	2 2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
21,41,14		1				Culcidae	0	1	2	3	4						

 SITE ID:
 S-J32

 9/14/2021

Insects	Count	Tolerance	2	Insects	Count	Tolerance	≥	Non-Insects	Count	Tolerance	2	SITE ID:
Ephemeroptera			31	Odonata			1	Crustacea			0	
Ameletidae		2	0	Aeshnidae	1	3	3	Asellidae		7	0	
Baetidae	20	4	80	Calopterygidae		9	0	Cambaridae		5	0	
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0	
Caenidae		2	0	Cordulegastridae		3	0	Palaemonidae		5	0	
Ephemerellidae		3	0	Gomphidae		5	0	Annelida			0	
Ephemeridae		2	0	Lestidae		7	0	Hirudinea		10	0	
Heptageniidae	10	3	30	Libellulidae		7	0	Nematoda		10	0	
Isonychiidae	1	3	3	Coleoptera			92	Nematomorpha		10	0	
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0	
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0	
Siphlonuridae		3	0	Dytiscidae	20	9	300	Turbellaria		7	0	
Tricorythidae		2	0	Elmidae	14	4	99	Bivalvia			0	
Plecoptera			0	Gyrinidae		5	0	Corbiculidae		9	0	
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0	
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0	
Leuctridae		2	0	Psephenidae	1	3	3	Gastropoda			0	
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0	
Peltoperlidae		1	0	Hemiptera			0	Hydrobiidae		4	0	
Perlidae		1	0	Belostomatidae		8	0	Physidae		7	0	
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0	
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0	
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0	
Trichoptera			53	Nepidae		8	0	Miscellaneous			0	
Brachycentridae		2	0	Notonectidae		8	0	Collembola		9	0	
Glossosomatidae		2	0	Megaloptera			1	Lepidoptera		5	0	
Helicopsychidae		3	0	Corydalidae	1	3	3	Neuroptera		5	0	
Hydropsychidae	45	2	225	Sialidae		9	0	Hydrachnidae		9	0	
Hydroptilidae		3	0	Diptera			67	Totale	Total	Total number	218	
Lepidostomatidae		3	0	Athericidae		3	0	lotais	Total 1	Total families	15	
Leptoceridae		3	0	Blephariceridae		2	0			M	Metric calculations	lations
Limnephilidae		4	0	Ceratopogonidae		8	0	, VM	MANACI Matric Scores	9000		Additional m
Molannidae		3	0	Chironomidae	27	6	243		oci ivieti ic.	SECOLES .		Ephemeroptera Taxa
Philopotamidae	2	4	8	Culicidae		10	0	Total Taxa		15	68.2	Plecoptera Taxa
Phryganeidae		4	0	Dixidae		9	0	EPT Taxa		9	46.2	Trichoptera Taxa
Polycentropodidae	9	5	30	Empididae	9	7	42	% EPT Abundance	ance	38.5	43.1	Long-lived Taxa
Psychomiidae		4	0	Psychodidae		8	0	% Chironomidae	dae	12.4	89.1	Odonata Taxa
Rhyacophilidae		3	0	Ptychopteridae		8	0	Hilsenhoff Biotic Index (HBI)	dex (HBI)	5.64	59.0	Diptera Taxa
Uenoidae		2	0	Simuliidae	17	7	119	% 2 Dominant Taxa	Taxa	43.6	90.0	COET Taxa
	Total Tole	Total Tolerance Value	1230	Stratiomyidae		10	0					% Sensitive
West Virginia Stream Condition Index (WVSCI)	ım Conditi	ion Index (W	VSCI)	Syrphidae		10	0					% Tolerant
Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream	d M.T. Barb Virginia wad	our. 2000. As	stream	Tabanidae		7	0	WV Stream Condition Index	Condition	ndex	6'59	% Clingers
Tech. Inc. Owing Mills. MD.	Irginia wau	leable streams	ierra	Tipulidae	17	5	85					% Net-spinners
ופכוו, וווכ. כשוווק ועוווים, ויוור				-								-

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

1 4 10 7.3 22.9 19.3 24.3

3

#### WOLMAN PEBBLE COUNT FORM

County: Nicholas Stream ID: S-J32

Stream Name: Big Beaver Creek

HUC Code:

Basin:


Survey Date: 9/17/2021

Surveyors: ZS, KY Reach: 22.3 m

Type: Bankfull Channel

			BBLE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	<u> </u>	0	0.00	0.00
	Very Fine	.062125		<u> </u>	0	0.00	0.00
	Fine	.12525		<b>A</b>	0	0.00	0.00
	Medium	.255	SAND	<u> </u>	5	5.00	5.00
	Coarse	.50-1.0		<u> </u>	5	5.00	10.00
.0408	Very Coarse	1.0-2		<u> </u>	5	5.00	15.0
.0816	Very Fine	2 -4		<b>A</b>	8	8.00	23.0
.1622	Fine	4 -5.7	1	<u> </u>	8	8.00	31.0
.2231	Fine	5.7 - 8	1	<u> </u>	8	8.00	39.0
.3144	Medium	8 -11.3		<b>A</b>	8	8.00	47.0
.4463	Medium	11.3 - 16	GRAVEL	<b>A</b>	8	8.00	55.0
.6389	Coarse	16 -22.6		<u> </u>	8	8.00	63.0
.89 - 1.26	Coarse	22.6 - 32		<b>A</b>	9	9.00	72.0
1.26 - 1.77	Vry Coarse	32 - 45		<u> </u>	4	4.00	76.0
1.77 -2.5	Vry Coarse	45 - 64	┪	<b>A</b>	5	5.00	81.0
2.5 - 3.5	Small	64 - 90		<b>A</b>	2	2.00	83.0
3.5 - 5.0	Small	90 - 128	T	<b>A</b>	4	4.00	87.0
5.0 - 7.1	Large	128 - 180	COBBLE	<b>A</b>	1	1.00	88.0
7.1 - 10.1	Large	180 - 256		<b>A</b>	4	4.00	92.0
10.1 - 14.3	Small	256 - 362		<b>A</b>	1	1.00	93.0
14.3 - 20	Small	362 - 512	7	<b>A</b>	1	1.00	94.0
20 - 40	Medium	512 - 1024	BOULDER	<b>A</b>	4	4.00	98.0
40 - 80	Large	1024 -2048	7	<b>A</b>	1	1.00	99.0
80 - 160	Vry Large	2048 -4096	1	<b>A</b>	1	1.00	100.0
	Bedrock		BDRK	<b>A</b>	0	0.00	100.0
				Totals:	100		








	Size (mm)		
3 9	D16	2.2	-00
	D35	6.9	
	D50	13	
	D65	24	
	D84	98	
	D95	610	


Size Distribution		
mean	14.7	
dispersion	6.7	
skewness	0.04	

Type		
silt/clay	0%	
sand	15%	
gravel	66%	
cobble	11%	
boulder	8%	









# SURVEY NOTES:

LEGEND


STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 4, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-J32 BASELINE CROSS-SECTION A POOL 2142 2132 0+00 0+200+30 0 + 400+50 0+55 DISTANCE ALONG CROSS-SECTION (FT)



CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION
H: 1"=10'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.


#### PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM



PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

Drawing No

CAD File No.