# **Baseline Assessment – Stream Attributes**

# Reach S-J44 (Pipeline ROW) Perennial Spread B Lewis County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	<b>√</b>
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	<b>√</b>
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP, HK, VM
Lat: 39.11473 Long: -80.586203



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, , DP, HK, VM
Lat: 39.11473 Long: -80.586203




Photo Type: US View at Center Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, , DP, HK, VM Lat: 39.11473 Long: -80.586203




Photo Type: DS View at Center Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP, HK, VM Lat: 39.11473 Long: -80.586203



Photo Type: US, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP, HK, VM
Lat: 39.11473 Long: -80.586203




Photo Type: US, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP, HK, VM Lat: 39.11473 Long: -80.586203



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, DP, HK, VM Lat: 39.11473 Long: -80.586203



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, DP, HK, VM Lat: 39.11473 Long: -80.586203



# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

		<u> </u>		
STREAM NAME S-J44		LOCATION Lewis Count	ty	
	RIVERMILE	STREAM CLASS Perenn	ial	
LAT <u>39.11473</u> L	ONG80.586203	RIVER BASIN None		
STORET#		AGENCY WVDEP		
INVESTIGATORS DP, V	M, HK			
FORM COMPLETED BY	HK	DATE 9-2-21 TIME 1209	REASON FOR SURV	EY Baseline Assessment
WEATHER CONDITIONS  SITE LOCATION/MAP	30 %	n (heavy rain) (steady rain) rs (intermittent) cloud cover lear/sunny		C
	NT	LB US RB XX	S-J44	TIMBERMA T

Spring-fed
Mixture of origins
Other

Stream Type Coldwater

Catchment Area\_\_\_

✓Warmwater

\_km<sup>2</sup>

Stream Subsystem
Perennial Intermittent Italian

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

STREAM CHARACTERIZATION

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURE		Fores Field/ Agric	Pasture Industr	ercial	No evidence Sor Obvious sources  Local Watershed Erosi None Moderate	ne potential sources
RIPARIAI VEGETAT (18 meter)	ΓΙΟΝ	Trees	the dominant type an	Shrubs		erbaceous
INSTREA FEATURE		Estimat Samplin Area in Estimat	km² (m²x1000) ed Stream Depth Velocity	m m² km² m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R  Morphology Types Riffle % Pool %  Channelized Yes  Dam Present Yes	epresented by Stream Run% No
LARGE W DEBRIS	VOODY		of LWD	m²/km² (LWD/	reach area)	
AQUATIO VEGETAT		Roote Floati <b>Domin</b> a	d emergent Fing Algae A	Rooted submerge Attached Algae		Ü
WATER QUALITY (DS, US)  Temperatu Specific Co Dissolved C pH Turbidity			cature0 C Conductance ed Oxygen ty trument Used	_	Water Odors Normal/None Sewage Petroleum Fishy  Water Surface Oils Slick Sheen None Other  Turbidity (if not measu Clear □ Slightly tu Opaque Stained	Chemical Other  Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	ical Anaerobic		Relict shells —— Looking at stones whice are the undersides blace	Othereh are not deeply embedded,
INC	ORGANIC SUBS		COMPONENTS 00%)	Ī	ORGANIC SUBSTRATE C	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")				materials (CI OWI)	
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic (FPOM)	

Gravel

2-64 mm (0.1"-2.5")

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-J44	LOCATION Lewis County				
STATION # RIVERMILE	STREAM CLASS Perennial				
LAT 39.11473 LONG -80.586203	RIVER BASIN None				
STORET#	AGENCY WVDEP				
INVESTIGATORS DP, VM, HK					
FORM COMPLETED BY HK	4000	reason for survey Baseline Assessment			

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE 8	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P <sub>2</sub>	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes:

## HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	on Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amp	score 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
eva	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 4	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 139 Notes:

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-J	44					LOCATION	√ Lewis	Cou	unty								
STATION #	_ R	IVE	RM	LE_		STREAM C	CLASS I	Pere	nnial								
LAT 39.11473	_ L	ONC	j -80.	58620	3	RIVER BA	SIN No	ne									
STORET#						AGENCY V	VVDEP										_
INVESTIGATORS DI	P, V	M, F	lK			•				I	LOT	NUMBER					
FORM COMPLETED BY HK					DATE 9-2- TIME 120				I	REAS	SON FOR SURVEY Ba	aselir	ne A	sses	ssm	ent	
HABITAT TYPES	▮∟	Cob	ble_		%	tage of each habitat Snags% phytes%	$\square$ V	eget	nt cated Other	Bani	ks	%	%				
SAMPLE	G	ear	used		D-fr	ame kick-net			ther								
COLLECTION	Н	ow v	vere	the	samp	oles collected?	wadin	g		fror	n bar	ık 🔲 from boa	t				
					-	_						_					
		Cob	ble			r of jabs/kicks taker Snags phytes	$\square$ V	eget	ated Other	Ban	ks	Sand )					
GENERAL COMMENTS						f stream asse to low wate			ıt, a	a b	ent	hic sample co	uld	no	t b	е	
QUALITATIVE I Indicate estimated Dominant					0 = 2	Absent/Not Obser	rved, 1			2, 2	= C	ommon, 3= Abuno					
Periphyton					-	1 2 3 4 1 2 3 4			mes			rates	•	1	_		4
Filamentous Algae Macrophytes						1 2 3 4		Fis		nve	rtebi	ates	-	1	_	3	
FIELD OBSERVA Indicate estimated	l ab	und	anc	e:	0 = orga	Absent/Not Obse anisms), 3= Abun	dant (	>10	org	anis	sms)	, 4 = Dominant (>:				ıs)	
Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda Decapoda	0	1	2 2	3	4	Tipulidae Empididae	0	1	2 2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
		_	_		•	Culcidae	0	1	2	3	4						

## WOLMAN PEBBLE COUNT FORM

County: Lewis Stream ID: S-J44

Stream Name: UNT to Right Fork Freemans Creek

HUC Code: Basin:

Survey Date: 9/2/2021

Surveyors: DP, VM, HK Impact Reach: 18.3 m

Type: Bankfull Channel

Inches	PARTICLE	Millimeters	BBLE COUNT	Particle Count	Total #	Item %	% Cui
menes	TAKTICLE	Willimeters		Tarticic Count	10tai #	item 70	/0 Cui
	Silt/Clay	< .062	S/C	<u> </u>	0	0.00	0.00
	Very Fine	.062125		<b>A</b>	0	0.00	0.00
	Fine	.12525	1	<b>A</b>	2	2.00	2.00
	Medium	.255	SAND	•	0	0.00	2.00
	Coarse	.50-1.0	1	•	12	12.00	14.00
.0408	Very Coarse	1.0-2	1	<b>^</b>	3	3.00	17.00
.0816	Very Fine	2 -4		<b>^</b>	5	5.00	22.00
.1622	Fine	4 -5.7	1	•	4	4.00	26.0
.2231	Fine	5.7 - 8	1	•	9	9.00	35.0
.3144	Medium	8 -11.3	1	•	3	3.00	38.0
.4463	Medium	11.3 - 16	GRAVEL	•	7	7.00	45.0
.6389	Coarse	16 -22.6	-	•	6	6.00	51.0
.89 - 1.26	Coarse	22.6 - 32		•	1	1.00	52.0
1.26 - 1.77	Vry Coarse	32 - 45		•	5	5.00	57.0
1.77 -2.5	Vry Coarse	45 - 64	1	•	8	8.00	65.0
2.5 - 3.5	Small	64 - 90		•	14	14.00	79.0
3.5 - 5.0	Small	90 - 128	1	•	10	10.00	89.0
5.0 - 7.1	Large	128 - 180	COBBLE	<b>A</b>	7	7.00	96.0
7.1 - 10.1	Large	180 - 256	1	<b>A</b>	3	3.00	99.0
10.1 - 14.3	Small	256 - 362		<b>^</b>	1	1.00	100.0
14.3 - 20	Small	362 - 512	1	•	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.0
40 - 80	Large	1024 -2048		<b>A</b>	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	<b>A</b>	0	0.00	100.0
	Bedrock		BDRK	*	0	0.00	100.0
				Totals:	100		



sand

silt/clay

100%

90%

80%

70%


60 % 50 %


40%

30% 20%

10% 0% 0.01

percent finer than





0.1



10


particle size (mm)


100

уре	
0%	
17%	
48%	
34%	
1%	
	0% 17% 48% 34%


1000

10000





AS-BUILT TABLE: S-J44 CROSS SECTION A								
	PI	RE-CROSSING		AŞ-E	ÜİLT			
PT. LOC.	NODTHING	EASTING	ELEV	VERT.	HORZ.			
P1. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.			
TS-L	14204662.92	1757791.45	1146.83					
B\$-L	14204659.76	1757791.04	1144.36					
THW	14204658.40	1757790.94	1144.16					
BS-R	14204654.10	17557790.48	1145.61					
TS-R	14204645.58	1757788.34	1146.83					



## SURVEY NOTES:


LEGEND


STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 2, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.





CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Approved

Drawing No.