Baseline Assessment – Stream Attributes

Reach S-J62 (Timber Mat Crossing) Perennial Spread A Harrison County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓ Water quality data used from benthic sample
FCI Calculator and HGM Form	N/A - Perennial stream (not shadeable, slope
	<4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/PL Lat: 39.445033 Long: -80.482635



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DP/PL Lat: 39.445033 Long: -80.482635




Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, DP/PL Lat: 39.445033 Long: -80.482635

Spread A Stream S-J62 (Timber Mat Crossing) Harrison County



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, DP/PL Lat: 39.445033 Long: -80.482635




Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DP/PL Lat: 39.445033 Long: -80.482635



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DP/PL Lat: 39.445033 Long: -80.482635

Spread A Stream S-J62 (Timber Mat Crossing) Harrison County



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, DP/PL Lat: 39.445033 Long: -80.482635



Photo Type: Riffle, US View
Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, DP/PL
Lat: 39.445033 Long: -80.482635



Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, DP/PL Lat: 39.445033 Long: -80.482635



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, DP/PL Lat: 39.445033 Long: -80.482635

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.445033	Lon.	-80.482835	WEATHER:		Sunny	DATE:	09/1	12/21
IMPACT STREAM/SITE ID (watershed size (acreage), or			S	J62		MITIGATION STREAM CLA (watershed size {ac	SS./SITE ID AND : reage), unaltered or imp			<u> </u>		Comments:		
STREAM IMPACT LENGTH:	20	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Deb	oit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comp	on Projected at Five letion (Credit)	Years	Column No. 4- Mitigation Pro Post Completion		ars	Column No. 5- Mitigation Project	ted at Maturity (Credit)
Stream Classification:	Perei	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:	0		Stream Classification:		0
Percent Stream Channel Sic	оре	1.7	Percent Stream Channel SI	оре		Percent Stream Chann	el Slope	0	Percent Stream Channel S	Slope	0	Percent Stream Channel S	Slope	0
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (att	tach data forms):		HGM Score (attach o	data forms):		HGM Score (attach	data forms):	
		Average		Average				Average			Average			Average
Hydrology			Hydrology			Hydrology			Hydrology			Hydrology		
Biogeochemical Cycling		0	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling		0
PART I - Physical, Chemical and I	Biological Indic	ators	PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemic	cal and Biological In	dicators	PART I - Physical, Chemical and	d Biological Indica	ators	PART I - Physical, Chemical and	d Biological Indi	cators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range	Site Score		Points Scale Rang	s Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all str	reams classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data She	et)		USEPARBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	17	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	16	Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	15 15	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
Sediment Deposition Channel Flow Status	0-20	15	Sediment Deposition Channel Flow Status	0-20		Sediment Deposition Channel Flow Status	0-20		Sediment Deposition Channel Flow Status	0-20		Sediment Deposition Channel Flow Status	0-20	
		18								0-20 0-1				
Channel Alteration Frequency of Riffles (or bends)	0-20	18	Channel Alteration Channel Sinuosity	0-20		Channel Alteration Frequency of Riffles (or bends)	0-20		Channel Alteration Frequency of Riffles (or bends)	0-20		Channel Alteration Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	14	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	14	Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
Riparian Vegetative Zone Width (LB & RB)	0-20	8	10. Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & R			10. Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	152	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.76	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermittent	nt and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial S	treams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Str	reams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial St	reams)
WVDEP Water Quality Indicators (General)	0		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Ger	neral)		WVDEP Water Quality Indicators (General	al)		WVDEP Water Quality Indicators (General	ıl)	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		
100-199 - 85 points	0-90	171.4		0-90			0-90			0-90			0-90	
pH			pH	_		pH			pH			pH		
	0-80	7.65		5-90 0-1			5-90 0-1			5-90 0-1			5-90 0-1	
6.0-8.0 = 80 points														
DO		0.70	DU	10-30		ВО	10,30		DO			DU		
>5.0 = 30 points	10-30	9.79		10-30			10-30		<u> </u>	10-30			10-30	
Sub-Total		0.975	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitte WV Stream Condition Index (WVSCI)	ieni and Perenhial S	outains)	BIOLOGICAL INDICATOR (Applies to Intermitte WV Stream Condition Index (WVSCI)	an and referring Streams)		BIOLOGICAL INDICATOR (Applies to In WV Stream Condition Index (WVSCI)	memittent and Peren	mai odeams)	BIOLOGICAL INDICATOR (Applies to Inter WV Stream Condition Index (WVSCI)	mudnt and Perenn	nai otreams)	BIOLOGICAL INDICATOR (Applies to Inter- WV Stream Condition Index (WVSCI)	mudnt and Pereni	nai Streams)
	0-100 0-1	70.45	*** Stream Condition index (WVSCI)	0-100 0-1		WY Stream Condition index (WVSCI)	0-100 0-1		Try Stream Condition Index (WVSCI)	0-100 0-1		Wy Stream Condition Index (WYSCI)	0-100 0-1	
Good Sub-Total		0.7045	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
					-			"	T					
PART II - Index and U	unit Score		PART II - Index and	Unit Score		PART II - Index	and Unit Score		PART II - Index and	Unit Score		PART II - Index and	Unit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.813	20	16.2633333	0	0 0	1	0	0	0	0	0	0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY			

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature ° C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) NG pipeline S-B74 LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industr	ercial	No evidence Sor Obvious sources	Local Watershed Erosion				
RIPARIA VEGETA (18 meter	TION	Trees	e the dominant type an	Shrubs		erbaceous				
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) ed Stream Depth Velocity	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle % Pool	epresented by Stream Run% No				
LARGE V DEBRIS	VOODY		of LWD	m ² /km ² (LWD/	reach area)					
AQUATIO VEGETA		Roote Floati Domin a	ed emergent Fing Algae A	Rooted submerge Attached Algae		Ü				
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	cature0 C Conductance ed Oxygen ty strument Used	_	Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear □ Slightly tu Opaque Stained	Chemical Other Globs Flecks				
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	ical Anaerobic		are the undersides blac	Othereh are not deeply embedded,				
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE C					
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock	-			Detritus	sticks, wood, coarse plant materials (CPOM)					
Boulder	> 256 mm (10")				materials (CI OWI)					
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic (FPOM)					

Gravel

2-64 mm (0.1"-2.5")

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat								
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	latively frequent; ratio distance between riffles divided by width of the ream <7:1 (generally 5 7); variety of habitat is yy. In streams where fles are continuous, accement of boulders or her large, natural infrequent; distance between riffles divided by the width of the stream is between 15 to 25. bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25. shallow riffles; habitat; distance between 15 to 25.						
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	


BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

										_										
STREAM NAMES-J	J62						LOC	CATIO	NHarı	isc	n									
STATION #_	R	IVE	RM	LE_			STR	EAM (CLASS	Ре	ere	nnia	al							
LAT 39.445033	L	ONC	j -804	32635			RIV.	ER BA	SIN											
STORET#							AGE	ENCY\	NVDE	ΞP										
INVESTIGATORSR	НМ	В											I	COT	NUMBER					
FORM COMPLETED		DA7 TIM	FE 09-1 E 152-					I	REAS	SON FOR SURVEY B	aselin	e As	sses	sme	nt					
HABITAT TYPES	$\parallel \sqcup$	Cob	ble_1	5	%	tage of ea	[S	habitat %	t type j	Ve	geta	ated :	Banl (KS	%	%				
SAMPLE COLLECTION	Ho <u>In</u>	ow v	vere ite th	the :	samp imbe	ame les collec	ted:	? [ing	hab	itat	fron		_					
	IН	Sub	merg	ged N	_ Aacro	☐Snag ophytes	gs	—	L	νe Γ	geta 1 0	ated . ther	Banl (KS						
GENERAL COMMENTS	Te Wa ha	mp ate bita	: 2° r qu at a	1.2d ualit sse	c, S y fo essn	PC:17 ² or benth	1.1 nic : he	us/cr samp data	n, Do le wa on th	n, [D:7 as	7.1 tal	9: 9. 6 m	79i ng/l at	₋ p⊦ a la	L, pH:7.65, Turb H:7.68 Iter date than the reflects the wate	e phy	/sic	al		
QUALITATIVE I Indicate estimated Dominant									rved,	1 :	= F	Rare	e, 2	= C	ommon, 3= Abun	dant,	4 =	=		
Periphyton					0	1 2	3	4		S	Slir	nes				0	1	2	3	4
Filamentous Algae					0	1 2	3	4		1	Ma	croi	nve	tebr	rates	O	1	2	3	4
Macrophytes					0	1 2	3	4		I	Fisl	1				0	1	2	3	4
FIELD OBSERVA Indicate estimated					0 =	Absent/ anisms),	Not , 3=	Obse Abur							, 4 = Dominant (>				ıs)	
Porifera	0	1	2	3	4	Anisop			(1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygop			(1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemip			(1	2	3	4	Trichoptera Other	0	1	2	3	4
Turbellaria Hirudinea	0	1 1	2 2	3	4 4	Coleo _l Lepido			(1	2 2	3	4	Otner	0	1	2	3	4
Oligochaeta	0	1	2	3	4	Sialida	_	ıa	(1	2	3	4						
Isopoda	0	1	2	3	4	Coryda		ae	(1	2	3	4						
Amphipoda	0	1	2	3	4	Tipuli			(1	2	3	4						
Decapoda	0	1	2	3	4	Empid			(1	2	3	4						
Gastropoda						_		•			•	_	,	•						
Gastropoda	0	1	2	3	4	Simuli	idae	,	()	1	2	3	4						

Culcidae

270

IMPORTANT: A blank screen below means that you have not entered the Benthic Identifications correctly! All individuals that are part of the 200-count subsample must be designated as such in the Sample Methodolgy column on the Benthic ID forms (Family or Genus)!



WOLMAN PEBBLE COUNT FORM


County: Harrison Stream ID: S-J62


Stream Name: Right Fork Big Elk Creek


HUC Code: Basin:

Survey Date: 9/10/2021 Surveyors: MB RH Type: Bankfull Channel


Inches	PARTICLE	Millimeters	LE COUNT	Particle	Total #	Item %	% Cun
menes	TARTICLE	Willimeters		Count	Total #	item 70	/6 Cui
	Silt/Clay	< .062	S/C	A	1	1.00	1.00
	Very Fine	.062125		A	0	0.00	1.00
	Fine	.12525		A	1	1.00	2.00
	Medium	.255	SAND	•	6	6.00	8.00
	Coarse	.50-1.0		^	8	8.00	16.00
.0408	Very Coarse	1.0-2		^	0	0.00	16.00
.0816	Very Fine	2 -4		^	5	5.00	21.00
.1622	Fine	4 -5.7		*	5	5.00	26.00
.2231	Fine	5.7 - 8		*	8	8.00	34.00
.3144	Medium	8 -11.3		•	5	5.00	39.00
.4463	Medium	11.3 - 16	GRAVEL	*	7	7.00	46.00
.6389	Coarse	16 -22.6		•	7	7.00	53.00
.89 - 1.26	Coarse	22.6 - 32		•	5	5.00	58.00
1.26 - 1.77	Vry Coarse	32 - 45		*	14	14.00	72.00
1.77 -2.5	Vry Coarse	45 - 64		•	12	12.00	84.00
2.5 - 3.5	Small	64 - 90		•	8	8.00	92.00
3.5 - 5.0	Small	90 - 128	COBBLE	•	6	6.00	98.00
5.0 - 7.1	Large	128 - 180	COBBLE	*	2	2.00	100.00
7.1 - 10.1	Large	180 - 256		A	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		4	0	0.00	100.00
14.3 - 20	Small	362 - 512		*	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.00
40 - 80	Large	1024 -2048		*	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		•	0	0.00	100.00
	Bedrock		BDRK	*	0	0.00	100.00
	Total Tally:			Totals:	100		







AS-BUILT TABLE: S-J62 CROSS SECTION A												
	Pf	RE-CROSSING		AS-E	BUILT							
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.							
TS-L	14325092.99	1786454.79	1059.67									
BS-L	14325091.96	1786452.19	1058.60									
THW	14325089.59	1786446.12	1056.39									
BS-R	14325088.05	1786442.30	1057.47									
TS-R	14325087.61	1786441.14	1058.61									



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 **+**

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 27, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-J62 BASELINE CROSS-SECTION A POOL



S-J62 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE CALE: CALE: CALE:

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

Drawing No

CAD File No.