Baseline Assessment – Stream Attributes

Reach S-J66 (Timber Mat Crossing) Intermittent Spread A Wetzel County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	NA - (slope is <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓ Taken on 08/25/21
RBP Habitat Form	✓
RBP Benthic Form	✓Benthic water quality was taken on 09/11/21. Data taken from this sampling date is used on the SWVM form.
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	√



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, BC/DP Lat: 39.54603 Long: -80.544314




Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, BC/DP
Lat: 39.54603 Long: -80.544314



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, BC/DP Lat: 39.54603 Long: -80.544314



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, BC/DP Lat: 39.54603 Long: -80.544314



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, BC/DP Lat: 39.54603 Long: -80.544314



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, BC/DP Lat: 39.54603 Long: -80.544314



Photo Type: Riffle, DS View
Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, BC/DP
Lat: 39.54603 Long: -80.544314



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, BC/DP Lat: 39.54603 Long: -80.544314



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, BC/DP Lat: 39.54603 Long: -80.544314



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, BC/DP Lat: 39.54603 Long: -80.544314

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mounta	ain Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.54603	Lon.	-80.544314	WEATHER:		Sunny	DATE:	August 25	5, 2021
IMPACT STREAM/SITE ID ANI (watershed size (acreage), unal		S	J66		MITIGATION STREAM CLA (watershed size (a	ASS./SITE ID ANI			1		Comments:		
STREAM IMPACT LENGTH:	20 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing Co	ndition (Debit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comp	on Projected at Fi pletion (Credit)	ve Years	Column No. 4- Mitigation Proj Post Completion (ears	Column No. 5- Mitigation Project	ed at Maturity (Cre	edit)
Stream Classification:	Intermittent	Stream Classification:			Stream Classification:		0	Stream Classification:		0	Stream Classification:	0	
Percent Stream Channel Slope	3.8	Percent Stream Channel Sl	ope 3.8		Percent Stream Chann	nel Slope	3.8	Percent Stream Channel Si	lope	3.8	Percent Stream Channel Si	ope	3.8
HGM Score (attach data t	forms):	HGM Score (attach	data forms):		HGM Score (at	ttach data forms):	HGM Score (attach d	ata forms):		HGM Score (attach d	ata forms):	
	Average		Average				Average			Average			Average
Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		0
PART I - Physical, Chemical and Biol	ogical Indicators	PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemic	cal and Biological	Indicators	PART I - Physical, Chemical and	Biological Indic	cators	PART I - Physical, Chemical and	Biological Indicat	tors
Poin	ts Scale Range Site Score		Points Scale Range Site Score			Points Scale R	ange Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams class	sifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all st	treams classifications	1	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20 15	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data She			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	
	0-20 14	Pool Substrate Characterization	0-20		Embeddedness	0-20		Embeddedness	0-20		Embeddedness	0-20	1
	0-20 14	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
	0-20 14	Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	
	0-20 0-1	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	0-1	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1	
	0.20	Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		Channel Alteration	0-20	
	0-20 17	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
	0-20 17	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
	0-20 16 0-20 16	Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB)	0-20		Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & R	0-20 RB) 0-20		Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB)	0-20		Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB)	0-20	
	0-20 16 Suboptimal 150	Total RBP Score	Poor 0		Total RBP Score	(B) 0-20	0	Total RBP Score	0-20 Poor	0	Total RBP Score	0-20 Poor	0
Sub-Total	0.75	Sub-Total	0		Sub-Total	FOOI	0	Sub-Total	FOOI	0	Sub-Total	F 001	0
CHEMICAL INDICATOR (Applies to Intermittent and		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inter	rmittent and Perennia	Streams)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial St	_	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Strea	
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Ge	eneral)		WVDEP Water Quality Indicators (General	I)		WVDEP Water Quality Indicators (General))	
Specific Conductivity	0-90 270.5	Specific Conductivity	0-90		Specific Conductivity	0-90		Specific Conductivity	0-90		Specific Conductivity	0-90	
200-299 - 80 points pH		рН			pH			рН			рН		
8.1-9.0 = 45 points	0-80 0-1 8.14		5-90 0-1			5-90	0-1		5-90			5-90 0-1	
DO	0-30 8.65	DO	10-30		DO	10-30		DO	10-30		DO	10-30	
>5.0 = 30 points Sub-Total	0.775	Sub-Total	0		Sub-Total	10-30	0	Sub-Total	10-30	0	Sub-Total	10-30	0
BIOLOGICAL INDICATOR (Applies to Intermittent a	and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to I	Intermittent and Per	ennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Peren	nial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial	d Streams)
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
Good	-100 0-1 74.27		0-100 0-1			0-100	0-1		0-100 0-1			0-100 0-1	
Sub-Total	0.7427	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and Unit S	Score	PART II - Index and	Unit Score		PART II - Inde	x and Unit Score		PART II - Index and L	Jnit Score		PART II - Index and U	nit Score	
Index L	inear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Fe	et Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.756	20 15.118	0	0 0		0	0	0	0	0	0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE	REASON FOR SURVEY

				TT 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
WEATHER CONDITIONS	Now	storm (heavy rain)	Past 24 hours	Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C
	%	rain (steady rain) showers (intermittent) %cloud cover clear/sunny	%	Other
SITE LOCATION/MAP	Draw a man	•	o anoss samu	pled (or attach a photograph)
SITE LOCATION/MAP	ргам а шар	or the site and indicate th	e areas samp	
		5-)	DIPE TINE
STREAM CHARACTERIZATION	Stream Subsy Perennial	ystem Intermittent Tid	al	Stream Type Coldwater Warmwater
	Stream Origi Glacial Non-glacial Swamp and	Spring-fe montane Mixture of	d of origins	Catchment Areakm²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industri	rcial	No evidence Son Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓΙΟΝ	Trees	e the dominant type and S ant species present	hrubs		rbaceous
INSTREA FEATURE			ted Reach Length		Canopy Cover Partly open Part	ly shaded Shaded
				m m²	High Water Mark	m
					Proportion of Reach Re	epresented by Stream
			km² (m²x1000) ted Stream Depth	km²	Morphology Types Riffle Pool %	Run%
			Velocity		Channelized Yes	No
		(111 11111			Dam Present Yes	No
LARGE V DEBRIS	VOODY		m² of LWDn	n²/km² (LWD / 1	reach area)	
AQUATIO VEGETA		Indicate Roote Floati Domina	e the dominant type and demergent R ng Algae A	l record the do ooted submerge ttached Algae	minant species present nt Rooted floating	C
		Portion	of the reach with aqua	tic vegetation _	%	
WATER (QUALITY	Specific	rature0 C Conductance	-	Water Odors Normal/None Sewage Petroleum Fishy	Chemical Other
		рН	ed Oxygen		Water Surface Oils Slick Sheen None Other	Globs Flecks
			strument Used		Turbidity (if not measu Clear ☐ Slightly tur Opaque Stained	r ed) rbid Turbid Other
SEDIMEN SUBSTRA		Odors Norm Chem		Petroleum None	Deposits Sludge Sawdust Relict shells	Paper fiber Sand Other
		Oils Abser		te Profus	are the undersides blac	h are not deeply embedded, k in color?
INC	ORGANIC SUBS		COMPONENTS		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant	
Boulder	> 256 mm (10")				materials (CPOM)	
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic	

Gravel

Sand

Silt

Clay

2-64 mm (0.1"-2.5")

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Wetzel


STREAM NAME S-J66

STATION #	R	IVE	RMI	LE_			STR	EAM C	LASS	nte	rmit	tter	nt							
LAT 39.546030	_ L	ONO	·80.	54431	1		RIV.	ER BAS	SIN											
STORET#							AGF	ENCY V	VVDEF)										
INVESTIGATORS R	RH H	< MI	3										I	TO	NUMBER					_
FORM COMPLETE	ЭBY	R	Н				DAT TIM						F	REAS	SON FOR SURVEY Ba	aselir	ne A	sse	ssm	ent
HABITAT TYPES		Cob	ble_3	0	%	tage of Sn	ags	habitat %		/ege		ed E	Bank	κs	%	%				
SAMPLE COLLECTION	H In	ow v idica Col	vere ite th	the	samp imbe	oles coll r of jab	ected: os/kick ags	-net ? [ks taken	wadii wadii	ng h ha √ege	[abita	□ at t	fron ype Bank	n bar	_	it				
GENERAL COMMENTS	8. 8.	65 08	PH	H: 8	3.14	l Up	Stre	am:	Tem	p:	14	8.	S	pc:	C Spc: 270.5 u 263.1 us/cm [nanders, Fish.	00:	7.5	PI	H:	
QUALITATIVE I Indicate estimated Dominant									ved,	1 =	Ra	re,	, 2	= C	ommon, 3= Abuno	dant,	4 =	=		
Periphyton					0	1 2	2 3	4		Sl	ime	es				0	1	2	3	4
Filamentous Algae	;				0	1 2	2 3	4		M	acro	oin	iver	tebi	rates	0	1	2	3	4
Macrophytes					0	1 2	2 3	4		Fi	sh					0	1	2	3	4
	d ab	und	anc	e:	0 = org	Absen anisms	t/Not s), 3=	t Obse Abun	dant (>1() or	rga	nis	ms)	rganisms), 2 = Coi , 4 = Dominant (>	50 o	rgar	nism	ıs)	
Porifera	0	1	2	3	4	Anis	-			1				4			1			4
Hydrozoa	_	_	_	-	4										Ephemeroptera					
Platyhelminthes	0	1	2	3	4		iptera		0	1	2		3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4		optera		0	1	2		3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	_	dopte	ra	0	1	2		3	4						
Oligochaeta	0	1	2	3	4	Siali			0	1	2		3	4						
Isopoda	0	1	2	3	4		dalida	ae	0	1	2		3	4						
Amphipoda	0	l	2	3	4	_	lidae		0	1	2		3	4						
Decapoda	0	1	2	3	4	_	ididae		0	1	2		3	4						
Gastropoda	0	l	2	3	4		ıliidae		0	1	2		3	4						
Bivalvia	0	I	2	3	4	Tabi Culc	nidae idae		0	1	2		3	4						
							uuu		<u> </u>	1		_	J	<u>-T</u>						

West Virginia Stream Condition Index (WVSCI)

ORG ID Kirk Environmental

IMPORTANT: A blank screen below means that you have not entered the Benthic Identifications correctly! All individuals that are part of the 200-count subsample must be designated as such in the Sample Methodolgy column on the Benthic ID forms (Family or Genus)!



WOLMAN PEBBLE COUNT FORM

County: Wetzel Stream ID: S-J66


Stream Name: UNT to North Fork Fishing Creek


HUC Code: 05030201 Basin: Little Muskingum-Middle Island


Survey Date: 8/25/2021 Surveyors: BC, DP

Type: Bankfull Channel


T 1	DADTICLE		LE COUNT	D (' 1	TD 4 1 11	T/ 0/	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	•	0	0.00	0.00
	Very Fine	.062125		+	0	0.00	0.00
	Fine	.12525		•	0	0.00	0.00
	Medium	.255	SAND	•	0	0.00	0.00
	Coarse	.50-1.0		•	0	0.00	0.00
.0408	Very Coarse	1.0-2		•	2	2.00	2.00
.0816	Very Fine	2 -4		4	8	8.00	10.00
.1622	Fine	4 -5.7		+	10	10.00	20.00
.2231	Fine	5.7 - 8		•	8	8.00	28.00
.3144	Medium	8 -11.3		•	9	9.00	37.00
.4463	Medium	11.3 - 16	GRAVEL	+	13	13.00	50.00
.6389	Coarse	16 -22.6		+	9	9.00	59.00
.89 - 1.26	Coarse	22.6 - 32		+	9	9.00	68.00
1.26 - 1.77	Vry Coarse	32 - 45		+	3	3.00	71.00
1.77 -2.5	Vry Coarse	45 - 64		+	11	11.00	82.00
2.5 - 3.5	Small	64 - 90		+	6	6.00	88.00
3.5 - 5.0	Small	90 - 128	GODDIE	-	1	1.00	89.00
5.0 - 7.1	Large	128 - 180	COBBLE	-	3	3.00	92.00
7.1 - 10.1	Large	180 - 256		-	5	5.00	97.00
10.1 - 14.3	Small	256 - 362		•	2	2.00	99.00
14.3 - 20	Small	362 - 512	7	•	1	1.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.00
40 - 80	Large	1024 -2048		•	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	7	•	0	0.00	100.00
	Bedrock		BDRK	•	0	0.00	100.0
				Totals:	100		







AS-BUILT TABLE: S-J66 CROSS SECTION B										
	PI	PRE-CROSSING								
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.					
TS-L	14361757.42	1768858.00	978.10							
BS-L	14361755.25	1768860.48	976.87							
THW	14361752.02	1768864.18	976.16							
BS-R	14361747.53	1768869.30	977.78							
TS-R	14361742.17	1768875.42	982.25							



SURVEY NOTES:

LEGEND


STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 25, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-J66 BASELINE CROSS-SECTION A POOL



S-J66 BASELINE CROSS-SECTION B RIFFLE



CROSS SECTION LEGEND — EXISTING GRADE CALE: CALE: CALE:

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Drawing No