Baseline Assessment – Stream Attributes

Reach S-J70 (Pipeline ROW) Perennial Spread C Braxton County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Limited habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS LOD US View Location, Orientation, Photographer Initials: Downstream Edge of LOD, Upstream View, PEL/AJE Lat: 38.778955 Long: -80.525862



Photo Type: DS LOD DS View Location, Orientation, Photographer Initials: Downstream Edge of LOD, Downstream View, PEL/AJE Lat: 38.778955 Long: -80.525862



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center LOD, Upstream View, PEL/AJE Lat: 38.778955 Long: -80.525862



Photo Type: DS View at Center Location, Orientation, Photographer Initials: LOD Center, Downstream View, PEL/AJE Lat: 38.778955 Long: -80.525862



Photo Type: US LOD US View Location, Orientation, Photographer Initials: Upstream Edge of LOD, Upstream View, PEL/AJE Lat: 38.778955 Long: -80.525862



Location, Orientation, Photographer Initials: Upstream Edge of LOD, Downstream View, PEL/AJE
Lat: 38.778955 Long: -80.525862



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, PEL/AJE Lat: 38.778955 Long: -80.525862



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, PEL/AJE Lat: 38.778955 Long: -80.525862



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, PEL/AJE Lat: 38.778955 Long: -80.525862





Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, PEL/AJE Lat: 38.778955 Long: -80.525862

## MITCA TO STREAM CLARE AT EACH OF SECRETION. ## PROFESSION CLARE AND STREAM CLARE AT EACH OF SECRETION. ## PROFESSION CLARE AT EACH OF SECRETION. ##	March State Stat	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain Valley Pipeline IMPACT COORDINATES: Lat. 38.778955 Lon80.525862		-80.525862	WEATHER:	10% Cloud Cover	DATE:						
Tright and protect in process of the control of t	Part	(vz.1, aupt 2019)				(in Decimal Degrees)								9/4/20	21
Transport Property	## AND PROPERTY LISTON OF UNIT COLUMN 1982 AND ADDRESS				S-	J70							Comments:		
Minor Mino	Columb 16.1 Prince Columb 16.2 Prince	(watershed size (acreage)	, unaltered or impairm	ents)				(watershed size {acrea	ge), unaltered	or impairments)					
Column No Surgest Column No	Column No. 1 report Entrop Confidence (Date)	STREAM IMPACT LENGTH:	77			MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Value of the first conduction Property	March Control and March Control and March			MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Proceed Stream Channel Stope Proceed Stream Channel Stope Section Stream Channel Stope	Price System Chairmed Bigs Fig. Fig. Price System Chairmed Bigs Fig. F	Column No. 1- Impact Existin	g Condition (Debit	it)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)				Five Years			Column No. 5- Mitigation Project	ed at Maturity (Cr	edit)
Mode Source March Acad forms Mode Source March Acad forms Mode	Mode Second parts Author	Stream Classification:	Pereni	nial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Married Marr	Part	Percent Stream Channel S	lope	1.9	Percent Stream Channel Sle	оре		Percent Stream Channel	Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel St	оре	0
Part Proposing Part Prop	Part	HGM Score (attach o	lata forms):		HGM Score (attach	data forms):		HGM Score (attac	h data forr	ns):	HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):	
Part Proposing Part Prop	Part			Average		Average				Average		Average			Averag
Representation Cycling 1	Respectation of Cycling Security Securi	Hydrology			Hydrology			Hydrology			Hydrology		Hydrology		
PATT - Physics, Chemical and Biological Indicators PATT - Physics, Chemical and B	### FATT - Physical, Chemical and Biological Indicators Mark	Biogeochemical Cycling		0		0				0		0			0
## PATS CAL NDCATOR (pugins to all common classification) ## PATS CAL NDCATOR (pugins to all commo	### APP CAL NOCATOR (vg/ce to all reservo constructions) ### APP CAL NOCATOR (vg/ce to the reservo constructions) ### APP CAL NOCA		Biological Indicat	tors		d Biological Indicators			and Biologic	cal Indicators		Biological Indicators		Biological Indicat	tors
SEPA RESP. Flower Confession No.	SEPARATE Plays Conductor Later Bases		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Englander Scherame Analysis Common 2-1 Englander Scherame Anal	Effected Spherite Analysis Cover 3.5	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classification	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
2 Entheledelplases	Embeldebrisss														
3. Mood (pople) Regime	New Control (Page Regimen 2-30 1 1 1 1 1 1 1 1 1														
4. Sedement Deposition	Sedement Deposition														
Charmed Plane States	Common Flore Statis	Velocity/ Deptil Regime Sediment Denosition	0-20	19		0-20		Velocity Depth Regime Sediment Deposition	0-20		Velocity Depth Regime Sediment Denosition	0-20	Velocity Depth Regime Sediment Denosition	0-20	
Common Alteration	Cleared Alteration														_
T. Frogenomy of Riffles (or bands) 2-30 47 7 7 7 7 7 7 7 7	Frequency of Riffles (or bends) 2-32 17									0-1					
Stands Substity (18 A 89)	Bark Stability (1.6 A R8)														_
9. Vegetative Protection (LB & RB)	Vogetative Protection (LB 4 RB)														
10, Repeats in Vegetible 2 from Width (18.4 RB) 2-30 10, Repeats in Vegetible 2 from Width (18.4 RB)	Comparison processed with respective process														_
Total RPB Score	Total RBP Score Contact Contac														_
Sub-Total 0.945 CHEMICAL NDICATOR (Applies to Intermittent and Personal Streams) WWDEP Water Quality Indicators (General) Specific Conductivity **Op 9.00 points 0.90 points	Sub-Total O O O O O O O O O									0	Total RBP Score				0
WYDEP Water Quality indicators (General) Specific Conductivity Spe	WVDEP Water Quality Indicators (General) WVDEP Water Quality Indicators (General) Specific Conductivity Specific Condu	Sub-Total		0.945	Sub-Total	0		Sub-Total			Sub-Total	0	Sub-Total		Ö
Specific Conductivity	Specific Conductivity			ams)						nial Streams)					ms)
##	Column C	WVDEP Water Quality Indicators (Genera)		WVDEP Water Quality Indicators (General)				al))			
PACT	##	Specific Conductivity			Specific Conductivity			Specific Conductivity	_		Specific Conductivity		Specific Conductivity		
Phi	## PH PH PH PH PH PH PH	<=99 - 90 points	0-90	78.8		0-90			0-90			0-90		0-90	
6 0-8 0 = 80 points DO Sub-Total Sub-Tota	6 0-9 0 = 80 points 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	pH			pH			pH			pH		pH		
6 0-8 0 = 80 points DO Sub-Total Sub-Tota	6 0-9 0 = 80 points 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0-1	7.4		5.90			5.00	0-1		5.90 0-1		5.00 0-1	
Sub-Total 10-30 T.81 Sub-Total 10-30	1		1						5-50						
Sub-Total	Sub-Total 1 Sub-Total 2 Sub-Total 3 Sub-Total 4 Sub-Total 4 Sub-Total 4 Sub-Total 4 Sub-Total 5 Sub-Total 5 Sub-Total 6 Sub-Total 6 Sub-Total 7 Sub-Total 7 Sub-Total 7 Sub-Total 7 Sub-Total 7 Sub-Total 8 Sub-Total 8 Sub-Total 8 Sub-Total 9 Sub-To	DO			DO			DO			DO		DO		
Sub-Total Sub-	Sub-Total 0 Sub-To	SE 0 = 20 ==i=t=	10-30	7.81		10-30			10-30			10-30		10-30	
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WV Stream Condition Index (WVSCI) O 0-100 0-10 0-10 0-10 0-10 0-10 0-10 0-	BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) W Stream Condition Index (WVSCI) W Stream Condition Index (WVSCI) Sub-Total PART II - Index and Unit Score Index Linear Feet Unit Score Index Ind		1 1	1	Sub-Total			Sub-Total		0	Sub-Total		Sub-Total		-
Wastername Condition Index (WVSC) Wastername Condition Index (W Stream Condition Index (WVSCI)		tent and Perennial Str						rmittent and F					ittent and Perennia	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O					,									
Sub-Total 0 Sub-To	Sub-Total 0 Sub-To	, , , , , , , , , , , , , , , , , , , ,	0-100 0-1			0-100 0-1		(777001)	0-100	0-1	(71001)	0-100 0-1	(3700)	0-100 0-1	
PART II - Index and Unit Score Index Index Linear Feet Unit Score	PART II - Index and Unit Score Index Linear Feet Unit Score PART II - Index and Unit Score PART I	0	1.11												
Index Linear Feet Unit Score	Index Linear Feet Unit Score Index Linear Fee	Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
		PART II - Index and I	Jnit Score		PART II - Index and	Unit Score		PART II - Index a	nd Unit Scor	е	PART II - Index and U	nit Score	PART II - Index and U	nit Score	
	0.973 77 74.8825 0 0 0 0 0 0 0 0 0	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Scor
		0.973	77	74.8825	0	0 0		0	0	0	0	0 0	0	0	. 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION							
STATION # RIVERMILE	STREAM CLASS							
LAT LONG	RIVER BASIN							
STORET#	AGENCY							
INVESTIGATORS								
FORM COMPLETED BY	DATE	REASON FOR SURVEY						



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Some potential sources							
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous						
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No						
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)							
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü						
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks						
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,						
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add							
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area						
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)							
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)							

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).					
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category									
	Parameter	Optimal	Suboptimal	Suboptimal Marginal									
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.								
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.								
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0								
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.								
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0								
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0								
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.								
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0								
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0								
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.								
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0								
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0								

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN	IVER BASIN						
STORET#		AGENCY							
INVESTIGATORS		LOT NUMBER							
FORM COMPLETED	ВҮ	DATE REASON FOR SURVEY TIME							
HABITAT TYPES Indicate the percentage of each habitat type present Cobble % Spags % Vegetated Ranks % Sand %									

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Braxton Stream ID: S-J70

Stream Name: Falls Run

HUC Code: Basin:


9/4/2021

Survey Date: Surveyors: PEL AJE Impact Reach: 22.86 m

Type: Bankfull Channel

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		-	0	0.00	0.00
	Fine	.12525		A	0	0.00	0.00
	Medium	.255	SAND	A	3	3.00	3.00
	Coarse	.50-1.0		^	5	5.00	8.00
.0408	Very Coarse	1.0-2		A	0	0.00	8.00
.0816	Very Fine	2 -4		A	0	0.00	8.00
.1622	Fine	4 -5.7	GRAVEL	*	0	0.00	8.00
.2231	Fine	5.7 - 8		*	0	0.00	8.00
.3144	Medium	8 -11.3		A	0	0.00	8.00
.4463	Medium	11.3 - 16		A	1	1.00	9.00
.6389	Coarse	16 -22.6		^	0	0.00	9.00
.89 - 1.26	Coarse	22.6 - 32		^	5	5.00	14.00
1.26 - 1.77	Vry Coarse	32 - 45		A	8	8.00	22.00
1.77 -2.5	Vry Coarse	45 - 64		A	6	6.00	28.00
2.5 - 3.5	Small	64 - 90		A	11	11.00	39.00
3.5 - 5.0	Small	90 - 128	1	A	7	7.00	46.00
5.0 - 7.1	Large	128 - 180	COBBLE	*	6	6.00	52.00
7.1 - 10.1	Large	180 - 256	1	*	0	0.00	52.00
10.1 - 14.3	Small	256 - 362		A	0	0.00	52.00
14.3 - 20	Small	362 - 512	7	A	0	0.00	52.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	52.00
40 - 80	Large	1024 -2048		A	0	0.00	52.00
80 - 160	Vry Large	2048 -4096		A	0	0.00	52.00
	Bedrock		BDRK	^	48	48.00	100.00
				Totals:	100		
	Total Tally:						_







	Size (mm)	
W.	D16	12
	D35	38
	D50	57
	D65	77
	D84	110
	D95	160


Size Distribution		
mean	36.3	
dispersion	3.3	
skewness	-0.20	

1	Гуре		
silt/clay	0%	bedrock	48%
sand	8%		
gravel	20%		
cobble	24%		
boulder	0%		





AS-BUILT TABLE: S-J70 CROSS SECTION A					
	PRE-CROSSING			AŞ-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	14082455.8910	1775509.1390	924.463'		
BS-L	14082457.5020	1775510.97301	921.464'		
THW	14082467.1100	1775523.5900'	919.247'		
BS-R	-	-	-		
TS-R	14082473.3840	1775532.56801	920.954'		



SURVEY NOTES:

LEGEND


STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 4, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-J70 BASELINE CROSS-SECTION A RIFFLE 930 928 928 926 924 922 920 918 0+00 0+10 0+20 0+30 0+40 0+45 DISTANCE ALONG CROSS-SECTION (FT)



CROSS SECTION LEGEND

CROSS SECTION
H: 1"=10'
V: 1"=5'

— EXISTING GRADE


NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS





PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

IOTED Scale: PT. 2021 Date: IC07157 ject No.

CAD File No.

DERSEN DRIVE FOSTER PLAZA 7
PITTSBURGH, PA 16220
921-7090 FAX: (412) 921-40

ETRA TECH

ALLEY PIPELINE, LLC Y DRIVE, 2ND FLOOR

ient Mountain Valley 2200 energy driv

E AND CROSS-SECTIONS
BASELINE SURVEY
ING S-J70 - FALLS RUN
(MP 72.43)

itle PROFILE AND (BASELIN CROSSING S—J

1

Drawing No.