### Reach S-K46 (Pipeline ROW) Ephemeral Spread B Lewis County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	$\checkmark$
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	N/A – No flow
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$



Photo Type: DS, US View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/VM/HK Lat: 39.080252 Long: -80.58143



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DP/VM/HK Lat: 39.080252 Long: -80.58143

Spread B Stream S-K46 (Pipeline ROW) Lewis County




Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, DP/VM/HK Lat: 39.080252 Long: -80.58143



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, DP/VM/HK Lat: 39.080252 Long: -80.58143

Spread B Stream S-K46 (Pipeline ROW) Lewis County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DP/VM/HK Lat: 39.080252 Long: -80.58143



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DP/VM/HK Lat: 39.080252 Long: -80.58143

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.080252	Lon.	-80.58143	WEATHER:	Sunny	DATE:	09/03/21
	AND SITE DESCRIPTION: ), unaltered or impairments)	S-K4	46		MITIGATION STREAM CLASS./S (watershed size (acreage),					Comments:	
STREAM IMPACT LENGTH:	93 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	ng Condition (Debit)	Column No. 2- Mitigation Existing Cor	ndition - Baseline (Credit)		Column No. 3- Mitigation Pro Post Completion		ears	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Ephemeral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	lope 28.4	Percent Stream Channel Slop	e		Percent Stream Channel Slo	pe	0	Percent Stream Channel Sto	ope 0	Percent Stream Channel S	ope 0
HGM Score (attach d	data forms):	HGM Score (attach da	ita forms):		HGM Score (attach o	iata forms):		HGM Score (attach da	ta forms):	HGM Score (attach d	ata forms):
	Average		Average				Average		Average		Averag
Hydrology	0.43	Hydrology			Hydrology			Hydrology		Hydrology	
Biogeochemical Cycling	0.48 0.42666667	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling	0	Biogeochemical Cycling	0
PART I - Physical, Chemical and	0.37 d Biological Indicators	Habitat PART I - Physical, Chemical and B	Biological Indicators		PART I - Physical, Chemical and	Biological Ind	icators	Habitat PART I - Physical, Chemical and B	Biological Indicators	Habitat PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range Site Score		Points Scale Range Sille Score			Points Scale Range	Site Scare		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	is classifications)	PHYSICAL INDICATOR (Applies to all streams cla	esifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
1. Epifaunal Substrate/Available Cover	0-20 0	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	1. Epifaunal Substrate/Available Cover	0-20
2. Embeddedness 3. Velocity/ Depth Regime	0-20 13 0-20 0	2. Pool Substrate Characterization 3. Pool Variability	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20	2. Embeddedness 3. Velocity/ Depth Regime	0-20
4. Sediment Deposition	0-20 13	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20
5. Channel Flow Status	0-20 0.1 0	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0.4	5. Channel Flow Status	0-20 0.1
6. Channel Alteration	0-20 18	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20 0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20 12	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20 18	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20 14	10. Riparian Vegetative Zone Width (LB & RB)	0-20 0			0-20	0	10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score Sub-Total	Suboptimal 88 0.73333333	Total RBP Score Sub-Total	Poor 0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor 0	Total RBP Score Sub-Total	Poor 0
CHEMICAL INDICATOR (Applies to Intermitter		CHEMICAL INDICATOR (Applies to Intermittent ar			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Str		CHEMICAL INDICATOR (Applies to Intermittent		CHEMICAL INDICATOR (Applies to Intermitter	
WVDEP Water Quality Indicators (General	aD.	WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General	
Specific Conductivity		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity	
100-199 - 85 points	0-90		0-90			0-90			0-90		0-90
nH		nH			nH			nH		nH	
	0-80 0-1		5-90 0-1			5-90 0-1			5-90 0-1		5-90 0-1
5.6-5.9 = 45 points											
DO		DO			DO			DO		DO	
	10-30		10-30		1	10-30			10-30		10-30
Sub-Total		Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermit	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perenn	al Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	ittent and Perennial Streams)
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
	0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1
Sub-Total	0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	Unit Score	PART II - Index and U	nit Score		PART II - Index and	Unit Score		PART II - Index and U	hit Score	PART II - Index and U	nit Score
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Sco
0.597	93 55.49	0	0 0		0	0	0	0	0 0	0	0 0

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for  $V_{CCANOPY}$  ( $\geq 20\%$  cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment Location: Lewis, Spread B Sampling Date: 9-3-21	Project Site	Before Project
Subclass for this SAR: Ephemeral Stream	,	
Uppermost stratum present at this SAR:	SAR number:	S-K46

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.43
Biogeochemical Cycling	0.48
Habitat	0.37

#### Variable Measure and Subindex Summary:


Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
V <sub>EMBED</sub>	Average embeddedness of channel.	3.83	1.00
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	4.00	1.00
V <sub>BERO</sub>	Total percent of eroded stream channel bank.	42.67	0.85
V <sub>LWD</sub>	Number of down woody stems per 100 feet of stream.	1.33	0.17
V <sub>TDBH</sub>	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	93.33	1.00
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
	Average percent cover of leaves, sticks, etc.	2.50	0.03
V <sub>HERB</sub>	Average percent cover of herbaceous vegetation.	97.50	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.34	0.36

					Headwa Data She						
		DP VM HK					_	Latitude/UT	M Northing:	39.080252	
			m Assessm	ent			l	ongitude/U	•		
		Lewis, Spre						San	npling Date:	9-3-21	
SAR Num		S-K46		Length (ft):		Stream Ty	eb.	emeral Stream			1
Top St			rub/Herb Str	ata	(determined	a from perce		ed in V <sub>CCANO</sub>	PY)		
Site and Tin		Project Site	0				Before Proje	ect			•
1 V <sub>CCANO</sub>	OPY	Average pe	rcent cover		el by tree ar . Measure						Not Use
List the		-			een 0 and 1 point below:	9 to trigger	Top Strata o	choice.)			<20%
0											
2 V <sub>EMBED</sub>					eam channe						3.8
					from the be particle that i						
		to the follov	ving table. I	f the bed is	an artificial s	surface, or c	omposed o				
	r				lrock, use a	•					1
		Embedded Minshall 19		or gravel, c	obble and b	pulder partic	cies (rescale	a trom Plat	s, megahan	, and	
		Rating	Rating Des	cription							
		5	<5 percent	of surface c	overed, sur					()	1
		4			ice covered, face covered						
		2			face covered						
	ľ	1	>75 percen	t of surface	covered, su					al surface)	]
	_		point below								•
4		3	4	4	4	4	4	4	4	4	
4		4	4	4	4	4	4	1	5	5	
4		4	3	3	3	4	4	4	4	4	
		· · ·									
	icrete		ches to the r and or finer <u>6.00</u>		inch at each 0.08 in): <u>5.50</u>	point below	v (bedrock s	hould be co	unted as 99 2.50	in, asphalt	
2.5	50	3.50	4.50	2.75	6.25	5.25	3.75	0.30	0.30	0.20	
0.4		1.00	2.75	8.25	5.25	4.00	4.50	5.25	5.00	4.00	
3.7	'5	0.75	5.00	2.25	2.75	2.50	1.80	4.75	7.00	4.00	
t V <sub>BERO</sub>					annel bank. culated If b						10.07
		up to 200%								am may be	43 %
			Left Bank:	16	6 ft		Right Bank:	1	3 ft		
•					er zone adja						
5 V <sub>LWD</sub>		stream read		e number fr		e 50'-wide b	ouffer and w	ithin the cha			1.3
6 V <sub>tdbh</sub>		Averace de	h of trees (r	negeure on	Number of y if V <sub>CCANOP</sub>	downed wo	,		Trees are	at least 1	
✓ TDBH					tree DBHs i		9 00101 18 2	L 10031 20%	. 11003 ale	น เชสอโ 4	Not Us
				ents of indiv	vidual trees (	(at least 4 in	i) within the	buffer on ea	ich side of		
·		the stream						District			
			Left Side			0		Right Side			
0						0					
7 V <sub>SNAG</sub>		Number of	snags (at le	ast 4" dbh a	nd 36" tall)	per 100 feet	of stream.	Enter numb	er of snads	on each	
• SNAG					per 100 fee						0.0
			64 6:1-		0		Dight C:-		0		
B V <sub>SSD</sub>		Number of	Left Side: saplings and		0 oody stems	up to 4 inch	Right Side: es dbh) per		0 stream (me	asure only	
- •SSD					er of sapling						93.3
			f stream will								

9	V <sub>SRICH</sub>	Group 1 in	the tallest s	tratum. Che	eck all exotic	and invas	am reach. Ch ive species p from these d	resent in			0.00
			ip 1 = 1.0						up 2 (-1.0)		
	Acer rubru	m		Magnolia ti	ripetala		Ailanthus a			Lonicera ja	ponica
	Acer sacch	narum		Nyssa sylv	vatica		Albizia julib	rissin		Lonicera ta	tarica
	Aesculus fi	ava			n arboreum		Alliaria peti	olata		Lotus corn	iculatus
	Asimina tril			Prunus sei			Alternanthe			Lythrum sa	
	Betula alleg			Quercus a			philoxeroide			Microstegiur	
	Betula lent			Quercus c			Aster tatari	cus		Paulownia	
	Carya alba			Quercus in			Cerastium			Polygonum	
	Carya qlab			Quercus p			Coronilla va			Pueraria m	
	Carya giab Carya oval			Quercus ru			Elaeagnus u			Rosa multi	
	-						-				
	Carya ovat			Quercus v			Lespedeza			Sorghum h	•
	Cornus flor			Sassafras			Lespedeza			Verbena bi	rasiliensis
	Fagus grar			Tilia amerio –			Ligustrum ot				
	Fraxinus a			Tsuga can			Ligustrum s	sinense			
	Liriodendron			Ulmus ame	ericana						
	Magnolia a	cuminata									
		0	Species in	Group 1				2	Species	in Group 2	
									zone with	in 25 feet from	n each
_							ch side of the material We			eter and <36"	
10	V <sub>DETRITUS</sub>						iver at each s		is <4 diam	eler and <30	2.50 %
		Ĵ		Side		1		Side		7	
		0	0	5	5	0	0	5	5		
11	V <sub>HERB</sub>	include woo	ody stems a percentages ot.	t least 4" db s up through	oh and 36" ta	II. Because	Enter the per	e severa cent cove	layers of g	Do <i>not</i> round cover vegetation at	98 %
		100		Side				t Side			
	le Variable 1					100	100	95	95	_	
Sampl	le Variable 1 V <sub>WLUSE</sub>	2 within the	e entire cate	chment of t Runoff Score		ned:	100	95	Runof		0.34 Running Percent
	V <sub>WLUSE</sub>	2 within the Weighted A	e entire cato Average of F Land	chment of t Runoff Score Use (Choos	t <b>he stream.</b> e for watersh	ned:		95		r Catch- ment	Running Percent (not >100)
	V <sub>WLUSE</sub>	2 within the	e entire cato Average of F Land	chment of t Runoff Score Use (Choos	t <b>he stream.</b> e for watersh	ned:		95	Runof	Catch-	Running Percent
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof	r Catch- ment	Running Percent (not >100)
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>wLUSE</sub> Forest and r Open space	2 within the Weighted A native range (- (pasture, lawn	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
12	V <sub>wLUSE</sub> Forest and r Open space	2 within the Weighted A	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		95	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
12	V <sub>wLUSE</sub> Forest and r Open space	2 within the Weighted A native range (- (pasture, law) G-K46 Value	e entire cate Average of F Land	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>wLUSE</sub> Forest and r Open space	2 within the Weighted A native range (- (pasture, lawn G-K46 Value Not Used,	e entire cate Average of F Land <50% ground ns, parks, etc.	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r Open space Variable V <sub>CCANOPY</sub>	2 within the Weighted A native range (- (pasture, lawn ) S-K46 Value Not Used, <20%	verage of F Land <50% ground ns, parks, etc.	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
12 	V <sub>wLUSE</sub> Forest and r Open space Comparison S Variable VccaNoPy Vembed	2 within the Weighted A native range (- (pasture, lawn G-K46 Value Not Used, <20% 3.8	Verage of F Land <50% ground ns, parks, etc. VSI Not Used 1.00	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
12 	V <sub>WLUSE</sub> Forest and r Open space Variable V <sub>CCANOPY</sub>	2 within the Weighted A native range (- (pasture, lawn ) S-K46 Value Not Used, <20%	Verage of F Land <50% ground ns, parks, etc. VSI Not Used	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>wLUSE</sub> Forest and r Open space Comparison S Variable VccaNoPy Vembed	2 within the Weighted A native range (- (pasture, lawn G-K46 Value Not Used, <20% 3.8	Verage of F Land <50% ground ns, parks, etc. VSI Not Used 1.00	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>wLUSE</sub> Forest and r Open space	2 within the Weighted A native range ( (pasture, lawn ) S-K46 Value Not Used, <20% 3.8 4.00 in	verage of F Land <50% ground ns, parks, etc. VSI Not Used 1.00 1.00	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
12 	V <sub>wLUSE</sub> Forest and r Open space	2 within the Weighted A native range (* (pasture, lawn pasture, lawn S-K46 Value Not Used, <20% 3.8 4.00 in 43 %	Verage of F Land <50% ground ns, parks, etc. VSI Not Used 1.00 1.00 0.85	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r Open space	2 within the Weighted A native range (* (pasture, lawn G-K46 Value Not Used, <20% 3.8 4.00 in 43 % 1.3	Verage of F Land <50% ground ns, parks, etc. VSI Not Used 1.00 1.00 0.85 0.17	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r Open space Open space Vor Space Variable VccANOPY VEMBED VSUBSTRATE VBERO VLWD VLWD VTDBH	2 within the Weighted A native range (- (pasture, lawn ) S-K46 Value Not Used, <20% 3.8 4.00 in 43 % 1.3 Not Used	Verage of F Land <50% ground ns, parks, etc. VSI Not Used 1.00 0.85 0.17 Not Used	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r Open space Open space Variable Variable Variable Vsubstrate VBERO VLWD VTDBH VSNAG	2 within the Weighted A native range (* (pasture, lawn c) S-K46 Value Not Used, <20% 3.8 4.00 in 43 % 1.3 Not Used 0.0	Verage of F Land <50% ground ns, parks, etc. VSI Not Used 1.00 1.00 0.85 0.17 Not Used 0.10	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r Open space Open space Variable VccANOPY VEMBED VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VLWD VTDBH VSNAG VSSD VSRICH VDETRITUS	2 within the Weighted A native range (- (pasture, lawn 	Verage of F           Land           <50% ground	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63
	V <sub>WLUSE</sub> Forest and r Open space Open space Variable Vccanopy Vsubstrate Vsubstrate VBERO VLWD VLWD VTDBH VSNAG VSSD VSRICH	2 within the Weighted A native range (* (pasture, lawn G-K46 Value Not Used, <20% 3.8 4.00 in 43 % 1.3 Not Used 0.0 93.3 0.00	• entire cate           Verage of F           Land           <50% ground	chment of t Runoff Score Use (Choos	the stream. e for watersh se From Dro	ned:		•	Runof Score 0.5	Catch- ment 17.63	Running Percent (not >100) 17.63

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY	



## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse       Local Watershed NPS Pollution         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Other         Indicate the dominant type and record the dominant species present       Herbaceous         Trees       Shrubs       Grasses         Dominant species present       Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm <sup>2</sup>
DEBRIS	Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent       Rooted submergent       Rooted floating       Free floating         Floating Algae       Attached Algae       Booted floating       Free floating       Free floating         Dominant species present
WATER QUALITY (DS, US)	Temperature0 C       Water Odors Normal/None       Sewage         Specific Conductance       Petroleum Fishy       Chemical Other         Dissolved Oxygen       Water Surface Oils Slick       Sheen None       Globs       Flecks         pH       Turbidity (if not measured) Clear       Slightly turbid       Turbid Turbid       Turbid Opaque       Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal     Sewage     Petroleum     Deposits       Chemical     Anaerobic     None     Sludge     Sawdust     Paper fiber     Sand       Other     Other     Epoking at stones which are not deeply embedded are the undersides black in color?     How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant			
Boulder	> 256 mm (10")			materials (CPOM)			
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2.5")			(FPOM)			
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments			
Silt	0.004-0.06 mm						
Clay	< 0.004 mm (slick)						

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY	

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	1 Category						
Parameter	Optimal	Suboptimal	Marginal	Poor					
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
SCORE(LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total Score \_\_\_\_\_

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN							
STORET #		AGENCY							
INVESTIGATORS		LOT NUMBER							
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY						
HABITAT TYPES	Cobble% Sn	Indicate the percentage of each habitat type present         Cobble%       Snags%       Vegetated Banks%       Sand%         Submerged Macrophytes%       Other (       )%							
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand						
GENERAL COMMENTS									

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM

Basin:


County:LewisStream Name:UNT to Left Fork Freemans CreekHUC Code:Survey Date:9/3/2021

Stream ID: S-K46


Survey Date:9/3/2021Surveyors:HK DP VMType:Bankfull Channel


Impact Reach: 22.86 m

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	11	11.00	11.00
	Very Fine	.062125		▲ ▼	0	0.00	11.00
	Fine	.12525		▲ ▼	0	0.00	11.00
	Medium	.255	SAND	* *	1	1.00	12.00
	Coarse	.50-1.0		▲ ▼	1	1.00	13.00
.0408	Very Coarse	1.0-2		▲ ▼	3	3.00	16.00
.0816	Very Fine	2 -4		▲ ▼	11	11.00	27.00
.1622	Fine	4 -5.7		▲ ▼	4	4.00	31.00
.2231	Fine	5.7 - 8	1	▲ ▼	3	3.00	34.00
.3144	Medium	8 -11.3	GRAVEL	▲ ▼	3	3.00	37.00
.4463	Medium	11.3 - 16		▲ ▼	1	1.00	38.00
.6389	Coarse	16 -22.6		▲ ▼	3	3.00	41.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	4	4.00	45.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	0	0.00	45.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	4	4.00	49.00
2.5 - 3.5	Small	64 - 90		▲ ▼	13	13.00	62.00
3.5 - 5.0	Small	90 - 128	1	▲ ▼	20	20.00	82.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	12	12.00	94.00
7.1 - 10.1	Large	180 - 256		▲ ▼	2	2.00	96.00
10.1 - 14.3	Small	256 - 362		* *	3	3.00	99.00
14.3 - 20	Small	362 - 512		▲ ▼	1	1.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.00
40 - 80	Large	1024 -2048	1	 ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	 ▼	0	0.00	100.00
	Bedrock		BDRK		0	0.00	100.00
				• Totals:	100		
	Total Tally:						



### Bankfull Channel Pebble Count, S-K46, UNT to Left Fork Freemans Creek





SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 3, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

