

## Baseline Assessment – Stream Attributes

### Reach S-K65 (Pipeline ROW) Intermittent Spread A Doddridge County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓Water quality taken from standing water, accounting for low DO reading
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A - Not Enough Riffle Habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

**Spread A      Stream S-K65 (Pipeline ROW)      Doddridge County**



S-K65 Ds Lod Us View  
08.28.2021 08:56 AM

Photo Type: DS, US View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, SM/JL/MB

Lat: 39.209813 Long: -80.55245



**Spread A      Stream S-K65 (Pipeline ROW)      Doddridge County**



S-K65 Ds Lod Ds View  
08.28.2021 08:56 AM

Photo Type: DS, DS View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, SM/JL/MB  
Lat: 39.209813 Long: -80.55245



**Spread A      Stream S-K65 (Pipeline ROW)      Doddridge County**



Photo Type: US View at Center  
Location, Orientation, Photographer Initials: Center ROW, Upstream View, SM/JL/MB  
Lat: 39.209813 Long: -80.55245



**Spread A      Stream S-K65 (Pipeline ROW)      Doddridge County**



Photo Type: DS View at Center  
Location, Orientation, Photographer Initials: Center ROW, Downstream View, SM/JL/MB  
Lat: 39.209813 Long: -80.55245



**Spread A      Stream S-K65 (Pipeline ROW)      Doddridge County**



Photo Type: US, US View  
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, SM/JL/MB  
Lat: 39.209813 Long: -80.55245



**Spread A      Stream S-K65 (Pipeline ROW)      Doddridge County**



S-K65 Us Lod Ds View  
08.28.2021 09:05 AM

Photo Type: US, DS View

Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, SM/JL/MB  
Lat: 39.209813 Long: -80.55245





Photo Type: Pool, DS View

Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, SM/JL/MB  
Lat: 39.209813 Long: -80.55245





Photo Type: Pool, US View

Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, SM/JL/MB  
Lat: 39.209813 Long: -80.55245



USACE FILE NO./ Project Name: (v2.1, Sept 2015)			Mountain Valley Pipeline			IMPACT COORDINATES: (in Decimal Degrees)			Lat.	39.209813			Lon.	-80.55245			WEATHER:			50% cloud cover			DATE:			8/28/2021																											
IMPACT STREAM/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)						S-K65 Pipeling ROW						MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)						Comments:																																			
STREAM IMPACT LENGTH:			90			FORM OF MITIGATION:			RESTORATION (Levels I-III)			MIT COORDINATES: (in Decimal Degrees)			Lat.				Lon.				PRECIPITATION PAST 48 HRS:			Mitigation Length:																											
Column No. 1- Impact Existing Condition (Debit)						Column No. 2- Mitigation Existing Condition - Baseline (Credit)						Column No. 3- Mitigation Projected at Five Years Post Completion (Credit)						Column No. 4- Mitigation Projected at Ten Years Post Completion (Credit)						Column No. 5- Mitigation Projected at Maturity (Credit)																													
Stream Classification:						Intermittent						Stream Classification:						0						Stream Classification:						0																							
Percent Stream Channel Slope						5.5						Percent Stream Channel Slope						0						Percent Stream Channel Slope						0																							
HGM Score (attach data forms):						Average						HGM Score (attach data forms):						Average						HGM Score (attach data forms):						Average																							
Hydrology						0.67						Hydrology						0						Hydrology						0						Hydrology						0											
Biogeochemical Cycling						0.58						Biogeochemical Cycling						0						Biogeochemical Cycling						0						Biogeochemical Cycling						0											
Habitat						0.44						Habitat						0						Habitat						0						Habitat						0											
PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators						PART I - Physical, Chemical and Biological Indicators																													
Points Score						Range						Points Score						Range						Points Score						Range						Points Score						Range											
PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)						PHYSICAL INDICATOR (Applies to all streams classifications)																													
USEPA RBP (High Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)																													
1. Epifaunal Substrate/Available Cover						0-20						1. Epifaunal Substrate/Available Cover						0-20						1. Epifaunal Substrate/Available Cover						0-20						1. Epifaunal Substrate/Available Cover						0-20											
2. Embeddedness						0-20						2. Embeddedness						0-20						2. Embeddedness						0-20						2. Embeddedness						0-20											
3. Velocity Depth Regime						0-20						3. Velocity Depth Regime						0-20						3. Velocity Depth Regime						0-20						3. Velocity Depth Regime						0-20											
4. Sediment Deposition						0-20						4. Sediment Deposition						0-20						4. Sediment Deposition						0-20						4. Sediment Deposition						0-20											
5. Channel Flow Status						0-20						5. Channel Flow Status						0-20						5. Channel Flow Status						0-20						5. Channel Flow Status						0-20											
6. Channel Alteration						0-20						6. Channel Alteration						0-20						6. Channel Alteration						0-20						6. Channel Alteration						0-20											
7. Frequency of Riffles (or bends)						0-20						7. Frequency of Riffles (or bends)						0-20						7. Frequency of Riffles (or bends)						0-20						7. Frequency of Riffles (or bends)						0-20											
8. Bank Stability (LB & RB)						0-20						8. Bank Stability (LB & RB)						0-20						8. Bank Stability (LB & RB)						0-20						8. Bank Stability (LB & RB)						0-20											
9. Vegetative Protection (LB & RB)						0-20						9. Vegetative Protection (LB & RB)						0-20						9. Vegetative Protection (LB & RB)						0-20						9. Vegetative Protection (LB & RB)						0-20											
10. Riparian Vegetative Zone Width (LB & RB)						0-20						10. Riparian Vegetative Zone Width (LB & RB)						0-20						10. Riparian Vegetative Zone Width (LB & RB)						0-20						10. Riparian Vegetative Zone Width (LB & RB)						0-20											
Total RBP Score						Marginal						Total RBP Score						Poor						Total RBP Score						Poor						Total RBP Score						Poor											
Sub-Total						0.495						Sub-Total						0						Sub-Total						0						Sub-Total						0											
CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)						CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)																													
WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)						WVDEP Water Quality Indicators (General)																													
Specific Conductivity						300-399 = 70 points						Specific Conductivity						0-90						Specific Conductivity						0-90						Specific Conductivity						0-90											
pH						6.0-8.0 = 80 points						pH						0-1						pH						0-1						pH						0-1											
DO						<5.0 = 10 points						DO						10-30						DO						10-30						DO						10-30											
Sub-Total						0.8						Sub-Total						0						Sub-Total						0						Sub-Total						0											
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)						BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)																													
WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)						WV Stream Condition Index (WVSCI)																													
0						0.100						0.1						0						0.100						0.1						0						0.100						0.1					
Sub-Total						0						Sub-Total						0						Sub-Total						0						Sub-Total						0											
PART II - Index and Unit Score						PART II - Index and Unit Score						PART II - Index and Unit Score						PART II - Index and Unit Score						PART II - Index and Unit Score																													
Index						Linear Feet						Unit Score						Index						Linear Feet						Unit Score						Index						Linear Feet						Unit Score					
0.605						90						54.4875						0						0						0						0						0						0					



## FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the UPPERMOST STRATUM of the plant community is determined based on the calculated value for  $V_{CCANOPY}$  ( $\geq 20\%$  cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

**Project Name:** MVP Stream Assessment

**Location:** Doddridge, Spread A

**Sampling Date:** 8/28/21

Project Site      Before Project

**Subclass for this SAR:**

Intermittent Stream

**Uppermost stratum present at this SAR:**

Shrub/Herb Strata

**SAR number:**      S-K65

### Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.67
Biogeochemical Cycling	0.58
Habitat	0.44

### Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
$V_{CCANOPY}$	Percent canopy over channel.	Not Used, <20%	Not Used
$V_{EMBED}$	Average embeddedness of channel.	3.70	1.00
$V_{SUBSTRATE}$	Median stream channel substrate particle size.	1.88	0.94
$V_{BERO}$	Total percent of eroded stream channel bank.	35.71	0.88
$V_{LWD}$	Number of down woody stems per 100 feet of stream.	0.00	0.00
$V_{TDBH}$	Average dbh of trees.	Not Used	Not Used
$V_{SNAG}$	Number of snags per 100 feet of stream.	1.19	1.00
$V_{SSD}$	Number of saplings and shrubs per 100 feet of stream.	42.86	0.66
$V_{SRICH}$	Riparian vegetation species richness.	0.00	0.00
$V_{DETRITUS}$	Average percent cover of leaves, sticks, etc.	12.50	0.15
$V_{HERB}$	Average percent cover of herbaceous vegetation.	86.25	1.00
$V_{WLUSE}$	Weighted Average of Runoff Score for Catchment.	0.85	0.89



### High-Gradient Headwater Streams in Appalachia Field Data Sheet and Calculator

Team: <b>SM, JL, MB</b>	Latitude/UTM Northing: <b>39.209813</b>
Project Name: <b>MVP Stream Assessment</b>	Longitude/UTM Easting: <b>-80.55245</b>
Location: <b>Doddridge, Spread A</b>	Sampling Date: <b>8/28/21</b>
SAR Number: <b>S-K65</b>	Reach Length (ft): <b>84</b>
Stream Type: <b>Intermittent Stream</b>	
Top Strata: <b>Shrub/Herb Strata</b> (determined from percent calculated in $V_{CCANOPY}$ )	
Site and Timing: <b>Project Site</b>	<b>Before Project</b>

#### Sample Variables 1-4 in stream channel

1	$V_{CCANOPY}$	Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)	Not Used, <20%																														
List the percent cover measurements at each point below:																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">0</td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> </tr> </table>				0																													
0																																	
2	$V_{EMBED}$	Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.  Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983 ) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Rating</th> <th style="width: 90%;">Rating Description</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">5</td> <td>&lt;5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)</td> </tr> <tr> <td style="text-align: center;">4</td> <td>5 to 25 percent of surface covered, surrounded, or buried by fine sediment</td> </tr> <tr> <td style="text-align: center;">3</td> <td>26 to 50 percent of surface covered, surrounded, or buried by fine sediment</td> </tr> <tr> <td style="text-align: center;">2</td> <td>51 to 75 percent of surface covered, surrounded, or buried by fine sediment</td> </tr> <tr> <td style="text-align: center;">1</td> <td>&gt;75 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface)</td> </tr> </tbody> </table>	Rating	Rating Description	5	<5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)	4	5 to 25 percent of surface covered, surrounded, or buried by fine sediment	3	26 to 50 percent of surface covered, surrounded, or buried by fine sediment	2	51 to 75 percent of surface covered, surrounded, or buried by fine sediment	1	>75 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface)	3.7																		
Rating	Rating Description																																
5	<5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)																																
4	5 to 25 percent of surface covered, surrounded, or buried by fine sediment																																
3	26 to 50 percent of surface covered, surrounded, or buried by fine sediment																																
2	51 to 75 percent of surface covered, surrounded, or buried by fine sediment																																
1	>75 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface)																																
List the ratings at each point below:																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">5</td> <td style="width: 10%; text-align: center;">5</td> <td style="width: 10%; text-align: center;">5</td> <td style="width: 10%; text-align: center;">5</td> <td style="width: 10%; text-align: center;">4</td> <td style="width: 10%; text-align: center;">5</td> <td style="width: 10%; text-align: center;">5</td> <td style="width: 10%; text-align: center;">3</td> <td style="width: 10%; text-align: center;">3</td> <td style="width: 10%; text-align: center;">5</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> <td style="text-align: center;">1</td> <td style="text-align: center;">5</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> <td style="text-align: center;">5</td> </tr> </table>				5	5	5	5	4	5	5	3	3	5	2	3	5	4	4	1	1	5	1	4	4	4	3	4	3	4	4	1	4	5
5	5	5	5	4	5	5	3	3	5																								
2	3	5	4	4	1	1	5	1	4																								
4	4	3	4	3	4	4	1	4	5																								
3	$V_{SUBSTRATE}$	Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant points along the stream; use the same points and particles as used in $V_{EMBED}$ .  Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">99.00</td> <td style="width: 10%; text-align: center;">2.00</td> <td style="width: 10%; text-align: center;">0.25</td> <td style="width: 10%; text-align: center;">1.00</td> <td style="width: 10%; text-align: center;">6.00</td> <td style="width: 10%; text-align: center;">0.50</td> <td style="width: 10%; text-align: center;">17.00</td> <td style="width: 10%; text-align: center;">2.50</td> <td style="width: 10%; text-align: center;">1.00</td> <td style="width: 10%; text-align: center;">2.00</td> </tr> <tr> <td style="text-align: center;">12.00</td> <td style="text-align: center;">1.75</td> <td style="text-align: center;">0.25</td> <td style="text-align: center;">1.50</td> <td style="text-align: center;">0.75</td> <td style="text-align: center;">0.08</td> <td style="text-align: center;">1.50</td> <td style="text-align: center;">0.25</td> <td style="text-align: center;">0.08</td> <td style="text-align: center;">4.25</td> </tr> <tr> <td style="text-align: center;">3.25</td> <td style="text-align: center;">8.00</td> <td style="text-align: center;">6.00</td> <td style="text-align: center;">2.50</td> <td style="text-align: center;">1.00</td> <td style="text-align: center;">12.00</td> <td style="text-align: center;">18.00</td> <td style="text-align: center;">0.08</td> <td style="text-align: center;">4.50</td> <td style="text-align: center;">1.00</td> </tr> </table>	99.00	2.00	0.25	1.00	6.00	0.50	17.00	2.50	1.00	2.00	12.00	1.75	0.25	1.50	0.75	0.08	1.50	0.25	0.08	4.25	3.25	8.00	6.00	2.50	1.00	12.00	18.00	0.08	4.50	1.00	1.88 in
99.00	2.00	0.25	1.00	6.00	0.50	17.00	2.50	1.00	2.00																								
12.00	1.75	0.25	1.50	0.75	0.08	1.50	0.25	0.08	4.25																								
3.25	8.00	6.00	2.50	1.00	12.00	18.00	0.08	4.50	1.00																								
4	$V_{BERO}$	Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each side and the total percentage will be calculated. If both banks are eroded, total erosion for the stream may be up to 200%.  Left Bank: <b>20 ft</b> Right Bank: <b>10 ft</b>	36 %																														

#### Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).

5	$V_{LWD}$	Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated.  Number of downed woody stems: <b>0</b>	0.0																						
6	$V_{TDBH}$	Average dbh of trees (measure only if $V_{CCANOPY}$ tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Left Side</th> <th style="width: 50%;">Right Side</th> </tr> </thead> <tbody> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	Left Side	Right Side																					Not Used
Left Side	Right Side																								
7	$V_{SNAG}$	Number of snags (at least 4" dbh and 36" tall) per 100 feet of stream. Enter number of snags on each side of the stream, and the amount per 100 feet will be calculated.  Left Side: <b>0</b> Right Side: <b>1</b>	1.2																						
8	$V_{SSD}$	Number of saplings and shrubs (woody stems up to 4 inches dbh) per 100 feet of stream (measure only if tree cover is <20%). Enter number of saplings and shrubs on each side of the stream, and the amount per 100 ft of stream will be calculated.  Left Side: <b>30</b> Right Side: <b>6</b>	42.9																						



9	V <sub>SRICH</sub>	Riparian vegetation species richness per 100 feet of stream reach. Check all species present from Group 1 in the tallest stratum. Check all exotic and invasive species present in all strata. Species richness per 100 feet and the subindex will be calculated from these data.	0.00
Group 1 = 1.0		Group 2 (~1.0)	
<input type="checkbox"/>	<i>Acer rubrum</i>	<input type="checkbox"/>	<i>Magnolia tripetala</i>
<input type="checkbox"/>	<i>Acer saccharum</i>	<input type="checkbox"/>	<i>Nyssa sylvatica</i>
<input type="checkbox"/>	<i>Aesculus flava</i>	<input type="checkbox"/>	<i>Oxydendrum arboreum</i>
<input type="checkbox"/>	<i>Asimina triloba</i>	<input type="checkbox"/>	<i>Prunus serotina</i>
<input type="checkbox"/>	<i>Betula alleghaniensis</i>	<input type="checkbox"/>	<i>Quercus alba</i>
<input type="checkbox"/>	<i>Betula lenta</i>	<input type="checkbox"/>	<i>Quercus coccinea</i>
<input type="checkbox"/>	<i>Carya alba</i>	<input type="checkbox"/>	<i>Quercus imbricaria</i>
<input type="checkbox"/>	<i>Carya glabra</i>	<input type="checkbox"/>	<i>Quercus prinus</i>
<input type="checkbox"/>	<i>Carya ovalis</i>	<input type="checkbox"/>	<i>Quercus rubra</i>
<input type="checkbox"/>	<i>Carya ovata</i>	<input type="checkbox"/>	<i>Quercus velutina</i>
<input type="checkbox"/>	<i>Cornus florida</i>	<input type="checkbox"/>	<i>Sassafras albidum</i>
<input type="checkbox"/>	<i>Fagus grandifolia</i>	<input type="checkbox"/>	<i>Tilia americana</i>
<input type="checkbox"/>	<i>Fraxinus americana</i>	<input type="checkbox"/>	<i>Tsuga canadensis</i>
<input type="checkbox"/>	<i>Liriodendron tulipifera</i>	<input type="checkbox"/>	<i>Ulmus americana</i>
<input type="checkbox"/>	<i>Magnolia acuminata</i>		
0 Species in Group 1		1 Species in Group 2	

**Sample Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from each bank. The four subplots should be placed roughly equidistantly along each side of the stream.**

10	V <sub>DETRITUS</sub>	Average percent cover of leaves, sticks, or other organic material. Woody debris <4" diameter and <36" long are include. Enter the percent cover of the detrital layer at each subplot.	12.50 %																								
<table border="1"> <tr> <th colspan="4">Left Side</th> <th colspan="4">Right Side</th> </tr> <tr> <td>5</td> <td>0</td> <td>5</td> <td>5</td> <td>20</td> <td>20</td> <td>30</td> <td>15</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>				Left Side				Right Side				5	0	5	5	20	20	30	15								
Left Side				Right Side																							
5	0	5	5	20	20	30	15																				
11	V <sub>HERB</sub>	Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" dbh and 36" tall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot.	86 %																								
<table border="1"> <tr> <th colspan="4">Left Side</th> <th colspan="4">Right Side</th> </tr> <tr> <td>95</td> <td>100</td> <td>95</td> <td>95</td> <td>75</td> <td>80</td> <td>65</td> <td>85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>				Left Side				Right Side				95	100	95	95	75	80	65	85								
Left Side				Right Side																							
95	100	95	95	75	80	65	85																				

**Sample Variable 12 within the entire catchment of the stream.**

12	V <sub>WLUSE</sub>	Weighted Average of Runoff Score for watershed:	0.85																																				
<table border="1"> <thead> <tr> <th>Land Use (Choose From Drop List)</th> <th>Runoff Score</th> <th>% in Catchment</th> <th>Running Percent (not &gt;100)</th> </tr> </thead> <tbody> <tr> <td>Open space (pasture, lawns, parks, etc.), grass cover &lt;50%</td> <td>▼ 0.1</td> <td>2.23</td> <td>2.23</td> </tr> <tr> <td>Open space (pasture, lawns, parks, etc.), grass cover &lt;50%</td> <td>▼ 0.1</td> <td>4.54</td> <td>6.77</td> </tr> <tr> <td>Open space (pasture, lawns, parks, etc.), grass cover &lt;50%</td> <td>▼ 0.1</td> <td>5.28</td> <td>12.05</td> </tr> <tr> <td>Forest and native range (&gt;75% ground cover)</td> <td>▼ 1</td> <td>80.82</td> <td>92.87</td> </tr> <tr> <td>Forest and native range (&lt;50% ground cover)</td> <td>▼ 0.5</td> <td>0.42</td> <td>93.29</td> </tr> <tr> <td>Forest and native range (&lt;50% ground cover)</td> <td>▼ 0.5</td> <td>3.94</td> <td>97.23</td> </tr> <tr> <td>Forest and native range (&lt;50% ground cover)</td> <td>▼ 0.5</td> <td>2.19</td> <td>99.42</td> </tr> <tr> <td>Open space (pasture, lawns, parks, etc.), grass cover &lt;50%</td> <td>▼ 0.1</td> <td>0.58</td> <td>100</td> </tr> </tbody> </table>				Land Use (Choose From Drop List)	Runoff Score	% in Catchment	Running Percent (not >100)	Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	2.23	2.23	Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	4.54	6.77	Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	5.28	12.05	Forest and native range (>75% ground cover)	▼ 1	80.82	92.87	Forest and native range (<50% ground cover)	▼ 0.5	0.42	93.29	Forest and native range (<50% ground cover)	▼ 0.5	3.94	97.23	Forest and native range (<50% ground cover)	▼ 0.5	2.19	99.42	Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	0.58	100
Land Use (Choose From Drop List)	Runoff Score	% in Catchment	Running Percent (not >100)																																				
Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	2.23	2.23																																				
Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	4.54	6.77																																				
Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	5.28	12.05																																				
Forest and native range (>75% ground cover)	▼ 1	80.82	92.87																																				
Forest and native range (<50% ground cover)	▼ 0.5	0.42	93.29																																				
Forest and native range (<50% ground cover)	▼ 0.5	3.94	97.23																																				
Forest and native range (<50% ground cover)	▼ 0.5	2.19	99.42																																				
Open space (pasture, lawns, parks, etc.), grass cover <50%	▼ 0.1	0.58	100																																				
S-K65			Notes:																																				
Variable	Value	VSI																																					
V <sub>CCANOPY</sub>	Not Used, <20%	Not Used																																					
V <sub>EMBED</sub>	3.7	1.00																																					
V <sub>SUBSTRATE</sub>	1.88 in	0.94																																					
V <sub>BERO</sub>	36 %	0.88																																					
V <sub>LWD</sub>	0.0	0.00																																					
V <sub>TDBH</sub>	Not Used	Not Used																																					
V <sub>SNAG</sub>	1.2	1.00																																					
V <sub>SSD</sub>	42.9	0.66																																					
V <sub>SRICH</sub>	0.00	0.00																																					
V <sub>DETRITUS</sub>	12.5 %	0.15																																					
V <sub>HERB</sub>	86 %	1.00																																					
V <sub>WLUSE</sub>	0.85	0.89																																					



# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # _____ RIVERMILE _____	STREAM CLASS	
LAT _____ LONG _____	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE _____ TIME _____	REASON FOR SURVEY

<b>WEATHER CONDITIONS</b>	<div style="display: flex; justify-content: space-between;"> <div> <b>Now</b>             storm (heavy rain)            rain (steady rain)            showers (intermittent)            _____%            %cloud cover            clear/sunny         </div> <div> <b>Past 24 hours</b>             _____%         </div> <div> <b>Has there been a heavy rain in the last 7 days?</b>            Yes    No  <b>Air Temperature</b> _____ °C  <b>Other</b> _____         </div> </div>	
<b>SITE LOCATION/MAP</b>	<b>Draw a map of the site and indicate the areas sampled (or attach a photograph)</b>  	
<b>STREAM CHARACTERIZATION</b>	<div style="display: flex; justify-content: space-between;"> <div> <b>Stream Subsystem</b>            Perennial    Intermittent    Tidal   <b>Stream Origin</b>            Glacial            Non-glacial montane            Swamp and bog         </div> <div> <b>Stream Type</b>            Coldwater    Warmwater   <b>Catchment Area</b> _____ km<sup>2</sup>             Spring-fed            Mixture of origins            Other _____         </div> </div>	



# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

<b>WATERSHED FEATURES</b>	<b>Predominant Surrounding Landuse</b> Forest _____ Field/Pasture _____ Agricultural _____ Residential _____ Commercial _____ Industrial _____ Other _____	<b>Local Watershed NPS Pollution</b> No evidence <input type="checkbox"/> Some potential sources Obvious sources _____ <b>Local Watershed Erosion</b> None _____ Moderate _____ Heavy _____
<b>RIPARIAN VEGETATION (18 meter buffer)</b>	<b>Indicate the dominant type and record the dominant species present</b> Trees _____ Shrubs _____ Grasses _____ Herbaceous _____ <b>Dominant species present</b> _____	
<b>INSTREAM FEATURES</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <b>Estimated Reach Length</b> _____ m  <b>Estimated Stream Width</b> _____ m  <b>Sampling Reach Area</b> _____ m<sup>2</sup>  <b>Area in km<sup>2</sup> (m<sup>2</sup>x1000)</b> _____ km<sup>2</sup>  <b>Estimated Stream Depth</b> _____ m  <b>Surface Velocity (at thalweg)</b> _____ m/sec           </div> <div style="width: 45%;"> <b>Canopy Cover</b>            Partly open _____ Partly shaded _____ Shaded _____  <b>High Water Mark</b> _____ m  <b>Proportion of Reach Represented by Stream Morphology Types</b>            Riffle _____ % Run _____ %            Pool _____ %  <b>Channelized</b> Yes _____ No _____  <b>Dam Present</b> Yes _____ No _____           </div> </div>	
<b>LARGE WOODY DEBRIS</b>	<b>LWD</b> _____ m <sup>2</sup> <b>Density of LWD</b> _____ m <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)	
<b>AQUATIC VEGETATION</b>	<b>Indicate the dominant type and record the dominant species present</b> Rooted emergent _____ Rooted submergent _____ Rooted floating _____ Free floating _____ Floating Algae _____ Attached Algae _____ <b>Dominant species present</b> _____ <b>Portion of the reach with aquatic vegetation</b> _____ %	
<b>WATER QUALITY (DS, US)</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <b>Temperature</b> _____ °C  <b>Specific Conductance</b> _____  <b>Dissolved Oxygen</b> _____  <b>pH</b> _____  <b>Turbidity</b> _____  <b>WQ Instrument Used</b> _____           </div> <div style="width: 45%;"> <b>Water Odors</b>            Normal/None _____ Sewage _____            Petroleum _____ Chemical _____            Fishy _____ Other _____  <b>Water Surface Oils</b>            Slick _____ Sheen _____ Globs _____ Flecks _____            None _____ Other _____  <b>Turbidity (if not measured)</b>            Clear <input type="checkbox"/> Slightly turbid _____ Turbid _____            Opaque _____ Stained _____ Other _____           </div> </div>	
<b>SEDIMENT/ SUBSTRATE</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <b>Odors</b>            Normal _____ Sewage _____ Petroleum _____            Chemical _____ Anaerobic _____ None _____            Other _____         </div> <div style="width: 45%;"> <b>Deposits</b>            Sludge _____ Sawdust _____ Paper fiber _____ Sand _____            Relict shells _____ Other _____         </div> </div> <b>Oils</b> Absent _____ Slight _____ Moderate _____ Profuse _____ <b>Looking at stones which are not deeply embedded, are the undersides black in color?</b> Yes _____ No _____	

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")				
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic (FPOM)	
Gravel	2-64 mm (0.1"-2.5")				
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments	
Silt	0.004-0.06 mm				
Clay	< 0.004 mm (slick)				



# HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME		LOCATION	
STATION # _____ RIVERMILE _____		STREAM CLASS	
LAT _____ LONG _____		RIVER BASIN	
STORET #		AGENCY	
INVESTIGATORS			
FORM COMPLETED BY		DATE _____ TIME _____ AM PM	REASON FOR SURVEY

Parameters to be evaluated in sampling reach	Habitat Parameter	Condition Category			
		Optimal	Suboptimal	Marginal	Poor
	<b>1. Epifaunal Substrate/ Available Cover</b>	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	<b>SCORE</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	<b>2. Embeddedness</b>	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
	<b>SCORE</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	<b>3. Velocity/Depth Regime</b>	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
	<b>SCORE</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	<b>4. Sediment Deposition</b>	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	<b>SCORE</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	<b>5. Channel Flow Status</b>	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	<b>SCORE</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

# HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter	Condition Category																				
	Optimal					Suboptimal					Marginal					Poor					
<b>6. Channel Alteration</b>	Channelization or dredging absent or minimal; stream with normal pattern.					Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.					Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.					Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
<b>SCORE</b>	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
<b>7. Frequency of Riffles (or bends)</b>	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.					Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.					Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.					Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
<b>SCORE</b>	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
<b>8. Bank Stability (score each bank)</b>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.					Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.					Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.					Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
Note: determine left or right side by facing downstream.																					
SCORE ____ (LB)	Left Bank	10		9		8	7		6		5	4		3		2	1		0		
SCORE ____ (RB)	Right Bank	10		9		8	7		6		5	4		3		2	1		0		
<b>9. Vegetative Protection (score each bank)</b>	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.					70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.					50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.					Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
SCORE ____ (LB)	Left Bank	10		9		8	7		6		5	4		3		2	1		0		
SCORE ____ (RB)	Right Bank	10		9		8	7		6		5	4		3		2	1		0		
<b>10. Riparian Vegetative Zone Width (score each bank riparian zone)</b>	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.					Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.					Width of riparian zone 6-12 meters; human activities have impacted zone a great deal.					Width of riparian zone <6 meters; little or no riparian vegetation due to human activities.					
SCORE ____ (LB)	Left Bank	10		9		8	7		6		5	4		3		2	1		0		
SCORE ____ (RB)	Right Bank	10		9		8	7		6		5	4		3		2	1		0		

Total Score \_\_\_\_\_



## BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME _____	LOCATION _____	
STATION # _____ RIVERMILE _____	STREAM CLASS _____	
LAT _____ LONG _____	RIVER BASIN _____	
STORET # _____	AGENCY _____	
INVESTIGATORS _____		LOT NUMBER _____
FORM COMPLETED BY _____	DATE _____ TIME _____	REASON FOR SURVEY _____

<b>HABITAT TYPES</b>	<b>Indicate the percentage of each habitat type present</b> Cobble _____%    Snags _____%    Vegetated Banks _____%    Sand _____% Submerged Macrophytes _____%    Other ( _____ ) _____%
<b>SAMPLE COLLECTION</b>	<b>Gear used</b> D-frame    kick-net    Other _____  <b>How were the samples collected?</b> wading    from bank    from boat  <b>Indicate the number of jabs/kicks taken in each habitat type.</b> Cobble _____    Snags _____    Vegetated Banks _____    Sand _____ Submerged Macrophytes _____    Other ( _____ ) _____
<b>GENERAL COMMENTS</b>	

### QUALITATIVE LISTING OF AQUATIC BIOTA

**Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant**

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

### FIELD OBSERVATIONS OF MACROBENTHOS

**Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)**

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

# WOLMAN PEBBLE COUNT FORM

County:	Doddridge
Stream Name:	UNT to Big Isaac Creek
HUC Code:	05020002
Survey Date:	8/28/2021
Surveyors:	SM, JR, MB
Type:	Bankfull Channel


Stream ID: S-K65

Basin:

PEBBLE COUNT							
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	<div><div></div><div></div><div></div></div>	0	0.00	0.00
	Very Fine	.062-.125	S A N D	<div><div></div><div></div><div></div></div>	0	0.00	0.00
	Fine	.125-.25		<div><div></div><div></div><div></div></div>	4	4.00	4.00
	Medium	.25-.5		<div><div></div><div></div><div></div></div>	0	0.00	4.00
	Coarse	.50-1.0		<div><div></div><div></div><div></div></div>	0	0.00	4.00
.04-.08	Very Coarse	1.0-2		<div><div></div><div></div><div></div></div>	0	0.00	4.00
.08 -.16	Very Fine	2 -4	G R A V E L	<div><div></div><div></div><div></div></div>	0	0.00	4.00
.16 - .22	Fine	4 -5.7		<div><div></div><div></div><div></div></div>	3	3.00	7.00
.22 - .31	Fine	5.7 - 8		<div><div></div><div></div><div></div></div>	6	6.00	13.00
.31 - .44	Medium	8 -11.3		<div><div></div><div></div><div></div></div>	5	5.00	18.00
.44 - .63	Medium	11.3 - 16		<div><div></div><div></div><div></div></div>	10	10.00	28.00
.63 - .89	Coarse	16 -22.6		<div><div></div><div></div><div></div></div>	11	11.00	39.00
.89 - 1.26	Coarse	22.6 - 32		<div><div></div><div></div><div></div></div>	17	17.00	56.00
1.26 - 1.77	Vry Coarse	32 - 45		<div><div></div><div></div><div></div></div>	6	6.00	62.00
1.77 -2.5	Vry Coarse	45 - 64		<div><div></div><div></div><div></div></div>	9	9.00	71.00
2.5 - 3.5	Small	64 - 90	C O B B L E	<div><div></div><div></div><div></div></div>	9	9.00	80.00
3.5 - 5.0	Small	90 - 128		<div><div></div><div></div><div></div></div>	7	7.00	87.00
5.0 - 7.1	Large	128 - 180		<div><div></div><div></div><div></div></div>	4	4.00	91.00
7.1 - 10.1	Large	180 - 256		<div><div></div><div></div><div></div></div>	5	5.00	96.00
10.1 - 14.3	Small	256 - 362	B O U L D E R	<div><div></div><div></div><div></div></div>	2	2.00	98.00
14.3 - 20	Small	362 - 512		<div><div></div><div></div><div></div></div>	1	1.00	99.00
20 - 40	Medium	512 - 1024		<div><div></div><div></div><div></div></div>	0	0.00	99.00
40 - 80	Large	1024 -2048		<div><div></div><div></div><div></div></div>	0	0.00	99.00
80 - 160	Vry Large	2048 -4096		<div><div></div><div></div><div></div></div>	0	0.00	99.00
	Bedrock		BDRK	<div><div></div><div></div></div>	1	1.00	100.00
				Totals:	100		
	Total Tally:						



# Bankfull Channel Pebble Count, S-K65



Size (mm)		Size Distribution		Type		
D16	9.6	mean	32.5	silt/clay	0%	bedrock
D35	19	dispersion	3.4	sand	4%	
D50	28	skewness	0.06	gravel	67%	
D65	49			cobble	25%	
D84	110			boulder	3%	
D95	220					

