Baseline Assessment – Stream Attributes

Reach S-K74 (Pipeline ROW) Ephemeral Spread A Harrison County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread A Stream S-K74 (Pipeline ROW) Harrison County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, AJE/ER Lat: 39.243647 Long: -80.553903



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, AJE/ER
Lat: 39.243647 Long: -80.553903

Spread A Stream S-K74 (Pipeline ROW) Harrison County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, AJE/ER Lat: 39.243647 Long: -80.553903



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, AJE/ER Lat: 39.243647 Long: -80.553903

Spread A Stream S-K74 (Pipeline ROW) Harrison County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, AJE/ER Lat: 39.243647 Long: -80.553903



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, AJE/ER
Lat: 39.243647 Long: -80.553903

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.243647 L	on.	-80.553903	WEATHER:		Sunny	DATE:	09/16	6/2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S-K74 Pip	peline ROW		MITIGATION STREAM CLASS./SIT (watershed size (acreage), un						Comments:		
STREAM IMPACT LENGTH:	36	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	L	on.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing	Condition (Del	pit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)	•	Column No. 3- Mitigation Project Post Completion (C		ve Years	Column No. 4- Mitigation Proje Post Completion (ears	Column No. 5- Mitigation Projecte	d at Maturity (C	Credit)
Stream Classification:	Ephe	meral	Stream Classification:			Stream Classification:		0	Stream Classification:		0	Stream Classification:	0	ه
Percent Stream Channel SI	оре	8	Percent Stream Channel Sic	оре		Percent Stream Channel Slope	e	0	Percent Stream Channel SI	оре	0	Percent Stream Channel SI	ре	0
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (attach dat	ta forms):	HGM Score (attach da	ata forms):		HGM Score (attach da	ta forms):	
Hydrology Biogeochemical Cycling	0.46	0.32333333	Hydrology Biogeochemical Cycling	Average 0		Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling		Average 0
Habitat PART I - Physical, Chemical and	0.09		Habitat PART I - Physical, Chemical and	d Biological Indicators		Habitat PART I - Physical, Chemical and B	liological	Indicators	Habitat PART I - Physical, Chemical and	Biological India	cators	Habitat PART I - Physical, Chemical and	Biological Indica	ators
	Points Scale Range	Site Score		Points Scale Range Site Score		Po	oints Scale R	ange Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams class	ssifications	1	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	dassifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	0	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	_
2. Embeddedness	0-20	3	Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	20	3. Pool Variability	0-20			0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
Sediment Deposition Channel Flow Status	0-20	0	Sediment Deposition Channel Flow Status	0-20			0-20		Sediment Deposition Channel Flow Status	0-20		Sediment Deposition Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	19	6. Channel Alteration	0-20 0-1			0-20	0-1	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20			0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	16	8. Bank Stability (LB & RB)	0-20			0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	16	10. Riparian Vegetative Zone Width (LB & RB)	0-20			0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20	
Total RBP Score	Suboptimal	90	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.75	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Str	eams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and	d Perennia	Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial St	treams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stre	ams)
WVDEP Water Quality Indicators (General Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity		
100-199 - 85 points pH	0-90		pH	0-90		pH	0-90		рН	0-90		рН	0-90	
5.6-5.9 = 45 points	0-80		DO	5-90		DO	5-90	J-1	DO	5-90		DO	5-90	
	10-30			10-30			10-30			10-30			10-30	
Sub-Total			Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitt	lent and Perennial S	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermitter	nt and Per	ennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Peren	nial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	tent and Perennia	ial Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100	0-1	WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	
0 Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index and Un	it Score		PART II - Index and U	nit Score		PART II - Index and U	iit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Fe	et Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.549	36	19.77	0	0 0		0	0	0	0	0	0	0	0	0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Harrison County. Spread A

Sampling Date: 9/15/21 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-K74

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.46
Biogeochemical Cycling	0.42
Habitat	0.09

Variable Measure and Subindex Summary:


Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	2.37	0.59
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	0.00	0.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	20.00	0.24
V _{HERB}	Average percent cover of herbaceous vegetation.	80.00	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.86	0.91

			High-G		Headwa				alachi	a		
	Team:	AJE ER		rieiu L	Jala Sile	et and C	aicuia		tude/UTI	M Northing:	39.243647	
Pr	oject Name:		m Assessm	ent						•	-80.553903	i
	Location:	Harrison C	ounty. Sprea	ad A					Sam	pling Date:	9/15/21	
S	AR Number:	S-K74	Reach	Length (ft):	36	Stream Ty	/pe: E	phemer	al Stream			•
	Top Strata: Shrub/Herb Strata (determined from percent calculated in V _{CCANOPY})											
	and Timing:	0.000	91			•	Before P	roject				•
Sample Variables 1-4 in stream channel 1 V _{CCANOPY} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 r						0 roughly						
'	1 V _{CCANOPY} Average percent cover over channel by tree an equidistant points along the stream. Measure c 20%, enter at least one value between 0 and 19. List the percent cover measurements at each point below:			only if tree/s 9 to trigger	apling co	over is a	at least 2			Not Used, <20%		
	0											
2	V _{EMBED}	along the s surface and to the follow of 1. If the	mbeddednes tream. Sele d area surro ving table. I bed is comp	ct a particle unding the p f the bed is posed of bed	from the be particle that in an artificial stances arock, use a	ed. Before noise covered be surface, or contact rating score	noving it, by fine se compose e of 5.	, determ diment, d of fine	nine the , and ent e sedime	percentage er the rating ents, use a r	of the g according rating score	2.4
		Minshall 19			obble and b	buider partic	ies (resc	caled III	om Piau	s, weganan	, and	
		Rating 5	Rating Des <5 percent		overed, sur	rounded or	buried by	v fine se	ediment	(or bedrock)	
		4	5 to 25 per	cent of surfa	ce covered	surrounded	d, or buri	ed by fi	ne sedin	nent		
		3			face covere							
		1			face covered covered, su						al surface)	Į.
	List the rati	ngs at each	point below			, -				(
	5	4	4	3	4	5	5		5	4	5	
	4	1	1	1	1	1	3		1	1	1	
	3	1	1	1	1	1	1		1	1	1	
								_				
3	V _{SUBSTRATE}		eam channe tream; use t						30 rougl	nly equidista	ant points	0.08 in
			ches to the a			point below	(bedroo	k shoul	ld be cou	ınted as 99	in, asphalt	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08		0.08	1.60	1.53	
	1.73	0.08	0.08	0.08	0.08	0.08	0.08		0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08		80.0	0.08	0.08	
4	V_{BERO}	and the total	nt of erodecal percentag									0 %
		up to 200%	Left Bank:	0	ft		Right Ba	nk:	0	ft		
Sample	e Variables	5-9 within t	he entire ri	oarian/buffe	er zone adia	acent to the	stream	channe	el (25 fe	et from eac	ch bank).	
5	V _{LWD}	Number of stream rea	down wood ch. Enter th	y stems (at l e number fr	least 4 inche	es in diamet	er and 36	6 inches	s in leng	th) per 100 t	feet of	0.0
		per 100 lee	it Or Stream	Will be calcu		downed wo	ody ster	ns:	()		
6	V_{TDBH}		oh of trees (r cm) in diam				g cover i	is at lea	st 20%).	. Trees are	at least 4	Not Used
		List the dbh the stream	n measurem below:	ents of indiv	ridual trees	(at least 4 in) within t	the buffe	er on ea	ch side of		_
			Left Side					Rig	ght Side			
	0					0						
7	V	Number of	snags (at le	ast 4" dbb a	nd 36" tall)	ner 100 feet	of stream	m Ente	er numb	er of spage	on each	
,	V _{SNAG}		stream, and					an. Einte	or mumble	or or strays	on cacil	0.0
			Left Oid		0		Dial-+ C.	do.	,	,		
8	V _{SSD}	Number of	Left Side: saplings an		ondy stems	un to 4 inch	Right Si		feet of s		asure only	
o	VSSD	if tree cove	r is <20%). of stream wil	Enter numb	er of sapling							0.0
			Left Side:		0		Right Si	de:	()		

9	V _{SRICH}	Riparian ve Group 1 in				calculated t	from these da	ata			
			p 1 = 1.0						ıp 2 (-1.0)		
	Acer rubrui	m		Magnolia ti	ripetala		Ailanthus a	ltissima		Lonicera ja	ponica
	Acer sacch	narum		Nyssa sylv	vatica .		Albizia julib	rissin		Lonicera ta	tarica
7	Aesculus fl	lava		Oxydendrun	n arboreum		Alliaria petio	olata		Lotus com	iculatus
7	Asimina tril	loha		Prunus sei			Alternanthe			Lythrum sa	
]	Betula alleg			Quercus a			philoxeroide			Microstegiui	
]	Betula lenta			Quercus co			Aster tatari			Paulownia	
_											
]	Carya alba			Quercus in			Cerastium			Polygonum	•
]	Carya glab			Quercus p			Coronilla va			Pueraria m	
	Carya oval	is		Quercus ru	ubra	Elaeagnus umbellata			Rosa multi	flora	
	Carya ovat	'a		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepens
	Cornus flor	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena bi	rasiliens
	Fagus grar	ndifolia		Tilia americ	cana		Ligustrum ob	tusifolium			
	Fraxinus a	mericana		Tsuga can	adensis		Ligustrum s	inense			
]	Liriodendron	tulipifera		Ulmus ame	ericana						
]	Magnolia a	cuminata									
_											
		0	Species in	Group 1				0	Species i	n Group 2	
		bplots shou Average pe	ild be place ercent cover	d roughly of leaves,	equidistantl sticks, or oth	y along ea er organic	in the ripari ach side of the material. Wo yer at each s	ne strean ody debr	1.	ter and <36"	20.00
		r <u> </u>		Side				Side		7	
		20	10	25	20	20	25	20	20		
1	V_{HERB}	Average percentage cover of herbaceous vegetation (measure only if tree cover include woody stems at least 4" dbh and 36" tall. Because there may be several livegetation percentages up through 200% are accepted. Enter the percent cover each subplot.			layers of gro	ound cover	80 %				
			ot.		n 200% are a	ассертеа. т				¬	
		each subple	ot. Left	Side			Right	Side	80]	
		80 2 within the	Left 90 e entire cate	Side 75 chment of t	80 the stream.	80			80		
	e Variable 1 V _{WLUSE}	80 2 within the	bot. Left 90 e entire cate Average of F	Side 75 chment of t	80 the stream.	80 ned:	Right	Side	80 Runoff	% in	Runni
		80 2 within the	bot. Left 90 e entire cate Average of F	Side 75 chment of t	80 the stream.	80 ned:	Right	Side		% in Catch- ment	Runni
	V _{WLUSE}	80 2 within the	e entire cate Verage of F	Side 75 Chment of t Runoff Score	80 the stream. e for watersh	80 ned:	Right	Side	Runoff	Catch-	Runni Perce (not >1
	V _{WLUSE}	80 2 within the Weighted A	e entire cato verage of F Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover	80 the stream. e for watersh se From Dro	80 ned:	Right	Side	Runoff Score	Catch- ment	Runni Perce (not >1
	V _{WLUSE} Open space Open space	80 2 within the Weighted A	tentire cate poly entire cate verage of F Land	Side 75 Chment of t Runoff Score Use (Choose , grass cover	80 the stream. e for watersh se From Dro < <50%	80 ned:	Right	Side	Runoff Score 0.1 0.1	Catch- ment 6.44 0.24	Runni Perce (not >1 6.44 6.68
	V _{WLUSE} Open space Open space	80 2 within the Weighted A	tentire cate poly entire cate verage of F Land	Side 75 Chment of t Runoff Score Use (Choose , grass cover	80 the stream. e for watersh se From Dro < <50%	80 ned:	Right	Side	Runoff Score	Catch- ment 6.44	Runni Perce (not >1 6.44
	VwLusE Open space Open space Open space	80 2 within the Weighted A	Left 90 e entire cate werage of F Land Land ns, parks, etc. ns, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover	80 the stream. e for watersh se From Dro < <50%	80 ned:	Right	Side	Runoff Score 0.1 0.1	Catch- ment 6.44 0.24	Runni Perce (not >1 6.44 6.68 7.0
	Open space Open space Open space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr	Land Land Land Land Land Land Land Land	Side 75 Chment of t Runoff Score Use (Choose Choose Choo	80 the stream. e for watersh se From Dro < <50% < <50%	80 ned:	Right	Side	Runoff Score 0.1 0.1 0.1	Catchment 6.44 0.24 0.33	Runni Perce (not >1 6.44 6.66 7.0
	Open space Open space Open space Forest and n Open space	2 within the Weighted A (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr	tentire cate pentire cate verage of F Land hs, parks, etc. parks, etc. 75% ground hs, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right	Side	Runoff Score 0.1 0.1 0.1 1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18	Runni Perce (not >1 6.44 6.68 7.0° 91.2
	Open space Open space Open space Forest and n Open space Open space	each subple 80 2 within the Weighted A (pasture, lawr	Left 90 e entire cate werage of F Land ns, parks, etc. ns, parks, etc. s, parks, etc. ns, parks, etc. ns, parks, etc. ns, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right	Side	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.68 7.0° 91.2 91.4
	Open space Open space Open space Forest and n Open space Open space	2 within the Weighted A (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr	Left 90 e entire cate werage of F Land ns, parks, etc. ns, parks, etc. s, parks, etc. ns, parks, etc. ns, parks, etc. ns, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right	Side	Runoff Score 0.1 0.1 0.1 1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18	Runni Perce (not >1 6.44 6.68 7.0° 91.2 91.4
	Open space Open space Open space Forest and n Open space Open space	each subple 80 2 within the Weighted A (pasture, lawr	Left 90 e entire cate werage of F Land ns, parks, etc. ns, parks, etc. s, parks, etc. ns, parks, etc. ns, parks, etc. ns, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right	Side	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4
	Open space Open space Open space Forest and n Open space Open space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr	Left 90 e entire cate werage of F Land ns, parks, etc. ns, parks, etc. s, parks, etc. ns, parks, etc. ns, parks, etc. ns, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4
2	Open space Open space Open space Forest and n Open space Open space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr	Left 90 e entire cate werage of F Land ns, parks, etc. ns, parks, etc. s, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4
V	Open space Open space Open space Forest and n Open space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr	Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4
V	Open space Open space Open space Forest and n Open space Open space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr	Left 90 e entire cate werage of F Land ns, parks, etc. ns, parks, etc. s, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V:	Open space Open space Open space Forest and n Open space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr (pasture	Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V:	Open space Open space Open space Forest and n Open space Forest and n Open space Copen space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr (pasture,	Left 90 e entire cate werage of F Land Land s, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V?	Open space Open space Open space Forest and n Open space Forest and n Copen space Copen space Forest and n Stariable CCANOPY MEMBED SUBSTRATE	(pasture, lawr (pasture, lawr (pastu	Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V?	Open space Open space Open space Forest and n Open space Forest and n Open space Copen space Forest and n	each subple 80 2 within the Weighted A (pasture, lawr (pasture,	Left 90 e entire cate werage of F Land Land s, parks, etc.	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V: V V V V V V V V V V V V V V V V V V	Open space Open space Open space Forest and n Open space Forest and n Copen space Copen space Forest and n Stariable CCANOPY MEMBED SUBSTRATE	(pasture, lawr (pasture, lawr (pastu	Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V: V V V V V V V V V V V V V V V V V V	Open space Open space Open space Forest and n Open space Forest and n Open space Forest and n Stariable CCANOPY EMBED SUBSTRATE BERO	each subple 80 2 within the Weighted A (pasture, lawn (pasture, lawn (pasture, lawn (pasture, lawn autive range (* Casture, lawn (pasture, lawn (pastur	verage of F Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V: V V V V V V V V V V V V V V V V V V	Open space Open space Open space Forest and n Open space Forest and n Copen space Forest and n S CCANOPY /EMBED /SUBSTRATE	each subple 80 2 within the Weighted A (pasture, lawr (pasture,	De entire cate verage of F Land L	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V: V	Open space Open space Open space Forest and n Open space Forest and n Open space Forest and n Stariable CCANOPY EMBED SUBSTRATE BERO	each subple 80 2 within the Weighted A (pasture, lawn (pasture, lawn (pasture, lawn (pasture, lawn autive range (* Casture, lawn (pasture, lawn (pastur	verage of F Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.68 7.0° 91.2 91.4
V: 2	Open space Open space Open space Forest and n S S S S S S S S S S S S S S S S S S S	each subple 80 2 within the Weighted A (pasture, lawr (pasture	Land	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.68 7.0° 91.2 91.4
V: V V V V V V V V V V V V V V V V V V	Open space Open space Open space Forest and n Open space Forest and n Open space Copen space Forest and n Open space Forest an	each subple 80 2 within the Weighted A (pasture, lawr (pasture,	Left 90 entire cate verage of F Land ns, parks, etc. ns, parks, etc. r5% ground ns, parks, etc. r5% ground Not Used 0.59 0.04 1.00 0.00 Not Used 0.10 0.00	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.66 7.0 91.2 91.4 99.5
V2	Open space Open space Open space Forest and n Startiable CCANOPY FEMBED SUBSTRATE BERO LWD TDBH SNAG SSD SRICH	each subple 80 2 within the Weighted A (pasture, lawr (pasture	Left 90 Land Ne entire cate everage of F Land Ins, parks, etc. Ins, parks,	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.68 7.0° 91.2 91.4
> 2	Open space Open space Open space Forest and n Open space Forest and n Open space Copen space Forest and n Open space Forest an	each subple 80 2 within the Weighted A (pasture, lawr (pasture,	Left 90 entire cate verage of F Land ns, parks, etc. ns, parks, etc. r5% ground ns, parks, etc. r5% ground Not Used 0.59 0.04 1.00 0.00 Not Used 0.10 0.00	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.68 7.0° 91.2 91.4
V: V V V V V V V V V V V V V V V V V V	Open space Open space Open space Forest and n Startiable CCANOPY FEMBED SUBSTRATE BERO LWD TDBH SNAG SSD SRICH	each subple 80 2 within the Weighted A (pasture, lawr (pasture	Left 90 Land Ne entire cate everage of F Land Ins, parks, etc. Ins, parks,	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	0.86 Runni Perce (not >1 6.44 6.68 7.01 91.2 91.4 99.5
V: V	Open space Open space Open space Forest and n Open space Forest and n Open space Forest and n S S S S S S S S S S S S S S S S S S S	each subple 80 2 within the Weighted A (pasture, lawr (pasture,	Left 90 Pentire cate werage of F Land Land ns, parks, etc. ns, parks, etc. r5% ground ns, parks, etc. r5% ground Not Used 0.59 0.04 1.00 0.00 Not Used 0.10 0.00 0.00 0.24	Side 75 Chment of t Runoff Score Use (Choose), grass cover), grass cover cover)), grass cover , grass cover	80 the stream. e for watersh se From Dro < <50% < <50% < <50%	80 ned:	Right 75	Side 80	Runoff Score 0.1 0.1 1 0.1 0.1 0.1 0.1	Catchment 6.44 0.24 0.33 84.21 0.18 8.12	Runni Perce (not >1 6.44 6.68 7.01 91.2 91.4

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION				
STATION #	RIVERMILE	STREAM CLASS				
LAT	LONG	RIVER BASIN				
STORET#		AGENCY				
INVESTIGATORS						
FORM COMPLETED BY		DATE	REASON FOR SURVEY			



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMENT/ SUBSTRATE Odors Normal Sewage Chemical Anaerol Other Oils Absent Slight M					are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2		,		(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
sampli	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN						
STORET#		AGENCY						
INVESTIGATORS		LOT NUMBER						
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY					
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %					

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM


County: Harrison Stream ID: S-K74


Stream Name: UNT to Coburn Fork


HUC Code: Basin:

Survey Date: 9/15/2021 Surveyors: DD KP LC Type: Bankfull Channel


			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	^	80	80.00	80.00
	Very Fine	.062125		^	0	0.00	80.00
	Fine	.12525		^	0	0.00	80.00
	Medium	.255	SAND	^	0	0.00	80.00
	Coarse	.50-1.0		^	5	5.00	85.00
.0408	Very Coarse	1.0-2		*	3	3.00	88.00
.0816	Very Fine	2 -4		*	0	0.00	88.00
.1622	Fine	4 -5.7		*	0	0.00	88.00
.2231	Fine	5.7 - 8		^	5	5.00	93.00
.3144	Medium	8 -11.3		^	3	3.00	96.00
.4463	Medium	11.3 - 16	GRAVEL	^	3	3.00	99.00
.6389	Coarse	16 -22.6		^	0	0.00	99.00
.89 - 1.26	Coarse	22.6 - 32		^	0	0.00	99.00
1.26 - 1.77	Vry Coarse	32 - 45	1	^	0	0.00	99.00
1.77 -2.5	Vry Coarse	45 - 64		^	0	0.00	99.00
2.5 - 3.5	Small	64 - 90		^	1	1.00	100.0
3.5 - 5.0	Small	90 - 128		^	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	A	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		^	0	0.00	100.0
0.1 - 14.3	Small	256 - 362		<u> </u>	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	<u> </u>	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>	0	0.00	100.0
40 - 80	Large	1024 -2048	1	<u> </u>	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	<u> </u>	0	0.00	100.0
	Bedrock		BDRK	<u> </u>	0	0.00	100.0
				Totals:	100		







AS-BUILT TABLE: S-K74 CROSS SECTION A										
	Pi	PRE-CROSSING								
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.					
TS-L	14251642.2920	1766725.5320	1161.569'							
BS-L	14251641.4410	1766721.4180	1159.892'							
THW	14251643.0630	1766723.4810	1158.575'							
BS-R	14251644.0120	1766721.9870	1159.767'	·						
TS-R	14251646.8460	1766724.21501	1159.639'							



SURVEY NOTES:

LEGEND

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

STUDY AREA (EASEMENT)

1176.87 十

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 26, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-K74 BASELINE CROSS-SECTION A 0+00 0+10 0+20



CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No