Baseline Assessment – Stream Attributes

Reach S-K75 (Pipeline ROW) Intermittent Spread A Harrison County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓ - Low Flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low Flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, SM/JM/CC
Lat: 39.243509 Long: -80.554028



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, SM/JM/CC Lat: 39.243509 Long: -80.554028



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, SM/JM/CC
Lat: 39.243509 Long: -80.554028



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, SM/JM/CC
Lat: 39.243509 Long: -80.554028



Photo Type: US View Location, Orientation, Photographer Initials: Upstream View of ROW Lat: 39.243531 Long: -80.553901



Photo Type: US View Location, Orientation, Photographer Initials: Upstream View of ROW Lat: 39.243558 Long: -80.553913



Photo Type: DS View Location, Orientation, Photographer Initials: Downstream View of ROW Lat: 39.243537 Long: -80.553977



Photo Type: DS View Location, Orientation, Photographer Initials: Downstream View of ROW Lat: 39.243522 Long: -80.553996

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline		COORDINATES: imal Degrees)	Lat.	39.243509	Lon.	-80.554028	WEATHER:	50% Cloud Cover	DATE:	08/26/21
IMPACT STREAM/SITE ID (watershed size (acreage),			S-l	K75			MITIGATION STREAM CLASS (watershed size {acres					Comments:	
STREAM IMPACT LENGTH:	96	FORM OF MITIGATION:	RESTORATION (Levels I-III)		ORDINATES: imal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	g Condition (De	bit)	Column No. 2- Mitigation Existing C	ondition - Baseli	ine (Credit)		Column No. 3- Mitigation Post Complet	Projected at Five on (Credit)	Years	Column No. 4- Mitigation Proj Post Completion (Column No. 5- Mitigation Project	ted at Maturity (Credit)
Stream Classification:	Interr	mittent	Stream Classification:				Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	оре	5.1	Percent Stream Channel Slo	оре			Percent Stream Channel	Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel S	Slope 0
HGM Score (attach d	ata forms):		HGM Score (attach o	data forms):			HGM Score (attac	h data forms):		HGM Score (attach d	ata forms):	HGM Score (attach o	data forms):
		Average			Average				Average		Average		Average
Hydrology Biogeochemical Cycling	0.51 0.19	0.26	Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and	0.08	cators	Habitat PART I - Physical, Chemical and	d Biological Indic	cators		Habitat PART I - Physical, Chemical	and Biological Ir	dicators	Habitat PART I - Physical, Chemical and	Biological Indicators	Habitat PART I - Physical, Chemical and	d Biological Indicators
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale Rang	s Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)	•			USEPARBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	•
Epifaunal Substrate/Available Cover	0-20	0	Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
Embeddedness Velocity/ Depth Regime	0-20	1	Pool Substrate Characterization Pool Variability	0-20			Embeddedness Velocity/ Depth Regime	0-20		Embeddedness Velocity/ Depth Regime	0-20	Embeddedness Velocity/ Depth Regime	0-20
Velocity Depart regime Sediment Deposition	0-20	6	Sediment Deposition	0-20			Velocity Departregime Sediment Deposition	0-20		Velocity Depart regime Sediment Deposition	0-20	Velocity Depart Regime Sediment Deposition	0-20
5. Channel Flow Status	0-20 0-1	1	5. Channel Flow Status	0-20			5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
6. Channel Alteration	0-20	20	6. Channel Alteration	0-20			6. Channel Alteration	0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB)	0-20	16	Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20
Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20	12 75	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20	•		10. Riparian Vegetative Zone Width (LB & RB)	0-20	•	Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20	Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20
Total RBP Score Sub-Total	Marginal	0.375	Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor 0	Total RBP Score Sub-Total	Poor 0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Strea	ams)		CHEMICAL INDICATOR (Applies to Intermit	ent and Perennial S		CHEMICAL INDICATOR (Applies to Intermitter		CHEMICAL INDICATOR (Applies to Intermitte	
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (Gener	al)		WVDEP Water Quality Indicators (General)	WVDEP Water Quality Indicators (General	ıl)
Specific Conductivity 100-199 - 85 points	0-90	168	Specific Conductivity	0-90			Specific Conductivity	0-90		Specific Conductivity	0-90	Specific Conductivity	0-90
pH			pH				pH			pH		pH	
6.0-8.0 = 80 points	0-80	6.87		5-90 0-1				5-90			5-90 0-1		5-90 0-1
DO	10-30	2.72	DO	10-30			DO	10-30		DO	10-30	DO	10-30
<5.0 = 10 points Sub-Total		0.875	Sub-Total	1	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Str	reams)		BIOLOGICAL INDICATOR (Applies to Inte	mittent and Peren		BIOLOGICAL INDICATOR (Applies to Intern		BIOLOGICAL INDICATOR (Applies to Intern	
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0	0-100 0-1			0-100 0-1				0-100 0-			0-100 0-1		0-100 0-1
Sub-Total	+ +	0	Sub-Total	' '	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	Jnit Score		PART II - Index and	Unit Score			PART II - Index a	nd Unit Score		PART II - Index and U	nit Score	PART II - Index and	Unit Score
Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear Fee	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.443	96	42.48	0	0	0		0	0	0	0	0 0	0	0 0
L	1		μ	1						μ		1	1 1

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP

Location: Harrison, Spread A

Sampling Date: 8/26/21 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR:SAR number: S-K75

Shrub/Herb Strata

Functional Results Summary: Enter Res

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.51
Biogeochemical Cycling	0.19
Habitat	0.08

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	28.14	0.43
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	7.50	0.09
V _{HERB}	Average percent cover of herbaceous vegetation.	87.00	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.97	1.00

Version 10-20-17

			High-G			ter Strea			а		
	Toom	SM, JM, CO		Field L	Jata She	et and C		=	M Northing:	39.243509	
Pr	oject Name:		,						_	-80.554028	3
• • •	,	Harrison, S	pread A					-	npling Date:		,
S	AR Number:	S-K75		Length (ft):	42.65	Stream Ty	rpe: Inter	mittent Strea			
٠.	Top Strata:		rub/Herb Sti			d from perce					
Site	and Timing:		Y .			-	Before Proje				~
	e Variables	Dan Streetman	F 1			100					100
1	V _{CCANOPY}	Average pe equidistant	rcent cover points alon at least one	g the strean e value betw	n. Measure veen 0 and 1	nd sapling c only if tree/s l9 to trigger	sapling cove	er is at least			Not Used <20%
	0										1
											1
2	V _{EMBED}	along the s surface and according t rating score	tream. Seled area surro the following of 1. If the	ect a particle unding the p ing table. If bed is com	e from the be particle that the bed is a sposed of be	I. Measure ed. Before r is covered b an artificial s edrock, use a oulder partio	noving it, de by fine sedir urface, or c a rating sco	etermine the ment, and er omposed of re of 5.	percentage nter the ratir fine sedime	e of the ng ents, use a	1.0
		Minshall 19	83)		obble and b	oulder partit	Jies (Tescali	eu IIOIII Fiai	is, wegana	ii, aiiu	
		Rating 5	Rating Des <5 percent		covered sur	rounded, or	buried hv fi	ne sedimen	t (or bedroo	k)	
		4	5 to 25 per	cent of surfa	ace covered	, surrounded	d, or buried	by fine sedi	ment		
		3				d, surrounde d, surrounde					
		<u>2</u> 1				a, surrounae irrounded, o				ial surface)	
	List the rati	ngs at each			D. Gu, Gu			5531116	. , - : = : : : : : : : : : : : : : : : : :		ı
	1	1	1	1	1	1	1	1	1	1	
	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	
3						. Measure a					
		cle size in in concrete as				n point belov 18 in):	w (bedrock	should be co	ounted as 9	9 in,	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	
4	V_{BERO}					Enter the to					
		may be up	to 200%.	_		d If both ba				e stream	0 %
			Left Bank:	0	ft		Right Bank:	C) ft		
mpl 5	V _{LWD}	Number of stream read	down woody	y stems (at l	east 4 inche om the entir ılated.	es in diameter solution to the	er and 36 in ouffer and w	ches in lengithin the cha	gth) per 100	feet of	0.0
6	V_{TDBH}	Average db	h of trees (r	measure on		_y tree/saplin	_			at least 4	NetU
		List the dbh	n measurem		tree DBHs i vidual trees	n inches. (at least 4 ir	n) within the	buffer on e	ach side of		Not Use
	r	the stream						Dight O: -			1
	0		Left Side			0		Right Side			ł
	0					- 0					
											1
											1
											1
7	V _{SNAG}					per 100 feet et will be cal		Enter numb	per of snags	on each	0.0
			Left Side:		0		Right Side:		0		
8	V_{SSD}	if tree cove	r is <20%).	Enter numb	er of sapling	up to 4 inch gs and shrul				asure only the amount	28.1
		per 100 ft o	f stream wil	l be calculat	ted.		Dight Sido:				

				tratum. Check all on the subindex w					.00.00	0.00
			p 1 = 1.0	illa tile subilidex w	ili be calculated	i iioiii tilese u		2 (-1.0)		
]	Acer rubru			Magnolia tripetala		Ailanthus a			Lonicera ja	nonica
]	Acer sacch			Nyssa sylvatica		Albizia julib			Lonicera ta	
	Aesculus fl			Oxydendrum arbon		•		_	Lotus corni	
l			_	-	reum	Alliaria petiolata				
]	Asimina tril			Prunus serotina		Alternanthe			Lythrum sa	
]	Betula alleg	ghaniensis		Quercus alba		philoxeroid	28	Ø	Microstegiun	n vimineu
	Betula lent	а		Quercus coccinea	a 🗆	Aster tatari	cus		Paulownia i	tomento
1	Carya alba			Quercus imbricari	ia 🗆	Cerastium	fontanum		Polygonum o	cuspidatu
]	Carya glab	ra		Quercus prinus		Coronilla va	aria		Pueraria m	ontana
]	Carya oval	is		Quercus rubra		Elaeagnus u	mbellata	V	Rosa multif	lora
]	Carya ovat	'a		Quercus velutina		Lespedeza	bicolor		Sorghum h	alepense
]	Cornus floi			Sassafras albidun	n 🗆	Lespedeza			Verbena br	
1	Fagus gran			Tilia americana	_	Ligustrum ol				uoo
						-				
]	Fraxinus ai			Tsuga canadensis		Ligustrum s	sinense			
l	Liriodendror	tulipifera		Ulmus americana	'					
l	Magnolia a	cuminata								
		0	Cassies in	Croup 1			2	Cunning in	Craum 2	
		U	Species in	Group i			2	Species in	Group 2	
mp	le Variables	10-11 withi	n at least 8	subplots (40" x 4	10". or 1m x 1n	n) in the rinar	ian/buffer	zone withir	25 feet from	n each
				ed roughly equidi					1 25 1661 1101	ii eacii
10	V _{DETRITUS}			of leaves, sticks, o				<4" diamet	er and <36"	7.50.0
		long are in	clude. Ente	r the percent cover	r of the detrital	ayer at each	subplot.		_	7.50 %
			Left	Side		Right	Side			
		20	10	10 10	0 10	0	0	0		
11	V_{HERB}			over of herbaceous t least 4" dbh and						
				s up through 200%						87 %
		each subpl		. 0	•	•		Ŭ		
			Left	Side		Right	Side		<u> </u>	
		80	90	65 90	0 80	98	95	98		
										0.97
			Land	Use (Choose Fron	m Drop List)			Runoff Score	% in Catch- ment	Runnir Percer
	Forest and n	ative range (m Drop List)		_	Score	ment	Runnir Percei (not >10
		ative range (75% ground	cover)			~	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground				~	Score	ment	Runnir Percei (not >10
			75% ground	cover)			• •	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground	cover)			• •	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground	cover)			• •	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground	cover)			• •	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground	cover)			• • •	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground	cover)			* * * * * * * * * * * * * * * * * * *	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground	cover)			* * * * * * * * * * * * * * * * * * *	Score 1	ment 96.61	Runnir Percei (not >10
			75% ground	cover)			* * * * * * * * * * * * * * * * * * *	Score 1	ment 96.61	Runnir Percer (not >10
	Newly grade		75% ground	cover)		No	▼	Score 1	ment 96.61	Runnir Percei (not >10
	Newly grade	ed areas (bare	-75% ground	cover) tation or pavement)			• • • • • • • • • • • • • • • • • • •	Score 1 0	ment 96.61 3.39	Runnin Percei (not >10 96.6 ⁻¹
\	Newly grade	areas (bare	-75% ground soil, no vege VSI	cover)	alysis was con	npleted using	▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼	Score 1 0	ment 96.61 3.39 and Cover	Runnin Percei (not >10 96.61
	Newly grade	ed areas (bare	-75% ground	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	tes: g the 2019 d other sield delinea	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
,	Newly grade	S-K75 Value Not Used,	-75% ground soil, no vege VSI	cover) tation or pavement) Land Cover Ana (NLCD), from La	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	tes: g the 2019 d other sield delinea	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
	Newly grade Newly grade S Variable Vccanopy Vembed	G-K75 Value Not Used, <20% 1.0	VSI Not Used 0.10	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	tes: g the 2019 d other sield delinea	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
	Newly grade	S-K75 Value Not Used, <20%	vSI Not Used	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	tes: g the 2019 d other sield delinea	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
	Newly grade Newly grade S Variable Vccanopy Vembed	G-K75 Value Not Used, <20% 1.0	VSI Not Used 0.10	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	tes: g the 2019 d other sield delinea	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnin Percei (not >10 96.6° 100 Databa
	Newly grade Variable VCCANOPY VEMBED VSUBSTRATE VBERO	S-K75 Value Not Used, <20% 1.0 0.08 in 0 %	VSI Not Used 0.10 0.04	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	tes: g the 2019 d other sield delinea	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
	Newly grade Variable Vccanopy Vembed Vsubstrate Vbero VLWD	S-K75 Value Not Used, <20% 1.0 0.08 in 0 % 0.0	VSI Not Used 0.10 0.04 1.00	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	tes: g the 2019 d other sield delinea	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
	Newly grade Variable VCCANOPY VEMBED VSUBSTRATE VBERO	S-K75 Value Not Used, <20% 1.0 0.08 in 0 %	VSI Not Used 0.10 0.04	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
	Newly grade Variable Vccanopy Vembed Vsubstrate Vbero VLWD	S-K75 Value Not Used, <20% 1.0 0.08 in 0 % 0.0	VSI Not Used 0.10 0.04 1.00	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnii Perce (not >10 96.6 100 Databa
	Newly grade Variable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH VSNAG	S-K75 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0	VSI Not Used 0.10 0.00 Not Used 0.10	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnin Percei (not >10 96.6° 100 Databa
	Newly grade Variable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH	Not Used O Not Used Not Used, O Not Used Not Used Not Used	VSI Not Used 0.10 0.04 1.00 0.00 Not Used	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnin Percei (not >10 96.6° 100 Databa
	Newly grade Variable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH VSNAG	S-K75 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0	VSI Not Used 0.10 0.00 Not Used 0.10	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnin Percei (not >10 96.6° 100 Databa
	Newly grade Variable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssd Vsrich	S-K75 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 28.1	VSI Not Used 0.10 0.00 Not Used 0.10 0.43	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnin Percei (not >10 96.6° 100 Databa
	Newly grade Variable Vccanopy Vembed Vsubstrate Vbero Vtub Vtub Vsnag Vssd Vssd Vsrich Vdetritus	Not Used 0.00 Not Used 0.00 Not Used 0.00 Not Used 0.00 7.5 %	VSI Not Used 0.10 0.00 Not Used 0.10 0.43 0.00 0.09	Land Cover Ana (NLCD), from Law	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnin Percei (not >10 96.6° 100 Databa
	Newly grade Variable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssd Vsrich	S-K75 Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 28.1 0.00	VSI Not Used 0.10 0.00 Not Used 0.10 0.43 0.00	Land Cover Ana (NLCD), from La	alysis was con andsat satellit ndaries are ba	npleted using e imagery ar ased off of fie	v v v v tes:	Score 1 0 National I upplementated stream	and Coverary datasets impacts.	Runnin Percer (not >10 96.61 100 Databa

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other
SITE LOCATION/MAP	S-K75	Pipeline Pipeline North Wooden tunnel
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tida Stream Origin Glacial Spring-fec Non-glacial montane Mixture o Swamp and bog Other	Catchment Areakm² forigins

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

	WATERSHED FEATURES Predominant Surrounding Lar Forest Field/Pasture Agricultural Residential Other Residential			ercial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	TION	Trees	e the dominant type an	Shrubs		erbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) ed Stream Depth Velocity	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle % Pool	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		of LWD	m ² /km ² (LWD/	reach area)	
AQUATIO VEGETA		Roote Floati Domin a	ed emergent Fing Algae A	Rooted submerge Attached Algae		Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty strument Used	_	Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear □ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	ical Anaerobic		are the undersides blac	Othereh are not deeply embedded,
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE C	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock	-			Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")				materials (CI OWI)	
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic (FPOM)	

Gravel

2-64 mm (0.1"-2.5")

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Harrison Stream ID: S-K75

Stream Name: UNT to Coburn Fork

HUC Code: 05020002 Basin:


Survey Date: 8/26/2021

Surveyors: SM, JM, CC Impact Reach: 13.1 m

Type: Bankfull Channel

· ·	D. DETGLE		LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	•	0	0.00	0.00
	Very Fine	.062125		4	100	100.00	100.0
	Fine	.12525]	4	0	0.00	100.0
	Medium	.255	SAND	4	0	0.00	100.0
	Coarse	.50-1.0	1	4	0	0.00	100.0
.0408	Very Coarse	1.0-2	1	*	0	0.00	100.0
.0816	Very Fine	2 -4		^	0	0.00	100.0
.1622	Fine	4 -5.7	1	^	0	0.00	100.0
.2231	Fine	5.7 - 8	1	^	0	0.00	100.0
.3144	Medium	8 -11.3	1	4	0	0.00	100.0
.4463	Medium	11.3 - 16	GRAVEL	4	0	0.00	100.0
.6389	Coarse	16 -22.6	1	^	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32	1	^	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45	1	4	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64	1	4	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		4	0	0.00	100.0
3.5 - 5.0	Small	90 - 128	1	*	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	4	0	0.00	100.0
7.1 - 10.1	Large	180 - 256	1	4	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		4	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	^	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	4	0	0.00	100.0
40 - 80	Large	1024 -2048	1	^	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	^	0	0.00	100.0
	Bedrock		BDRK	^	0	0.00	100.0
				Totals:	100		


cumulative % ——# of particles





Size ((mm)	
D16	0.069	
D35	0.079	
D50	0.088	
D65	0.098	
D84	0.11	
D95	0.12	

Size Distr	ibution
mean	0.1
dispersion	1.3
skewness	-0.01

silt/clay	0%	
sand	100%	
gravel	0%	
cobble	0%	
boulder	0%	







SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 29, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-K75 BASELINE CROSS-SECTION A PIPELINE



CROSS SECTION LEGEND

CROSS SECTION

H: 1"=10'
V: 1"=5'

— EXISTING GRADE

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS




PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

Checked

CAD File No.

Drawing No