# **Baseline Assessment – Stream Attributes**

# Reach S-K94 Temp AR (Temporary Access Road) Perennial Spread B Lewis County, West Virginia

Data	Included
Photos	✓
SWVM Form	√ Water quality readings from benthic sampling
	date
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓ Sampling date 9/13/2021
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	<b>√</b>
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP HK VM

Lat: 39.167831 Long: -80.578867



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP HK VM
Lat: 39.167831 Long: -80.578867



Photo Type: US View at Center Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP HK VM Lat: 39.167831 Long: -80.578867




Photo Type: DS View at Center Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP HK VM Lat: 39.167831 Long: -80.578867



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP HK VM
Lat: 39.167831 Long: -80.578867



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP HK VM
Lat: 39.167831 Long: -80.578867



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, DP HK VM Lat: 39.167831 Long: -80.578867



Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, DP HK VM
Lat: 39.167831 Long: -80.578867

(v2.1, Sept 2015)		Mountain '	Valley Pipeline	IMPACT COORDINATES:	Lat.	39.167831 Lo	n80.578	78867	WEATHER:	Sunny	DATE:		
(vz.1, oupt 2010)				(in Decimal Degrees)								9/13/2	021
IMPACT STREAM/SITE ID		TION:	S-K94 1	TEMP AR		MITIGATION STREAM CLASS./SITE		RIPTION:			Comments:		
(watershed size (acreage),	), unaltered or impairments)					(watershed size (acreage), una	itered or impairments)						
STREAM IMPACT LENGTH:	18	FORM OF		MIT COORDINATES:	Lat.	Lo	n.	PR	RECIPITATION PAST 48 HRS:		Mitigation Length:		
MITIGATIO			RESTORATION (Levels I-III)	(in Decimal Degrees)									
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Project Post Completion (Cr			Column No. 4- Mitigation Projection (C		Column No. 5- Mitigation Projecte	ed at Maturity (Cre	edit)
Stream Classification:	Perennial		Stream Classification:			Stream Classification:	0	Stream	n Classification:	0	Stream Classification:	0	
Percent Stream Channel Sle	lope	0.5	Percent Stream Channel Slo	оре		Percent Stream Channel Slope	0		Percent Stream Channel Slo	ppe 0	Percent Stream Channel SI	оре	0
HGM Score (attach da	data forms):		HGM Score (attach o	data forms):		HGM Score (attach data	forms):		HGM Score (attach da	ta forms):	HGM Score (attach da	ita forms):	
	Av	erage		Average			Averag	ge		Average			Average
Hydrology			Hydrology			Hydrology		Hydrol	logy		Hydrology		7
Biogeochemical Cycling		0	Biogeochemical Cycling	0		Biogeochemical Cycling	0		ochemical Cycling	0	Biogeochemical Cycling		0
PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and Bi	ological Indicators	Habitat	PART I - Physical, Chemical and E	Biological Indicators	PART I - Physical, Chemical and	Biological Indicat	tors
	Points Scale Range Sit	e Score		Points Scale Range Site Score		Poir	ts Scale Range Site Score			Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams class	ifications)	PHYSIC	CAL INDICATOR (Applies to all streams of	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			A RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover		15	Epifaunal Substrate/Available Cover	0-20			1-20		aunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime		13 10	Pool Substrate Characterization     Pool Variability	0-20			1-20		peddedness poity/ Depth Regime	0-20	Embeddedness     Velocityl Depth Regime	0-20	
4. Sediment Deposition	0-20	18	Sediment Deposition	0-20		4. Sediment Deposition	1-20	3. Veloti	iment Deposition	0-20	Velocity Depth Regime     Sediment Deposition	0-20	
5. Channel Flow Status		19	5. Channel Flow Status	0-20 0.4			1-20 0.1		nnel Flow Status	0-20	5. Channel Flow Status	0-20 0.1	
6. Channel Alteration		19	6. Channel Alteration	0-20			1-20		nnel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)		18	7. Channel Sinuosity	0-20			1-20		quency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)		18	8. Bank Stability (LB & RB)	0-20			1-20		k Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)		18	Vegetative Protection (LB & RB)	0-20			1-20		etative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
Riparian Vegetative Zone Width (LB & RB)		18	Riparian Vegetative Zone Width (LB & RB)	0-20			1-20		parian Vegetative Zone Width (LB & RB)	0-20	Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score		166	Total RBP Score	Poor 0		Total RBP Score	Poor 0	Total R	RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total	0	1.83	Sub-Total	0		Sub-Total	0	Sub-To	otal	0	Sub-Total		Ō
CHEMICAL INDICATOR (Applies to Intermitten			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and	Perennial Streams)		ICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent		ms)
WVDEP Water Quality Indicators (General) Specific Conductivity	il)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			P Water Quality Indicators (General)		WVDEP Water Quality Indicators (General) Specific Conductivity		
Specific Conductivity	_		Specific Conductivity					Specifi	nc Conductivity		Specific Conductivity		
100-199 - 85 points	0-90	176		0-90			1-90			0-90		0-90	
nH	_		pH			pH		pН			nH		
r	0-80	7.6		5-90 0-1			i-90 0-1			5-90		5-90 0-1	
6.0-8.0 = 80 points	0-80	7.6		5-90		'	-90			5-90		5-90	
DO			DO			DO		DO			DO		
	10-30	B.6		10-30		1	0-30			10-30		10-30	
>5.0 = 30 points Sub-Total		.975	Sub-Total			Sub-Total	0	Sub-To	-1-1	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitt			BIOLOGICAL INDICATOR (Applies to Intermitte			BIOLOGICAL INDICATOR (Applies to Intermittent		Oub 10	OGICAL INDICATOR (Applies to Intermit		BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial	
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			ream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
	0-100 0-1 8	11.6	(1700)	0-100 0-1			-100 0-1			0-100 0-1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0-100 0-1	
, , ,	_ 100   0-1											2-100 0-1	
Very Good		.816	Sub-Total	0		Sub-Total	0	Sub-To	otal	0	Sub-Total		0
Very Good	0.	.010											
		.016	PART II - Index and	Unit Score		PART II - Index and Unit	Score		PART II - Index and Un	nit Score	PART II - Index and U	nit Score	
Very Good Sub-Total PART II - Index and U	Unit Score												
Very Good Sub-Total	Unit Score  Linear Feet Unit	Score	PART II - Index and	Linear Feet Unit Score			inear Feet Unit Sco		PART II - Index and Un	Linear Feet Unit Score	PART II - Index and U Index	Linear Feet	Unit Scor

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION					
STATION#	RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS							
FORM COMPLETED I	3Y	DATE	REASON FOR SURVEY				

WEATHER CONDITIONS	Now storm (heavy rain)	Past 24 hours Has there been a heavy rain in the last 7 days? Yes No
	storin (heavy rain) rain (steady rain) showers (intermittent)% %cloud cover clear/sunny	Air Temperature <sup>0</sup> C <sup>0</sup> Other
N N	Draw a map of the site and indicate the state of the site and indicate the state of the site and indicate the site and	S-K94 TEMPAR  S-K94 TEMPAR  LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tic  Stream Origin Glacial Spring-fe Non-glacial montane Mixture Swamp and bog Other	Catchment Areakm² ed of origins

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources		
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous		
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R  Morphology Types Riffle Pool 9  Channelized Yes  Dam Present Yes	epresented by Stream Run% No		
LARGE V DEBRIS	VOODY		m² of LWDm	1 <sup>2</sup> /km <sup>2</sup> ( <b>LWD</b> / 1	reach area)			
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü		
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy  Water Surface Oils Slick Sheen None Other  Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks		
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,		
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add			
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)			
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)			

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).		
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Lewis County

STREAM CLASS Perennial

STREAM NAME S-K94 TEMP AR

STATION#

RIVERMILE\_

LAT 39.167831	_ Lo	ONC	} <u>-</u> 80.	.57886	7		RIVE	ER BA	SIN N	one									
STORET#							AGE	NCY \	WVDEP	)									
INVESTIGATORS A	JE, k	(AY										]	LOT	NUMBER					
FORM COMPLETED			DAT. TIMI					]	REASON FOR SURVEY Baseline Assessm						ent				
HABITAT TYPES		Indicate the percentage of each habitat type present         ☑ Cobble 90       %       ☑ Snags       %       ☑ Vegetated Banks 80       %       ☑ Sand 10         ☐ Submerged Macrophytes													%				
SAMPLE	G	ear	used		D-fi	ame 🗸	kick-	net			Other								
COLLECTION		How were the samples collected?																	
	1													at					
		Indicate the number of jabs/kicks taken in each habitat type.         ☑ Cobble 4       ☐ Snags       ☐ Vegetated Banks       ☐ Sand         ☐ Submerged Macrophytes       ☐ Other (       )																	
GENERAL COMMENTS	US:Temp: 21.6 C, SC:180, DO:9.13mg/L, pH:7.90 DS:Temp: 21.1C, SC:176, DO:8.6mg/L, pH:7.60																		
Filamentous Algae					0	1 2	3	4		Ma	eroi	nve	rtebi	rates	0	1	2	3	4
Macrophytes					0		3			Fis					0	1		3	
	d abı	und	anc	e:	0 = org	Absent/ anisms),	Not , 3=	Obse Abun	idant (	>10	org	anis	sms)	rganisms), 2 = Co , 4 = Dominant (>	50 oı	gai	nism		
Porifera					4	Anison							4	1			2		
Hydrozoa					4								4				2		4
Platyhelminthes Turbellaria	0	1	2		4	Hemip Coleop			0	1 1	2	3	4	_	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepido			0	1	2	3	4	Other	U	1	2	3	4
Oligochaeta	0	1	2	3	4	Sialida	_	а	0	1	2	3	4						
Isopoda	0	1	2	3	4	Coryda		ne.	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipuli			0	1	2	3	4	1					
Decapoda	0	1	2	3	4	Empid		:	0	1	2	3	4	1					
Gastropoda	0	1	2	3	4	Simuli			0	1	2	3	4	İ					
Bivalvia	0	1	2	3	4	Tabini		•	0	1	2	3	4	İ					
21.41714						Culcid			0	1	2	3	4						

SITE ID:	S-K94
-	

% Tolerant

% Clingers

% Net-spinners

27.4

25.7

37.1

Insects	Count	Tolerance	TV	Insects	Count	Tolerance	TV	Non-Insects	Count	Tolerance	TV	SITE ID:	S-K94 TEMP AR
Ephemeroptera			25	Odonata		•	1	Crustacea	-		0		9/13/2021
Ameletidae		2	0	Aeshnidae		3	0	Asellidae		7	0	1	
Baetidae	1	4	4	Calopterygidae	1	6	6	Cambaridae	Cambaridae 5		0	1	
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0		
Caenidae	2	5	10	Cordulegastridae		3	0	Palaemonidae		5	0		
Ephemerellidae	3	3	9	Gomphidae		5	0	Annelida			0		
Ephemeridae	7	5	35	Lestidae		7	0	Hirudinea		10	0		
Heptageniidae	9	3	27	Libellulidae		7	0	Nematoda		10	0		
Isonychiidae	2	3	6	Coleoptera			38	Nematomorpha		10	0		
Leptophlebiidae	1	4	4	Chrysomelidae		7	0	Oligochaeta		10	0		
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0		
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0		
Tricorythidae		5	0	Elmidae	35	4	140	Bivalvia			0		
Plecoptera			10	Gyrinidae		5	0	Corbiculidae		6	0		
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0		
Chloroperlidae	1	2	2	Hydrophilidae		7	0	Unionidae		4	0		
Leuctridae	4	2	8	Psephenidae	3	3	9	Gastropoda			0		
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0		
Peltoperlidae		1	0	Hemiptera			6	Hydrobiidae 4		0			
Perlidae	5	1	5	Belostomatidae		8	0	Physidae		7	0		
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0		
Pteronarcyidae		1	0	Gerridae	6	10	60	Pleuroceridae		5	0		
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0		
Trichoptera			90	Nepidae		8	0	Miscellaneous			1		
Brachycentridae		2	0	Notonectidae		8	0	Collembola	1	6	6	1	
Glossosomatidae		2	0	Megaloptera			0	Lepidoptera		5	0		
Helicopsychidae		3	0	Corydalidae		3	0	Neuroptera		5	0	1	
Hydropsychidae	53	5	265	Sialidae		6	0	Hydrachnidae		6	0	1	
Hydroptilidae	1	3	3	Diptera			66	Totals	Total	number	237		
Lepidostomatidae		3	0	Athericidae		3	0	Totals	Total	families	25	1	
Leptoceridae		3	0	Blephariceridae		2	0			M	etric calc	ulations	
Limnephilidae		4	0	Ceratopogonidae	6	8	48	140.0	SCI Metric	C		Additiona	l metrics
Molannidae		3	0	Chironomidae	51	9	459	] wv:	sci wietric	scores		Ephemeroptera Taxa	7
Philopotamidae	35	4	140	Culicidae		10	0	Total Taxa	a	25	100.0	Plecoptera Taxa	3
Phryganeidae		4	0	Dixidae	1	6	6	EPT Taxa	1	14	100.0	Trichoptera Taxa	4
Polycentropodidae		5	0	Empididae	1	7	7	% EPT Abund	ance	52.7	59.1	Long-lived Taxa	12
Psychomiidae		4	0	Psychodidae		8	0	% Chironomi	idae	21.5	79.8	Odonata Taxa 1	
Rhyacophilidae	1	3	3	Ptychopteridae		8	0	Hilsenhoff Biotic Ir	ndex (HBI)	5.48	61.2	Diptera Taxa	6
Uenoidae		2	0	Simuliidae		7	0	% 2 Dominant	Таха	43.9	89.5	COET Taxa	14
	Total Tole	rance Value	1299	Stratiomyidae		10	0					% Sensitive	27.0

10

7

5

6

0

7

30

**WV Stream Condition Index** 

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

Syrphidae

Tabanidae

Tipulidae

West Virginia Stream Condition Index (WVSCI)

Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream

condition index for West Virginia wadeable streams. Tetra

Tech, Inc. Owing Mills, MD.

#### WOLMAN PEBBLE COUNT FORM

Basin:

County: Lewis Stream ID: S-K94 TEMP AR

Stream Name: Kincheloe Creek TEMP AR


HUC Code:

Survey Date: 9/2/2021 Surveyors: DP VM HK

Type: Bankfull Channel Impact Reach: 11m


			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	<b>A</b>	5	5.00	5.00
	Very Fine	.062125		<b>*</b>	0	0.00	5.00
	Fine	.12525	]	<b>*</b>	0	0.00	5.00
	Medium	.255	SAND	<b>*</b>	3	3.00	8.00
	Coarse	.50-1.0		<b>*</b>	8	8.00	16.00
.0408	Very Coarse	1.0-2	]	<b>*</b>	0	0.00	16.00
.0816	Very Fine	2 -4		•	0	0.00	16.00
.1622	Fine	4 -5.7	1	<b>*</b>	0	0.00	16.00
.2231	Fine	5.7 - 8	1	•	0	0.00	16.00
.3144	Medium	8 -11.3	]	•	0	0.00	16.00
.4463	Medium	11.3 - 16	GRAVEL	•	0	0.00	16.00
.6389	Coarse	16 -22.6	1	<b>*</b>	0	0.00	16.00
.89 - 1.26	Coarse	22.6 - 32	1	<b>*</b>	0	0.00	16.00
1.26 - 1.77	Vry Coarse	32 - 45	1	<b>*</b>	2	2.00	18.00
1.77 -2.5	Vry Coarse	45 - 64	1	•	14	14.00	32.00
2.5 - 3.5	Small	64 - 90		<b>*</b>	26	26.00	58.00
3.5 - 5.0	Small	90 - 128	CORRIE	<b>*</b>	29	29.00	87.00
5.0 - 7.1	Large	128 - 180	COBBLE	<b>*</b>	13	13.00	100.00
7.1 - 10.1	Large	180 - 256	1	<b>*</b>	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		<b>^</b>	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	<b>^</b>	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	<b>A</b>	0	0.00	100.00
40 - 80	Large	1024 -2048	1	<b>A</b>	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		•	0	0.00	100.00
	Bedrock		BDRK	<b>^</b>	0	0.00	100.00
				Totals:	100		







ibution
11.0
41.2
-0.60

	1	ype	
12	silt/clay	5%	-35
	sand	11%	
	gravel	16%	
	cobble	68%	
	boulder	0%	





AS-BUILT TABLE: S-K94 TEMP AR CROSS SECTION B					
	PRE-CROSSING			AŞ-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HÖRZ. DIFF.
TS-L	14224013.12	1759839.59	1107.23		
BS-L	14224011.96	1759839.88	1106.89		
THW	14224008.33	1759840.78	1106.50		
BS-R	14224006.21	1759841.31	1106.91		
TS-R	14224005.36	1759841.52	1107.16		



#### SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 2, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-K94 TEMP AR BASELINE CROSS-SECTION A



# S-K94 TEMP AR BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE


CALE: H: 1"=10'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

#### PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

# POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Drawing No