Baseline Assessment – Stream Attributes

Reach S-L57 (Temporary Access Road/ ATWS) Ephemeral Spread C Braxton County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	✓

Spread C Stream S-L57 (Temporary Access Road) Braxton County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, HC Lat: 38.8283 Long: -80.525691



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, HC Lat: 38.8283 Long: -80.525691

Spread C Stream S-L57 (Temporary Access Road) Braxton County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, HC Lat: 38.8283 Long: -80.525691



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, HC Lat: 38.8283 Long: -80.525691

Spread C Stream S-L57 (Temporary Access Road) Braxton County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, HC Lat: 38.8283 Long: -80.525691



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, HC Lat: 38.8283 Long: -80.525691

Column No 1 mg/s Deposition Column No 2 mg/s Deposition Column No 3 mg/s Deposition	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mounta	in Valley Pipeline	(in Decimal Degrees)	S: Lat.	38.8283	Lon.	-80.525691	WEATHER:	Su	nny	DATE:	09/11/21	ı
				s	-L57								Comments:		
Mathematic	STREAM IMPACT LENGTH:	25		RESTORATION (Levels I-III)		Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Price Strain Capanis Super Price Strain Super Strain Strain Super Strain Strain Strain Super Strain S	Column No. 1- Impact Existing	g Condition (De	bit)	Column No. 2- Mitigation Existing	Condition - Baseline (Credit)				Years				Column No. 5- Mitigation Project	ed at Maturity (Cred	lit)
Column C	Stream Classification:	Ephe	emeral	Stream Classification:			Stream Classification:		0	Stream Classification:	0		Stream Classification:	0	
Married Marr	Percent Stream Channel SI	lope	18	Percent Stream Channel S	ope		Percent Stream Chann	nel Slope	0	Percent Stream Channel S	lope	0	Percent Stream Channel S	iope	0
Marting 1.0 Marting 1.	HGM Score (attach d	lata forms):		HGM Score (attach	data forms):		HGM Score (a	ttach data forms):		HGM Score (attach o	data forms):		HGM Score (attach d	ata forms):	
Suppose			Average		Average				Average		A	lverage			Average
Martin M															
## PATE - Physical, Chemical and Biological Indications			0.20333333		0				0			0			0
PATE			cators		nd Biological Indicators			ical and Biological I	ndicators		d Biological Indicators	5		Biological Indicator	rs
Section Control Cont		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale Ran	ge Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
Eginary Schemikhalide Com 2.5 Flyance Schemikhalide Com 2.5 Flya	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all s	treams classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	
Eginary Schemikhalide Com 2.5 Flyance Schemikhalide Com 2.5 Flya	USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data She	eet)		USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
Statistic Plane Section Sectio	Epifaunal Substrate/Available Cover			Epifaunal Substrate/Available Cover			 Epifaunal Substrate/Available Cover 	0-20		Epifaunal Substrate/Available Cover			Epifaunal Substrate/Available Cover		
Section December															
S. Charrier Flow Status	3. Velocity/ Depth Regime		0				3. Velocity/ Depth Regime						3. Velocity/ Depth Regime		
Common C			0												
Trequency of Riffer (or brands) 0.5			1						1						
S. Bank Stability (1.8 A S9)			0												
10, Pigerian Vegetiene Zone Werit (1,8 18 18) 20 1 1 1 1 1 1 1 1 1			2												
Sub-Total			0		0-20									0-20	
CHEMICAL INDICATOR (Applies to Intermitted and Percental Stream) CHEMICAL INDICATOR (Applies to Int		Poor						Poor	0		Poor			Poor	
WYDEP Water Quality Indicators (General Specific Conductivity) Specific Conductivity Spe	Sub-Total		0.23333333	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
Specific Conductivity	CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial St	reams)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inte	ermittent and Perennial S	Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams	i)	CHEMICAL INDICATOR (Applies to Intermitter	it and Perennial Streams	s)
This continue is a continue	WVDEP Water Quality Indicators (General	Ŋ		WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Ge	eneral)		WVDEP Water Quality Indicators (General	al)		WVDEP Water Quality Indicators (General	0	
10-110-125 crists 10-1	Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		
## PART - Index and Unit Score PART - Index and Unit Sco	100-199 - 85 points	0-90			0-90			0-90			0-90			0-90	
5.6.5 0 = 45 ports	pH			pH			pH			pH			рН		
DO DO DO DO DO DO DO DO		0-80			5-90 0-1			5-90	1		5-90 0-1			5-90 0-1	
10-20 10-2				no.			DO.			DO.	-		DO.		
Sub-Total	БО	10.20		DU	40.20		50	40.20		DU	40.20		UU	40.30	
Sub-Total		10-30			10-30			10-30			10-30			10-30	
W Stream Condition Index (WVSC) W Stream Condition Index (W Stream Condition Index (WVSC) W Stream Condition Index (W Stream Conditi	Sub-Total				0				0			•			
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		ttent and Perennial	Streams)		tent and Perennial Streams)				nnial Streams)		mittent and Perennial St	treams)		ittent and Perennial S	Streams)
O Sub-Total O Sub-	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI	-		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
PART II - Index and Unit Score Index Linear Feet Unit Score Unit Score Index	0	0-100 0-1			0-100 0-1			0-100 0-			0-100 0-1			0-100 0-1	
Index Linear Feet Unit Score	Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
Index Linear Feet Unit Score	PART II - Index and I	Unit Score		PART II - Index and	I Unit Score		PART II - Inde	ex and Unit Score		PART - Index and	Unit Score		PART II - Index and I	Jnit Score	
	The state of the s			The state of the s			T ST II - III GC			The state of the s			The state of the s		
0.360 25 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Fee	t Unit Score	Index	Linear Feet U	nit Score	Index	Linear Feet I	Unit Score
	0.360	25	9	0	0 0		0	0	0	0	0	0	0	0	0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP

Location: Braxton, Spread C

Sampling Date: 9/24/21 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-L57

Tree/Sapling Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.29
Biogeochemical Cycling	0.17
Habitat	0.15

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	28.00	0.21
V_{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	0.00	0.00
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	Not Used	Not Used
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	13.13	0.16
V _{HERB}	Average percent cover of herbaceous vegetation.	Not Used	Not Used
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.53	0.56

Field Data Sheet and Calculator Team: RH, VM Project Name: MVP Location: Baraton, Spread C SAR Number S-4.57 Reach Length (t): 32 Stream Type: Ephemeral Stream Tree/Sapling Strata (determined from percent calculated in V _{CCANDEY}) Site and Timing: Project Site Sample Variables 1-4 in stream channel 1 V _{CCANDEY} Average percent cover over channel by tree and saping carcipy. Measure at no fewer than 10 roughly equidistant points along the stream wheater only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to tigger Toy Strata choice.) 2 V _{EASED} 2 V _{EASED} Average embeddedness of the stream channel. Measure at no fewer than 10 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by this sediment, and enter the rating according to the following table). If the bed is a ratificial surface or composed of the sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 3. Septement of surface covered, surrounded, or buried by fine sediment (or bedrock). 8 Embeddedness straing for grave, cobbie and boulder particles (rescaled from Platts, Megahan, and Minshall 1983) 8 Embeddedness straing for grave, cobbie and boulder particles (rescaled from Platts, Megahan, and Minshall 1983) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Project Name: MVP Location: Servaton, Spread C SARN Number: SLE57 Reach Length (ft): 32 Stream Type: Ephemeral Stream Top Strata: Tree/Sapling Strata (determined from percent calculated in V _{CONDEPY}) Site and Timing: Project Site Sample Variables 1-4 In stream channel 1 V _{CONDEPY} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant prints along the stream. Measure only if tree/Sapling over is at least 20%. (if less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.) List the percent cover measurements at each point below: 2 V _{EMBED} Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Selector enviring (t. determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5. Embeddedness rating for gravel, cooble and boulder particles (rescaled from Plats, Megahan, and Minshall 1983) Rating Rating Description 5 Specient of surface covered, surrounded, or buried by fine sediment 2 Sit to 50 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 2 Sit to 50 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 2 Sit to 50 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 2 Sit to 50 percent of surface covered, surrounded, or buried by fine sediment 3 Stream Stream, use the same points and particle size. Measure at no fewer than 30 roughly equidistant points along the stream; the same points and particle size i
SAR Number: SL57 Reach Length (ft): \$2 Stream Type: Ephemeral Stream Top Strata: Tree/Sapling Strata (determined from percent calculated in V _{CCNNDPY}) Sample Variables 1-4 in stream channel 1 V _{CCNNDPY} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tee/sapling cover is at least 20%. (if less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.) List the percent cover measurements at each point below: 80 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 70 70 70 2 V _{CUNED} Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving (i. Getermine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5. Enheddedness string for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983) Rating Rating Description 5 - Specrent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 2 3 10 to 75 percent of surface covered, surrounded, or buried by fine sediment 1 > 10 to
Tree/Sapling Strata (determined from percent calculated in V _{COANDPY}) Site and Timing: Project Site Sample Variables 1.4 in stream channel 1 V _{COANDPY} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree'sapling cover is at least 20%. (if leas than 25%, enter at least one value between 0 and 19 to lingger 1 op Dirata choice.) List the percent cover measurements at each point below. 80 60 0 0 0 0 0 0 0 0 0 70 70 2 V _{CAMEDI} 80 60 0 0 0 0 0 0 0 0 0 0 70 70 2 Volumedia of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1.1 if the bed is composed to detock, use a rating score of 5. Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983) Rating Rating Description 5 <5 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 2 5 1s 10 75 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 2 5 to 50 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 2 5 to 10 50 percent of surface covered, surrounded, or buried by fine sediment 2 5 to 50 percent of surface covered, surrounded, or buried by fine sediment 2 5 to 50 percent of surface covered, surrounded, or buried by fine sediment 3 2 buried by fine sediment (or artificial surface) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sile and Timing: Project Site
Sample Variables 1-4 in stream channel 1
1 V _{CLANDETP} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.) List the percent cover measurements at each point below: 80 60 0 0 0 0 0 0 0 70 7
equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 10 to trigger Top Strata choice.) List the percent cover measurements at each point below: 80 60 0 0 0 0 0 0 0 0 70 70 2 Valued Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediment, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforck, use a rating score of 1. If the bed is composed of oberforch, use a rating score of 1. If the bed is composed of oberforch, use a rating score of 1. If the bed is composed of oberforch, use a rating score of 1. If the bed is composed of oberforch, use a rating score of 1. If the sediment (or bedrock)
2 V _{EMBED} Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5. Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)
along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 5. Embeddend-mess rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)
Rating Rating Description 5 45 percent of surface covered, surrounded, or buried by fine sediment (or bedrock) 4 5 to 25 percent of surface covered, surrounded, or buried by fine sediment 3 26 to 50 percent of surface covered, surrounded, or buried by fine sediment 2 51 to 75 percent of surface covered, surrounded, or buried by fine sediment 1 275 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface) 1 275 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface) 1 1 1 1 1 1 1 1 1
3 26 to 50 percent of surface covered, surrounded, or buried by fine sediment 2 51 to 75 percent of surface covered, surrounded, or buried by fine sediment 1 75 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface) List the ratings at each point below: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2 51 to 75 percent of surface covered, surrounded, or buried by fine sediment 1 775 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface) List the ratings at each point below: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
List the ratings at each point below: 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3 V _{SUBSTRATE} Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant points along the stream; use the same points and particles as used in V _{EMBED} . Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.0
3 V _{SUBSTRATE} Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant points along the stream; use the same points and particles as used in V _{EMBED} . Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): 0.08
along the stream; use the same points and particles as used in V _{EMBED} . Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): 0.08
along the stream; use the same points and particles as used in V _{EMBED} . Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): 0.08
along the stream; use the same points and particles as used in V _{EMBED} . Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): 0.08
0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08
V _{BERO} Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each side and the total percentage will be calculated. If both banks are eroded, total erosion for the stream may be up to 200%. Left Bank: Oft Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank). Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated. Number of downed woody stems: 0 4 V _{TDBH} Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches. List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each side and the total percentage will be calculated. If both banks are eroded, total erosion for the stream may be up to 200%. Left Bank: 0 ft Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank). 5 V _{LWD} Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated. Number of downed woody stems: 0 0.0 6 V _{TDBH} Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches. List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
and the total percentage will be calculated. If both banks are eroded, total erosion for the stream may be up to 200%. Left Bank: 0 ft Right Bank: 0 ft Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank). Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated. Number of downed woody stems: 0 4 V _{TDBH} Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches. List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
and the total percentage will be calculated. If both banks are eroded, total erosion for the stream may be up to 200%. Left Bank: 0 ft Right Bank: 0 ft Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank). Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated. Number of downed woody stems: 0 4 V _{TDBH} Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches. List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated. Number of downed woody stems: 0 6 V _{TDBH} Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches. List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
6 V _{TDBH} Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches. List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
Left Side Right Side
7 V _{SNAG} Number of snags (at least 4" dbh and 36" tall) per 100 feet of stream. Enter number of snags on each side of the stream, and the amount per 100 feet will be calculated.
side of the stream, and the amount per 100 feet will be calculated.

		richness pe									
				nd the subi	ndex will be	calculated f	rom these d				
	A		p 1 = 1.0	14	-i		A :1 41		p 2 (-1.0)	1	
	Acer rubru			Magnolia ti	•		Ailanthus a			Lonicera ja	
	Acer sacch			Nyssa sylv			Albizia julib			Lonicera ta	
	Aesculus fi			Oxydendrun			Alliaria peti			Lotus corni	
	Asimina trii			Prunus sei			Alternanthe philoxeroide			Lythrum sa	
	Betula alleghaniensis Quercus alba Betula lenta Quercus coccinea								Microstegiur		
							Aster tatari			Paulownia	
	Carya alba			Quercus in			Cerastium			Polygonum	•
					Coronilla va			Pueraria m			
	Carya oval			Quercus ru			Elaeagnus u			Rosa multi	
	Carya ovat			Quercus ve			Lespedeza			Sorghum h	
	Cornus floi			Sassafras			Lespedeza			Verbena bi	rasiliensis
	Fagus gran			Tilia americ			Ligustrum ol				
	Fraxinus a			Tsuga can			Ligustrum s	sinense			
	Liriodendron			Ulmus ame	ericana						
	Magnolia a	cuminata									
		0	Species in	Group 1				0	Species in	Group 2	
	e Variables									25 feet fron	n each
10	The four sul								s <4" diamet	er and <36"	
10	DETRITUS	• .			t cover of the	-		-	y - diamot	or and 400	13.13 %
			Left	Side			Right	Side			
		15	0	0	80	5	0	0	5		
44	1/	Average no	vaantama aa	ver of borb		atatian (maa	aura anh if	tras sauce	ia <200/) F	la mat	
11	V_{HERB}								is <20%). Dayers of gro		
				s up through	n 200% are a	accepted. E	nter the per	cent cover	of ground v	egetation at	Not Used
each subplot. Left Side Right Side						Г	Right	Side		7	
			Loit								
		85	0	0	15	95	0	_	100		
		85	0	0	15	95		0	100		
Sampl	e Variable 1					95		_	100		
	e Variable 1	2 within the	entire cato	hment of t	he stream.			_	100		
Sampl	e Variable 1	2 within the	entire cato	hment of t				_	100	<u> </u>	0.53
		2 within the	entire cato	hment of t	he stream.			_		% in	0.53
		2 within the	e entire cato	chment of t	he stream.	ned:		_	Runoff Score	Catch-	Running Percent
	V _{WLUSE}	2 within the Weighted A	e entire cato everage of F	chment of t	he stream. e for watersh	ned:		_	Runoff Score	Catch- ment	Running Percent (not >100)
	V _{WLUSE}	2 within the Weighted A	e entire cate Exercise of F Land 50% to 75% g	Chment of t Runoff Score Use (Choose round cover)	he stream. e for watersh	ned:		_	Runoff	Catch-	Running Percent
	V _{WLUSE}	2 within the Weighted A	e entire cate Exercise of F Land 50% to 75% g	Chment of t Runoff Score Use (Choose round cover)	he stream. e for watersh	ned:		_	Runoff Score	Catch- ment	Running Percent (not >100)
	V _{WLUSE} Forest and r Open space	2 within the Weighted A	e entire cato verage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:		_	Runoff Score	Catchment 58.6	Running Percent (not >100) 58.6
	V _{WLUSE} Forest and r Open space	2 within the Weighted A	e entire cato verage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:		_	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
	V _{WLUSE} Forest and r Open space	2 within the Weighted A	e entire cato verage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:		_	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
	V _{WLUSE} Forest and r Open space	2 within the Weighted A	e entire cato verage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:		_	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
	V _{WLUSE} Forest and r Open space	2 within the Weighted A	e entire cato verage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:		_	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
	V _{WLUSE} Forest and r Open space	2 within the Weighted A	e entire cato everage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:		_	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
	V _{WLUSE} Forest and r Open space	2 within the Weighted A	e entire cato everage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:		_	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
	Forest and r	2 within the Weighted A	e entire cato everage of F Land 50% to 75% g	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	_	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r	2 within the Weighted A active range (: (pasture, lawnative range (:	e entire cate werage of F Land 50% to 75% g ns, parks, etc.	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r	2 within the Weighted A native range ((pasture, law) native range (S-L57 Value	e entire cate verage of F Land 50% to 75% g ns, parks, etc. <50% ground	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r	2 within the Weighted A active range (: (pasture, lawnative range (:	e entire cate werage of F Land 50% to 75% g ns, parks, etc.	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r	2 within the Weighted A native range ((pasture, law) native range (S-L57 Value	e entire cate verage of F Land 50% to 75% g ns, parks, etc. <50% ground	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r	2 within the Weighted A autive range (* (pasture, law) autive range (* S-L57 Value 28 %	e entire cate verage of F Land 50% to 75% g ns, parks, etc. <50% ground VSI 0.21	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r Variable Vcanopy Vembed	2 within the Weighted A active range (S GAL57 Value 28 % 1.0 0.08 in	verage of F Land 50% to 75% g ns, parks, etc.) <50% ground VSI 0.21 0.10 0.04	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
V V	Forest and r Open space Forest and r Copen space Forest and r Copen space Forest and r Substrate Variable	2 within the Weighted A attive range (5 (pasture, law) attive range (-) S-L57 Value 28 % 1.0 0.08 in 0 %	verage of F Land 50% to 75% g ns, parks, etc.; 50% ground VSI 0.21 0.10 0.04 1.00	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r Cariable Vacanopy Vembed Vsubstrate Vbero Vlumb	2 within the Weighted A active range (S GAL57 Value 28 % 1.0 0.08 in	verage of F Land 50% to 75% g ns, parks, etc.) <50% ground VSI 0.21 0.10 0.04	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r Copen space Forest and r Copen space Forest and r Substrate Variable	2 within the Weighted A attive range (5 (pasture, law) attive range (-) S-L57 Value 28 % 1.0 0.08 in 0 %	verage of F Land 50% to 75% g ns, parks, etc.; 50% ground VSI 0.21 0.10 0.04 1.00	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12 V	Forest and r Open space Forest and r Cariable Vacanopy Vembed Vsubstrate Vbero Vlumb	2 within the Weighted A active range (* (pasture, lawn active range (* ** ** ** ** ** ** ** ** **	verage of F Land 50% to 75% g 1s, parks, etc. 50% ground VSI 0.21 0.10 0.04 1.00 0.00	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12 V	Forest and r Open space Forest and r Open space Forest and r Variable	2 within the Weighted A attive range (5 (pasture, law) attive range (VSI 0.21 0.10 0.00 0.00 0.10	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r Open space Forest and r Variable Vacanopy Vembed Vsubstrate Vbero VLWD Vtobbe Vsnag Vssb	2 within the Weighted A active range (* (pasture, lawn active range (* **Comparison of the comparison of the compariso	VSI 0.21 0.00 0.00 0.10 Not Used	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12	Forest and r Open space Forest and r Open space Forest and r Variable	2 within the Weighted A active range (: (pasture, lawn active range (: 28 % 1.0 0.08 in 0 % 0.0 0.0 Not Used 0.00	VSI 0.21 0.00 0.00 0.10 Not Used 0.00	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12 V	Forest and r Open space Forest and r Open space Forest and r Variable Vacanopy Vembed Vsubstrate Vbero VLWD Vtobbe Vsnag Vssb	2 within the Weighted A active range (* (pasture, lawn active range (* **Comparison of the comparison of the compariso	VSI 0.21 0.00 0.00 0.10 Not Used	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
12 V	Forest and r Open space Forest and r Open space Forest and r Graniable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssd	2 within the Weighted A active range (: (pasture, lawn active range (: 28 % 1.0 0.08 in 0 % 0.0 0.0 Not Used 0.00	VSI 0.21 0.00 0.00 0.10 Not Used 0.00	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4
V V	Forest and r Open space Forest and r Open space Forest and r Variable Vccanopy Vsubstrate Vsubstra	2 within the Weighted A sative range (S (pasture, lawn sative range (S 1.0 0.08 in 0 % 0.0 0.0 Not Used 0.00 13.1 %	VSI 0.21 0.10 0.00 0.00 0.10 Not Used 0.016	Chment of t Runoff Score Use (Choos round cover)	he stream. e for watersh	ned:	0	0	Runoff Score 0.7	Catch- ment 58.6 22.8	Running Percent (not >100) 58.6 81.4

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE	REASON FOR SURVEY		

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Road LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition Category								
	Parameter	Optimal	Suboptimal	Marginal	Poor						
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.						
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).						
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Par	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.						
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category								
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
sampling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION			
STATION #	_ RIVERMILE	STREAM CLASS			
LAT	LONG	RIVER BASIN			
STORET#		AGENCY			
INVESTIGATORS		LOT NUMBER			
FORM COMPLETED BY		DATE TIME	REASON FOR SURVEY		
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %		

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County: Braxton Stream ID: S-L57

Stream Name: UNT to Barbecue Run


HUC Code:

Survey Date: 9/11/2021

Surveyors: HC VM Impact Reach: 9.75m

Type: Bankfull Channel


			BLE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	A	100	100.00	100.00
	Very Fine	.062125		^	0	0.00	100.00
	Fine	.12525	1	A	0	0.00	100.00
	Medium	.255	SAND	^	0	0.00	100.0
	Coarse	.50-1.0	1	•	0	0.00	100.0
.0408	Very Coarse	1.0-2		*	0	0.00	100.0
.0816	Very Fine	2 -4		^	0	0.00	100.0
.1622	Fine	4 -5.7		A	0	0.00	100.0
.2231	Fine	5.7 - 8	1	A	0	0.00	100.0
.3144	Medium	8 -11.3	1	<u> </u>	0	0.00	100.0
.4463	Medium	11.3 - 16	GRAVEL	A	0	0.00	100.0
.6389	Coarse	16 -22.6		<u> </u>	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32		A	0	0.00	100.0
.26 - 1.77	Vry Coarse	32 - 45		A	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64		A	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		<u> </u>	0	0.00	100.0
3.5 - 5.0	Small	90 - 128		A	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	- COBBLE		0	0.00	100.0
7.1 - 10.1	Large	180 - 256		A	0	0.00	100.0
0.1 - 14.3	Small	256 - 362		1	0	0.00	100.0
14.3 - 20	Small	362 - 512	1		0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>	0	0.00	100.0
40 - 80	Large	1024 -2048	1		0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1		0	0.00	100.0
	Bedrock		BDRK		0	0.00	100.0
				Totals:	100		



Size (n	nm)	_
□16	0.062	
□35	0.062	
□50	0.062	
□65	0.062	
□84	0.062	
□95	0.062	

Size Distrib	ution
mean	0.1
dispersion	1.0
skewness	

Туре						
silt/clay	100%					
sand	0%					
gravel	0%					
cobble	0%					
boulder	0%					



<u>S-L57</u>

AS-BUILT TABLE: S-L57 CROSS SECTION B

ELEV

AŞ-BUILT

DIFF.

VERT.


DIFF.

PRE-CROSSING

14100474.3800 1775455.9530 960.409

PT. LOC. NORTHING EASTING

TS-L BS-L



TYPICAL 5-POINT CROSS-SECTION (FACING DOWNSTREAM)

TS: TOP OF SLOPE

BS: BOTTOM OF SLOPE

THW: THALWEG (INVERT

SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 +

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 11, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-L57 BASELINE CROSS-SECTION A UPSTREAM OF CULVERT OUTLET



S-L57 BASELINE CROSS-SECTION B DOWNSTREAM OF CULVERT OUTLET



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

Drawing No.

CAD File No.