# **Baseline Assessment – Stream Attributes**

# Reach S-L60 (Pipeline ROW) Perennial Spread C Braxton County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No habitat
Wolman Pebble Count	<b>√</b>
Reference Reach Software Pebble Count Data	<b>√</b>
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, AJE, PI Lat: 38.824034 Long: -80.524988




Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, AJE,PI Lat: 38.824034 Long: -80.524988



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, PI, AJE Lat: 38.824034 Long: -80.524988




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, AJE, PI Lat: 38.824034 Long: -80.524988



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, AJE, PI Lat: 38.824034 Long: -80.524988



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, AJE, PI Lat: 38.824034 Long: -80.524988




Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, AJE, PI Lat: 38.824034 Long: -80.524988




Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, AJE, PI Lat: 38.824034 Long: -80.524988

## MTGATON RESTORATION (Learning Cardinal Cardin	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.824034	Lon.	-80.524988	WEATHER:	Sunny	DATE:	09/0	3/21	
Minus   Minu				S	S-L60							Comments:		
Mark to - Impact to the process of	STREAM IMPACT LENGTH:	75		RESTORATION (Levels I-III)		Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Proper Brown Channel Stope   13	Column No. 1- Impact Existing	g Condition (Deb	oit)	Column No. 2- Mitigation Existing C	Condition - Baseline (Credit)				ve Years			Column No. 5- Mitigation Project	ted at Maturity (	Credit)
Mode   Section   Autority   Aut	Stream Classification:	Peren	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:		0
Autority	Percent Stream Channel SI	lope	1.9	Percent Stream Channel SI	ope		Percent Stream Channel	Slope	0	Percent Stream Channel Sle	ope 0	Percent Stream Channel	Slope	0
	HGM Score (attach d	ata forms):		HGM Score (attach	data forms):		HGM Score (attac	h data forms	):	HGM Score (attach da	ata forms):	HGM Score (attach	data forms):	
Page-channed Cycling			Average		Average				Average		Average			Average
Mark   Paper	Hydrology													
### PMT   Physics Chemical and Biological Indicators   PMT   Physics Chemical Indica	Habitat Cycling		U		0				U		U			•
## WYSCA, NOCATOR (typins to all stream controlations)  ## WYSCA, NOCATOR (typins to breather and typins to typins		Biological Indica	ators		d Biological Indicators			and Biologica	Indicators		Biological Indicators		d Biological Indic	cators
		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale 8	tange Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Englane   September   Septem	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications	)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	1
Treatment   Company   Co	USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
New York Depth Regimes   13   13   15   15   15   15   15   15	Epifaunal Substrate/Available Cover			Epifaunal Substrate/Available Cover			Epifaunal Substrate/Available Cover			Epifaunal Substrate/Available Cover		<ol> <li>Epifaunal Substrate/Available Cover</li> </ol>		
Section of Deposition   Section	2. Embeddedness													
Charmed Flow Status														
Common Advantation														
11   13   15   15   15   15   15   15									0-1					
Base   Sability LB A RB    1														
Vegetative Protection (I.B & RB)														
10. Reparter Vegetible 2 Are Width (18.4 RIS)   5.00   1														
Total RBP Score				10 Pinerian Venetative Zone Width (LB & PR)			Vegetative Protection (LB & RB)     Pingrian Vegetative Zone Width (LB & PB)			Vegetative Protection (LB & RB)  10 Pinarian Venetative Zone Width (LB & PB)		Vegetative Protection (LB & RB)     Reprise Venetative Zone Width /I R & RB)		
Sub-Total     0,765     Sub-Total   0   CHEMICAL NIDICATOR (Applies to Intermittent and Personial Streams)   Sub-Total   0   CHEMICAL NIDICATOR (Applies to Intermittent and Personial Streams)   Sub-Total   0   CHEMICAL NIDICATOR (Applies to Intermittent and Personial Streams)   Sub-Total   0   CHEMICAL NIDICATOR (Applies to Intermittent and Personial Streams)   Sub-Total   0   CHEMICAL NIDICATOR (Applies to Intermittent and Personial Streams)   Specific Conductivity   Specific Co	Total RBP Score						Total RBP Score		0			Total RBP Score		0
W/DEP Water Quality Indicators (General)	Sub-Total								0					0
Specific Conductivity	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennia	l Streams)	CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Str	reams)
Section   Sect	WVDEP Water Quality Indicators (General	n		WVDEP Water Quality Indicators (General)				al)			)		ıl)	
### ### ### ### #### #################		0-90	90.3	opcome conductivity	0-90		opecine conductivity	0-90		opeonic conductivity	0-90	opeanic conductivity	0-90	
6.08 0 = 80 points	<=99 - 90 points	1	30.0					1						
6.08 0 = 80 points	рн	0-1		рн	0-1		рн		0-1	рн	0-1	рн	0.1	
DO Sports 10-30 10	6.0-8.0 = 80 points	0-80	7.5		5-90			5-90			5-90	<b>[</b>	5-90	
Sub-Total Sub-To	DO	•		DO			DO			DO		DO	•	
De Total   Sub-Total   Sub-Tot	55 0 - 20i-t-	10-30	7.66		10-30			10-30			10-30		10-30	
V Stream Condition Index (WVSCI)	>5.0 = 30 points Sub-Total		1	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
O		ttent and Perennial St	Streams)	111	ent and Perennial Streams)			mittent and Pe	rennial Streams)		nittent and Perennial Streams)		mittent and Perenr	nial Streams)
De Total 0 Sub-Total 0 Sub-Tot	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)	1		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
PART II - Index and Unit Score  Index  Linear Feet Unit Score  Index  Linear Feet Unit Score  Unit Score  Index	0	0-100 0-1			0-100 0-1			0-100	0-1		0-100 0-1	<b>[</b>	0-100 0-1	
Index Linear Feet Unit Score Index Linear Fee	Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
	PART II - Index and U	Jnit Score		PART II - Index and	Unit Score		PART II - Index ar	nd Unit Score		PART II - Index and U	Init Score	PART II - Index and	Unit Score	
0.883 75 66.1875 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear F	eet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
	0.883	75	66.1875	0	0 0		0	0	0	0	0 0	0	0	0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY				



# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industr	ercial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	TION	Trees	e the dominant type an	Shrubs		erbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000)  ed Stream Depth  Velocity	m m² km² m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R Morphology Types Riffle % Pool	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		of LWD	m <sup>2</sup> /km <sup>2</sup> (LWD/	reach area)	
AQUATIO VEGETA		Roote Floati <b>Domin</b> a	ed emergent Fing Algae A	Rooted submerge Attached Algae		Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	cature0 C  Conductance ed Oxygen  ty strument Used	_	Water Odors Normal/None Sewage Petroleum Fishy  Water Surface Oils Slick Sheen None Other  Turbidity (if not measu Clear □ Slightly tu Opaque Stained	Chemical Other  Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	ical Anaerobic		are the undersides blac	Othereh are not deeply embedded,
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE C	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock	-			Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")				materials (CI OWI)	
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic (FPOM)	

Gravel

2-64 mm (0.1"-2.5")

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN	RIVER BASIN					
STORET#		AGENCY	AGENCY					
INVESTIGATORS		LOT NUMBER						
FORM COMPLETED	ВҮ	DATE TIME						
HABITAT TYPES  Indicate the percentage of each habitat type present  Cobble % Snags % Vacatated Banks % Sand %								

HABITAT TYPES	Indicate the percentage of each habitat type present  Cobble% Snags% Vegetated Banks% Sand%  Submerged Macrophytes% Other ( )%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.  Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ( )
GENERAL COMMENTS	

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM

County: Braxton Stream ID: S-L60

Stream Name: Left Fork Knawl Creek


HUC Code: Basin:

Survey Date: 9/3/2021 Surveyors: AJE PEI Impact Reach: 22.86 m

Type: Bankfull Channel

	1		LE COUNT			1	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	<b>A</b>	0	0.00	0.00
	Very Fine	.062125		<b>*</b>	0	0.00	0.00
	Fine	.12525		<b>*</b>	0	0.00	0.00
	Medium	.255	SAND	<b>*</b>	0	0.00	0.00
	Coarse	.50-1.0	]	<b>~</b>	1	1.00	1.00
.0408	Very Coarse	1.0-2	1	<b>~</b>	0	0.00	1.00
.0816	Very Fine	2 -4		<b>^</b>	0	0.00	1.00
.1622	Fine	4 -5.7	1	<b>^</b>	3	3.00	4.00
.2231	Fine	5.7 - 8	1	<b>*</b>	2	2.00	6.00
.3144	Medium	8 -11.3	GRAVEL	<b>*</b>	11	11.00	17.00
.4463	Medium	11.3 - 16		<b>_</b>	6	6.00	23.00
.6389	Coarse	16 -22.6		<b>^</b>	11	11.00	34.00
.89 - 1.26	Coarse	22.6 - 32	1	<b>^</b>	12	12.00	46.00
1.26 - 1.77	Vry Coarse	32 - 45	1	<b>^</b>	29	29.00	75.00
1.77 -2.5	Vry Coarse	45 - 64	1	<b>A</b>	18	18.00	93.00
2.5 - 3.5	Small	64 - 90	COBBLE	<b>A</b>	4	4.00	97.00
3.5 - 5.0	Small	90 - 128		<b>A</b>	2	2.00	99.00
5.0 - 7.1	Large	128 - 180		<b>^</b>	1	1.00	100.00
7.1 - 10.1	Large	180 - 256		<b>^</b>	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		<b>A</b>	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	<b>A</b>	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	<b>A</b>	0	0.00	100.00
40 - 80	Large	1024 -2048		<u> </u>	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	<u> </u>	0	0.00	100.00
	Bedrock		BDRK	<u> </u>	0	0.00	100.00
				Totals:	100		






	Size (mm)		
301	D16	11	_
	D35	23	
	D50	34	
	D65	40	
	D84	54	
	D95	76	

Size Distr	ibution
mean	24.4
dispersion	2.3
skewness	-0.17

silt/clay	0%
sand	1%
gravel	92%
cobble	7%
boulder	0%



### SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 3, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

PRE-CROSSING PHOTOS

CAD File No.




PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

PENDING CROSSING

LE AND CROBASELINE S-L60 - CREEK (MP


Drawing No.


PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

DOWNSTREAM IMPACT LIMITS

S-L60 BASELINE THALWEG \_\_\_\_ 830 0+10 0+60 0+20 0+30 0+50 0+00 0+40 0+70 0+75 DISTANCE ALONG CROSS-SECTION (FT) PROFILE LEGEND PROFILE
H: 1"=10'
V: 1"=5' EXISTING STREAM PROFILE SCALE: INVERT ALONG THALWEG

AS-BUILT TABLE: S-L60 CROSS SECTION A					
	PRE-CROSSING			AŞ-E	UILT
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ.
				DIFF.	DIFF.
TS-L	14098913.0750	1775701.1020	830.993'		
BS-L	14098911.7240	1775700.71401	830.146 <sup>t</sup>		
THW	14098908.3470	1775698.2920'	829.119'		
BS-R	14098902.6060	1775697.9640	830.038'		
TS-R	14098895.7180	1775696.46001	832.227 <sup>t</sup>		





CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION
H: 1"=10'
V: 1"=5' SCALE:

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.