Baseline Assessment – Stream Attributes

Reach S-N10 Braid (Pipeline ROW) Intermittent Spread D Nicholas County, West Virginia


Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread D Stream S-N10 Braid (Pipeline ROW) Nicholas County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, SM Lat: 38.230934 Long: -80.710804

Spread D Stream S-N10 Braid (Pipeline ROW) Nicholas County



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, SM
Lat: 38.230934 Long: -80.710804

Spread D Stream S-N10 Braid (Pipeline ROW) Nicholas County



Photo Type: US View at Center
Location, Orientation, Photographer Initials: Center ROW, Upstream View, SM
Lat: 38.230934 Long: -80.710804

Spread D Stream S-N10 Braid (Pipeline ROW) Nicholas County




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, SM Lat: 38.230934 Long: -80.710804

Spread D Stream S-N10 Braid (Pipeline ROW) Nicholas County




Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, SM Lat: 38.230934 Long: -80.710804

Spread D Stream S-N10 Braid (Pipeline ROW) Nicholas County



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, SM
Lat: 38.230934 Long: -80.710804

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mount	ain Valley Pipeline	IMPACT COORDINA (in Decimal Degree		38.230934	Lon.	-80.710804	WEATHER:	Sunny	DATE:	09/03/21
IMPACT STREAM/SITE ID / (watershed size {acreage}), u			S-N	10 Braid		MITIGATION STREAM CLAS (watershed size {acre					Comments:	N/A - Water Quality, WVSCI (No Flow)
STREAM IMPACT LENGTH:	101	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINAT (in Decimal Degre			Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	Condition (Del	bit)	Column No. 2- Mitigation Existing	Condition - Baseline (Credit)	Column No. 3- Mitigation Post Complete	Projected at Five tion (Credit)	e Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Proje	cted at Maturity (Credit)
Stream Classification:	Intern	nittent	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slo	ope	14	Percent Stream Channel S	lope		Percent Stream Channel	I Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel	Slope 0
HGM Score (attach da	ata forms):		HGM Score (attack	data forms):		HGM Score (atta	ch data forms)	:	HGM Score (attach da	ata forms):	HGM Score (attach	data forms):
Hydrology	0.51	Average	Hydrology	Avera	ge	Hydrology		Average	Hydrology	Average	Hydrology	Average
Biogeochemical Cycling Habitat	0.28	0.29	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and E			PART I - Physical, Chemical a			PART I - Physical, Chemical	_		PART I - Physical, Chemical and	_	PART I - Physical, Chemical ar	
	Points Scale Range	Site Score		Points Scale Range Site Sci			Points Scale Ran	nge Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all stres			PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	0	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20
2. Embeddedness	0-20	3	Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
3. Velocity/ Depth Regime	0-20	0	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20
Sediment Deposition	0-20	19	Sediment Deposition	0-20		4. Sediment Deposition	0-20		Sediment Deposition	0-20	Sediment Deposition	0-20
5. Channel Flow Status	0-20 0-1	0	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0	-1	5. Channel Flow Status	0-20 0-1	5. Channel Flow Status	0-20 0-1
6. Channel Alteration	0-20	19	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		Frequency of Riffles (or bends)	0-20	Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	16	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB)	0-20	14	Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	11 82	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)		•	Riparian Vegetative Zone Width (LB & RB)	0-20 0	10. Riparian Vegetative Zone Width (LB & RB)	
Total RBP Score Sub-Total	Marginal	0.41	Total RBP Score Sub-Total	Poor 0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor 0	Total RBP Score Sub-Total	Poor 0
CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Str		CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermi	ittent and Perennial		CHEMICAL INDICATOR (Applies to Intermitter		CHEMICAL INDICATOR (Applies to Intermit	
			WARREN W. C. C. L. L. C. C.						WAREE W. L. O. 171 J. 171 J. 170 J. 171 J. 1			
WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (Gene Specific Conductivity	erai)		WVDEP Water Quality Indicators (General Specific Conductivity)	WVDEP Water Quality Indicators (Gener Specific Conductivity	rai)
opeome conductivity	0-90		opcome conductivity	0-90		opcome conductivity	0-90		opcome conductivity	0-90	opcome conductivity	0-90
100-199 - 85 points	0-90			0-90			0-90			0-90		0-90
pH			pH			pH			pH	0.1	pH	
5.6-5.9 = 45 points	0-80			5-90			5-90	-1		5-90		5-90
5.6-5.9 = 45 points			no	_		no	_		DO.		no	
	10-30			10-30			10-30			10-30		10-30
	.5-50						10-00					.5-00
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial S	Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Inter	termittent and Pere	ennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Perennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
	0-100 0-1			0-100 0-1		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0-100 0	-1	Oncome condition mack (WVSGI)	0-100 0-1	Great Solidari Mack (WVSGI)	0-100 0-1
0 Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
DADTILL	nit Caras		DADT /	d Hait Caran		DADT "	and Hait Cas	n	PART II - Index and U	lait Canas	PART II - Index and	I II-i4 C
PART II - Index and Ur	mit acore		PART II - Index an	1 Unit Score		PART II - Index a	and Onic Score		PART II - Index and U	mit score	PART II - Index and	1 Offic Score
Index	Linear Feet	Unit Score	Index	Linear Feet Unit S	core	Index	Linear Fee	et Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Scor
0.448	101	45.1975	0	0 0		0	0	0	0	0 0	0	0 0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP

Location: Nicholas, Spread D

Sampling Date: 9/3/21 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number:S-N10 Braid

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.51
Biogeochemical Cycling	0.28
Habitat	0.08

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.40	0.24
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	12.77	0.20
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	1.25	0.02
V_{HERB}	Average percent cover of herbaceous vegetation.	98.13	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	1.00	1.00

Version 10-20-17

			High-G			ter Strea			а		
	Team [.]	SM, KP		riela L	Jala SNE	et and C			M Northina	38.230934	
Pro	oject Name:								_	-80.710804	
	-	Nicholas, S	Spread D				•	•	pling Date:		
SA	R Number:	S-N10 Braid	Reach	Length (ft):	94	Stream Ty	/pe: Inter	mittent Strea	m		
	Top Strata:	Sh	rub/Herb St	rata	(determine	d from perce	10000				
Site	and Timing:	Project Site	8			•	Before Proje	ct			•
ample	Variables	1-4 in strea	am channel								
1	V _{CCANOPY}	equidistant	points alon at least one	g the strear e value betv	n. Measure veen 0 and	nd sapling only if tree, to trigger to trigger	sapling cov	er is at leas			Not Used <20%
	5										
_											
2	V _{EMBED}	points alon the surface according t rating score	g the strear and area s to the follow e of 1. If the	m. Select a surrounding ring table. If e bed is con	particle fron the particle f the bed is nposed of be	el. Measure in the bed. E that is cove an artificial s edrock, use	Before movi red by fine s surface, or o a rating sco	ng it, detern sediment, a composed o ere of 5.	nine the per nd enter the f fine sedim	centage of rating lents, use a	1.4
		Minshall 19	983)		cobble and i	ooulder part	icies (resca	led from Pia	ilis, Megana	an, and	
		Rating 5	Rating Des <5 percent		covered, sur	rrounded, or	buried by f	ine sedimer	nt (or bedroo	ck)	
		4	5 to 25 per	cent of surfa	ace covered	l, surrounde	d, or buried	by fine sed	iment	,	
		3				ed, surround ed, surround					
		1				urrounded, o				cial surface)	
	List the rat	ings at each	point below	v:							
	3	1	1	1	1	1	3	1	1	1	
	1	1	3 1	1	1	1	1	1	1	1	
	1	1	1	1	1	1	1	1	1	1	
3	\/	Modian atr	oom obonno	Laubatrata	portiolo oizo	e. Measure	et ne fewer	than 20 rau	ably cavidi	tent points	
	9.00	0.08	0.0 in, sand	or finer pa	rticles as 0.0	0.08	0.60	0.08	0.08	0.08	
	0.08	0.08 4.00	0.08 1.00	0.08	0.08	0.08 3.00	0.08 3.50	3.00 10.00	0.40 8.00	0.08	
	0.08	4.00	1.00	0.06	0.06	3.00	3.50	10.00	6.00	0.06	
4 ample	V _{BERO}	side and th may be up	e total perc to 200%. Left Bank:	entage will l	be calculate	Enter the ted If both ba	anks are ere	oded, total e	erosion for t	he stream	0 %
5	V_{LWD}	stream rea per 100 fee	ch. Enter thet of stream	ne number fi will be calc	rom the enti ulated. Number of	es in diame re 50'-wide f downed wo	buffer and v oody stems:	vithin the ch	annel, and	the amount	0.0
6	V_{TDBH}				lly if V _{CCANOR} tree DBHs	_{⊳y} tree/saplii in inches.	ng cover is	at least 20%). Trees ar	e at least 4	Not Use
		,	n measurem			(at least 4 i	n) within the	buffer on e	each side of		
			Left Side					Right Side			
7	V _{SNAG}					per 100 fee et will be ca		Enter num	ber of snag	s on each	0.0
			Left Side:		0		Right Side:		0		
8	V_{SSD}		saplings an	d shrubs (w		up to 4 inch	nes dbh) pe				
				ream will be	ber of saplin e calculated <mark>7</mark>		ibs on each Right Side:		stream, and	the	12.8
			Len Side:				ragni Side:				

Left Side Right Side 100 100 100 100 95 100 100 90 Imple Variable 12 within the entire catchment of the stream. 12 V _{WLUSE} Weighted Average of Runoff Score for watershed: Land Use (Choose From Drop List) Runoff Score Runoff Score Runoff Score Runoff Score Runoff Score											
Acer userum		Grou	p 1 = 1.0					Grou	p 2 (-1.0)		
Acer saecharum Nyssa sylvatica Albizis julibrissin Lonicera tafarica Aserciulis flava Oyveendum acroeum Allarian petiolata Lottus comincides Asamina frinbab Prunus serotran Alamaniahama Lythrum asalaria Betula alequamenais Quercus aba Albizis julibrissin Lythrum asalaria Deminiahamani	Acer rubri			Magnolia t	ripetala		Ailanthus a			Lonicera ia	ponica
Assoulus flevie Oxydendrum antoneum Alliaria patiolate Lotus comiculatus Attenuanthera Lythrum salacina Betala alleghamienals Quercus cocinea Attentataricus Paulusvini coment Carya albe Quercus cocinea Astentataricus Paulusvini coment Carya glabra Quercus monicaria Carya glabra Quercus monicaria Carya civata Quercus monicaria Carya civata Quercus monicaria Carya civata Quercus cocinea Caronilia vana Pueraria monicana Carya civata Quercus subinceria Carya civata Quercus subinceria Carya civata Quercus subina Lespedeza curneata Provincia monicana Carya civata Quercus subina Lespedeza curneata Verbana brasiliana Fagus grandifolia Tilia anenicana Lipustrum stitutina Verbana brasiliana Francisco americana Tilia anenicana Lipustrum stitutina Lespedeza curneata Verbana brasiliana Lipustrum stitutina											
Asimina triloba Prunus serotina Atlemanthera Lythrum salicania Batula alleghamenals Quercus alba Batula metal Quercus alba Alleghamenals Paulownia fomental Carya alba Quercus minorania Carya costa Quercus minorania Carya costa Quercus minorania Carya costa Quercus minorania Carya costa Quercus minorania Lespedeza bicolor Sorghum hialegeni Carya costa Quercus minorania Lespedeza cunceta Verbena brasillenia Frayus grandiolia Tilia americana Ligustrum sibense Lespedeza cunceta Verbena brasillenia Frayus grandiolia Tilia americana Ligustrum sibense Ligustr							-				
Betula ellegheniensis Quercus alba Philosencides Microstegium vimine Betula lenta Quercus coccinea Aster tatarcus Paulowina tomenta Carya eliba Quercus prinus Correction Potentian Phylogomic uspidat Carya ovalis Quercus prinus Corrollila varia Phylogomic uspidat Carya ovalis Quercus prinus Corrollila varia Pheraria montana Carya ovalis Quercus rubra Elaesginus umbelata Rosa multifilora Carya ovalis Quercus rubra Lespedeza bicolor Sorghum halegeni Carya ovalis Quercus rubra Lespedeza cureata Varbena brasiliens Fagus grandfolia Tila americana Ligustrum sinense Ligustrum s				-			Alliaria peti	olata	Ц		
Betula lentes Quercus coccines Aster tataricus Paulovina toment Carya alba Quercus imbroaria Carya galbar Quercus imbroaria Carya galbar Quercus imbroaria Carya covatia Quercus imbroaria Persina montana Polygonum cuspella Carya ovata Quercus valutina Lespedeza cuneta Persina montana Carya ovata Quercus valutina Lespedeza cuneta Verbena brasillens Carya ovata Quercus valutina Lespedeza cuneta Verbena brasillens Fagus grandfolia Tilla americana Ligustrum ainensa Tuga canadensia Ligustrum ainensa Lig	Asimina tr	loba		Prunus sei	rotina					Lythrum sa	alicaria
Carya alba Quercus prinus Cornolitu varia Polygonum cuspidat Carya oyalara Quercus prinus Cornolitu varia Pueraria montana Carya oyala Quercus prinus Elegengus umbellata Rosa multiflora Carya oyala Quercus velutina Lespedeza bicolor Sorghum halepent Cornus florida Sassafias albidum Lespedeza bicolor Sorghum halepent Fagus grandfolia Tile armericana University molygonia Usignatum chusichima Lespedeza curueata Verbena brasiliens Ligustrum duschima Ligustrum	Betula alle	ghaniensis		Quercus a	lba		philoxeroid	es		Microstegiu	m vimineu
Carya glabra	Betula len	ta		Quercus co	occinea		Aster tatari	cus		Paulownia	tomentos
Carya glabra Quercus prinus Coronila varia Pueraria monitana Carya ovalis Quercus vatura Eleaganus imbellata Rosa mutifiliora Carya ovalis Quercus vaturina Lespedeza biolici Sorghim heliperia Cornus florida Sassafias albidum Lespedeza biolici Sorghim heliperia Cornus florida Sassafias albidum Lespedeza cureata Verbena brasiliena Frasinas americana Ligustrum sinense Ligustrum si	Carva alba	ì		Quercus in	nbricaria		Cerastium	fontanum		Polygonum	cuspidatu
Carya ovata	-						Coronilla	aria			
Carya ovata											
Comus floride	-						-				
Fagus grandfolie	Carya ova	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
Fraxinus americana	Cornus flo	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena b	rasiliensi
Linicolendron tulipidera	Fagus gra	ndifolia		Tilia ameri	cana		Ligustrum o	btusifolium			
Lindendron tulipifers	Fraxinus a	mericana		Tsuga can	adensis		Ligustrum	sinense			
Magnolis acuminata	Liriodendro	n tulipifera	П				-				
1 Species in Group 1 1 Species in Group 2		•		ominao amin	01104114						
mple Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from eac nk. The four subplots should be placed roughly equidistantly along each side of the stream. 10 Votermus Average percent cover of leaves, sticks, or other organic material. Woody debris 4" diameter and 250 flong are include. Either the percent cover of the detrital layer at each subplot. 11 Vitess Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" obh and 30" tall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Either the percent cover of ground vegetation acach subplot. 12 Vitess Weighted Average of Runoff Score for watershed: Left Side Right Side Right Side Runoff Score for watershed: Left Side Right Side Runoff Score for watershed: Left Side Right Side Runoff Score for watershed: Left Side Right Side Runoff Score for watershed: Land Use (Choose From Drop List) Runoff Catchment Catchment of the stream. 1.00 100 100 100 100 95 100 100 90 100 90 100 90 100 90 100 90 100 90 100 10	Magriolia	acummata									
mple Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from eac nk. The four subplots should be placed roughly equidistantly along each side of the stream. 10 Votermus Average percent cover of leaves, sticks, or other organic material. Woody debris 4" diameter and 250 flong are include. Either the percent cover of the detrital layer at each subplot. 11 Vitess Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" obh and 30" tall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Either the percent cover of ground vegetation acach subplot. 12 Vitess Weighted Average of Runoff Score for watershed: Left Side Right Side Right Side Runoff Score for watershed: Left Side Right Side Runoff Score for watershed: Left Side Right Side Runoff Score for watershed: Left Side Right Side Runoff Score for watershed: Land Use (Choose From Drop List) Runoff Catchment Catchment of the stream. 1.00 100 100 100 100 95 100 100 90 100 90 100 90 100 90 100 90 100 90 100 10		1	Species in	Group 1				1	Species in	Group 2	
Left Side	nk. The four su	Average pe	uld be plac ercent cover	ed roughly of leaves,	equidistan sticks, or oth	tly along e her organic	ach side of material. W	the strea loody deb	m. ris <4" diam		
11		<36" long a	are include.	Enter the p	ercent cove	er of the det	rital layer at	each sub	olot.		1.25 %
11 Vierab Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" dbh and 36" tall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot. Left Side			Left	Side			Right	t Side			
include woody stems at least 4" dbh and 36" fall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot. Left Side		0	0	0	0	0	0	0	10		
include woody stems at least 4" dbh and 36" fall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot. Left Side											
Mariable Value V		include woody stems at least 4" dbh and 36" tall. Bec vegetation percentages up through 200% are accept at each subplot.									98 %
Land Use (Choose From Drop List) Runoff Score Catch content Runoff Catch content		at each sul		Side			Right	t Side		1	
Land Use (Choose From Drop List) Runoff Score Catch content Runoff Catch content			Left		100	95		_	90		
Score ment (not >1	•	100	Left 100 e entire cat	100 chment of	the stream.			_	90		1.00
Variable Value VSI	•	100	Left 100 e entire cat Average of I	chment of	the stream.	hed:		_			1.00 Runnin
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percen (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
S-N10 Braid Value VSI	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
Variable Value VSI V _{CCANOPY} Not Used, <20%	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
Vccanopy Not Used, <20% Not Used Vembed 1.4 0.24 Vsubstrate 0.08 in 0.04 Vbero 0 % 1.00 VLWD 0.0 0.00 VTDBH Not Used Not Used VsnAG 0.0 0.10 VssD 12.8 0.20 Vsrich 0.00 0.00 VDETRITUS 1.3 % 0.02 VHERB 98 % 1.00	12 V _{WLUSE}	100 12 within the Weighted A	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:		100	Runoff Score	Catch- ment	Runnin Percer (not >10
Vccanopy Not Used, <20% Not Used Vembed 1.4 0.24 Vsubstrate 0.08 in 0.04 Vbero 0 % 1.00 VLWD 0.0 0.00 VTDBH Not Used Not Used VsnAG 0.0 0.10 VssD 12.8 0.20 Vsrich 0.00 0.00 VDETRITUS 1.3 % 0.02 VHERB 98 % 1.00	Forest and to	100 12 within the Weighted /	Left 100 e entire cat Average of I	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnin Percer (not >10
VCCANOPY <20% Not Used V_EMBED 1.4 0.24 VSUBSTRATE 0.08 in 0.04 VBERO 0 % 1.00 VLWD 0.0 0.00 VTDBH Not Used Not Used VSNAG 0.0 0.10 VSSD 12.8 0.20 VSRICH 0.00 0.00 VDETRITUS 1.3 % 0.02 VHERB 98 % 1.00	Forest and i	100 12 within the Weighted A mative range (a)	Left 100 e entire cat Average of I Land	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{EMBED} 1.4 0.24 V _{SUBSTRATE} 0.08 in 0.04 V _{BERO} 0 % 1.00 V _{LWD} 0.0 0.00 V _{TDBH} Not Used Not Used V _{SNAG} 0.0 0.10 V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and i	100 12 within the Weighted A mative range (a mative range) 10 Braid Value	Left 100 e entire cat Average of I Land >75% ground VSI	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percei (not >10
V _{SUBSTRATE} 0.08 in 0.04 V _{BERO} 0 % 1.00 V _{LWD} 0.0 0.00 V _{TDBH} Not Used Not Used V _{SNAG} 0.0 0.10 V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and a S-N Variable	100 12 within the Weighted A waitive range (: 10 Braid Value Not Used,	Left 100 e entire cat Average of I Land >75% ground VSI	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
VBERO 0 % 1.00 VLWD 0.0 0.00 VTDBH Not Used Not Used VSNAG 0.0 0.10 VSSD 12.8 0.20 VSRICH 0.00 0.00 VDETRITUS 1.3 % 0.02 VHERB 98 % 1.00	Forest and 1 S-N Variable Vccanopy	100 12 within the Weighted / Wei	Left 100 e entire cat Average of I Land VSI Not Used	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percei (not >10
V _{LWD} 0.0 0.00 V _{TDBH} Not Used Not Used V _{SNAG} 0.0 0.10 V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and I	100 12 within the Weighted A wei	Left 100 e entire cat Average of I Land VSI Not Used 0.24	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{LWD} 0.0 0.00 V _{TDBH} Not Used Not Used V _{SNAG} 0.0 0.10 V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and I	100 12 within the Weighted A wei	Left 100 e entire cat Average of I Land VSI Not Used 0.24	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{TDBH} Not Used Not Used V _{SNAG} 0.0 0.10 V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and some state of the st	100 12 within th Weighted A native range (: 10 Braid Value Not Used, <20% 1.4 0.08 in	Left 100 e entire cat Average of I Land >75% ground VSI Not Used 0.24 0.04	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{SNAG} 0.0 0.10 V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and 1 Forest and 1 S-N Variable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO}	100 12 within the Weighted A wei	Land Average of I Land VSI Not Used 0.24 0.04 1.00	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{SNAG} 0.0 0.10 V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and 1 Forest and 1 S-N Variable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO}	100 12 within the Weighted A wei	Land Average of I Land VSI Not Used 0.24 0.04 1.00	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnin Percer (not >10
V _{SSD} 12.8 0.20 V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and I	100 12 within the Weighted A 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0	Left 100 e entire cat Average of I Land VSI Not Used 0.24 0.04 1.00 0.00	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and of S-N Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vtub	100 12 within th Weighted A 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0 Not Used	Left 100 e entire cat Average of I Land VSI Not Used 0.24 0.04 1.00 0.00 Not Used	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{SRICH} 0.00 0.00 V _{DETRITUS} 1.3 % 0.02 V _{HERB} 98 % 1.00	Forest and of S-N Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vtub	100 12 within th Weighted A 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0 Not Used	Left 100 e entire cat Average of I Land VSI Not Used 0.24 0.04 1.00 0.00 Not Used	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
VDETRITUS 1.3 % 0.02 VHERB 98 % 1.00	S-N Variable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO} V _{LWD} V _{TDBH} V _{SNAG}	100 12 within the Weighted A Weighted A 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0 Not Used 0.0	VSI Not Used 0.24 0.00 Not Used 0.10	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnin Percer (not >10
V _{HERB} 98 % 1.00	Forest and I Forest and I S-N Variable Vccanopy Vembed Vsubstrate Vbero Vlwd VtdbH VsnAG VsSD	100 12 within th Weighted / 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0 Not Used 0.0 12.8	Left 100 e entire cat Average of I Land VSI Not Used 0.24 1.00 0.00 Not Used 0.10 0.20	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnir Percer (not >10
V _{HERB} 98 % 1.00	Forest and I Forest and I S-N Variable Vccanopy Vembed Vsubstrate Vbero Vlwd VtdbH VsnAG VsSD	100 12 within th Weighted / 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0 Not Used 0.0 12.8	Left 100 e entire cat Average of I Land VSI Not Used 0.24 1.00 0.00 Not Used 0.10 0.20	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnin Percer (not >10
	Forest and of S-N Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vtub Vsnag Vssd Vsrich	100 12 within th Weighted / 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0 Not Used 0.0 12.8 0.00	VSI Not Used 0.00 Not Used 0.10 0.20 0.00	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnin Percer (not >10
V _{WLUSE} 1 1.00	Forest and of S-N Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vsnag Vssd Vsrich Vdetritus	100 12 within th Weighted / 10 Braid Value Not Used, <20% 1.4 0.08 in 0 % 0.0 Not Used 0.0 12.8 0.00 1.3 %	VSI Not Used 0.24 0.00 Not Used 0.10 0.20 0.00 0.02	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnin Percer (not >10
	Forest and I	100 12 within the Weighted / Wei	VSI Not Used 0.24 0.00 Not Used 0.10 0.20 0.00 1.00	chment of Runoff Scor	the stream.	hed:	100	100	Runoff Score	Catch- ment	Runnin Percer (not >10

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE	REASON FOR SURVEY		

	Name of the second seco
WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Rolly
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Stream Type Coldwater Warmwater Catchment Areakm²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.	
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.	
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Nicholas Stream ID: S-N10 Braid

Stream Name: Skelt Run

HUC Code: Basin:


Survey Date: 9/3/2021

Surveyors: SM KP Impact Reach: 28.65 m

Type: Bankfull Channel

	D . D TT OT D		LE COUNT				01.0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	_	0	0.00	0.00
	Very Fine	.062125		*	60	60.00	60.00
	Fine	.12525		*	0	0.00	60.00
	Medium	.255	SAND	•	0	0.00	60.00
	Coarse	.50-1.0		*	0	0.00	60.00
.0408	Very Coarse	1.0-2	1	*	0	0.00	60.00
.0816	Very Fine	2 -4		*	0	0.00	60.00
.1622	Fine	4 -5.7		*	2	2.00	62.00
.2231	Fine	5.7 - 8		•	0	0.00	62.00
.3144	Medium	8 -11.3		*	2	2.00	64.00
.4463	Medium	11.3 - 16	GRAVEL	•	2	2.00	66.00
.6389	Coarse	16 -22.6		*	0	0.00	66.00
.89 - 1.26	Coarse	22.6 - 32		•	2	2.00	68.00
1.26 - 1.77	Vry Coarse	32 - 45		*	0	0.00	68.00
1.77 -2.5	Vry Coarse	45 - 64		•	0	0.00	68.00
2.5 - 3.5	Small	64 - 90		•	4	4.00	72.00
3.5 - 5.0	Small	90 - 128	COBBLE	*	10	10.00	82.00
5.0 - 7.1	Large	128 - 180		•	8	8.00	90.00
7.1 - 10.1	Large	180 - 256		*	4	4.00	94.00
10.1 - 14.3	Small	256 - 362		-	2	2.00	96.00
14.3 - 20	Small	362 - 512		*	4	4.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.00
40 - 80	Large	1024 -2048		A	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		A	0	0.00	100.00
	Bedrock		BDRK	^	0	0.00	100.0
				Totals:	100		






S	ize (mm)	
	016	0.075	100
[)35	0.093	
[050	0.11	
[065	13	
[084	140	
[95	300	

Size Disti	ribution
mean	3.2
dispersion	637.1
skewness	0.81

:147-1
silt/clay 0%
sand 60%
gravel 8%
cobble 26%
boulder 6%

AS-BUILT TABLE: S-N10 CROSS SECTION A									
PRE-CROSSING AS-BUILT									
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.				
TS-L	13882811.6	1723510.104	2589.80						
THW	13882808.45	1723507.361	2586.76						
TS-R	13882803.83	1723503.337	2589.75						



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON OCTOBER 2, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG WILL BE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-N10 BASELINE CROSS-SECTION A PIPE CL



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION H: 1"=10' V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No