# Reach S-N14 (2) (Timber Mat Crossing) Perennial Spread D Nicholas County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – lack of habitat
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

### Spread D Stream S-N14(2) (Timber Mat Crossing) Nicholas County




Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/VM Lat: 38.296646 Long: -80.676258



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/VM Lat: 38.296646 Long: -80.676258

### Spread D Stream S-N14(2) (Timber Mat Crossing) Nicholas County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/VM Lat: 38.296646 Long: -80.676258



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/VM Lat: 38.296646 Long: -80.676258

## Spread D Stream S-N14(2) (Timber Mat Crossing) Nicholas County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/VM Lat: 38.296646 Long: -80.676258




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RH/VM Lat: 38.296646 Long: -80.676258

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.296646 L	.on.	-80.676258	WEATHER:	99% cloud cover	DATE:	09/21/21
IMPACT STREAM/SITE ID / (watershed size (acreage), t		S-N14 (2) Timber	Mat Crossing		MITIGATION STREAM CLASS./SIT (watershed size (acreage), ur				-	Comments:	
STREAM IMPACT LENGTH:	22 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	L	.on.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)	Column No. 2- Mitigation Existing Con	ndition - Baseline (Credit)		Column No. 3- Mitigation Project Post Completion (C		ears	Column No. 4- Mitigation Proj Post Completion (		Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slo	ope 0.6	Percent Stream Channel Slop	e		Percent Stream Channel Slope	e	0	Percent Stream Channel St	ope 0	Percent Stream Channel S	ope 0
HGM Score (attach da	ita forms):	HGM Score (attach da	ita forms):		HGM Score (attach dat	ta forms):		HGM Score (attach d	ata forms):	HGM Score (attach d	ata forms):
	Average		Average				Average		Average		Avera
Hydrology	0	Hydrology	0		Hydrology		0	Hydrology		Hydrology	
Biogeochemical Cycling Habitat		Biogeochemical Cycling Habitat			Biogeochemical Cycling Habitat		-	Biogeochemical Cycling Habitat		Biogeochemical Cycling Habitat	Ť
PART I - Physical, Chemical and E	Biological Indicators	PART I - Physical, Chemical and I	Biological Indicators		PART I - Physical, Chemical and B	Biological Ind	icators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range Site Score		Pointa Scale Range Site Score		Po	oints Scale Range	Site Score		Points Scale Range Site Score		Points Scale Range Site Sc
PHYSICAL INDICATOR (Applies to all streams of	classifications)	PHYSICAL INDICATOR (Applies to all streams cla	ssifications)		PHYSICAL INDICATOR (Applies to all streams class	ssifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover		USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	
2. Embeddedness	0-20 6 0-20 1	2. Pool Substrate Characterization	0-20			0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
3. Velocity/ Depth Regime	0-20 1	3. Pool Variability	0-20			0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20
4. Sediment Deposition	0-20 3	4. Sediment Deposition	0-20			0-20		<ol> <li>Sediment Deposition</li> </ol>	0-20	<ol> <li>Sediment Deposition</li> </ol>	0-20
5. Channel Flow Status	0-20 0-1 19	5. Channel Flow Status	0-20 0-1			0-20 0-1		5. Channel Flow Status	0-20 0-1	5. Channel Flow Status	0-20 0-1
6. Channel Alteration	0-20 19	6. Channel Alteration	0-20			0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20	7. Channel Sinuosity	0-20			0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20 16	8. Bank Stability (LB & RB)	0-20			0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20 18	9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20			0-20		9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20	9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	0-20 16 Marginal 100	Total RBP Score	0-20 Poor 0		10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0	Total RBP Score	0-20 Poor 0	Total RBP Score	0-20 Poor 0
Sub-Total	0.5	Sub-Total	0		Sub-Total	FUUI	0	Sub-Total	0	Sub-Total	0
CHEMICAL INDICATOR (Applies to Intermittent		CHEMICAL INDICATOR (Applies to Intermittent an	nd Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and	d Perennial Stre	sams)	CHEMICAL INDICATOR (Applies to Intermittee	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitter	t and Perennial Streams)
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General	)	WVDEP Water Quality Indicators (General	
Specific Conductivity		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity	
<=99 - 90 points	0-90 98.4		0-90			0-90			0-90		0-90
pH		pH			pH			pH		pH	
	0-80 0-1 6.58		5-90 0-1			5-90 0-1			5-90 0-1		5-90 0-1
6.0-8.0 = 80 points	0.00										
DO		DO			DO			DO		DO	
<5.0 = 10 points	10-30 <b>2.97</b>	1	10-30			10-30			10-30		10-30
Sub-Total	0.9	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittee	nt and Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Intern	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0	0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1
Sub-Total	0	Sub-Total	0		Sub-Total	1	0	Sub-Total	0	Sub-Total	0
PART II - Index and Ur	nit Score	PART II - Index and U	nit Scorp		PART II - Index and Un	it Score	n	PART II - Index and U	nit Score	PART II - Index and L	nit Score
PART II - Index and Ur	Score -	PART II - INDEX and U			PART II - INDEX and UN	in Score		PART II - INDEX and U	int Scole	PART II - Index and U	int Score
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit S
0.700	22 15.4	0	0 0		0	0	0	0	0 0	0	0 0
μ	· · · · · · · · · · · · · · · · · · ·	I			μ			L		μ	I I

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN	RIVER BASIN				
STORET #	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY				



# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse       Local Watershed NPS Pollution         Forest       Commercial       No evidence       Some potential sources         Field/Pasture       Industrial       Other       Obvious sources         Agricultural       Other       Ecoal Watershed Erosion       None         None       Moderate       Heavy         Indicate the dominant type and record the dominant species present       Herbaceous         Trees       Shrubs       Grasses       Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY DEBRIS	LWDm <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present Rooted emergent Floating Algae       Rooted submergent Attached Algae       Rooted floating Free floating         Dominant species present
WATER QUALITY (DS ONLY)	Temperature0 C       Water Odors Normal/None       Sewage         Specific Conductance       Petroleum Fishy       Chemical Other         Dissolved Oxygen       Water Surface Oils Slick       Sheen None       Globs       Flecks         pH       Turbidity       Turbidity (if not measured) Clear       Turbid ty furbid       Turbid Turbid         WQ Instrument Used       Opaque       Stained       Other
SEDIMENT/ SUBSTRATE	Odors Normal     Sewage     Petroleum       Chemical     Anaerobic     None       Other     Other       Oils     Absent       Absent     Slight       Moderate     Profuse       Yes     No

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic % Compositio Sampling Ar						
Bedrock			Detritus	sticks, wood, coarse plant						
Boulder	> 256 mm (10")			materials (CPOM)						
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic						
Gravel	2-64 mm (0.1"-2.5")			(FPOM)						
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments						
Silt	0.004-0.06 mm									
Clay	< 0.004 mm (slick)									

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative</li> <li>Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score \_\_\_\_\_

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET #		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of Cobble% Sn Submerged Macrophytes	ags% Vegetated B	anks% Sand% )%
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand
GENERAL COMMENTS			

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS


Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM

County:	Nicholas	Stream ID:	S-N14 (2)
Stream Name:	Granny Run (2)		
HUC Code:		Basin:	
Survey Date:	9/21/2021		
Surveyors:	RH, VM	Impact:	8 m
Type:	Bankfull Channel		

PEBBLE COUNT							
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	• •	89	89.00	89.00
	Very Fine	.062125	SAND	•	3	3.00	92.00
	Fine	.12525		▲ ▼	2	2.00	94.00
	Medium	.255		•	3	3.00	97.00
	Coarse	.50-1.0		▲ ▼	2	2.00	99.00
.0408	Very Coarse	1.0-2		▲ ▼	1	1.00	100.00
.0816	Very Fine	2 -4	GRAVEL	▲ ▼	0	0.00	100.00
.1622	Fine	4 -5.7		▲ ▼	0	0.00	100.00
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	100.00
.3144	Medium	8 -11.3		▲ ▼	0	0.00	100.00
.4463	Medium	11.3 - 16		▲ ▼	0	0.00	100.00
.6389	Coarse	16 -22.6		▲ ▼	0	0.00	100.00
.89 - 1.26	Coarse	22.6 - 32		* *	0	0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45		* *	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64		* *	0	0.00	100.00
2.5 - 3.5	Small	64 - 90	COBBLE	* *	0	0.00	100.00
3.5 - 5.0	Small	90 - 128		* *	0	0.00	100.00
5.0 - 7.1	Large	128 - 180		* *	0	0.00	100.00
7.1 - 10.1	Large	180 - 256		* *	0	0.00	100.00
10.1 - 14.3	Small	256 - 362	BOULDER	* *	0	0.00	100.00
14.3 - 20	Small	362 - 512		* *	0	0.00	100.00
20 - 40	Medium	512 - 1024		▲ ▼	0	0.00	100.00
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		▲ ▼	0	0.00	100.00
	Bedrock		BDRK	* *	0	0.00	100.00
				Totals:	100		
	Total Tally:						






TS: TOP OF SLOPE

BS: BOTTOM OF SLOPE

THW: THALWEG (INVERT)

TS-R 13906732.25 1733292.13 2273.51



SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 30, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.

3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.

- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

