Baseline Assessment – Stream Attributes

Reach S-O4 (Pipeline ROW) Perennial Spread C Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓ Water Quality readings from benthic sampling date
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓ Sampling date 9/15/2021
Wolman Pebble Count	√
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream at ROW looking NE upstream, COC Lat: 38.483002 Long: -80.556464



Photo Type: DS, DS VIEW
Location, Orientation, Photographer Initials: Downstream at ROW looking SW downstream, COC
Lat: 38.483002 Long: -80.556464



Location, Orientation, Photographer Initials: On thalweg at ROW/LOD centerline looking NE Upstream, COC Lat: 38.483002 Long: -80.556464



Photo Type: CL, DS
Location, Orientation, Photographer Initials: On thalweg at ROW/LOD centerline looking SW Downstream, COC
Lat: 38.483002 Long: -80.556464



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NE upstream, COC
Lat: 38.483002 Long: -80.556464



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SW downstream, COC
Lat: 38.483002 Long: -80.556464



Photo Type: RIFFLE, US VIEW
Location, Orientation, Photographer Initials: Downstream looking NE upstream at riffle, COC
Lat: 38.483002 Long: -80.556464



Photo Type: RIFFLE, DS VIEW
Location, Orientation, Photographer Initials: Upstream looking SW downstream at riffle, COC
Lat: 38.483002 Long: -80.556464




Photo Type: POOL, US VIEW
Location, Orientation, Photographer Initials: Downstream looking NE upstream at pool, COC
Lat: 38.483002 Long: -80.556464



Photo Type: POOL, DS VIEW
Location, Orientation, Photographer Initials: Upstream looking SW downstream at pool, COC
Lat: 38.483002 Long: -80.556464

## MICHANIS PROVINCE 1	March State Stat	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	Valley Pipeline	IMPACT COORDINATES:	Lat.	38.483002	Lon.	-80.556464	WEATHER:	Sunny	DATE:		1
Tright show Part	TRIAN AMPLICAL LIANCIFE 18 18 18 18 18 18 18 1	(12.1, Ospi 2010)				(in Decimal Degrees)								9/15/20)21
### PROCESS OF PROCESS	## AND PROPERTY AND PASS AS SERVICE A				S-O4 Pip	eline ROW							Comments:		
Column N. Signature Control Local Column No. Signature Column	Column 16. Important Column 16. Import	(watershed size {acreage}), unaltered or impairme	ents)				(watershed size {acr	eage}, unaltered	or impairments)					
Column to 1. Transport Exercises Countries (Column to 2. Villageine Navier Countries (Column to 2. Villageine Na	Column No. 1 report Extrary Control (1941) Column No. 2 Wigning Extrary (1941) Column No. 2 Wigning Ex	STREAM IMPACT LENGTH:	92				Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
	March Control and September Septem			MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Proceed Stream Channel Stope Proceed Stream Channel Stope	Percent Stream Channel Stope Percent Stream Channel Stope 1	Column No. 1- Impact Existin	g Condition (Debit	t)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)				Five Years			Column No. 5- Mitigation Project	ed at Maturity (Cre	edit)
Mode Control Act Contr	Mode Section Part	Stream Classification:	Perenn	nial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Appropriate	According Acco	Percent Stream Channel S	lope	4.2	Percent Stream Channel Slo	оре		Percent Stream Channe	I Slope	0	Percent Stream Channel Si	ope 0	Percent Stream Channel Si	ope	0
Part Proposed Part Part Proposed Part Par	Part	HGM Score (attach o	data forms):		HGM Score (attach o	data forms):		HGM Score (atta	ach data forr	ns):	HGM Score (attach da	ata forms):	HGM Score (attach da	ita forms):	
Respective production Company	Respectation of Cycling			Average		Average				Average		Average			Average
Mode PAPT Project, Chemical and Biological Indicators	PART - Prystact, Chemical and Biological Indicators	Hydrology													
## PART : Physical, Chemical and Biological Indicators PART : Physical, Chemical and Biological Indicators	## PATT - Physical, Chemical and Biological Indicators PATT - Physical, Chemical and Biological Indicators			0		0				0		0			0
## PMTSCAL NDCATOR (pycies to all crases consolidation) ## PMTSCAL NDCATOR (pycies to all crases consolidat	## WYSCAL NDCATOR (vg/ins to all news condition) ## SPA REP (on Criminate Data Sheet)		d Biological Indicate	tors		d Biological Indicators			I and Biologic	cal Indicators		Biological Indicators		Biological Indicate	ors
Mary No. Control for the State Control for the S	SEPARATE Plays Contract loss Bases		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Editional Substrate Authoristics Cores	Entered Substitute Ambiel Core 2-0 15 15 15 15 15 15 15 1	PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classification	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
	Embeldebrisses														
Mode/Opt Regime	Notice Company Compa														
Sedement Deposition	Sedement Deposition												2. Embeddedness 2. Volosity/ Donth Rogims		
S. Charter From Statish	Common Flore Statis	1 Sediment Denosition	0-20			0-20		4 Sediment Deposition	0-20		4 Sediment Deposition	0.20	4 Sediment Deposition	0-20	
Comment Alteration Comment	Comment Alteration			7											
Frequency of Riffles (or bands)	Frequency of Riffles (or bends) 5.29 15 15 15 15 15 15 15 1			19						0-1					-
Back Stability (18 A R8) 0.20 17 19 0.00	Back Stability (18 A R8)														
	Vogetative Protection (LB A RS)														
10, Regulant Vegetables Zoler Width (1.6 A R10) 0.30 1.1 1.0 1.6 R10 0.30 1.0 1.0 1.6 R10 0.30 1.0	Comparison representative Winding Lat Aris Comparison representative Winding Winding Lat Aris Comparison representative Winding Winding Lat Aris Comparison representative Winding														
Total RBP Score	Total RBP Score Subcrited														-
Sub-Total 0 0 CHEMICAL NIDICATOR (Applies to Intermittent and Personal Streams) WWDEP Water Quality Indicators (General) Specific Conductivity Specific Conductivity Specific Conductivity WWDEP Water Quality Indicators (General) Specific Conductivity Specific Conductivity Specific Co	Sub-Total O.76 Sub-Total O.77 Sub-Total									0	Total RBP Score				0
WVDEP Water Quality Indicators (General) 900-399-70 points	## WDEP Water Quality indicators (General) ## WDEP Water Quality indicators (General) ## WDEP Water Quality indicators (General) ## PATT II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score Index Unit Score Unit Score Unit Score Index Unit Score Unit Score Index Unit Score		Gasopana			0				0				1 001	0
Specific Conductivity pH Sob-30 - 70 points	Specific Conductivity	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Stream	ıms)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Interm	ittent and Peren	nial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	and Perennial Stream	ms)
300-399 - 70 points	300-399-70 points		I)						eral))			
## 300-399-70 points	## 30-390-70 points Ph	Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		-
## PH PH PH PH PH PH PH	## PH PH PH PH PH PH PH	200 200 70	0-90	380		0-90			0-90			0-90		0-90	
6.0-8.0 = 80 points DO Sub-Total Sub-Tota	6 0-9 0 - 80 points	300-399 - 70 points			aU			nu .			nU		nU		
6 0-8 0 = 80 points	6 0-9 0 - 80 points	pii	0-1		p.,	0-1		p	T	0-1	pi.	0-1	p.,	0-1	_
DO	DO	6 0-8 0 = 80 points	0-80	7.78		5-90			5-90			5-90		5-90	
Sub-Total 10-30	10.30 10.3				DO			DO			DO		DO		
Sub-Total 0.9 Su	Sub-Total 0,9 Su		40.30	40		40.20			40.20			40.20		40.20	
BIOLOGICAL INDICATOR (Applies to Intermittent and Personnial Streams) WV Stream Condition Index (WVSCI) Fair 0-10 0-1 45.2 Sub-Total 0-10 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-	BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WV Stream Condition Index (WVSCI) Fair 0 100 0 1 45.2 Sub-Total 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0		,0-30						10-30					.5-50	
W Stream Condition Index (WVSCI)	W Stream Condition Index (WVSCI)	Sub-Total		0.9	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
Fair	Fair	BIOLOGICAL INDICATOR (Applies to Intermit	ittent and Perennial Stre	reams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Int	termittent and F	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial	Streams)
Sub-Total	PART II - Index and Unit Score Index Linear Feet Unit Score	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
Sub-Total 0.352 Sub-Total 0.00 Sub-T	PART II - Index and Unit Score PART II - Index and Unit Score Index Index Unit Score Index Unit Score Index Unit Score Index Index Unit Score Index Index Index Unit Score Index	· · · · · · · · · · · · · · · · · · ·	0-100 0-1	45.2		0-100 0-1			0-100	0-1		0-100 0-1		0-100 0-1	
PART II - Index and Unit Score	PART II - Index and Unit Score Index Linear Feet Unit Score Index Linear Feet Unit Score Index Linear Feet Unit Score														
Index Linear Feet Unit Score Index Linear Fee	Index Linear Feet Unit Score Index Linear Fee	Sub-Total		0.352	Sub-Total	0		Sub-Total		0	Sub-Total Sub-Total	0	Sub-Total		0
		PART II - Index and I	Unit Score		PART II - Index and	Unit Score		PART II - Index	and Unit Scor	е	PART II - Index and U	Init Score	PART II - Index and U	nit Score	
' 0.671 92 61.7013333 0 0 0 0 0 0 0 0	0.671 92 61.7013333 0 0 0 0 0 0 0 0 0 0 0 0 0				Index										Unit Score
		0.671	92	61.7013333	0	0 0		0	0	0	0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION					
STATION# RIV	VERMILE	STREAM CLASS					
LAT LON	NG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS							
FORM COMPLETED BY		DATE	REASON FOR SURVEY				

	TI4hh
WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	N Silt fence S-04 Exposed rock Pice CL in
	Timber mat
	LOD LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ome potential sources				
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous				
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No				
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)					
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü				
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks				
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,				
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)					
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic					
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)					

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-O4							LOCATION Webster County													
STATION#	TATION # RIVERMILE							STREAM CLASS Perennial												
LAT 38.483002	AT <u>38.483002</u> LONG <u>-80.556464</u>							RIVER BASIN None												
STORET#		AGENCY WVDEP																		
INVESTIGATORS H	IC H	(LO	ΓŅ	IUMBER					
FORM COMPLETED) BY	Н	C				DAT TIM	ΓΕ <u>9</u> ΙΕ <u>1</u>	/15/21 501				REA	AS	ON FOR SURVEY Ba	selir	ne A	sses	ssmer	nt
HABITAT TYPES	<u> </u>	Cob	ble 5	,	%	tage of Snaphytes	ags	habit: % %	at type p	Vege	e nt etated Othe	d Ba	nks_		%					
SAMPLE COLLECTION	Ho In	ow v dica Cob	vere ite th	the s	samp	les coll r of jab	ected s/kick	? ks tak	wadien in eac	ng c h ha Vege	[abita	fire t type d Ba	om ba	anl	Sand					
GENERAL COMMENTS	U:	S:	Ter	mp	: 20		C, S	SPC	: 381			•			10 mg/L, pH: 7 9.68 mg/L, pH:					
	\mathbb{L}^{2}	บรเ	ر ا ر	<u>-u.</u>	-113	ii aik	J (1)	ayıı	511											
QUALITATIVE I Indicate estimated Dominant	JL LIST	INC	G C)F A	Q U	ATIC	вю	TA		1 =	Rai	re,	2 =	Co	ommon, 3= Abund	lant,	4 =	=		
Indicate estimated	JL LIST	INC	G C)F A	\Q U) = A	ATIC	BIO /Not	TA			Rai		2 =	C	ommon, 3= Abund	ES	4 =	2	3 4	4
Indicate estimated Dominant	LIST d abı	INC	G C)F A	(QU) = A	ATIC Absent	BIO/Not	TA Obse		Sl		s				0		2	3 4 3 4	
Indicate estimated Dominant Periphyton	LIST d abı	INC	G C)F A	QU) = A 0 0	ATIC Absent	BIO/Not	TA Obse		Sl M	ime	s				0	1	2 2	3	4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated	LIST d abu	ONS	G C ance	F Mee:	QU 0 0 0 0 ACI 0 = 1	ATIC Absent 1 2 1 2 1 2 1 2 ROBE Absen	BIO /Not 3 3 3 3 NTH t/Not 1, 3 =	TA Obse 4 4 4 4 COS t Obse Abu	erved,	Sl M Fi	ime acro sh	s oinv	ertel	ora		0 0 0	1 1 1	2 2 2	3 4	
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated	LIST d abu	ONS	S Olanco	F M e:	0 0 0 0 ACH 0 = 1	ATIC Absent 1 2 1 2 1 2 1 2 ROBE Absentanisms	BIO //Not 3 3 3 3 3 NTH tt/Not 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	TA Observed	served,	SI M Fi 1 = (>10	imeracrosh = Ra O or	s soinv	1-3	or s),	ganisms), 2 = Con 4 = Dominant (>5	0 0 0 0 mmoi	1 1 1 1 m (3-	2 2 2 2 -9	3 4 3 4	4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated Porifera Hydrozoa	LIST d abu	ONS und:	G C cance	DF A ee: () FF M ee: 3 3	AQU 0 0 0 ACH 0 = A	ATIC Absent 1 2 1 2 1 2 1 2 ROBE Absent anisms	BIO /Not 3 3 3 3 NTH t/Not 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TA Observed	served,	Sl M Fi 1 = (>10	= Ra O or	sore (ggan	1-3 ism: 4	ora	ganisms), 2 = Con 4 = Dominant (>5 Chironomidae Ephemeroptera	0 0 0	1 1 1 1 1 1	2 2 2 2 -9 nism	3 4 3 4 3 4 3 4	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated Porifera Hydrozoa Platyhelminthes	LIST d abu	ONS 1 1 1	S Olance	OF A ee: (1)	QU 0 = A O 0 O 0 ACH orga 4 4 4	1 2 1 2 1 2 1 2 ROBE Absenanisms Anise Zygo Hem	BIO/Not 3 3 3 NTH t/Noi pptera	TA Obse 4 4 4 4 COS t Obse Abu	served,	SI M Fi 1 = (>10	= Ra 0 or	sopinverse (gan	1-3 ism: 4 4	ora	ganisms), 2 = Con 4 = Dominant (>5 Chironomidae Ephemeroptera Trichoptera	0 0 0 0	1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 4 3 4 3 4 3 4 3 4 4 3 4 4 3 4 4 4 4 4	4 4 4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated Porifera Hydrozoa Platyhelminthes Turbellaria	LIST d abu	ONS und:	G Coance	F M e: 3 3 3 3 3 3	QUU 0 0 0 0 0 ACH 4 4 4 4 4	ATIC Absent 1 2 1 2 1 2 1 2 ROBE Absent Anisms Anisms Lygo Hem Coled	BIO/Not 3 3 3 NTH htt/Not pptera iptera	TA Observed 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	served, undant	Sl M Fi 1 = (>10	= Ra 0 or 2 2 2 2	3 3 3 3	1-3 isms 4 4 4 4	ora	ganisms), 2 = Con 4 = Dominant (>5 Chironomidae Ephemeroptera	0 0 0	1 1 1 1 1 1	2 2 2 2 -9 nism	3 4 3 4 3 4 3 4 3 4 4 3 4 4 3 4 4 4 4 4	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea	ATIO O O O O O	ONS 1 1 1 1 1 1	2 2 2 2 2	F M e: 3 3 3 3 3 3 3	0 0 0 0 ACH 0 = orga	ATIC Absent 1 2 1 2 1 2 1 2 ROBE Absent anisms Zygo Hem Colee Lepid	BIO/Not 3 3 3 NTH t/Not pptera pptera pptera poptera dopter	TA Observed 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	served,	Sl M Fi 1 = (>10	= Ra 2 2 2 2 2 2	soinvergene (gan	1-3 isms 4 4 4 4 4	ora	ganisms), 2 = Con 4 = Dominant (>5 Chironomidae Ephemeroptera Trichoptera	0 0 0 0	1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 4 3 4 3 4 3 4 3 4 4 3 4 4 3 4 4 4 4 4	4 4 4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta	ATIO O O O O O O	ONS 1 1 1 1 1 1 1	2 2 2 2 2 2	F M e: 3 3 3 3 3 3 3 3 3	QU 0 0 0 0 ACH 0 = 1 orga	ATIC Absent 1 2 1 2 1 2 1 2 ROBE Absent anisms Zygo Hem Colect Lepid Sialid	BIO/Not 3 3 3 NTH t/Not pptera pptera pptera dopte dae	TA Observed 4 4 4 4 4 4 4 4 4 4 A A A A A A A A A	served,	SI M Fi 1 = (>10	= Raa 2 2 2 2 2 2 2	3 3 3 3 3 3 3	1-3 isms 4 4 4 4 4 4	or s),	ganisms), 2 = Con 4 = Dominant (>5 Chironomidae Ephemeroptera Trichoptera	0 0 0 0	1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 4 3 4 3 4 3 4 3 4 4 3 4 4 3 4 4 4 4 4	4 4 4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea	ATIO O O O O O	ONS 1 1 1 1 1 1	2 2 2 2 2	F M e: 3 3 3 3 3 3 3	0 0 0 0 ACH 0 = orga	ATIC Absent 1 2 1 2 1 2 1 2 ROBE Absent anisms Zygo Hem Colee Lepid	BIO/Not 3 3 3 NTH t/Not ptera iptera iptera iptera dalid	TA Observed 4 4 4 4 4 4 4 4 4 4 4 A A A A A A A A	served,	Sl M Fi 1 = (>10) 1	= Ra 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3 3	1-3 isms 4 4 4 4 4 4	ora	ganisms), 2 = Con 4 = Dominant (>5 Chironomidae Ephemeroptera Trichoptera	0 0 0 0	1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 4 3 4 3 4 3 4 3 4 4 3 4 4 3 4 4 4 4 4	4 4 4 4 4 4

Simuliidae

Tabinidae

Culcidae

0 1 2 3 4

0 1 2 3 4

0 1 2 3 4

0 1 2 3 4

Gastropoda Bivalvia

Insects	Count	Tolerance	TV	Insects	Count	Tolerance	TV	Non-Insects	Count	Tolerance	TV
Ephemeroptera			4	Odonata	1	Crustacea	Crustacea				
Ameletidae		2	0	Aeshnidae	1	3	3	Asellidae		7	0
Baetidae	3	4	12	Calopterygidae		6	0	Cambaridae		5	0
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0
Caenidae		5	0	Cordulegastridae		3	0	Palaemonidae		5	0
Ephemerellidae		3	0	Gomphidae		5	0	Annelida			0
Ephemeridae		5	0	Lestidae		7	0	Hirudinea		10	0
Heptageniidae	1	3	3	Libellulidae		7	0	Nematoda		10	0
Isonychiidae		3	0	Coleoptera			113	Nematomorpha		10	0
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0
Tricorythidae		5	0	Elmidae	93	4	372	Bivalvia			0
Plecoptera			2	Gyrinidae		5	0	Corbiculidae		6	0
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0
Leuctridae		2	0	Psephenidae	20	3	60	Gastropoda			0
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0
Peltoperlidae		1	0	Hemiptera			0	Hydrobiidae		4	0
Perlidae	2	1	2	Belostomatidae		8	0	Physidae		7	0
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0
Trichoptera			15	Nepidae		8	0	Miscellaneous			0
Brachycentridae		2	0	Notonectidae		8	0	Collembola		6	0
Glossosomatidae		2	0	Megaloptera			0	Lepidoptera		5	0
Helicopsychidae		3	0	Corydalidae		3	0	Neuroptera		5	0
Hydropsychidae	14	5	70	Sialidae		6	0	Hydrachnidae		6	0
Hydroptilidae		3	0	Diptera			81	Totals	Total	number	216
Lepidostomatidae		3	0	Athericidae		3	0	Totals	Total	families	11
Leptoceridae		3	0	Blephariceridae		2	0	Metric			

SITE ID:	S-04
	9/15/2021

Hydropsychidae	14	5	70	Sialidae		6	0	Hydrachnidae		6	0		
Hydroptilidae		3	0	Diptera			81	Totals		number	216		
Lepidostomatidae		3	0	Athericidae		3	0	Total families		11			
Leptoceridae		3	0	Blephariceridae		2	0	Metric calculations					
Limnephilidae		4	0	Ceratopogonidae		8	0	WVSCI Metric Scores			Additional metrics		
Molannidae		3	0	Chironomidae	66	9	594					Ephemeroptera Taxa	2
Philopotamidae	1	4	4	Culicidae		10	0	Total Taxa	ı	11	50.0	Plecoptera Taxa	1
Phryganeidae		4	0	Dixidae		6	0	EPT Taxa		5	38.5	Trichoptera Taxa	2
Polycentropodidae		5	0	Empididae	9	7	63	% EPT Abunda	ance	9.7	10.9	Long-lived Taxa	6
Psychomiidae		4	0	Psychodidae		8	0	% Chironomic	dae	30.6	70.6	Odonata Taxa	1
Rhyacophilidae		3	0	Ptychopteridae		8	0	Hilsenhoff Biotic In	dex (HBI)	5.62	59.3	Diptera Taxa	3
Uenoidae		2	0	Simuliidae		7	0	% 2 Dominant	Taxa	73.6	42.1	COET Taxa	7
Total Tolerance Value 1213			Stratiomyidae		10	0	·		% Sensitive	11.6			
West Virginia Stream Condition Index (WVSCI)			Syrphidae		10	0	WV Stream Condition Index ### W7 Tolerant 45.2			% Tolerant	34.7		
Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream			Tabanidae		7	0			53.7				
condition index for West Virginia wadeable streams. Tetra Tech, Inc. Owing Mills, MD.			Tipulidae	6	5	30			% Net-spinners	6.9			

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-O4

Stream Name: Lost Run

HUC Code:


Basin:


Survey Date: 9/8/2021

Surveyors: RFC, COC Impact Reach: 25.3 m

Type: Bankfull Channel

	1		LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	1	1.00	1.00
	Very Fine	.062125		*	0	0.00	1.00
	Fine	.12525	1	*	0	0.00	1.00
	Medium	.255	SAND	*	2	2.00	3.00
	Coarse	.50-1.0	1	*	0	0.00	3.00
.0408	Very Coarse	1.0-2	1	^	0	0.00	3.00
.0816	Very Fine	2 -4		^	1	1.00	4.00
.1622	Fine	4 -5.7	1	^	1	1.00	5.00
.2231	Fine	5.7 - 8	1	A	2	2.00	7.00
.3144	Medium	8 -11.3	1	A	3	3.00	10.00
.4463	Medium	11.3 - 16	GRAVEL	A	5	5.00	15.00
.6389	Coarse	16 -22.6	1	A	2	2.00	17.00
.89 - 1.26	Coarse	22.6 - 32	1	A	4	4.00	21.00
1.26 - 1.77	Vry Coarse	32 - 45	1	<u> </u>	3	3.00	24.00
1.77 -2.5	Vry Coarse	45 - 64	1	<u> </u>	0	0.00	24.00
2.5 - 3.5	Small	64 - 90		<u> </u>	3	3.00	27.00
3.5 - 5.0	Small	90 - 128	1	<u> </u>	1	1.00	28.00
5.0 - 7.1	Large	128 - 180	COBBLE	<u> </u>	1	1.00	29.00
7.1 - 10.1	Large	180 - 256	†	•	1	1.00	30.00
10.1 - 14.3	Small	256 - 362	1	*	0	0.00	30.00
14.3 - 20	Small	362 - 512	1	*	0	0.00	30.00
20 - 40	Medium	512 - 1024	BOULDER	*	0	0.00	30.00
40 - 80	Large	1024 -2048		•	0	0.00	30.00
80 - 160	Vry Large	2048 -4096	1	*	0	0.00	30.00
	Bedrock		BDRK	^	70	70.00	100.0
				▼ Totals:	100		








Size (n	ze (mm)				
D16	5.5	-			
D35	11				
D50	16				
D65	28				
D84	73				
D95	150				


Size Distribution					
mean	20.0				
dispersion	3.7				
skewness	0.09				

17	уре		
silt/clay	1%	bedrock	70%
sand	2%		
gravel	21%		
cobble	6%		
boulder	0%		









SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 8, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-04 BASELINE CROSS-SECTION A



S-04 BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION

H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



FROM UPSTREAM IMPACT LIMITS




PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Y PIPELINE, IVE, 2ND F , PA 15317

Drawing No.