Baseline Assessment – Stream Attributes

Reach S-QR34 TEMP AR (Temporary Access Road) Ephemeral Spread A Wetzel County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓ DO taken from US is significantly lower than DS. US sample taken from standing water with marginal depth
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS LOD US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking SE upstream, COC Lat: 39.489062 Long: -80.520519



Photo Type: DS LOD DS VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOC looking SW downstream, COC Lat: 39.489062 Long: -80.520519




Photo Type: US LOD US VIEW
Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking S upstream, COC
Lat: 39.489062 Long: -80.520519



Photo Type: US LOD DS VIEW
Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NW downstream, COC
Lat: 39.489062 Long: -80.520519

https://app.box.com/s/f4f2xxht41ene9rni3t9swp1xojhhsu8

USACE FILE NO./ Project Name: v2.1, Sept 2015)		Mountain \	/alley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.489062	Lon.	-80.520519	WEATHER:	Sunny	DATE:	Contomb 0
,,				(III Decilial Degrees)								September 9,
IMPACT STREAM/SITE ID		TION:	S-QR34	TEMP AR		MITIGATION STREAM CLAS					Comments:	
(watershed size (acreage),	, unaitered or impairments)					(watershed size (acre	age), unaitered	or impairments)				
REAM IMPACT LENGTH:		FORM OF		MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
	N.	MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)								
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple		Five Years	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Project	ed at Maturity (Credit
eam Classification:	Ephemeral		Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Sle	ope 1	10	Percent Stream Channel Sto	оре		Percent Stream Channel	Slope	0	Percent Stream Channel Slo	ope 0	Percent Stream Channel S	lope
HGM Score (attach da	ata forms):		HGM Score (attach o	data forms):		HGM Score (atta	ch data forr	ns):	HGM Score (attach da	nta forms):	HGM Score (attach d	ata forms):
	Ave	erage		Average				Average		Average		
irology	0.48		Hydrology			Hydrology			Hydrology		Hydrology	
geochemical Cycling pitat	0.22 0.263 0.09	333333	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	
PART I - Physical, Chemical and			PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical	and Biologic	al Indicators	PART I - Physical, Chemical and I	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range Site	s Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range
YSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stres	ms classificatio	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
PA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
oifaunal Substrate/Available Cover	0-20	0	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
mbeddedness	0-20	2	Pool Substrate Characterization Pool Variability	0-20		Embeddedness Velocity/ Depth Regime	0-20		Embeddedness Velocity/ Depth Regime	0-20	Embeddedness Velocity/ Depth Regime	0-20
elocity/ Depth Regime ediment Deposition		16	Fool Variability Sediment Deposition	0-20		Velocity Depth Regime Sediment Deposition	0-20		Velocity Depar Regime Sediment Deposition	0-20	Velocity Depth Regime Sediment Deposition	0-20
hannel Flow Status		0	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
hannel Alteration	0-20 0-1	3	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20	0-1	6. Channel Alteration	0-20	6. Channel Alteration	0-20 0-1
equency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
ank Stability (LB & RB)	0-20	7	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
egetative Protection (LB & RB)	0-20	8	Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20
Riparian Vegetative Zone Width (LB & RB)	0-20	8	Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
RBP Score		44	Total RBP Score	Poor 0		Total RBP Score	Po	0	Total RBP Score	Poor 0	Total RBP Score	Poor
Total	0.366	66667	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	1 001
MICAL INDICATOR (Applies to Intermitten			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermi	tent and Peren	ial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)
EP Water Quality Indicators (General))		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gene	ral)		WVDEP Water Quality Indicators (General))	WVDEP Water Quality Indicators (General)
cific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity	
	0-90	97		0-90			0-90			0-90		0-90
100-199 - 85 points												
			рН			рН			рН		рН	
	0-80 0-1 7.	.22		5-90			5-90	0-1		5-90		5-90
6.0-8.0 = 80 points	 		po.			no			20		DO	
			В			<u> </u>			00		DO	
>5.0 = 30 points	10-30 6.	.07		10-30			10-30			10-30		10-30
Total	0.9	975	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	
OGICAL INDICATOR (Applies to Intermitte	lent and Perennial Streams)	1	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inte	rmittent and F	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Str
Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
	0-100 0-1			0-100 0-1			0-100	0-1		0-100 0-1		0-100 0-1
0												
-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index a	nd Unit Scor	Э	PART II - Index and U	nit Score	PART II - Index and L	Jnit Score
Index	Linear Feet Unit	Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet U
0.467	8 3.736	66667	0	0 0		0	0	0	0	0 0	0	0
			II .			II .			1	1 1 1	II .	

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Wetzel County, Spread A

Sampling Date: 9/8/2021 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-QR34 TEMP AR

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.48
Biogeochemical Cycling	0.22
Habitat	0.09

Variable Measure and Subindex Summary:


Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.13	0.15
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	67.57	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	15.00	0.18
V _{HERB}	Average percent cover of herbaceous vegetation.	35.00	0.47
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.90	0.95

	Teom:	DAH AJE K	ΔΥ	i ielu L	Jaca Sile	ot and C	alculato		M Northina	39.489062	
Project		MVP Stream		ent			•		-	-80.520519	
		: Wetzel County, Spread A						-	npling Date		
SAR N	Number:	R34 TEMP	Reach	Length (ft):	111	Stream T	ype: Ephe	emeral Strean	n		•
Тор	Strata:	Shi	ub/Herb Sti	ata	(determine	- d from perc	ent calculat	ed in V _{CCANO}	_{DPY})		
e and	Timing:	Project Site				•	Before Proje	ect			•
nle Va	riables	1-4 in strea					,				
	CANOPY				nel by tree a	and sapling	canopy. Me	easure at no	fewer than	10 roughly	
		20%, enter	at least one	value betw	veen 0 and	19 to trigge	/sapling cov r Top Strata		st 20%. (If	less than	Not Used, <20%
List	t the per	cent cover i	measureme	nts at each	point below	r:					1
_	0										
VEN	MBED	Average er	nbeddednes	s of the stre	eam channe	el. Measure	at no fewe	r than 30 ro	ughly equic	listant	
										rcentage of	1.1
				-			ered by fine surface, or			-	
							se a rating s			,	
				for gravel, c	obble and b	boulder part	ticles (resca	led from Pla	atts, Megah	an, and	
		Minshall 19									
		Rating 5	Rating Des <5 percent		covered sur	rrounded o	r buried by f	fine sedime	nt (or hedro	ick)	}
		4					ed, or buried			- City	İ
		3	26 to 50 pe	rcent of sur	face covere	ed, surround	led, or burie	ed by fine se	diment		Į
		2 1					led, or burie or buried by			cial	}
List	t the rati	ngs at each			covereu, se	arrounded,	or buried by	inic scann	on ann	oiai	<u>l</u>
	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	2	2	2	
	1	2	1	1	1	1	1	1	1	1	
V		Modion etre	om channa	Loubotroto	portiolo oiza	Moonuro	ot no fourer	than 20 ray	iably cauld	istant points	
VSL	JBSTRATE						sed in V _{EMBE}		igrily equia	istant points	0.08 in
Ent	ter partic	-					ow (bedrock		counted as	99 in.	
		concrete as				•				,	
_	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	2.67	0.95	0.80	ľ
	0.08	2.30	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	ļ.
		T-1-1		1 - 1 1		Fataatha					
V _{BE}	RO						total numbe anks are er				0 %
		may be up						, , , , , , , , , , , , , , , , , , , ,			0 70
			Left Bank:	0	ft		Right Bank:	0	ft		
	riables	5-9 within	the entire r	parian/buf	fer zone ad	ljacent to tl	he stream o	hannel (25	feet from	each bank).	
ple Va	VD			,	least 4 inch	oc in diamo	tor and 26 i	nches in ler	0 / 1		
ple Va		stream read								tne amount	0.0
		per 100 fee			om the enti		buffer and	within the ch	iainioi, ana		
		per 100 fee	et of stream		om the enti ulated.	ire 50'-wide			0		
	DВН	Average db	et of stream oh of trees (will be calcomeasure on	rom the enti ulated. Number of ly if V _{CCANOR}	re 50'-wide f downed wo	buffer and voody stems:		0	re at least	Not Used
V _{LW}	DBH	Average db 4 inches (1	oh of trees (0 cm) in dia	will be calco measure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed wo py tree/sapli is in inches.	buffer and voody stems:	at least 20%	0 %). Trees a	re at least	Not Used
V _{LW}	DBH	Average db 4 inches (1 List the dbh	oh of trees (0 cm) in dia n measurem	will be calco measure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed wo py tree/sapli is in inches.	buffer and voody stems:	at least 20%	0 %). Trees a	re at least	Not Used
V _{LW}	DBH	Average db 4 inches (1	oh of trees (0 cm) in dia n measurem	will be calco measure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed wo py tree/sapli is in inches.	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}	О	Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calco measure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed wo py tree/sapli is in inches.	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}		Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calco measure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed working tree/saplis in inches.	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}		Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calco measure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed working tree/saplis in inches.	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}		Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calcomeasure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed working tree/saplis in inches.	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}		Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calcomeasure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed working tree/saplis in inches. (at least 4	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}		Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calcomeasure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed working tree/saplis in inches. (at least 4	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}		Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calcomeasure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed working tree/saplis in inches. (at least 4	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}		Average db 4 inches (1 List the dbh	et of stream oh of trees (o cm) in dia n measurem m below:	will be calcomeasure on meter. Ente	rom the enti ulated. Number of ly if V _{CCANOR} er tree DBH	f downed working tree/saplis in inches. (at least 4	buffer and voody stems:	at least 20%	0 %). Trees a each side	re at least	Not Used
V _{LW}	0	Average dt 4 inches (1 List the dbr of the strea	of stream of of stream of of orm) in dian n measurem m below: Left Side	will be calcumeasure on meter. Entrents of indi-	rom the entialated. Number of lay if Vocanonate tree DBH vidual trees	idowned www.py tree/saplis in inches. (at least 4	buffer and voody stems: ng cover is in) within the	at least 20% e buffer on o	0 6). Trees a each side		
V _{LW}	0	Average dt 4 inches (1 List the dbr of the strea	of stream who of trees (in the control of the cont	will be calcumeasure on meter. Entrents of indi-	rom the entialated. Number of lay if Vocanonate tree DBH vidual trees	idowned www.py tree/saplis in inches. (at least 4	buffer and voody stems: ng cover is in) within the	at least 20% e buffer on o	0 6). Trees a each side		Not Used
V _{LW}	0	Average dt 4 inches (1 List the dbr of the strea	of stream of of stream of of orm) in dian n measurem m below: Left Side	will be calcumeasure on meter. Entrents of indirects of indirects of indirects as the second	rom the entialated. Number of lay if Vocanonate tree DBH vidual trees	idowned www.py tree/saplis in inches. (at least 4	buffer and voody stems: ng cover is in) within the	at least 20% e buffer on a Right Side	0 6). Trees a each side		

9	V _{SRICH} Riparian vegetation species richness pe Group 1 in the tallest stratum. Check a richness per 100 feet and the subindex					c and inva	sive species	present in a			0.00
			p 1 = 1.0	and the 3dbi	IIIGEX WIII DE	Calculate	a nom mese (2 (-1.0)		
	Acer rubru		<u> </u>	Magnolia ti	ripetala		Ailanthus ai		П	Lonicera ja	aponica
	Acer sacch	narum		Nyssa sylv	-		Albizia julibi		Ē	Lonicera ta	
	Aesculus f			Oxydendrum			Alliaria petio		$\overline{\Box}$	Lotus corn	
$\overline{}$	Asimina tri		$\overline{\Box}$	Prunus ser			Alternanthe		$\overline{\Box}$	Lythrum sa	
	Betula alleg			Quercus ai			philoxeroide		7	Microstegiur	
	Betula lent		$\overline{\Box}$	Quercus co			Aster tatario	cus	Ē		tomentosa
	Carya alba)	$\overline{\Box}$	Quercus in			Cerastium t		$\bar{\Box}$	Polygonum o	cuspidatum
	Carya glab		$\overline{\Box}$	Quercus pi			Coronilla va		Ē	Pueraria m	
	Carya ova			Quercus ru			Elaeagnus ur		7	Rosa multi	
	Carya ova			Quercus ve			Lespedeza			Sorghum h	
	Cornus flo			Sassafras	albidum		Lespedeza			Verbena b	•
$\overline{\Box}$	Fagus grai	ndifolia		Tilia amerio	cana		Ligustrum ob		_		
$\overline{\Box}$	Fraxinus a			Tsuga can	adensis		Ligustrum s				
$\overline{}$	Liriodendron			Ulmus ame		_	Ü				
	Magnolia a		_								
_	- 3										
		0	Species in	Group 1				2	Species in	Group 2	
C	la Variablea	40 44!46	n at laast () autolota	(40" × 40"	a 1 1 .	\ ! +l =!	ui au /la ceffa a	. ====!4b	in 25 (a.e. (
							m) in the ripa each side of			in 25 feet fi	om eacn
10	V _{DETRITUS}						c material. W			eter and	45.00.0/
		<36" long a	re include.	Enter the p	ercent cove	er of the de	etrital layer at	each subpl	ot.	_	15.00 %
				Side			Right		_		
		10	60	30	20	0	0	0	0		
11	V _{HERB}	Average pe	ercentage c	over of herb	aceous veg	etation (m	easure only if	tree cover	is <20%).	Do <i>not</i>	
	HEND	include wo	ody stems a	it least 4" di	oh and 36" t	all. Becau	se there may	be several	layers of gr	ound	35 %
		cover vegetation percentages up through 200 vegetation at each subplot.				% are acc	epted. Enter	round	00 70		
		vegetation		Side			Right	Side		1	
		90	40	70	80	0	0	0	0		
		12 Within th	e entire ca	tchment of	the stream	-					
12	V _{WLUSE}			tchment of Runoff Scor							0.90
12			Average of I		e for waters	hed:			Runoff Score	% in Catch- ment	0.90 Running Percent (not >100)
12	V _{WLUSE}		Average of I	Runoff Score	e for waters	hed:		•		Catch-	Running Percent
12	V _{WLUSE}	Weighted A	Land	Use (Choos	e for waters	hed:			Score 1	Catch- ment 87.28	Running Percent (not >100) 87.28
12	VwLuse Forest and n	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:			Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
12	VwLuse Forest and n	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:		• • • • • • • • • • • • • • • • • • •	Score 1	Catch- ment 87.28	Running Percent (not >100) 87.28
12	VwLuse Forest and n	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:		• •	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
12	VwLuse Forest and n	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:		* * * * * * * * * * * * * * * * * * *	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
12	VwLuse Forest and n	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:		· · · · · · · · · · · · · · · · · · ·	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
12	VwLuse Forest and n	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:		* * * * * * * * * * * * * * * * * * *	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
12	VwLuse Forest and n	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:		* * * * * * * * * * * * * * * * * * *	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
12	Forest and n Forest and n Newly grade	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:		* * * * * * * * * * * * * * * * * * *	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
12	Forest and n Forest and n Newly grade	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
	Forest and n Forest and n Newly grade	Weighted A	Land .75% ground	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
V	Forest and in Newly grade	weighted Anatom and the static	Land -75% ground -75% ground soil, no vege	Use (Choos	e for waters	hed:	Not	• • • • • • • • • • • • • • • • • • •	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ V _c	Forest and n Forest and n Newly grade S-QR3	Weighted A sative range (2 sative range (3 set areas (bare 4 TEMP AR Value Not Used, <20%	Land .75% ground .75% ground soil, no vege	Use (Choos	e for waters	hed:	Not	• • • • • • • • • • • • • • • • • • •	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ ∨ _C ∨ _E	Forest and n Forest and n Newly grade S-QR3 Variable CCANOPY	weighted / hative range (> hat	Land -75% ground -75% ground soil, no vege VSI Not Used 0.15	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ ∨ _C ∨ _E	Forest and n Forest and n Newly grade S-QR3	Weighted A sative range (2 sative range (3 set areas (bare 4 TEMP AR Value Not Used, <20%	Land .75% ground .75% ground soil, no vege	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ V _C V _E V _S	Forest and n Forest and n Newly grade S-QR3 Variable CCANOPY	weighted / hative range (> hat	Land -75% ground -75% ground soil, no vege VSI Not Used 0.15	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ V _C V _B V _S	Forest and n Forest and n Newly grade S-QR3 (ariable CCANOPY EMBED	weighted / ative range (> ative range (> d areas (bare) 4 TEMP AR Value Not Used, <20% 1.1 0.08 in	Land -75% ground -75% ground soil, no vege VSI Not Used 0.15 0.04	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ V _C V _E V _S V _E V _L	Forest and n Forest and n Newly grade S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO	weighted // ative range (2 ative range (2 ative range (3 ative ran	VSI Not Used 0.00 0.00	Use (Choos	e for waters	hed:	Not	• • • • • • • • • • • • • • • • • • •	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ V _C V _E V _S V _E V _L V _T V _T	S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO LWD	weighted / ative range (2 ative range (3 ative range (4 ative range (2 ative range (3 ative rang	VSI Not Used 0.00 Not Used	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
∨ V _C V _E V _S V _E V _L V _T V _T	Forest and n Forest and n Newly grade S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO	weighted // ative range (2 ative range (2 ative range (3 ative ran	VSI Not Used 0.00 0.00	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
\forall \forall \forall \cdot	S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO LWD	weighted / ative range (2 ative range (3 ative range (4 ative range (2 ative range (3 ative rang	VSI Not Used 0.00 Not Used	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
\forall \forall \forall \cdot	Forest and m Forest and m Forest and m Newly grade S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO LWD TDBH SNAG	Weighted // ative range (2 ative range (2 ative range (3 ative range (3 ative range (2 ative range (3 ative ran	VSI Not Used 0.10 0.00 Not Used 0.10 1.00	Use (Choos	e for waters	hed:	Not	• es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
V	Forest and n Forest and n Forest and n Newly grade S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO WD TOBH SNAG SSD SRICH	ative range (2 ative range (3 ative range (4 ative range (5 ative range (7 ative	VSI Not Used 0.10 0.00 Not Used 0.10 1.00 0.00	Use (Choos	e for waters	hed:	Not	es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
V	Forest and n Forest and n Forest and n Newly grade S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO WD TDBH SNAG SSD SRICH DETRITUS	### Weighted ### ### ### ### ### ### ### ### ### #	VSI Not Used 0.15 0.00 Not Used 0.10 1.00 0.00 0.18	Use (Choos	e for waters	hed:	Not	es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82
V	Forest and n Forest and n Forest and n Newly grade S-QR3 Zariable CCANOPY EMBED SUBSTRATE BERO WD TOBH SNAG SSD SRICH	ative range (2 ative range (3 ative range (4 ative range (5 ative range (7 ative	VSI Not Used 0.10 0.00 Not Used 0.10 1.00 0.00	Use (Choos	e for waters	hed:	Not	es:	Score 1 1	Catch- ment 87.28 2.54	Running Percent (not >100) 87.28 89.82

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION	
STATION #	RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			
FORM COMPLETED F	3Y	DATE	REASON FOR SURVEY



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear □ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS		LOT NUMBER					
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY				
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %				

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Wetzel Stream ID: S-QR34 TEMP AR


Stream Name: UNT to Stout Run TEMP AR


HUC Code: 05030201 Basin: Little Muskingum-Middle Island


Survey Date: 9/8/2021 Surveyors:

AJE Bankfull Channel Type:


			LE COUNT	T =			
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	•	75	75.00	75.00
	Very Fine	.062125		+	0	0.00	75.00
	Fine	.12525		+	0	0.00	75.00
	Medium	.255	SAND	+	0	0.00	75.00
	Coarse	.50-1.0]	+	0	0.00	75.00
.0408	Very Coarse	1.0-2	1	•	0	0.00	75.00
.0816	Very Fine	2 -4		+	0	0.00	75.00
.1622	Fine	4 -5.7	1	*	3	3.00	78.00
.2231	Fine	5.7 - 8	1	+	2	2.00	80.00
.3144	Medium	8 -11.3	1	+	2	2.00	82.00
.4463	Medium	11.3 - 16	GRAVEL	+	5	5.00	87.00
.6389	Coarse	16 -22.6	1	+	4	4.00	91.00
.89 - 1.26	Coarse	22.6 - 32		+	5	5.00	96.00
1.26 - 1.77	Vry Coarse	32 - 45		+	3	3.00	99.00
1.77 -2.5	Vry Coarse	45 - 64	1	+	0	0.00	99.00
2.5 - 3.5	Small	64 - 90		+	1	1.00	100.00
3.5 - 5.0	Small	90 - 128	1	^	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	+	0	0.00	100.00
7.1 - 10.1	Large	180 - 256	1	+	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		+	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	^	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	^	0	0.00	100.00
40 - 80	Large	1024 -2048	1	^	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	^	0	0.00	100.00
	Bedrock		BDRK	^	0	0.00	100.00
				Totals:	100		
	Total Tally:						-







AS-BUILT TABLE: S-QR34 TEMP AR CROSS SECTION B									
	PI	AŞ-B	UILT						
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.				
TS-L	14341063.99	1775588.97	1136.77						
BS-L	14341062.10	1775588.34	1135.92						
THW	14341066.72	1775587.43	1135.24						
BS-R	14341067.29	1775587.09	1135.46						
TS-R	14341067.99	1775586.69	1136.28						



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 +

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 10, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-QR34 TEMP AR BASELINE CROSS-SECTION A UPSTREAM OF ACCESS ROAD



DISTANCE ALONG CROSS-SECTION (FT)

S-QR34 TEMP AR BASELINE CROSS-SECTION B DOWNSTREAM OF ACCESS ROAD



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No.