Baseline Assessment – Stream Attributes

Reach S-RR22 (Timber Mat Crossing) Perennial Spread A Harrison County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓ Water quality data used from benthic sample on SWVM form
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, JM/CC/SM
Lat: 39.342166 Long: -80.512422



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422



Photo Type: Pool, DS View
Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, JM/CC/SM
Lat: 39.342166 Long: -80.512422



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, JM/CC/SM Lat: 39.342166 Long: -80.512422

USACE FILE NO./ Project Name: (v2.1, Sept 2015)			: Mountain Valley Pipeline		O./ Project Name: Mounts		Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.342166 Lon.	-80.512422	WEATHER:	Sunny	DATE:	09/13/2021	21
IMPACT STREAM/SITE ID (watershed size {acreage},			S-RR22 Timbe	er Mat Crossing		MITIGATION STREAM CLASS./SITE ID (watershed size (acreage), unalter				Comments:						
STREAM IMPACT LENGTH:	20	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:						
Column No. 1- Impact Existing	g Condition (Del	bit)	Column No. 2- Mitigation Existing C	Condition - Baseline (Credit)	•	Column No. 3- Mitigation Projected Post Completion (Credi		Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	ed at Maturity (Credit))				
Stream Classification:	Pere	nnial	Stream Classification:			Stream Classification:	0	Stream Classification:	0	Stream Classification:	0					
Percent Stream Channel SI	ope	0.2	Percent Stream Channel SI	оре		Percent Stream Channel Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel S	lope	0				
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (attach data fo	orms):	HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):					
Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and	Biological Indic	Average 0	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical an	Average 0		Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and Biolo	Average 0	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and	Average 0	Hydrology Biogeochemical Cycling Habitat PART I - Physical, Chemical and		Average 0				
1 Act 1 - 1 Hysical, one mica and	Points Scale Range	Site Score	- Act 1-1 injuicial, citatina at	Points Scale Range Site Score		Point Sci		race - rigorou, ordinace and	Points Scale Range Site Score	1 Act 1 - 1 Hysical, Glicinical and		Site Score				
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams classific	ations)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	s classifications)					
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	14	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20					
2. Embedsdenses 3. Velocity Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel River Status 6. Channel River Status 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 10. Repairan Vegetative Zore Wirdin (LB & RB) 10. Sub-Total 6.0-8.0 = 80 points 9. 9. 9.0 9.0 9.0 9.0 9.0 9.0	0-90	7.5 6.8 0.975	2. Pool Substrate Characterization 3. Pool Variability 4. Bediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Channel Simousity 8. Bank Stability (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) 10. Riparian Vegetative Zone 10. Riparian Veg	0-90 5-90 0-1		2. Embeddedness 0.20 3. Velocify Depth Regime 0.20 4. Sediment Deposition 0.20 5. Channel Flow Status 0.20 6. Channel Reveal 0.20 6. Chan	Poor 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 Embeddedness 3. Velocity (Depth Regime 4. Sedment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bands) 8. Bank Stability (18.8 RB) 9. Vegetative Protection (18.8 RB) 10. Riparian Vegetative Zore Width (18.8 RB) 10. Riparian Vegetative Zore Width (18.8 RB) 10. Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to intermitter WVDEP Water Quality Indicators (General Specific Conductivity pH DO Sub-Total BIOLOGICAL INDICATOR (Applies to intermitter	0.90 5.90 0.1	2. Embeddedness 3. Velooity Depth Regime 4. Sedment Deposition 5. Channel Flow Status 8. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 10. Repartan Vegetative Zone Writtin (LB & RB) 10. Septimized Conductivity DEP Water Quality Indicators (General Specific Conductivity)	nt and Perennial Streams) 0.90	0				
WV Stream Condition Index (WVSCI)	tent and Perennial 3	streams)	WV Stream Condition Index (WVSCI)	ent and Perennial Streams)		WV Stream Condition Index (WVSCI)	nd Perennial Streams)	WV Stream Condition Index (WVSCI)	littent and Perennial Streams)	WV Stream Condition Index (WVSCI)	ittent and Perennial Stre	eams)				
Grey Zone Sub-Total	0-100 0-1	61.85 0.6185	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1		Sub-Total	0 0-1	Sub-Total	0-100 0-1	Sub-Total	0-100 0-1	0				
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index and Unit Si	core	PART II - Index and U	Init Score	PART II - Index and U	Init Score					
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Line	ear Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Uni	nit Score				
0.721	20	14.4233333	0	0 0		0	0 0	0	0 0	0	0	0				

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE	REASON FOR SURVEY			

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % Cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) S-RR22 Stream and flow direction Pipeline and flow direction ROW
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Harrison County

STREAM CLASS Perennial

STREAM NAME S-RR22


RIVERMILE

STATION #____

	_			_						_	_						_			_
LAT 39.342166	L	ONO	} <u>-</u> 80.	512422	!		RIVE	ER BA	SIN	No	ne									
STORET#							AGE	ENCY \	WVDI	ΕP										
INVESTIGATORS N	/В Н	С											I	LOT	NUMBER					
FORM COMPLETE.	D BY	Η	С				DAT TIMI		3/21 30am	-			I	REA:	SON FOR SURVEY B	aselir	ne A	sses	ssm	ent
HABITAT TYPES		Cob	ble_1	5	%	tage of Snaphytes_	ags	%		Ī٧	eget	ated	Ban (ks	_%	%				
SAMPLE COLLECTION	H In	ow v idica]Cob	vere ite th	the s	samp mbe	rame volles coll r of jab Sn. ophytes	ected? os/kicks ags	? [√ waa n in ea	ding ach	hab eget	□ oitat	fror type Ban	n bar	nk					
GENERAL COMMENTS	D	S:	Te	mp	:19		SPO	C:14	1.4	U:	S/C	CM	D	0:6	9mg/L PH:7.6 ² 6.8mg/L PH:7.					
QUALITATIVE Indicate estimate Dominant									rved,	, 1	= F	Rare	e, 2	= C	ommon, 3= Abuno	dant,	4 =	=		
Periphyton					0	1 2	2 3	4			Slir	nes				0	1	2	3	4
Filamentous Algae	;				0	1 2	3	4			Ma	croi	nve	rtebi	ates	0	1	2	3	4
Macrophytes					0	1 2	3	4			Fisl	h				0	_1_	2	3	4
	d ab	und	anc	e:	0 = orga	Absen anisms	t/Not	Obse	ndant	t (>	-10	org	anis	sms)	rganisms), 2 = Coi , 4 = Dominant (>:				ıs)	
Porifera			2			1	•							4	Chironomidae	0	1		3	4
Hydrozoa					4									4			1		3	4
Platyhelminthes			2		4	I						2		4	Trichoptera	0		2	3	4
Turbellaria	0	1	2	3	4		optera			0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	_ ^	dopter	ra		0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Siali				0	1	2	3	4						
Isopoda	0	1	2	3	4		dalida	ae		0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipu				0	1	2	3	4						
Decapoda	0	1	2	3	4	-	ididae			0	1	2	3	4						
Gastropoda	0	1	2	3	4	ı	ıliidae			0	1	2	3	4						
Bivalvia	0	1	2	3	4		nidae			0	1	2	3	4						
I						Culc	idae			0	1	7	3	4						

271

IMPORTANT: A blank screen below means that you have not entered the Benthic Identifications correctly! All individuals that are part of the 200-count subsample must be designated as such in the Sample Methodology column on the Benthic ID forms (Family or Genus)!



WOLMAN PEBBLE COUNT FORM


County: Harrison Stream ID: S-RR22


Stream Name: UNT to Grass Run


HUC Code: Basin:

Survey Date: 8/25/2021 Surveyors: JM SM CC Type: Bankfull Channel


			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		^	4	4.00	4.00
	Fine	.12525		^	0	0.00	4.00
	Medium	.255	SAND	^	0	0.00	4.00
	Coarse	.50-1.0		A	0	0.00	4.00
.0408	Very Coarse	1.0-2		A	0	0.00	4.00
.0816	Very Fine	2 -4		A	2	2.00	6.00
.1622	Fine	4 -5.7		^	4	4.00	10.00
.2231	Fine	5.7 - 8		A	6	6.00	16.00
.3144	Medium	8 -11.3		A	5	5.00	21.00
.4463	Medium	11.3 - 16	GRAVEL	^	5	5.00	26.00
.6389	Coarse	16 -22.6		A	4	4.00	30.00
.89 - 1.26	Coarse	22.6 - 32		A	9	9.00	39.00
.26 - 1.77	Vry Coarse	32 - 45		A	9	9.00	48.00
1.77 -2.5	Vry Coarse	45 - 64		A	12	12.00	60.00
2.5 - 3.5	Small	64 - 90		A	11	11.00	71.00
3.5 - 5.0	Small	90 - 128		A	18	18.00	89.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	6	6.00	95.00
7.1 - 10.1	Large	180 - 256		<u> </u>	5	5.00	100.0
0.1 - 14.3	Small	256 - 362		<u> </u>	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	•	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.0
40 - 80	Large	1024 -2048	1	•	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	•	0	0.00	100.0
	Bedrock		BDRK	1	0	0.00	100.0
			1	Totals:	100		







AS-BUILT TABLE: S-RR22 CROSS SECTION B										
	Pi	RE-CROSSING		AŞ-E	UILT					
PT. LOC.	NORTHING	NORTHING EASTING ELE		VERT. DIFF.	HORZ. DIFF.					
TS-L	14287579.6900	1778266.4710	1048.087'							
BS-L	14287578.3700	1778263.52001	1046.694'							
THW	14287575.9300	1778260.2890	1045.899'							
BS-R	14287574.3800	1778258.6940	1046.542'							
TS-R	14287573,4400	1778256.02101	1048.769'							



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 25, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-RR22 BASELINE CROSS-SECTION A POOL



S-RR22 BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS




PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No