### Reach S-UU5 (Pipeline ROW) Perennial Spread A Harrison County, West Virginia


Data	Included
Photos	$\checkmark$
SWVM Form	✓Water quality readings from benthic sampling date
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	✓ Sampling date 9/13/2021
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, CC Lat: 39.253041 Long: -80.540508



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, CC Lat: 39.253041 Long: -80.540508



Spread A Stream S-UU5 (Pipeline ROW) Harrison County

Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, CC Lat: 39.253041 Long: -80.540508



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, CC Lat: 39.253041 Long: -80.540508



Spread AStream S-UU5 (Pipeline ROW)Harrison County

Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, CC Lat: 39.253041 Long: -80.540508




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, CC Lat: 39.253041 Long: -80.540508




Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, CC Lat: 39.253041 Long: -80.540508



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, CC Lat: 39.253041 Long: -80.540508




Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, CC Lat: 39.253041 Long: -80.540508




Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, CC Lat: 39.253041 Long: -80.540508

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.253041 L	.on.								
IMPACT STREAM/SITE ID ANI (watershed size (acreage), unal		S-UU5 H	lalls Run		MITIGATION STREAM CLASS./SIT (watershed size (acreage), u					Comments:	Water quality from benthic s date	sampling		
STREAM IMPACT LENGTH:	79 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	L	.on.		PRECIPITATION PAST 48 HRS:		Mitigation Length:				
Column No. 1- Impact Existing Co	endition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Proje Post Completion (0		ears	Column No. 4- Mitigation Proje Post Completion (0		Column No. 5- Mitigation Project	ted at Maturity (Cre	edit)		
Stream Classification:	Perennial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0			
Percent Stream Channel Slope	0.6	Percent Stream Channel Sic	ppe		Percent Stream Channel Slop	e	0	Percent Stream Channel Slo	ope 0	Percent Stream Channel	Slope	0		
HGM Score (attach data t	forms):	HGM Score (attach o	iata forms):		HGM Score (attach da	ita forms):		HGM Score (attach da	ta forms):	HGM Score (attach	data forms):			
Hydrology	Average	Hydrology	Average		Hydrology		Average	Hydrology	Average	Hydrology		Average		
Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	-	0		
PART I - Physical, Chemical and Biol		PART I - Physical, Chemical and	-		PART I - Physical, Chemical and I			PART I - Physical, Chemical and I	-	PART I - Physical, Chemical an	-			
Per PHYSICAL INDICATOR (Applies to all streams class	nta Scale Range Site Score	PHYSICAL INDICATOR (Applies to all streams of	Points Scale Range Site Score		PHYSICAL INDICATOR (Applies to all streams cla	foints Scale Range	Site Score	PHYSICAL INDICATOR (Applies to all streams	Points Scale Range Site Score	PHYSICAL INDICATOR (Applies to all stream	Points Scale Range	Site Score		
	sifications)		classifications)			ssifications)			classifications)		s classifications)			
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20 14	USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover				
		1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	2. Embeddedness	0-20	——————————————————————————————————————		
	0-20 15 0-20 4	3. Pool Variability	0-20			0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	1		
4. Sediment Deposition 0	0-20 7	4. Sediment Deposition	0-20			0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20	(		
	0-20 0.1 8	5. Channel Flow Status	0-20 0.1			0-20 0.4		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20 0.4			
	0-20 0-1 15	6. Channel Alteration	0-20 0-1			0-20 0-1		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1			
												(		
	0-20	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20	(		
8. Bank Stability (LB & RB) 0	0-20 10	<ol><li>Bank Stability (LB &amp; RB)</li></ol>	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	<u> </u>		
	0-20 16	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20			
	0-20 13	<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20		<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	(		
	Marginal 111	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor	0		
Sub-Total CHEMICAL INDICATOR (Applies to Intermittent and	0.555	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermittent ar	d Perennial Stre	0 ams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten)	0 t and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Stream	0 ams)		
WVDEP Water Quality Indicators (General)	,	WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General				
Specific Conductivity		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity				
	0-90 191.7		0-90			0-90			0-90		0-90	(		
100-199 - 85 points														
pH		pH			pH			pH		pH				
( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	D-80 0-1 7.64		5-90			5-90			5-90		5-90	(		
6.0-8.0 = 80 points														
bo		DO			DO			bo		BO				
1 × 5 0 = 20 ==i=t=	IO-30 6.9		10-30			10-30			10-30		10-30	(		
>5.0 = 30 points Sub-Total	0.975	Sub-Total			Sub-Total	I	0	Sub-Total		Sub-Total				
BIOLOGICAL INDICATOR (Applies to Intermittent a		BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perennial	I Streams)		
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)				
e	-100 0-1 <b>46.51</b>		0-100 0-1		I	0-100 0-1			0-100 0-1		0-100 0-1			
Fair Sub-Total	0.3651	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0		
PART II - Index and Unit S	Score	PART II - Index and	Unit Score		PART II - Index and U	ait Score		PART II - Index and U	nit Scom	PART II - Index and	Unit Score			
PART II - Index and Unit S	5000	PART II - INDEX and I	one score		PART II - INDEX AND U	in Score		PART II - INDEX AND U		PART II - INDEX and	onit Score			
Index L	inear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score		

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN	RIVER BASIN					
STORET #	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY					

WEATHER CONDITIONS SITE LOCATION/MAP	Now storm (heavy r rain (steady ra showers (interm % %cloud cov clear/sunny Draw a map of the site and in	inin) ittent) er%	Yes Air Tempera Other	No .ture <sup>0</sup> C	
			MZL		Stream and flow direction Pipeline and flow direction Timber mats ROW
STREAM CHARACTERIZATION	Stream Subsystem         Perennial       Intermittent         Stream Origin         Glacial       Swamp and bog	Tidal Spring-fed Mixture of origins Other	Stream Type Coldwater Catchment A	Warmwa	

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential	Local Watershed NPS Pollution No evidence Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy ant species present Grasses Herbaceous
INSTREAM FEATURES	Dominant species present	Canopy Cover Partly open       Partly shaded       Shaded         High Water Mark      m         Proportion of Reach Represented by Stream Morphology Types Riffle       %         Riffle       %         Pool       %         Channelized       Yes         No       No
LARGE WOODY DEBRIS	LWDm <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reac	h area)
AQUATIC VEGETATION	Indicate the dominant type and record the dominant record the dominant type and record the domin Rooted submergent Rooted submergent Attached Algae         Dominant species present         Portion of the reach with aquatic vegetation	Rooted floating Free floating
WATER QUALITY (DS, US)	Temperature0 C         Specific Conductance         Dissolved Oxygen         pH         Turbidity         WQ Instrument Used	Water Odors Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Slick         Slick       Sheen       Globs         Flecks       None       Other         Turbidity (if not measured)       Clear       Slightly turbid         Clear       Slightly turbid       Turbid         Opaque       Stained       Other
SEDIMENT/ SUBSTRATE	Odors         Petroleum           Normal         Sewage         Petroleum           Chemical         Anaerobic         None           Other	Deposits       Paper fiber       Sand         Sludge       Sawdust       Paper fiber       Sand         Relict shells       Other

INC	DRGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area					
Bedrock			Detritus	sticks, wood, coarse plant						
Boulder	> 256 mm (10")			materials (CPOM)						
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic						
Gravel	2-64 mm (0.1"-2.5")			(FPOM)						
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments						
Silt	0.004-0.06 mm									
Clay	< 0.004 mm (slick)									

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN						
STORET #	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY					

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative</li> <li>Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score \_\_\_\_\_

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-U	JU5	LOCATION Harrison County	,							
STATION #	RIVERMILE	STREAM CLASS Perennial								
LAT 39.253041	LONG -80.540508	RIVER BASIN None								
STORET #		AGENCY WVDEP								
INVESTIGATORS M	B HC	-	LOT NUMBER							
FORM COMPLETED	<sup>BY</sup> HC	DATE <u>9/13/21</u> TIME <u>4:30</u>	REASON FOR SURVEY Baseline Assessment							
	1	-	-							
HABITAT TYPES	I 🗹 Cobble <u> </u>	ndicate the percentage of each habitat type present Cobble <u>9</u> % ☐Snags% ☐Vegetated Banks% ☐Sand% Submerged Macrophytes% ☐Other ( )%								
SAMPLE COLLECTION	Gear used □D-frame [ How were the samples col Indicate the number of jal ☑Cobble 4 □Sn □Submerged Macrophytes	lected? ☑ wading ☐ f ps/kicks taken in each habitat ty bags ☐ Vegetated B	rom bank ☐from boat y <b>pe.</b> anks □Sand							
GENERAL COMMENTS			И, DO:6.9mg/L, Ph:7.64 DO:6.59mg/L, Ph:7.54							

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						ſ
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						ſ
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						ſ
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						ſ
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						ſ
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						ļ
						Culcidae	0	1	2	3	4						

		<b>WV</b> SC	l Metrics and	Scores	ORG ID Kirk Environme		
	Metrics	BSV	WVSCI Standardized Score w BSV 1996-2001		Density Total # of grids 10		
% 2 Dominant Taxa (Family	79.49	37.3	32.72	# of grids Picked 100	Total # of grids 10		
% Chironomidae	19.66	1.7	81.73	Total IBI Individu	als 117		
% EPT (Family)	5.13	89.3	5.74	# of Organisms pe			
HBI (Family)	4.67	2.61	72.17	Organisms per Sq			
# EPT Taxa (Family)	3	13	23.08	Organisms per S			
# Total Taxa (Family)	14	22	63.64				
	WVSCI S BSV 199						
WVSCI Categ	ory	Impaire	ed-Slightly				
	Unii Gray Zo	mpaireo one = 6	hresholds 1 = >68.00 60.61 to 68.00 = <60.61				

#### WOLMAN PEBBLE COUNT FORM


County:HarrisonStream Name:Halls RunHUC Code:Survey Date:Survey Date:8/25/2021Surveyors:CCType:Bankfull Channel


Basin:

Stream ID:


S-UU5


		PEBB	LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	▲ ▼	0	0.00	0.00
	Very Fine	.062125		▲ ▼	12	12.00	12.00
	Fine	.12525		▲ ▼	0	0.00	12.00
	Medium	.255	SAND	▲ ▼	0	0.00	12.00
	Coarse	.50-1.0	-	▲ ▼	0	0.00	12.00
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	12.00
.0816	Very Fine	2 -4	GRAVEL	▲ ▼	2	2.00	14.00
.1622	Fine	4 -5.7		▲ ▼	3	3.00	17.00
.2231	Fine	5.7 - 8		▲ ▼	6	6.00	23.00
.3144	Medium	8 -11.3		▲ ▼	10	10.00	33.00
.4463	Medium	11.3 - 16		▲ ▼	5	5.00	38.00
.6389	Coarse	16 -22.6		▲ ▼	11	11.00	49.00
.89 - 1.26	Coarse	22.6 - 32	-	▲ ▼	14	14.00	63.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	17	17.00	80.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	16	16.00	96.00
2.5 - 3.5	Small	64 - 90		▲ ▼	4	4.00	100.00
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	0	0.00	100.00
5.0 - 7.1	Large	128 - 180		▲ ▼	0	0.00	100.00
7.1 - 10.1	Large	180 - 256		▲ ▼	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		▲ ▼	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	▲ ▼	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.00
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
				Totals:	100		





AS-BUILT TABLE: S-UU5 CROSS SECTION A							
	PI	AS-BUILT					
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HÓRZ.		
				DIFF.	DIFF.		
TS-L	14255055.9500	1770468.0540'	1169.513'				
BS-L	14255067.3900	1770468.92601	1163.385'				
THW	14255089.0100	1770470.3420'	1160.375'				
BS-R	14255089.8200	1770469.7150'	1160.401'				
TS-R	14255091.7500	1770469.6360'	1163.791'				





SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 25, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.

3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.

- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

