# Reach S-UV2 ROW (Pipeline ROW) Perennial Spread F Greenbrier County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – Poor Riffle Habitat
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

# Spread F Stream S-UV2 ROW (Pipeline ROW) Greenbrier County



Photo Type: DS, US View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, COC Lat: 37.851099 Long: -80.752978



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, COC Lat: 37.851099 Long: -80.752938

### Spread F Stream S-UV2 ROW (Pipeline ROW) Greenbrier County




Photo Type: US view from Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, COC Lat: 37.851099 Long: -80.752938



Photo Type: DS View from Center Location, Orientation, Photographer Initials: Center ROW, Downstream View, COC Lat: 37.851099 Long: -80.752938

## Spread F Stream S-UV2 ROW (Pipeline ROW) Greenbrier County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, COC Lat: 37.851099 Long: -80.752938



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, COC Lat: 37.851099 Long: -80.752938

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	eline IMPACT COORDINATES: Lat. 37.851099 Lon80.752978 WEATHER: 30% Cloud Cover (in Decimal Degrees)		DATE:	September	10, 2021				
IMPACT STREAM/SITE ID (watershed size (acreage).			S-UV2	ROW		MITIGATION STREAM CLASS./SITE ID AN (watershed size (acreage), unaltered or				Comments:		
STREAM IMPACT LENGTH:	88	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	g Condition (De	bit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected at F Post Completion (Credit)	ive Years	Column No. 4- Mitigation Proje Post Completion (	ected at Ten Years Credit)	Column No. 5- Mitigation Project	ted at Maturity (Cre	edit)
Stream Classification:	Pere	ennial	Stream Classification:			Stream Classification:	0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel SI	lope	4.5	Percent Stream Channel Slo	pe		Percent Stream Channel Slope	0	Percent Stream Channel St	ope 0	Percent Stream Channel S	lope	0
HGM Score (attach d	lata forms):		HGM Score (attach d	ata forms):		HGM Score (attach data form:	s):	HGM Score (attach da	ata forms):	HGM Score (attach o	lata forms):	
		Average		Average			Average		Average			Average
Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling			Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling		0
Habitat			Habitat			Habitat		Habitat		Habitat		
PART I - Physical, Chemical and	I Biological Indi	cators	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical and Biologica	I Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicat	tors
	Points Scale Range	Site Score		Points Scale Range Site Score		Point Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams c	lassifications)		PHYSICAL INDICATOR (Applies to all streams classification	a)	PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20	6	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover 0-20		1. Epifaunal Substrate/Available Cover	0-20	1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime	0-20	5	2. Pool Substrate Characterization 3. Pool Variability	0-20		2. Embeddedness 0-20 3. Velocity/ Depth Regime 0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20	2. Embeddedness 3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	2	4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 0-20 4. Sediment Deposition 0-20		<ol> <li>Velocity/ Depth Regime</li> <li>Sediment Deposition</li> </ol>	0-20	4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.4	19	5. Channel Flow Status	0-20 0.1		5. Channel Flow Status 0-20		5. Channel Flow Status	0-20 0.4	5. Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	20	6. Channel Alteration	0-20 0-1		6. Channel Alteration 0-20	0-1	6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1	1
7. Frequency of Riffles (or bends)	0-20	2	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	4	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	18	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	17	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB) 0.20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Marginal	94	Total RBP Score	Poor 0		Total RBP Score Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total		0.47	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial St	reams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and Perenni	al Streams)	CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Strea	ams)
WVDEP Water Quality Indicators (General	n		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)	D	WVDEP Water Quality Indicators (General	n	
Specific Conductivity	-4		Specific Conductivity			Specific Conductivity		Specific Conductivity		Specific Conductivity		
	0-90	50		0-90		0-90			0-90		0-90	
<=99 - 90 points	-		-11			-11		-11		-11		
ра	0-80 0-1		рл	5-90 0-1		5-90	0-1	pn	5-90 0-1	pn	5-90 0-1	
6.0-8.0 = 80 points	0-00	6.24				5-90			~~		0-90	
DO			DO			DO		DO		DO		
>5.0 = 30 points	10-30	11		10-30		10-30			10-30		10-30	
>5.0 = 30 points Sub-Total	1 1	1	Sub-Total	0		Sub-Total	0	Sub-Total		Sub-Total	-1	0
BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)	1	BIOLOGICAL INDICATOR (Applies to Intermittent and Pe	rennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial	I Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
	0-100 0-1			0-100 0-1			0-1		0-100 0-1		0-100 0-1	
0 Sub-Total			0.1.7.1.			Sub-Total	0	0.1.7.1.		0.1.7.1.		0
Sub-Total		U	Sub-Total	0	J	Sub-1otal	U	Sub-Total	0	Sub-Total		U
PART II - Index and U	Unit Score		PART II - Index and L	Jnit Score		PART II - Index and Unit Score		PART II - Index and U	Init Score	PART II - Index and	Jnit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Linear F	eet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
0.735	88	64.68	0	0 0	1	0 0	0	0	0 0	0	0	0
μ		4	I	L I	t	⊩		ļ	· · · · · · · · · · · · · · · · · · ·	μ	1 1	L

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN	RIVER BASIN				
STORET #	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY				

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?       Storm (heavy rain) rain (steady rain) showers (intermittent) %     Air Temperature0 C       %     %cloud cover clear/sunny
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Subsystem Perennial     Stream Type Intermittent     Stream Type Coldwater     Warmwater       Stream Origin Glacial     Spring-fed Mixture of origins Swamp and bog     Catchment Area     km <sup>2</sup>

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential	Local Watershed NPS Pollution No evidence Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy ant species present Grasses Herbaceous
INSTREAM FEATURES	Dominant species present	Canopy Cover Partly open       Partly shaded       Shaded         High Water Mark      m         Proportion of Reach Represented by Stream Morphology Types Riffle       %         Riffle       %         Pool       %         Channelized       Yes         No       No
LARGE WOODY DEBRIS	LWDm <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reac	h area)
AQUATIC VEGETATION	Indicate the dominant type and record the dominant record the dominant type and record the domin Rooted submergent Rooted submergent Attached Algae         Dominant species present         Portion of the reach with aquatic vegetation	Rooted floating Free floating
WATER QUALITY (DS, US)	Temperature0 C         Specific Conductance         Dissolved Oxygen         pH         Turbidity         WQ Instrument Used	Water Odors Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Slick         Slick       Sheen       Globs         Flecks       None       Other         Turbidity (if not measured)       Clear       Slightly turbid         Clear       Slightly turbid       Turbid         Opaque       Stained       Other
SEDIMENT/ SUBSTRATE	Odors         Petroleum           Normal         Sewage         Petroleum           Chemical         Anaerobic         None           Other	Deposits       Paper fiber       Sand         Sludge       Sawdust       Paper fiber       Sand         Relict shells       Other

INC	DRGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type	Diameter % Composition Sampling Reac		Substrate Type	Characteristic % Compositi Sampling A							
Bedrock			Detritus	sticks, wood, coarse plant							
Boulder	> 256 mm (10")			materials (CPOM)							
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2.5")			(FPOM)							
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments							
Silt	0.004-0.06 mm										
Clay	< 0.004 mm (slick)										

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).					
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative</li> <li>Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score \_\_\_\_\_

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN							
STORET #		AGENCY							
INVESTIGATORS			LOT NUMBER						
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY						
HABITAT TYPES	Cobble% Sn	Indicate the percentage of each habitat type present         Cobble%       Snags%       Vegetated Banks%       Sand%         Submerged Macrophytes%       Other (       )%							
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand						
GENERAL COMMENTS									

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS


Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM


County:	Greenbrier	Stream ID:	S-UV2 ROW
Stream Name:	Morris Fork ROW		
HUC Code:		Basin:	
Survey Date:	9/10/2021		
Surveyors:	RFC,CCC	Reach:	26.2
Type:	Bankfull Channel		


Inches	PARTICLE	Millimeters	PEBBLE C		Particle Count	Total #	Item %	% Cu
Inches	PARTICLE	Millimeters			Particle Count	1 otal #	item %	% Cu
	Silt/Clay	< .062	S/C					
			5/C	•		30	30.00	30.00
	Very Fine	.062125	-	▲ ▼		21	21.00	51.0
	Fine	.12525		▲ ▼		22	22.00	73.0
	Medium	.255	SAND	▲ ▼		0	0.00	73.0
	Coarse	.50-1.0	-	▲ ▼		0	0.00	73.0
.0408	Very Coarse	1.0-2		▲ ▼		0	0.00	73.0
.0816	Very Fine	2 -4	GRAVEL	▲ ▼		1	1.00	74.0
.1622	Fine	4 -5.7		▲ ▼		0	0.00	74.0
.2231	Fine	5.7 - 8		▲ ▼		0	0.00	74.0
.3144	Medium	8 -11.3		▲ ▼		0	0.00	74.0
.4463	Medium	11.3 - 16		▲ ▼		3	3.00	77.0
.6389	Coarse	16 -22.6		▲ ▼		2	2.00	79.0
.89 - 1.26	Coarse	22.6 - 32		▲ ▼		2	2.00	81.0
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼		0	0.00	81.0
1.77 -2.5	Vry Coarse	45 - 64	-	▲ ▼		2	2.00	83.0
2.5 - 3.5	Small	64 - 90	- COBBLE	▲ ▼		5	5.00	88.0
3.5 - 5.0	Small	90 - 128		▲ ▼		7	7.00	95.0
5.0 - 7.1	Large	128 - 180		▲ ▼		1	1.00	96.0
7.1 - 10.1	Large	180 - 256		▲ ▼		2	2.00	98.0
10.1 - 14.3	Small	256 - 362	BOULDER	▲ ▼		2	2.00	100.0
14.3 - 20	Small	362 - 512		▲ ▼		0	0.00	100.0
20 - 40	Medium	512 - 1024		▲ ▼		0	0.00	100.0
40 - 80	Large	1024 -2048		▲ ▼		0	0.00	100.0
80 - 160	Vry Large	2048 -4096		▲ ▼		0	0.00	100.0
	Bedrock		BDRK	▲ ▼		0	0.00	100.0
					Totals:	100		





	PI	PRE-CROSSING		AS-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ.
				DIFF.	DIFF.
TS-L	13744451.4100	1711712.8200'	2454.639'		
BS-L	13744458.5300	1711713.2550 <sup>1</sup>	2450.703'		
THW	13744469.5000	1711717.9800'	2450.077'		
BS-R	13744473.7740	1711722.6900'	2451.145'		
TS-R	13744475.4150	1711723.1870'	2454.732'		





2456

- 2454

- 2452

- 2450

- 2448

- 2446

SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 10, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

