Baseline Assessment – Stream Attributes

Reach S-UV6 (Pipeline ROW) Perennial Spread F Greenbrier County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread F Stream S-UV6 (Pipeline ROW) Greenbrier County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, CNJ Lat: 37.854386 Long: -80.754981



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, CNJ
Lat: 37.854386 Long: -80.754981

Spread F Stream S-UV6 (Pipeline ROW) Greenbrier County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, CNJ Lat: 37.854386 Long: -80.754981



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, CNJ Lat: 37.854386 Long: -80.754981

Spread F Stream S-UV6 (Pipeline ROW) Greenbrier County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, CNJ Lat: 37.854386 Long: -80.754981



Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, CNJ Lat: 37.854386 Long: -80.754981

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountai	in Valley Pipeline IMPACT COORDINATES: (in Decimal Degrees)		Lat.	t. 37.854386 Lon80.754981		WEATHER:	Sunny	DATE:	Septembe	r 10, 2021	
IMPACT STREAM/SITE ID (watershed size (acreage)			S-I	JV6		MITIGATION STREAM CLAS (watershed size (acre					Comments:		
STREAM IMPACT LENGTH:	88	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existin	g Condition (Deb	oit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Complet		Years	Column No. 4- Mitigation Pro Post Completion		Column No. 5- Mitigation Project	ted at Maturity (C	redit)
Stream Classification:	Pere	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	O	١
Percent Stream Channel Si	lope	6.2	Percent Stream Channel Slo	рре		Percent Stream Channel	Slope	0	Percent Stream Channel S	lope 0	Percent Stream Channel S	lope	0
HGM Score (attach d	lata forms):		HGM Score (attach o	data forms):		HGM Score (atta	ch data forms):		HGM Score (attach o	lata forms):	HGM Score (attach	lata forms):	
		Average		Average				Average		Average			Average
Hydrology			Hydrology			Hydrology			Hydrology		Hydrology		
Biogeochemical Cycling		0	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling	0	Biogeochemical Cycling		0
PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical	and Biological II	ndicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indic	ators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale Rang	ge Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stres	ms classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover Embeddedness	0-20	3 4	Epifaunal Substrate/Available Cover Pool Substrate Characterization	0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20	Epifaunal Substrate/Available Cover Embeddedness	0-20	
Velocity/ Depth Regime	0-20	14	Pool Substrate Characterization Pool Variability	0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	
Velocity Depth Regime Sediment Deposition	0-20	14	4. Sediment Deposition	0:20		4. Sediment Deposition	0-20		Velocity Depart Regime Sediment Deposition	0-20	4. Sediment Deposition	0-20	
5. Channel Flow Status	0.00	6	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	6	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	8	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
Vegetative Protection (LB & RB)	0-20	18	9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
 Riparian Vegetative Zone Width (LB & RB) 	0-20	16	 Riparian Vegetative Zone Width (LB & RB) 	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20	 Riparian Vegetative Zone Width (LB & RB) 	0-20	
Total RBP Score	Marginal	89	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total		0.445	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitte		sams)	CHEMICAL INDICATOR (Applies to Intermittent			CHEMICAL INDICATOR (Applies to Intermi		Streams)	CHEMICAL INDICATOR (Applies to Intermitte		CHEMICAL INDICATOR (Applies to Intermitte		eams)
WVDEP Water Quality Indicators (General Specific Conductivity	1)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (Gene Specific Conductivity	ral)		WVDEP Water Quality Indicators (General Specific Conductivity	1)	WVDEP Water Quality Indicators (General Specific Conductivity	1)	
•	0-90	64		0-90			0-90			0-90	,	0-90	
<=99 - 90 points pH	-		рH			pН			pH	-	pН	-	
	0-80	6.78		5-90 0-1			5-90	1		5-90		5-90	
6.0-8.0 = 80 points DO			DO		1	DO			DO		DO	1	
	10-30	6.38		10-30	l		10-30			10-30		10-30	
>5.0 = 30 points Sub-Total	.0-50	3.30	Sub-Total	0	1	Sub-Total	10-30	0	Sub-Total	0	Sub-Total	.0-30	
BIOLOGICAL INDICATOR (Applies to Intermit	tteet and December 5	Treeme)	BIOLOGICAL INDICATOR (Applies to Intermitte			BIOLOGICAL INDICATOR (Applies to Inte	rmittant and Baras		BIOLOGICAL INDICATOR (Applies to Inter		BIOLOGICAL INDICATOR (Applies to Inter	nittent and Berenn	ol Stroome)
WV Stream Condition Index (WVSCI)	uent and Perennial C	sireariis)	WV Stream Condition Index (WVSCI)	nii aiti releliliai Silealis)		WV Stream Condition Index (WVSCI)	mintent and Feler	illiai Streams)	WV Stream Condition Index (WVSCI)	inttent and Perennial Streams)		intent and Ferenin	iai Streams)
WV Stream Condition index (WVSCI)	0-100 0-1		WV Stream Condition index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition index (WVSCI)	0-100 0-1	WV Stream Condition Index (WVSCI)	0-100 0-1	
0 Sub-Total	3-100	0	Sub-Total	0		Sub-Total	0-100	0	Sub-Total	0	Sub-Total	0-100 0-1	
Dub-10tal		U	Sub-10t8l	U	J	oup- i otal		U	out-1 otal	U	ISOU-10tal		U
PART II - Index and U	Jnit Score		PART II - Index and	Unit Score		PART II - Index a	nd Unit Score		PART II - Index and I	Jnit Score	PART II - Index and	Jnit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Fee	t Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
0.723	88	63.58	0	0 0		0	0	0	0	0 0	0	0	0
							_		-		0	•	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY			

WEATHER CONDITIONS SITE LOCATION/MAP	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Draw a map of the site and indicate the areas sampled (or attach a photograph) Has there been a heavy rain in the last 7 days? Yes No Air Temperature ° C Other
	Coming in Pipe V V V V V V V V V V V V V
	Going Out 5-UV6
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other Stream Type Catchment Area km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Forest Field/	Pasture Industrultural Other	ercial	No evidence Some Obvious sources	Local Watershed Erosion			
RIPARIA VEGETA (18 meter	TION	Trees	the dominant type an	Shrubs		vaceous			
INSTREA FEATURI			ed Reach Length		Canopy Cover Partly open Partly	shaded Shaded			
			ng Reach Area		High Water Mark	m			
				km ²	Proportion of Reach Rep Morphology Types	presented by Stream			
			ed Stream Depth		Riffle % R	Run%			
			Velocity1		Channelized Yes				
					Dam Present Yes	No			
LARGE V DEBRIS	VOODY	LWD Density	of LWD	m²/km² (LWD/	reach area)				
AQUATIC VEGETA		Roote Floati Domina	d emergent R ng Algae R nt species present	Rooted submerge attached Algae		Free floating			
		Portion	of the reach with aqua	tic vegetation _	%				
WATER ((DS, US)	QUALITY DS	Specific	ature0 C Conductance	_		Chemical Other			
	75	рН			Slick Sheen G	Globs Flecks			
			trument Used		Turbidity (if not measure Clear ☐ Slightly turbi Opaque Stained				
SEDIMEN SUBSTRA			al Sewage ical Anaerobic	Petroleum None		Paper fiber Sand Other			
		Oils Abser		ate Profu	are the undersides black	are not deeply embedded, in color?			
INC		STRATE (dd up to 1	COMPONENTS 00%)		ORGANIC SUBSTRATE CO (does not necessarily add up				
Substrate Type	Diameto	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area			
Bedrock				Detritus	sticks, wood, coarse plant				
Boulder	> 256 mm (10")				materials (CPOM)				
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic				
				7	(FPOM)				

Gravel

Sand

Silt

Clay

2-64 mm (0.1"-2.5") 0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category								
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED BY		DATE REASON FOR SURVEY TIME					
HABITAT TYPES Indicate the percentage of each habitat type present Cobbbe % Snags % Vacceted Books % Sond %							

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County: Greenbrier Stream ID: S-UV6

Stream Name: UNT to Morris Fork


HUC Code:


Survey Date: 9/10/2021


Surveyors: CNJ, CCC Impact: 11.5m

Type: Bankfull Channel


			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		*	50	50.00	50.00
	Fine	.12525		*	25	25.00	75.00
	Medium	.255	SAND	*	25	25.00	100.0
	Coarse	.50-1.0		*	0	0.00	100.0
.0408	Very Coarse	1.0-2		*	0	0.00	100.0
.0816	Very Fine	2 -4		*	0	0.00	100.0
.1622	Fine	4 -5.7		*	0	0.00	100.0
.2231	Fine	5.7 - 8		*	0	0.00	100.0
.3144	Medium	8 -11.3		^	0	0.00	100.0
.4463	Medium	11.3 - 16	GRAVEL	^	0	0.00	100.0
.6389	Coarse	16 -22.6	1	^	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32		^	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45		^	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64	1	^	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		^	0	0.00	100.0
3.5 - 5.0	Small	90 - 128		^	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	^	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		^	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		A	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	<u> </u>	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>	0	0.00	100.0
40 - 80	Large	1024 -2048	1	<u> </u>	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		<u> </u>	0	0.00	100.0
	Bedrock		BDRK	<u> </u>	0	0.00	100.0
				Totals:	100		







AS-BUILT TABLE: S-UV6 CROSS SECTION A								
	PI	AŞ-BUILT						
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.			
TS-L	13745664.2100	1711129.6410	2506.712'					
BS-L	13745661.1800	1711132.9150	2506.244'					
THW	13745654.6020	1711142.9220	2506.549'					
BS-R	13745653.0500	1711146.9580	2507.314'					
TS-R	13745648.7600	1711151.74301	2509.290'					



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 10, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-UV6 BASELINE CROSS-SECTION A - 2512 - 2508 - 2506



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION

H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Drawing No.