Baseline Assessment – Stream Attributes

Reach S-VV13 (Timber Mat Crossing) Perennial Spread B Lewis County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓ – Collected 9/3/2021
Benthic Identification Sheet	✓
Wolman Pebble Count	√
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, HK, DH
Lat: 38.90393 Long: -80.563537



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: Riffle DS View Location, Orientation, Photographer Initials: Upstream at ROW looking downstream, HK, DH Lat: 38.90393 Long: -80.563537



Photo Type: Riffle US View Location, Orientation, Photographer Initials: Upstream at ROW looking downstream, HK, DH Lat: 38.90393 Long: -80.563537

USACE FILE NO./ Project Name: Mountain V	alley Pipeline		COORDINATES: imal Degrees)	Lat.	38.90393	Lon.	-80.563537		WEATHER:	Sunny	DATE:	9/2/2	2021
IMPACT STREAM/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)	s-vv	V13			MITIGATION STREAM CLASS (watershed size {acreage			N:			Comments:		
STREAM IMPACT LENGTH: 80 FORM OF MITIGATION:	RESTORATION (Levels I-III)		ORDINATES: imal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing Condition (Debit)	Column No. 2- Mitigation Existing Cor	ndition - Baseli	ine (Credit)		Column No. 3- Mitigation Pr Post Completio		Years		Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Projected	at Maturity (0	Credit)
Stream Classification: Perennial	Stream Classification:				Stream Classification:		0	Str	tream Classification:	0	Stream Classification:		0
Percent Stream Channel Slope 3.4	Percent Stream Channel Slop	ре			Percent Stream Channel S	lope	0		Percent Stream Channel SI	ope 0	Percent Stream Channel Slo	ре	0
HGM Score (attach data forms):	HGM Score (attach da	ata forms):			HGM Score (attach	data forms):			HGM Score (attach da	ata forms):	HGM Score (attach dat	a forms):	
Biogeochemical Cycling 0	Hydrology Biogeochemical Cycling		Average 0		Hydrology Biogeochemical Cycling		Average 0	Bio	ydrology Iogeochemical Cycling	Average 0	Hydrology Biogeochemical Cycling		Average 0
PART I - Physical, Chemical and Biological Indicators	PART I - Physical, Chemical and	Biological Indi	cators		Habitat PART I - Physical, Chemical ar	nd Biological Inc	licators	Ha	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and B	iological Indic	cators
Points Scale Range Site Score		Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams classifications)	PHYSICAL INDICATOR (Applies to all streams cla	assifications)			PHYSICAL INDICATOR (Applies to all streams	s classifications)		PH	HYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams of	assifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 0.20 15	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover				USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	1			SEPA RBP (High Gradient Data Sheet) Epifaunal Substrate/Available Cover		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover		
1. Epifaunal Substrate/Available Cover 0.20 15 2. Embeddedness 0.20 18	Epiraunal Substrate/Available Cover Pool Substrate Characterization	0-20			Epitaunai Substrate/Available Cover Embeddedness	0-20			Embeddedness	0-20	Epiraunai Substrate/Available Cover Embeddedness	0-20	
3. Velocity/ Depth Regime 0-20 17	3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20			Velocity/ Depth Regime	0-20	Velocity/ Depth Regime	0-20	
4. Sediment Deposition 0-20 18	Sediment Deposition	0-20			Sediment Deposition	0-20		4. 5	Sediment Deposition	0-20	Sediment Deposition	0-20	
5. Channel Flow Status 0-20 0.4 14	5. Channel Flow Status	0-20			5. Channel Flow Status	0-20 0.1		5. 0	Channel Flow Status	0-20	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration 0-20 18	6. Channel Alteration	0-20			6. Channel Alteration	0-20		6. 0	Channel Alteration	0-20	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends) 0-20 18	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB) 0-20 18	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB) 0-20 14		0-20			9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
	10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20). Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0		otal RBP Score ub-Total	Poor 0	Total RBP Score Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent an	nd Perennial Stres	-		CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str			HEMICAL INDICATOR (Applies to Intermitten		CHEMICAL INDICATOR (Applies to Intermittent a	nd Perennial Str	
WVDEP Water Quality Indicators (General)	WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General	n		wa	VDEP Water Quality Indicators (General)	`	WVDEP Water Quality Indicators (General)		
	Specific Conductivity				Specific Conductivity	,			pecific Conductivity		Specific Conductivity		
<=99 - 90 points 0-90 91		0-90			,	0-90			•	0-90		0-90	
pH	pH	0.1			pH	0.1		pH	Н	0.1	рН	0.1	
6.0-8.0 = 80 points		5-90				5-90				5-90		5-90	
DO	po				DO	-		DC	0		DO		
10.20 7.84		10-30				10-30				10-30		10-30	
>5.0 = 30 points													
	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent	t and Darennial St	O O		Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perenn	ial Streame)		ub-Total IOLOGICAL INDICATOR (Applies to Interm	oittent and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perenn	0 nial Streame)
WV Stream Condition Index (WVSCI)	WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				V Stream Condition Index (WVSCI)	,	WV Stream Condition Index (WVSCI)		
0-100 0-1 68.85		0-100 0-1			TV Carean Conducti mack (TVCC)	0-100 0-1			Todam oblidation mack (11700)	0-100 0-1	W dicam conduct mack (Wool)	0-100 0-1	
Good 0.6885	Sub-Total		0		Sub-Total		0	0	ub-Total	0	Sub-Total		0
Sub-10tal 0.6665	Sub-1 otal				Sub-Total		U	Sui	ID-1 Otal		Sub-Total		U
								_					
PART II - Index and Unit Score	PART II - Index and U	Init Score			PART II - Index and	d Unit Score			PART II - Index and U	Init Score	PART II - Index and Un	t Score	
Index Linear Feet Unit Score	Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
0.843 80 67.4266667	0	0	0		0	0	0		0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE	REASON FOR SURVEY

WEATHER CONDITIONS SITE LOCATION/MAP	Now Storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Past 24 hours Yes No Air Temperature Other Other Draw a map of the site and indicate the areas sampled (or attach a photograph)
	Flow In Silt Fence LOD Timber Matt Pipe Culvert North
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Catchment Area km ²
	Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	1. Epifaunal Substrate/ Available Cover	ate/ epifaunal colonization and full colonization potential		20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.	
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).	
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.	
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.	
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Lewis County


STREAM CLASS Perennial

STREAM NAME S-VV13

RIVERMILE

STATION #

STORET # AGENCY WVDEP INVESTIGATORS AJE, PEI LOT NUMBER FORM COMPLETED BY AJE DATE 09-03-2021 TIME 0923 REASON FOR SURVEY Baseline Assi HABITAT TYPES Indicate the percentage of each habitat type present Vcobble 40 % Snags % Vegetated Banks % Submerged Macrophytes % Other ()%	ssm	nent				
FORM COMPLETED BY AJE DATE 109-03-2021 REASON FOR SURVEY Baseline Ass HABITAT TYPES Indicate the percentage of each habitat type present Cobble 40 % Snags % Vegetated Banks % Sand %	esm	nent				
HABITAT TYPES Indicate the percentage of each habitat type present Cobble 40 % Snags % Vegetated Banks % Sand %	essm	าent				
I ✓Cobble 40 % □Snags % □Vegetated Banks % □Sand %						
SAMPLE COLLECTION Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat Indicate the number of jabs/kicks taken in each habitat type. Cobble 4 Snags Vegetated Banks Sand Submerged Macrophytes Other (Gear used □D-frame ☑kick-net □Other How were the samples collected? ☑ wading □ from bank □ from boat Indicate the number of jabs/kicks taken in each habitat type. ☑ Cobble 4 □ Snags □ Vegetated Banks □ Sand □					
DS: Temp:17.95C SPC:9.1us/cm DO:7.84mg/L pH:6.83 US: Temp:18.18C SPC: 80us/cm DO:5.44mg/L pH:6.58 Observed: crayfish						
QUALITATIVE LISTING OF AQUATIC BIOTA Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant						
Periphyton 0 1 2 3 4 Slimes 0 1 2	3	4				
Filamentous Algae 0 1 2 3 4 Macroinvertebrates 0 1 2	3	4				
Macrophytes 0 1 2 3 4 Fish 0 1 2	3	4				
FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)						
Porifera 0 1 2 3 4 Anisoptera 0 1 2 3 4 Chironomidae 0 1 2	_	-				
Hydrozoa 0 1 2 3 4 Zygoptera 0 1 2 3 4 Ephemeroptera 0 1 2						
Platyhelminthes 0 1 2 3 4 Hemiptera 0 1 2 3 4 Trichoptera 0 1 2		4				
Turbellaria 0 1 2 3 4 Coleoptera 0 1 2 3 4 Other 0 1 2	3	4				
Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4						
Oligochaeta 0 1 2 3 4 Sialidae 0 1 2 3 4						
Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4						
Amphipoda 0 1 2 3 4 Tipulidae 0 1 2 3 4 Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4						
Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4						
Divarvia						



Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County: Lewis Stream ID: S-VV13

Stream Name: Second Big Run

Basin:


HUC Code: Survey Date: Surveyors: Type:

9/2/2021 AJE, PEI Impact Reach: 41.14 m

Bankfull Channel

			LE COUNT			•	ī
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		A	0	0.00	0.00
	Fine	.12525]	*	0	0.00	0.00
	Medium	.255	SAND	*	0	0.00	0.00
	Coarse	.50-1.0]	*	0	0.00	0.00
.0408	Very Coarse	1.0-2	1	*	12	12.00	12.00
.0816	Very Fine	2 -4		*	0	0.00	12.00
.1622	Fine	4 -5.7	1	*	2	2.00	14.00
.2231	Fine	5.7 - 8	1	*	6	6.00	20.00
.3144	Medium	8 -11.3	1	*	2	2.00	22.00
.4463	Medium	11.3 - 16	GRAVEL	*	6	6.00	28.00
.6389	Coarse	16 -22.6		^	10	10.00	38.00
.89 - 1.26	Coarse	22.6 - 32		A	12	12.00	50.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	13	13.00	63.00
1.77 -2.5	Vry Coarse	45 - 64	1	^	11	11.00	74.00
2.5 - 3.5	Small	64 - 90		A	9	9.00	83.00
3.5 - 5.0	Small	90 - 128		*	6	6.00	89.00
5.0 - 7.1	Large	128 - 180	COBBLE	*	8	8.00	97.00
7.1 - 10.1	Large	180 - 256	1	A	0	0.00	97.00
10.1 - 14.3	Small	256 - 362		A	1	1.00	98.00
14.3 - 20	Small	362 - 512	1	A	0	0.00	98.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	98.00
40 - 80	Large	1024 -2048	1	A	0	0.00	98.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	98.00
	Bedrock		BDRK	<u> </u>	2	2.00	100.00
			1	Totals:	100		
	Total Tally:						






Size (n	nm)	
D16	6.5	_
D35	20	
D50	31	
D65	46	
D84	88	
D95	150	

Size Distribution		
mean	23.9	
dispersion	3.8	
skewness	-0.11	

	ype		
silt/clay	0%	bedrock	2%
sand	12%		
gravel	62%		
cobble	23%		
boulder	1%		



SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 4, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

CAD File No.

PRE-CROSSING PHOTOS

PHOTO TAKEN LOOKING DOWNSTREAM

FROM UPSTREAM IMPACT LIMITS

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

VV13 DS LOD US View

Revision

Date

Eng.

Checked Approved


Drawing No


PRE-CROSSING


PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS

S-VV13 BASELINE CROSS-SECTION A POOL








PRE-CROSSING AŞ-BUILT PT. LOC. NORTHING EASTING DIFF. DIFF. TS-L | 14127921.12 | 1764587.33 | 889.29 BS-L 14127922.26 1764585.75 887.42 THW 14127921.98 1764584.73 887.13 BS-R 14127924.31 1764581.82 889.01

TS-R | 14127924.94 | 1764579.90 | 888.91


AS-BUILT TABLE: S-VV13 CROSS SECTION B

TYPICAL 5-POINT CROSS-SECTION (FACING DOWNSTREAM) TS: TOP OF SLOPE BS: BOTTOM OF SLOPE THW: THALWEG (INVERT)

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



S-VV13 BASELINE CROSS-SECTION B



0+10

0+00

0+20

0+30

0 + 40

PROFILE LEGEND

0+50

0+60

EXISTING STREAM PROFILE INVERT ALONG THALWEG

PROFILE H: 1"=10' V: 1"=5'

888.3 88

0+80

0+90

1+00

1+10

S-VV13 BASELINE THALWEG PROFILE

0+70

DISTANCE ALONG CROSS-SECTION (FT)

1+40

1+30

LEGEND

STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

1+20