

Baseline Assessment - Stream Attributes

Reach S-E25-Downstream South (Timber Mat Crossing) Perennial Spread G Giles County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – Low flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓

Spread G Stream S-E25-Downstream 1 South (Timber Mat) Giles County



Photo Type: DS VIEW

Location, Orientation, Photographer Initials: Downstream view of ROW looking SW downstream, KB



Photo Type: US VIEW

Location, Orientation, Photographer Initials: Upstream view of ROW looking NE, TC

Spread G Stream S-E25-Downstream 1 South (Timber Mat) Giles County



Photo Type: LB CL

Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking NW, TC



Photo Type: RB CL

Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SE, TC

Spread G Stream S-E25-Downstream 1 South (Timber Mat) Giles County



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking SW, TC

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-E25-Downstream South\0_Potesta Submission\Docs\Photo Document Template_S-E25-Downstream South.docx

USACE FILE NO./ Project Name: <small>(V2.1, Sept 2015)</small>		Mountain Valley Pipeline		IMPACT COORDINATES: (in Decimal Degrees)		Lat.	37.325566	Lon.	-80.564634	WEATHER:		Sunny		DATE:		August 25, 2021	
IMPACT STREAM/SITE ID AND SITE DESCRIPTION: <small>(watershed size (acresage), unaltered or impairments)</small>				S-E25-Downstream South				MITIGATION STREAM CLASS/SITE ID AND SITE DESCRIPTION: <small>(watershed size (acresage), unaltered or impairments)</small>				Comments:					
STREAM IMPACT LENGTH:		20		FORM OF MITIGATION:		RESTORATION (Levels I-III)		MIT COORDINATES: (in Decimal Degrees)		Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	

Column No. 1- Impact Existing Condition (Debit)				Column No. 2- Mitigation Existing Condition - Baseline (Credit)				Column No. 3- Mitigation Projected at Five Years Post Completion (Credit)				Column No. 4- Mitigation Projected at Ten Years Post Completion (Credit)				Column No. 5- Mitigation Projected at Maturity (Credit)			
Stream Classification:				Stream Classification:				Stream Classification:				Stream Classification:				Stream Classification:			
Perennial								0				0				0			
Percent Stream Channel Slope				Percent Stream Channel Slope				Percent Stream Channel Slope				Percent Stream Channel Slope				Percent Stream Channel Slope			
13.33								0				0				0			
HGM Score (attach data forms):				HGM Score (attach data forms):				HGM Score (attach data forms):				HGM Score (attach data forms):				HGM Score (attach data forms):			
Average				Average				Average				Average				Average			
Hydrology				Hydrology				Hydrology				Hydrology				Hydrology			
Biogeochemical Cycling				Biogeochemical Cycling				Biogeochemical Cycling				Biogeochemical Cycling				Biogeochemical Cycling			
0				0				0				0				0			
Habitat				Habitat				Habitat				Habitat				Habitat			
PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators			
Points Score Range Site Score				Points Score Range Site Score				Points Score Range Site Score				Points Score Range Site Score				Points Score Range Site Score			
PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)			
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			
1. Epifaunal Substrate/Available Cover 0-20 15				1. Epifaunal Substrate/Available Cover 0-20				1. Epifaunal Substrate/Available Cover 0-20				1. Epifaunal Substrate/Available Cover 0-20				1. Epifaunal Substrate/Available Cover 0-20			
2. Embeddedness 0-20 11				2. Embeddedness 0-20				2. Embeddedness 0-20				2. Embeddedness 0-20				2. Embeddedness 0-20			
3. Velocity/ Depth Regime 0-20 10				3. Velocity/ Depth Regime 0-20				3. Velocity/ Depth Regime 0-20				3. Velocity/ Depth Regime 0-20				3. Velocity/ Depth Regime 0-20			
4. Sediment Deposition 0-20 15				4. Sediment Deposition 0-20				4. Sediment Deposition 0-20				4. Sediment Deposition 0-20				4. Sediment Deposition 0-20			
5. Channel Flow Status 0-20 16				5. Channel Flow Status 0-20				5. Channel Flow Status 0-20				5. Channel Flow Status 0-20				5. Channel Flow Status 0-20			
6. Channel Alteration 0-20 20				6. Channel Alteration 0-20				6. Channel Alteration 0-20				6. Channel Alteration 0-20				6. Channel Alteration 0-20			
7. Frequency of Riffles (or bends) 0-20 15				7. Frequency of Riffles (or bends) 0-20				7. Frequency of Riffles (or bends) 0-20				7. Frequency of Riffles (or bends) 0-20				7. Frequency of Riffles (or bends) 0-20			
8. Bank Stability (LB & RB) 0-20 18				8. Bank Stability (LB & RB) 0-20				8. Bank Stability (LB & RB) 0-20				8. Bank Stability (LB & RB) 0-20				8. Bank Stability (LB & RB) 0-20			
9. Vegetative Protection (LB & RB) 0-20 12				9. Vegetative Protection (LB & RB) 0-20				9. Vegetative Protection (LB & RB) 0-20				9. Vegetative Protection (LB & RB) 0-20				9. Vegetative Protection (LB & RB) 0-20			
10. Riparian Vegetative Zone Width (LB & RB) 0-20 16				10. Riparian Vegetative Zone Width (LB & RB) 0-20				10. Riparian Vegetative Zone Width (LB & RB) 0-20				10. Riparian Vegetative Zone Width (LB & RB) 0-20				10. Riparian Vegetative Zone Width (LB & RB) 0-20			
Total RBP Score Suboptimal 148				Total RBP Score Poor 0				Total RBP Score Poor 0				Total RBP Score Poor 0				Total RBP Score Poor 0			
Sub-Total 0.74				Sub-Total 0				Sub-Total 0				Sub-Total 0				Sub-Total 0			
CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)			
WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)			
Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity			
100-199 = 85 points 0-80				100-199 = 85 points 0-80				100-199 = 85 points 0-80				100-199 = 85 points 0-80				100-199 = 85 points 0-80			
pH 0-1				pH 0-1				pH 0-1				pH 0-1				pH 0-1			
5.6-5.9 = 45 points 0-80				5.6-5.9 = 45 points 0-80				5.6-5.9 = 45 points 0-80				5.6-5.9 = 45 points 0-80				5.6-5.9 = 45 points 0-80			
DO 10-30				DO 10-30				DO 10-30				DO 10-30				DO 10-30			
Sub-Total 0				Sub-Total 0				Sub-Total 0				Sub-Total 0				Sub-Total 0			
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)			
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			
0 0-100 0-1				0 0-100 0-1				0 0-100 0-1				0 0-100 0-1				0 0-100 0-1			
Sub-Total 0				Sub-Total 0				Sub-Total 0				Sub-Total 0				Sub-Total 0			
PART II - Index and Unit Score				PART II - Index and Unit Score				PART II - Index and Unit Score				PART II - Index and Unit Score				PART II - Index and Unit Score			
Index Linear Feet Unit Score				Index Linear Feet Unit Score				Index Linear Feet Unit Score				Index Linear Feet Unit Score				Index Linear Feet Unit Score			
0.770 20 15.4				0 0 0				0 0 0				0 0 0				0 0 0			

STREAM NAME S-E25-Downstream South		LOCATION Giles County	
STATION # 10987+50 RIVERMILE		STREAM CLASS Perennial	
LAT 37.325566 LONG -80.564634		RIVER BASIN Middle New	
STORET #		AGENCY VADEQ	
INVESTIGATORS KB, TC, KD			
FORM COMPLETED BY KB		DATE 8/25/21 TIME 10:15 AM	REASON FOR SURVEY Baseline Assessment

Notes: Low flow.

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Predominant Surrounding Landuse <input checked="" type="checkbox"/> Forest <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Field/Pasture <input type="checkbox"/> Industrial <input checked="" type="checkbox"/> Agricultural <input type="checkbox"/> Other _____ <input type="checkbox"/> Residential		Local Watershed NPS Pollution <input checked="" type="checkbox"/> No evidence <input type="checkbox"/> Some potential sources <input type="checkbox"/> Obvious sources Local Watershed Erosion <input checked="" type="checkbox"/> None <input type="checkbox"/> Moderate <input type="checkbox"/> Heavy
RIPARIAN VEGETATION (18 meter buffer)	Indicate the dominant type and record the dominant species present <input type="checkbox"/> Trees <input checked="" type="checkbox"/> Shrubs <input type="checkbox"/> Grasses <input checked="" type="checkbox"/> Herbaceous Dominant species present <u>Juncus effusus</u>		
INSTREAM FEATURES	<div style="display: flex; justify-content: space-between;"> <div> Estimated Reach Length <u>6.1</u> m Estimated Stream Width <u>0.46</u> m Sampling Reach Area <u>2.8</u> m² Area in km² (m²x1000) _____ km² Estimated Stream Depth <u>0.03</u> m Surface Velocity (at thalweg) <u>N/A</u> m/sec </div> <div> Canopy Cover <input checked="" type="checkbox"/> Partly open <input type="checkbox"/> Partly shaded <input type="checkbox"/> Shaded High Water Mark <u>0.03</u> m Proportion of Reach Represented by Stream Morphology Types Riffle <u>20</u> % Run <u>20</u> % Pool <u>60</u> % Channelized <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Dam Present <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </div> </div>		
LARGE WOODY DEBRIS	LWD <u>0</u> m ² Density of LWD <u>0</u> m ² /km ² (LWD/ reach area)		
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present <input checked="" type="checkbox"/> Rooted emergent <input type="checkbox"/> Rooted submergent <input type="checkbox"/> Rooted floating <input type="checkbox"/> Free floating <input type="checkbox"/> Floating Algae <input type="checkbox"/> Attached Algae Dominant species present <u>Juncus effusus</u> Portion of the reach with aquatic vegetation _____ %		
WATER QUALITY	<div style="display: flex; justify-content: space-between;"> <div> Temperature <u>N/A</u> °C Specific Conductance <u>N/A</u> Dissolved Oxygen <u>N/A</u> pH <u>N/A</u> Turbidity <u>N/A</u> WQ Instrument Used <u>N/A</u> </div> <div> Water Odors <input checked="" type="checkbox"/> Normal/None <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Fishy <input type="checkbox"/> Other <u>N/A</u> Water Surface Oils <input type="checkbox"/> Slick <input type="checkbox"/> Sheen <input type="checkbox"/> Globs Flecks <input checked="" type="checkbox"/> None <input type="checkbox"/> Other <u>N/A</u> Turbidity (if not measured) <input type="checkbox"/> Clear <input checked="" type="checkbox"/> Slightly turbid <input type="checkbox"/> Turbid <input type="checkbox"/> Opaque <input type="checkbox"/> Stained <input type="checkbox"/> Other <u>N/A</u> </div> </div>		
SEDIMENT/SUBSTRATE	<div style="display: flex; justify-content: space-between;"> <div> Odors <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Anaerobic <input type="checkbox"/> None <input type="checkbox"/> Other <u>N/A</u> </div> <div> Deposits <input type="checkbox"/> Sludge <input type="checkbox"/> Sawdust <input type="checkbox"/> Paper fiber <input type="checkbox"/> Sand <input type="checkbox"/> Relict shells <input type="checkbox"/> Other <u>N/A</u> </div> </div> Looking at stones which are not deeply embedded, are the undersides black in color? <input checked="" type="checkbox"/> Absent <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Profuse <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock		0	Detritus	sticks, wood, coarse plant materials (CPOM)	0
Boulder	> 256 mm (10")	5			
Cobble	64-256 mm (2.5"-10")	15	Muck-Mud	black, very fine organic (FPOM)	20
Gravel	2-64 mm (0.1"-2.5")	30			
Sand	0.06-2mm (gritty)	5	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm	25			
Clay	< 0.004 mm (slick)	20			

Notes: Low flow.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-E25-Downstream South		LOCATION Giles County	
STATION # 10987+50 RIVERMILE		STREAM CLASS Perennial	
LAT 37.325566 LONG -80.564634		RIVER BASIN Middle New	
STORET #		AGENCY VADEQ	
INVESTIGATORS KB, TC, KD			
FORM COMPLETED BY KB		DATE 8/25/21 TIME 10:15 AM AM PM	REASON FOR SURVEY Baseline Assessment

	Habitat Parameter	Condition Category			
		Optimal	Suboptimal	Marginal	Poor
Parameters to be evaluated in sampling reach	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
	SCORE 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: Low flow.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter	Condition Category																				
	Optimal					Suboptimal					Marginal					Poor					
6. Channel Alteration SCORE 20	Channelization or dredging absent or minimal; stream with normal pattern.					Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.					Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.					Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
7. Frequency of Riffles (or bends) SCORE 15	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.					Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.					Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.					Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE 9 SCORE 9	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.					Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.					Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.					Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
	Right Bank	10	9			8	7	6			5	4	3			2	1	0			
9. Vegetative Protection (score each bank) SCORE 6 SCORE 6	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.					70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.					50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.					Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
	Right Bank	10	9			8	7	6			5	4	3			2	1	0			
10. Riparian Vegetative Zone Width (score each bank riparian zone) SCORE 8 SCORE 8	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.					Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.					Width of riparian zone 6-12 meters; human activities have impacted zone a great deal.					Width of riparian zone <6 meters; little or no riparian vegetation due to human activities.					
	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
	Right Bank	10	9			8	7	6			5	4	3			2	1	0			

Total Score 148 Notes: Low flow.

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-E25-Downstream South		LOCATION Giles County	
STATION # <u>10987+50</u> RIVERMILE _____		STREAM CLASS Perennial	
LAT <u>37.325566</u> LONG <u>-80.564634</u>		RIVER BASIN Middle New	
STORET # _____		AGENCY VADEQ	
INVESTIGATORS KB, TC, KD			LOT NUMBER _____
FORM COMPLETED BY KB		DATE <u>8/25/21</u> TIME <u>10:15 AM</u>	REASON FOR SURVEY Baseline Assessment

HABITAT TYPES	Indicate the percentage of each habitat type present <input type="checkbox"/> Cobble _____% <input type="checkbox"/> Snags _____% <input type="checkbox"/> Vegetated Banks _____% <input type="checkbox"/> Sand _____% <input type="checkbox"/> Submerged Macrophytes _____% <input type="checkbox"/> Other (_____) _____%
SAMPLE COLLECTION	Gear used <input type="checkbox"/> D-frame <input type="checkbox"/> kick-net <input type="checkbox"/> Other _____ How were the samples collected? <input type="checkbox"/> wading <input type="checkbox"/> from bank <input type="checkbox"/> from boat Indicate the number of jabs/kicks taken in each habitat type. <input type="checkbox"/> Cobble _____ <input type="checkbox"/> Snags _____ <input type="checkbox"/> Vegetated Banks _____ <input type="checkbox"/> Sand _____ <input type="checkbox"/> Submerged Macrophytes _____ <input type="checkbox"/> Other (_____) _____
GENERAL COMMENTS	Benthics not collected, not enough habitat for 4 riffle kicks and low flow conditions.

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:	Giles County
Stream Name:	UNT to Sinking Creek
HUC Code:	05050002
Survey Date:	8/25/2021
Surveyors:	KB, TC, KD
Type:	Representative

Stream ID: S-E25-Downstream South

Basin: Middle Middle New

Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	<div><div></div><div></div><div></div></div>	33	32.67	32.67
	Very Fine	.062-.125	S A N D	<div><div></div><div></div><div></div></div>	1	0.99	33.66
	Fine	.125-.25		<div><div></div><div></div><div></div></div>	1	0.99	34.65
	Medium	.25-.5		<div><div></div><div></div><div></div></div>	0	0.00	34.65
	Coarse	.50-1.0		<div><div></div><div></div><div></div></div>	5	4.95	39.60
.04-.08	Very Coarse	1.0-2		<div><div></div><div></div><div></div></div>	1	0.99	40.59
.08 -.16	Very Fine	2 -4		G R A V E L	<div><div></div><div></div><div></div></div>	13	12.87
.16 - .22	Fine	4 -5.7	<div><div></div><div></div><div></div></div>		3	2.97	56.44
.22 - .31	Fine	5.7 - 8	<div><div></div><div></div><div></div></div>		8	7.92	64.36
.31 - .44	Medium	8 -11.3	<div><div></div><div></div><div></div></div>		8	7.92	72.28
.44 - .63	Medium	11.3 - 16	<div><div></div><div></div><div></div></div>		3	2.97	75.25
.63 - .89	Coarse	16 -22.6	<div><div></div><div></div><div></div></div>		5	4.95	80.20
.89 - 1.26	Coarse	22.6 - 32	<div><div></div><div></div><div></div></div>		3	2.97	83.17
1.26 - 1.77	Vry Coarse	32 - 45	<div><div></div><div></div><div></div></div>		1	0.99	84.16
1.77 -2.5	Vry Coarse	45 - 64	<div><div></div><div></div><div></div></div>		2	1.98	86.14
2.5 - 3.5	Small	64 - 90	C O B B L E		<div><div></div><div></div><div></div></div>	1	0.99
3.5 - 5.0	Small	90 - 128		<div><div></div><div></div><div></div></div>	5	4.95	92.08
5.0 - 7.1	Large	128 - 180		<div><div></div><div></div><div></div></div>	0	0.00	92.08
7.1 - 10.1	Large	180 - 256		<div><div></div><div></div><div></div></div>	3	2.97	95.05
10.1 - 14.3	Small	256 - 362	B O U L D E R	<div><div></div><div></div><div></div></div>	4	3.96	99.01
14.3 - 20	Small	362 - 512		<div><div></div><div></div><div></div></div>	1	0.99	100.00
20 - 40	Medium	512 - 1024		<div><div></div><div></div><div></div></div>	0	0.00	100.00
40 - 80	Large	1024 -2048		<div><div></div><div></div><div></div></div>	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		<div><div></div><div></div><div></div></div>	0	0.00	100.00
	Bedrock		BDRK	<div><div></div><div></div><div></div></div>	0	0.00	100.00
				Totals	101		
	Total Tally:						

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Sinking Creek
 Reach Name: S-E25 Downstream South
 Sample Name: Representative
 Survey Date: 08/25/2021






Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062	33	32.67	32.67
0.062 - 0.125	1	0.99	33.66
0.125 - 0.25	1	0.99	34.65
0.25 - 0.50	0	0.00	34.65
0.50 - 1.0	5	4.95	39.60
1.0 - 2.0	1	0.99	40.59
2.0 - 4.0	13	12.87	53.47
4.0 - 5.7	3	2.97	56.44
5.7 - 8.0	8	7.92	64.36
8.0 - 11.3	8	7.92	72.28
11.3 - 16.0	3	2.97	75.25
16.0 - 22.6	5	4.95	80.20
22.6 - 32.0	3	2.97	83.17
32 - 45	1	0.99	84.16
45 - 64	2	1.98	86.14
64 - 90	1	0.99	87.13
90 - 128	5	4.95	92.08
128 - 180	0	0.00	92.08
180 - 256	3	2.97	95.05
256 - 362	4	3.96	99.01
362 - 512	1	0.99	100.00
512 - 1024	0	0.00	100.00
1024 - 2048	0	0.00	100.00
Bedrock	0	0.00	100.00
D16 (mm)	0.03		
D35 (mm)	0.54		
D50 (mm)	3.46		
D84 (mm)	42.9		
D95 (mm)	254.72		
D100 (mm)	511.98		
Silt/Clay (%)	32.67		
Sand (%)	7.92		
Gravel (%)	45.55		
Cobble (%)	8.91		
Boulder (%)	4.95		
Bedrock (%)	0		

Total Particles = 101.

Stream Assessment Form (Form 1)

Unified Stream Methodology for use in Virginia

For use in wadeable channels classified as intermittent or perennial

Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor		
22865.07	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)	Giles County	R3	05050002	8/25/21	S-E25-Downstream South	20	1		
Name(s) of Evaluator(s)		Stream Name and Information					SAR Length			
KB TC KD		UNT to Sinking Creek					63			
1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation)										
Channel Condition										
	Very little incision or active erosion; 80-100% stable banks. Vegetative surface protection or natural rock, prominent (80-100%). AND/OR Stable point bars / bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid-channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom.	Slightly incised, few areas of active erosion or unprotected banks. Majority of banks are stable (60-80%). Vegetative protection or natural rock prominent (60-80%) AND/OR Depositional features contribute to stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull benches, or newly developed floodplains along portions of the reach. Transient sediment covers 10-40% of the stream bottom.	Often incised, but less than Severe or Poor. Banks more stable than Severe or Poor due to lower bank slopes. Erosion may be present on 40-60% of both banks. Vegetative protection on 40-60% of banks. Streambanks may be vertical or undercut. AND/OR 40-60% Sediment may be temporary / transient, contribute instability. Deposition that contribute to stability, may be forming/present. AND/OR V-shaped channels have vegetative protection on > 40% of the banks and depositional features which contribute to stability.	Overwidened/incised. Vertically / laterally unstable. Likely to widen further. Majority of both banks are near vertical. Erosion present on 60-80% of banks. Vegetative protection present on 20-40% of banks, and is insufficient to prevent erosion. AND/OR 60-80% of the stream is covered by sediment. Sediment is temporary / transient in nature, and contributing to instability. AND/OR V-shaped channels have vegetative protection is present on > 40% of the banks and stable sediment deposition is absent.	Deeply incised (or excavated), vertical/lateral instability. Severe incision, flow contained within the banks. Streambed below average rooting depth, majority of banks vertical/undercut. Vegetative protection present on less than 20% of banks, is not preventing erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. Greater than 80% of stream bed is covered by deposition, contributing to instability. Multiple thread channels and/or subterranean flow.					
Scores	3	2.4	2	1.6	1	3.00				
NOTES>>										
2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable)										
Conditional Category								NOTES>>		
Riparian Buffers	Optimal	Suboptimal		Marginal		Poor				
	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
		High	Low	High	Low	High	Low			
Scores	1.5	1.2	1.1	0.85	0.75	0.6	0.5			
1. Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors. 2. Determine square footage for each by measuring or estimating length and width. Calculators are provided for you below. 3. Enter the % Riparian Area and Score for each riparian category in the blocks below.								Ensure the sums of % Riparian Blocks equal 100		
Right Bank	% Riparian Area>	70%	30%				100%	CI = (Sum % RA * Scores*0.01)/2		
	Score >	0.85	0.5							
Left Bank	% Riparian Area>	70%	30%				100%	Rt Bank CI >	0.75	CI
	Score >	0.85	0.5					Lt Bank CI >	0.75	0.75
3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embeddedness; shade; undercut banks; root mats; SAV; riffle/pool complexes, stable features.										
Instream Habitat/ Available Cover	Conditional Category							NOTES>>		
	Optimal	Suboptimal	Marginal		Poor					
	Habitat elements are typically present in greater than 50% of the reach.	Stable habitat elements are typically present in 30-50% of the reach and are adequate for maintenance of populations.	Stable habitat elements are typically present in 10-30% of the reach and are adequate for maintenance of populations.		Habitat elements listed above are lacking or are unstable. Habitat elements are typically present in less than 10% of the reach.					
Scores	1.5	1.2	0.9		0.5		Stream Gradient	High	CI	1.20

Stream Impact Assessment Form Page 2

Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor
22865.07	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)	Giles County	R3	05050002	8/25/21	S-E25-Downstream South	20	1

4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock

Channel Alteration	Conditional Category						NOTES>>
	Negligible	Minor		Moderate		Severe	
	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	40 - 60% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement.	
Scores	1.5	1.3	1.1	0.9	0.7	0.5	

CI

1.50

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >>

1.29

RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI = (Riparian CI/2)

COMPENSATION REQUIREMENT (CR) >>

26

CR = RCI X L_i X IF

INSERT PHOTOS:

(WSSI Photo Location L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-E25Downstream-1 North\Photos\IMG_0584.JPG")



Reach S-E25-Downstream South looking downstream within ROW. Assessment is limited to areas within the temporary ROW.

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER

Horizontal Datum: NAD 1983 UTM ZONE 17N

Vertical Datum: NAVD 88

Boundary and Topo Source:
MVP
WSSI 2' C.I. Topo

Design	Draft	Approved
EJC	PMD	NAS

Sheet #
1 of 1

Computer File Name:
L:\Survey\22000\22009\22865\0 Spread G Work Dwg
22865_05_S G MP 19N-20T Sheet.dwg