Reach S-IJ16-b (Pipeline ROW) Ephemeral Spread G Giles County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No water present
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – No water present
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Stream S-IJ16-b (ROW)



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking SW, ES



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking N, ES

Stream S-IJ16-b (ROW)

Giles County



Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking W, ES



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SE, ES

DEQ Permit #21-0416

Stream S-IJ16-b (ROW)



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking SW, ES

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-IJ16-b\1_QAQC\Photo Doc_S-IJ16-b.docx

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	/alley Pipeline		OORDINATES: mal Degrees)	Lat.	37.318246	Lon.	-80.547711	WEATHER:	Intermittent showers	DATE:	August 17, 2	2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S-IJ	116-b			MITIGATION STREAM CLASS. (watershed size {acreage					Comments:		
STREAM IMPACT LENGTH:	78	FORM OF MITIGATION:	RESTORATION (Levels I-III)		ORDINATES: mal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	0.26"	Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Deb	iit)	Column No. 2- Mitigation Existing Co	ondition - Baselir	ne (Credit)		Column No. 3- Mitigation Pro Post Completion	ojected at Fiv n (Credit)	re Years	Column No. 4- Mitigation Proje Post Completion (ected at Ten Years Credit)	Column No. 5- Mitigation Project	ed at Maturity (Credi	it)
Stream Classification:	Epher	meral	Stream Classification:				Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel Sl	оре	5.77	Percent Stream Channel Slo	pe			Percent Stream Channel Si	оре	0	Percent Stream Channel SI	ope 0	Percent Stream Channel S	lope	0
HGM Score (attach da	ata forms):		HGM Score (attach d	iata forms):			HGM Score (attach	data forms	:	HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):	
		Average			Average				Average		Average			Average
Hydrology Biogeochemical Cycling	0.52	0.38666667	Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		Hydrology Biogeochemical Cycling		0
Habitat	0.27		Habitat		Ŭ,		Habitat		- ·	Habitat		Habitat		-
PART I - Physical, Chemical and		ators	PART I - Physical, Chemical and		cators		PART I - Physical, Chemical ar			PART I - Physical, Chemical and		PART I - Physical, Chemical and		
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale Ra	inge Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	17	1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization	0-20			1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	1. Epifaunal Substrate/Available Cover	0-20	
3. Velocity/ Depth Regime	0-20	0	3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	16	4. Sediment Deposition	0-20			4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	0	5. Channel Flow Status	0-20 0.1			5. Channel Flow Status	0-20	4	5. Channel Flow Status	0-20 0.1	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20	20	6. Channel Alteration	0-20			6. Channel Alteration	0-20	-1	6. Channel Alteration	0-20	6. Channel Alteration	0-20	
Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20			Frequency of Riffles (or bends)	0-20		Frequency of Riffles (or bends)	0-20	Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	15	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	10	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Suboptimal	84	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0		10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0
Sub-Total	Suboptimai	0.7	Sub-Total	100	ő		Sub-Total	Poor	ŏ	Sub-Total	0	Sub-Total	P 001	Ö
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str	reams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stres	ams)		CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennia	l Streams)	CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Stream	15)
WVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (General) Specific Conductivity				WVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (General Specific Conductivity)	WVDEP Water Quality Indicators (General Specific Conductivity)	
100-199 - 85 points	0-90		opeone conductivity	0-90			opcome conducting	0-90		openne obnadenny	0-90	opeone oonadeavity	0-90	
100-199 - 85 points pH			pH				pH	1		pH		pH		
5050 15 11	0-80			5-90 0-1				5-90	м		5-90 0-1		5-90 0-1	
5.6-5.9 = 45 points			DO				DO			DO		DO		
50	10-30		50	10-30			50	10-30		50	10-30	50	10-30	
0.1.7.1.	.0-30			.0-30			0.1.7.1.1	10-30	0	0.1.7.1.1		0.1.7.1.1	10-30	
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermit			Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte		0		Sub-Total		v	Sub-Total	U	Sub-Total		0
	tent and Perennial 3	Streams)		ent and Perennial St	reams)		BIOLOGICAL INDICATOR (Applies to Interm	ittent and Peri	enniai Streamš)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial St	treams)
WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1			WV Stream Condition Index (WVSCI)	0-100 0	M	WV Stream Condition Index (WVSCI)	0-100 0-1	WV Stream Condition Index (WVSCI)	0-100 0-1	
0 Sub Tabal	0-100 0-1	0	Sub-Total	01100 011			Sub-Total	0-100		Sub-Total	0.00	Sub-Total	0-100 0-1	0
Sub-Total			oup-rotal		U		500-10181		U	Sub-Total	U	oup-rotal		U
PART II - Index and U	Init Score		PART II - Index and U	Unit Score			PART II - Index and	I Unit Score		PART II - Index and U	Init Score	PART II - Index and U	Init Score	
Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear Fe	et Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet U	Unit Score
0.568	78	44.33	0	0	0		0	0	0	0	0 0	0	0	0
I		J	L					1		L	· · · · · · · · · · · · · · · · · · ·	μ		

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

 Project Name: Mount Valley Pipeline

 Location: Giles County

 Sampling Date: 8/17/21

 Project Site

 Before Project

 Subclass for this SAR:

 Ephemeral Stream

 Uppermost stratum present at this SAR:

 SAR number:
 S-IJ16-b

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.52
Biogeochemical Cycling	0.37
Habitat	0.27

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.80	0.39
V _{SUBSTRATE}	Median stream channel substrate particle size.	3.00	1.00
V _{BERO}	Total percent of eroded stream channel bank.	55.00	0.78
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	62.16	0.96
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
	Average percent cover of leaves, sticks, etc.	14.00	0.17
V _{HERB}	Average percent cover of herbaceous vegetation.	77.50	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.81	0.85

			High-G			ter Strea et and C			a		on 10-20-17
	Team	KD, EM, ES							M Northing:	37 3189/6	
Pr		Mount Valle							TM Easting:		1
		Giles Coun						-	npling Date:		
SA	AR Number:			Length (ft):	37	Stream Ty	/pe: Ephe	emeral Stream			-
	Top Strata:	Sh	rub/Herb Sti	rata	(determine	d from perce	ent calculate	d in V _{CCANO}	_{эү})		
Site	and Timing:	Project Site				•	Before Proje	ct			•
ample	e Variables	1-4 in strea	m channel								
1	V _{CCANOPY}	equidistant	points along at least one	the stream value betw	een 0 and 1	nd sapling ca only if tree/s 9 to trigger	apling cove	r is at least			Not Used <20%
	5										1
-				C (1) (1)							
2	V _{EMBED}	along the s surface and to the follow of 1. If the	tream. Sele l area surro ving table. I bed is comp	ect a particle unding the p f the bed is posed of bec	from the be particle that i an artificial drock, use a	I. Measure ed. Before n is covered b surface, or c rating score	noving it, de y fine sedim composed o e of 5.	termine the nent, and en f fine sedim	percentage ter the rating ents, use a i	of the g according rating score	1.8
		Minshall 19	83)		obble and b	oulder partic	les (rescale	d from Platt	s, Megahan	, and	Measure at least
		Rating 5	Rating Des		overed au	rounded, or	buried by fi	na sadimont	(or bedrock		30 points
		3				, surrounded				.)	
		3				d, surrounde					
		2				d, surrounde					
	list the rati	1			covered, su	irrounded, o	r buried by 1	ine sedimer	nt (or artificia	al surface)	J
	List the rati	ngs at each	point below	:							1
	2	1	3 1								
	1	4	4								
	1	4	4								
	2	3	1								
3		Median stre	eam channe			Measure a ticles as use			hly equidista	ant points	3.00 in
	Enter partic	cle size in in	ches to the	nearest 0.1	inch at each	n point below	/ (bedrock s	hould be co	unted as 99	in, asphalt	
	or concrete	as 0.0 in, s	and or finer	particles as	0.08 in):						
	4.90	2.20	3.20								
	4.40	0.15	2.70								
	0.30	3.00	10.20								
	0.60 3.70	2.50 3.50	3.80 0.50								
4	V _{BERO}	side and th	e total perce			Enter the to					55 %
		may be up		0	6				<u>а</u>		
			Left Bank:	2	ft		Right Bank:	1	9 ft		
ample	e Variables	5-9 within t	he entire ri	parian/buff	er zone adj	acent to the	e stream ch	annel (25 f	eet from ea	ch bank).	
5	V _{LWD}	stream rea		e number fr	om the entir lated.	es in diamete e 50'-wide b f downed wo	ouffer and w	thin the cha			0.0
6	V _{TDBH}					_Y tree/saplin	g cover is a	t least 20%)	. Trees are	at least 4	Not Used
			measurem		tree DBHs ii ⁄idual trees (n inches. (at least 4 in) within the	buffer on ea	ch side of		Not Used
			Left Side					Right Side]
											l
											l
											ł
											ł
											1
7	Vaure	Number of	snans (at la	ast 4" dbb a	nd 36" tall)	per 100 feet	of stream	Enter numb	er of space	on each	
'	V _{SNAG}					et will be cal			or or snays	on cault	0.0
~	.,		Left Side:		0		Right Side:				
8	V _{SSD}	tree cover i		nter number	r of saplings	up to 4 inch and shrubs					62.2
		POI 100 ILC	Left Side:		2		Right Side:	1	1		

9	V _{SRICH}	Group 1 in	the tallest st	ecies richness per 1 tratum. Check all ex	otic and inva	sive species p	resent in al	•		0.00
				nd the subindex will	be calculated	d from these da		2(10)		
	Acer rubru		p 1 = 1.0	Magnolia tripetala		Ailanthus a		0 2 (-1.0)	Lonicera jaj	onica
	Acer sacch			Nyssa sylvatica		Albizia julib			Lonicera tai	
-	Aesculus f			Oxydendrum arborel	ım 🔽	Alliaria peti			Lotus cornid	
	Asimina tri			Prunus serotina					Lythrum sai	
	Betula alleg			Quercus alba		Alternanthe philoxeroid			Microstegium	
	Betula lent			Quercus coccinea		Aster tatari			Paulownia t	
						Cerastium				
	Carya alba			Quercus imbricaria					Polygonum c	
	Carya glab			Quercus prinus		Coronilla va			Pueraria mo	
	Carya oval			Quercus rubra		Elaeagnus u		<u></u>	Rosa multifi	
	Carya ovai			Quercus velutina		Lespedeza			Sorghum ha	
_	Cornus floi			Sassafras albidum		Lespedeza			Verbena bra	asiliensis
~	Fagus grai			Tilia americana		Ligustrum ob				
_	Fraxinus a			Tsuga canadensis		Ligustrum s	sinense			
7	Liriodendror			Ulmus americana						
	Magnolia a	cuminata								
		2	Species in	Group 1			3	Species in	Group 2	
		bplots shou Average pe	IId be place	subplots (40" x 40 ed roughly equidist of leaves, sticks, or the percent cover of	antly along other organic	each side of t material. Wo	he stream. ody debris	•		n each 14.00 %
			Left	Side		Right	Side		ן י	
		20	1		0	35				
11	V _{HERB}	include woo	ody stems a percentages	over of herbaceous v t least 4" dbh and 36 s up through 200% a	6" tall. Becaus	se there may b	e several l	ayers of grou	und cover	78 %
		100		Side		-	Side			
		100	75							
-		2 within the		chment of the strea		40				
ample 12	e Variable 1 V _{WLUSE}	2 within the	Verage of R	chment of the strea Runoff Score for wate Use (Choose From	am. ershed:	40		Runoff Score	% in Catch- ment	0.81 Running Percent
	Vwluse	2 within the Weighted A	Average of F	Runoff Score for wate	am. ershed:	40		Score	ment	Running Percent (not >100)
	V _{WLUSE}	2 within the Weighted A native range (Land	Runoff Score for wate	am. ershed:	40		Score 0.5	ment 4	Running Percent (not >100 4
	V _{WLUSE}	2 within the Weighted A	Land	Runoff Score for wate	am. ershed:	40		Score	ment	Running Percent (not >100
	V _{WLUSE} Forest and r Forest and r	2 within the Weighted A native range (:	Verage of F Land <50% ground	Runoff Score for wate	am. ershed:	40	•	Score 0.5	ment 4	Running Percent (not >100 4
	VwLUSE Forest and r Forest and r Impervious	2 within the Weighted A native range (native range (native range (Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover)	am. ershed:	40		Score 0.5 1	ment 4 76	Running Percent (not >100 4 80
	VwLUSE Forest and r Forest and r Impervious	2 within the Weighted A native range (native range (native range (Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover) Iriveways, etc)	am. ershed:	40		Score 0.5 1 0	ment 4 76 9	Running Percent (not >100 4 80 89
	VwLUSE Forest and r Forest and r Impervious	2 within the Weighted A native range (native range (native range (Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover) Iriveways, etc)	am. ershed:	40		Score 0.5 1 0	ment 4 76 9	Running Percent (not >100 4 80 89
	VwLUSE Forest and r Forest and r Impervious	2 within the Weighted A native range (native range (native range (Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover) Iriveways, etc)	am. ershed:	40	-	Score 0.5 1 0	ment 4 76 9	Running Percent (not >100 4 80 89
	VwLUSE Forest and r Forest and r Impervious	2 within the Weighted A native range (native range (native range (Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover) Iriveways, etc)	am. ershed:	40	• • •	Score 0.5 1 0	ment 4 76 9	Running Percent (not >100 4 80 89
	VwLUSE Forest and r Forest and r Impervious	2 within the Weighted A native range (native range (native range (Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover) Iriveways, etc)	am. ershed:	40	-	Score 0.5 1 0	ment 4 76 9	Running Percent (not >100 4 80 89
	VwLUSE Forest and r Forest and r Impervious Open space	2 within the Weighted A native range (native range (native range (Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover) Iriveways, etc)	am. ershed:		• • •	Score 0.5 1 0	ment 4 76 9	Running Percent (not >100 4 80 89
12	VwLUSE Forest and r Forest and r Impervious Open space	2 within the Weighted A native range (native range (areas (parking (pasture, law)	Verage of F Land <50% ground >75% ground g lots, roofs, d	Runoff Score for wate Use (Choose From cover) cover) Iriveways, etc)	am. ershed: Drop List)	No	tes:	Score 0.5 1 0 0.3	ment 4 76 9 11	Running Percent (not >100 4 80 89 100
12 V2	VwLUSE Forest and r Forest and r Impervious Open space S ariable	2 within the Weighted A native range (native range (areas (parking (pasture, law) -IJ16-b Value Not Used,	Land -50% ground >75% ground g lots, roofs, d ns, parks, etc.	Runoff Score for wate Use (Choose From cover) (cover) Iriveways, etc)), grass cover >75%	ysis was con	No npleted using e imagery an	tes: g the 2019 d other su	Score 0.5 1 0 0.3 0.3 0 National L	ment 4 76 9 11 11 and Cover ry datasets	Running Percent (not >100 4 89 100
12 Va Va Va	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY	2 within the Weighted A native range (areas (parking (pasture, law) -IJ16-b Value Not Used, <20%	Verage of F Land >75% ground > 10ts, roofs, d ns, parks, etc. VSI Not Used	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
12 Va Va Va	VwLUSE Forest and r Forest and r Impervious Open space S ariable	2 within the Weighted A native range (native range (areas (parking (pasture, law) -IJ16-b Value Not Used,	Land -50% ground >75% ground g lots, roofs, d ns, parks, etc.	Runoff Score for wate Use (Choose From cover) (cover) Iriveways, etc)), grass cover >75%	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
12 V2 Vcc Vcc	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY	2 within the Weighted A native range (areas (parking (pasture, law) -IJ16-b Value Not Used, <20%	Verage of F Land >75% ground > 10ts, roofs, d ns, parks, etc. VSI Not Used	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
Va Va Vcr Vst	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY WBED UBSTRATE	2 within the Weighted A native range (: areas (parking (pasture, law) (pasture, law) -IJ16-b Value Not Used, <20% 1.8	Land -50% ground >75% ground g lots, roofs, d ns, parks, etc. VSI Not Used 0.39	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
12 Va Vcr Vsr Vsr Vsr	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY WBED UBSTRATE ERO	2 within the Weighted A native range (native range (areas (parking (pasture, law) (pasture, law) (pasture, law) Not Used, <20% 1.8 3.00 in	Verage of F Land <50% ground >75% ground g lots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
Va Va V _E V _{SU} V _B	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY WBED UBSTRATE ERO WD	2 within the Weighted A native range (: native range (: areas (parking (pasture, law) (pasture,	Verage of F Land <50% ground >75% ground g lots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00 0.78 0.00	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
12 Va Vcr Vsr Vsr Vsr	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY WBED UBSTRATE ERO WD	2 within the Weighted A native range (areas (parking (pasture, law) (pasture, law) (pasture, law) Not Used, <20% 1.8 3.00 in 55 %	Verage of F Land <50% ground >75% ground g lots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00 0.78	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
Va Va Vca Vsa Vsa	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY WBED UBSTRATE ERO WD	2 within the Weighted A native range (: native range (: areas (parking (pasture, law) (pasture,	Verage of F Land <50% ground >75% ground g lots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00 0.78 0.00	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
Va Va Vca Vsa Vsa	VwLUSE Forest and r Forest and r Impervious Open space S ariable CANOPY MBED UBSTRATE ERO WD DBH NAG	2 within the Weighted A native range (areas (parking (pasture, lawn (pasture, lawn) (pasture, lawn (pasture, lawn) (pasture, lawn) (pas	Verage of F Land <50% ground >75% ground g lots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00 0.78 0.00 Not Used	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
Va Va Vcr Var Var Var Vsr Vsr Vsr Vsr Vsr Vsr Vsr	VwLUSE Forest and r Forest and r Impervious Open space Sariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD	2 within the Weighted A native range (: areas (parking (pasture, law) (pasture, l	Verage of F Land >75% ground >75% ground of lots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00 0.78 0.00 Not Used 0.10 0.96	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
Va Va V _G V _{EF} V _{SS} V _{SS} V _{SS}	VwLUSE Forest and r Forest and r Impervious Open space Sariable CANOPY WBED UBSTRATE ERO WD OBH NAG SD RICH	2 within the Weighted A native range (: native range (: areas (parking (pasture, law) (pasture,	Verage of F Land <50% ground >75% ground plots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00 0.78 0.00 Not Used 0.10 0.96 0.00	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
V2 V2 V _C V _E V _S V _S V _S V _S V _S V _S	VwLUSE Forest and r Forest and r Impervious Open space Sariable CANOPY MBED UBSTRATE ERO WD DOBH NAG SD RICH ETRITUS	2 within the Weighted A native range (areas (parking (pasture, lawn (pasture, lawn) (pasture, lawn (pasture, lawn) (pasture,	Verage of F Land <50% ground >75% ground y lots, roofs, d ns, parks, etc. Not Used 0.39 1.00 0.78 0.00 Not Used 0.10 0.96 0.00 0.17	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100
12 12 Var V _{SI} V _{SI} V _{SI} V _{SI} V _{SI} V _{SI} V _{SI} V _{SI} V _{SI}	VwLUSE Forest and r Forest and r Impervious Open space Sariable CANOPY WBED UBSTRATE ERO WD OBH NAG SD RICH	2 within the Weighted A native range (: native range (: areas (parking (pasture, law) (pasture,	Verage of F Land <50% ground >75% ground plots, roofs, d ns, parks, etc. VSI Not Used 0.39 1.00 0.78 0.00 Not Used 0.10 0.96 0.00	Land Cover Analy (NLCD), from Lar Watershed bound	vsis was con dsat satellit daries are ba	No npleted using e imagery ar ased off of fie	tes: g the 2019 d other su	Score 0.5 1 0 0.3	ment 4 76 9 11 11	Running Percent (not >100 4 80 89 100 100

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-IJ16-b	LOCATION Giles County	
STATION # RIVERMILE	STREAM CLASS Ephemeral	
LAT <u>37.318246</u> LONG <u>-80.547711</u>	RIVER BASIN Middle New	
STORET #	AGENCY VADEQ	
INVESTIGATORS AW, ES, KD, EM		
FORM COMPLETED BY AW, ES, KD, EM	DATE 8/17/21 TIME 10:30AM	REASON FOR SURVEY Baseline Assessment

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days?
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Subsystem Intermittent Tidal Stream Type Perennial Intermittent Tidal Coldwater Warmwater Stream Origin Spring-fed Catchment Area Marmwater Glacial Spring-fed Mixture of origins Km² Swamp and bog Other Rain/procepitation Mixture of origins Km²

Note: No water present.

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse ☐ Forest ☐ Commercial ☐ Field/Pasture ☐ Industrial ☐ Agricultural ☐ Other ☐ Residential ☐ ☐ Indicate the dominant type and record the domin ☐ Trees ☑ Shrubs Dominant species present Rosa multifora, Phytolacca americana	Local Watershed NPS Pollution ☑ No evidence □ Some potential sources □ Obvious sources Local Watershed Erosion ☑ None □ Moderate □ Moderate □ Heavy hant species present □ Herbaceous
INSTREAM FEATURES	Estimated Reach Length 4.6 m Estimated Stream Width 1.2 m Sampling Reach Area m² Area in km² (m²x1000) km² Estimated Stream Depth m Surface Velocity (at thalweg) m/sec	Canopy Cover □Partly shaded □Shaded Image: Propertion of Reach Represented by Stream Morphology Types Riffle % Pool % Channelized Yes Dam Present Yes Dam Present Yes
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Portion of the reach with aquatic vegetation <u>o</u>	
WATER QUALITY (DS, US)	Temperature_N/A 0 C Specific Conductance N/A Dissolved Oxygen _N/A pH _N/A Turbidity _N/A WQ Instrument Used _N/A	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other N/A Water Surface Oils Slick Slick Sheen Globs None Other N/A Turbidity (if not measured) Turbid Clear Slightly turbid Turbid Opaque Stained Other N/A
SEDIMENT/ SUBSTRATE	Odors ✓ Normal Chemical Other NA Petroleum None None Oils ✓ Oils ✓ Absent Slight	Deposits □Sludge □Sawdust □Paper fiber □Sand □Relict shells □Other NA □ □Lpoking at stones which are not deeply embedded, are the undersides black in color? □Yes ☑No

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)			
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock			Detritus sticks, wood, coarse plant		05	
Boulder	> 256 mm (10")	25		materials (CPOM)	25	
Cobble	64-256 mm (2.5"-10")	60	Muck-Mud	black, very fine organic	0	
Gravel	2-64 mm (0.1"-2.5")	10		(FPOM)	0	
Sand	0.06-2mm (gritty)	5	Marl	grey, shell fragments	0	
Silt	0.004-0.06 mm]		0	
Clay	< 0.004 mm (slick)					

Notes: No water present.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-IJ16-b	LOCATION Giles County				
STATION # RIVERMILE	STREAM CLASS Ephemeral				
LAT <u>37.318246</u> LONG <u>-80.547711</u>	RIVER BASIN Middle New				
STORET #	AGENCY VADEQ				
INVESTIGATORS AW, ES, KD, EM					
FORM COMPLETED BY AW, ES, KD, EM	DATE 8/17/21 TIME 10:30AM AM PM REASON FOR SURVEY Baseline Assessment				

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted iı	score 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	_{score} 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: No water present.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	H-h:4-4		Condition	1 Category			
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	_{score} 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
amp	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing deviateorm.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e ev	SCORE /	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
s to ł	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 2	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

84

Notes: No water present.

Total Score

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-IJ	16-b	LOCATION Giles County						
STATION #	_ RIVERMILE	STREAM CLASS Ephemeral	STREAM CLASS Ephemeral					
LAT <u>37.318246</u>	LONG80.547711	RIVER BASIN Middle New						
STORET #		AGENCY VADEQ						
INVESTIGATORS A	N, ES, KD, EM		LOT NUMBER 12					
FORM COMPLETED	^{BY} AW, ES, KD, EM	DATE 8/17/21 TIME 10:30AM	REASON FOR SURVEY Baseline Assessment					
HABITAT TYPES	Indicate the percentage of Cobble%Sn Submerged Macrophytes	ags% 🗍 Vegetated B						
SAMPLE COLLECTION	Gear used D-frame		rom bank 🗌 from boat					
		bs/kicks taken in each habitat ty lags Vegetated B Other (anks Sand					
GENERAL COMMENTS	No water present	t.						

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:	Giles County	Stream ID:	S-IJ16-b
Stream Name:	UNT to Sinking Creek		
HUC Code:	05050002	Basin:	Middle New
Survey Date:	8/17/2021		
Surveyors:	AW, KD, EM,		
Surveyors.	ES		
Type:	Representative		

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	<.062	S/C	4	0	0.00	0.00
	Very Fine	.062125		•	0	0.00	0.00
	Fine	.12525		•	1	0.91	0.91
	Medium	.255	S A N D	•	3	2.73	3.64
	Coarse	.50-1.0		•	4	3.64	7.27
.0408	Very Coarse	1.0-2		•	5	4.55	11.82
.0816	Very Fine	2 -4		•	2	1.82	13.64
.1622	Fine	4 -5.7		•	2	1.82	15.45
.2231	Fine	5.7 - 8		•	6	5.45	20.91
.3144	Medium	8 -11.3		•	15	13.64	34.55
.4463	Medium	11.3 - 16	G R A V E L	•	20	18.18	52.73
.6389	Coarse	16 -22.6		•	8	7.27	60.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	10	9.09	69.09
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	10	9.09	78.18
1.77 -2.5	Vry Coarse	45 - 64		•	12	10.91	89.09
2.5 - 3.5	Small	64 - 90		▲ ▼	6	5.45	94.55
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	5	4.55	99.09
5.0 - 7.1	Large	128 - 180	COBBEE	▲ ▼	0	0.00	99.09
7.1 - 10.1	Large	180 - 256		▲ ▼	1	0.91	100.00
10.1 - 14.3	Small	256 - 362		▲ ▼	0	0.00	100.00
14.3 - 20	Small	362 - 512		•	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.00
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		▲ ▼	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
	Total Tally:			Totals:	110		
	Total Tally:						

River Name: Reach Name: Sample Name: Survey Date:	UNT to Sinking S-IJ16-B Representative 08/17/2021	Creek	
Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	0 0 1 3 4 5 2 2 6 15 20 8 10 10 12 6 5 0 1 0 0 0 0 0	0.00 0.91 2.73 3.64 4.55 1.82 1.82 5.45 13.64 18.18 7.27 9.09 9.09 10.91 5.45 4.55 0.00 0.91 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.91 3.64 7.27 11.82 13.64 15.45 20.91 34.55 52.73 60.00 69.09 78.18 89.09 94.55 99.09 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	5.93 11.42 15.29 55.14 93.77 255.99 0 11.82 77.27 10.91 0 0		


Total Particles = 110.

	Project Nam Mountain Valley Pipelin Valley Pipeline,		Locality	Cowardin					
22865.06 Nam				Class.	HUC	Date	SAR #	Impact Length	Impact Factor
Nam		LLC)	Giles County		05050002	8/17/21	S-IJ16-b	78	1
	e(s) of Evaluator(s)	Stream Nam	e and Informa	ation				SAR Length	
	ES/AW/KD/LM	Unnamed Tr	ibutary to Sir	king Creek				78	
		kie 400 feet rinerie		antina CAD (nou		of longth 9 width			
	N BUFFERS: Assess both ban		ditional Cate		gn measurements	or length & width	i may be acceptat	NOTES>>	
	Optimal		ptimal	<u> </u>	ginal	Po	oor		
Determine so	Tree stratum (dbh > 3 inches) present with > 60% tree canopy cover and an non-maintained understory. Wetlands areas. 1.5 arian areas along each stream bank juare footage for each by measurin Ribarian Area and Score for each ri	to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 kinto Condition Ca g or estimating len	gth and width. Ca		lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors.	of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian		
Enter the %	Riparian Area and Score for each ri	parian category in	the blocks below.			Blocks e	equal 100		
Disché Davida	% Riparian Area> 70%	20%	10%				100%		
Right Bank	Score > 0.75	0.85	0.5						
								CI= (Sum % RA * So	cores*0.01)/2
Left Bank	% Riparian Area> 90%	10%					100%	Rt Bank CI >	0.75
	Score > 0.85	0.5						Lt Bank CI >	0.82
	REACH C	CONDITION I	NDEX and S	TREAM CO	NDITION UN	ITS FOR TH	IS REACH		
	RCI should be rounded to 2 decimal places	s. The CR should be ro	unded to a whole nun	ıber.			THE REACH O	CONDITION IND	EX (RCI) >>
OTE: The Cls and									
OTE: The Cls and							R	CI= (Riparian CI)	/2

INSERT PHOTOS:



PROVIDED UNDER SEPARATE COVER



SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 27, 2019.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.

3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).


4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).



CL S	TAKEOUT POINT	S: S-IJ16-b CRO	SS SECTION	I B (PIPE C	L)	
	PI	POST-CROSSING				
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.	
TS-L	13550734.83	1771895.56	2088.65			
BS-L	13550735.57	1771893.81	2088.10			
THW	13550736.34	1771891.73	2087.81			
BS-R	13550736.70	1771890.12	2088.08			
TS-R	13550738.04	1771885.48	2092.09			



LEGEND STUDY AREA (EASEMENT) EXISTING SURVEY-LOCATED THALK EXISTING SURVEY-LOCATED EDGE EXISTING CONTOUR LINE (MAJOR) EXISTING CONTOUR LINE (MINOR) 2095.2 + EXISTING SURVEYED GROUND SHO BENCHMARK POINT (WSSI)	OF WATER (AS NECESSARY)	Sundies and Solutions, Inc. a DAVEY Company	5300 Wellington Branch Drive • Suite 100 Gainesville, Virginia 20155 Phone: 703-679-5600 • Fax: 703-679-5601 www.wetlands.com
A	<section-header><text><caption><image/><image/></caption></text></section-header>	Profile and Cross-Sections Baseline Survey	Prepared For: MVP Crossing S-IJ16-b & S-IJ17 - UNT Sinking Creek (MP 209.1) Giles County, Virginia
	PENDING CROSSING	Rev. App. By By	
	PHOTO TAKEN LOOKING	REVISIONS	
	PENDING CROSSING	RE No. Date Description	
T CROSS-SECTION OWNSTREAM) TS-R BS-R	PHOTO TAKEN LOOKING	Horizontal Da Vertical Datur Boundary and MVP WSSI 2' C.I. To	tum: NAD 1983 UTM ZONE n: NAVD 88 Topo Source:
ΓΗW SLOPE Λ OF SLOPE WEG (INVERT)		Computer File J L.:Survey!22009.22800.2286 22865_03 S-G MP 208-227 S	of 1 Name: 55.03\Sprcad G Work Dwgs