Reach S-IJ18-EPH (Pipeline ROW) Ephemeral Spread G Giles County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No flow
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Stream S-IJ18-EPH (ROW)




Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking S, AW



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking NE, ES

Spread G

Stream S-IJ18-EPH (ROW)

Giles County



Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking W, ES



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking E, ES

DEQ Permit #21-0416

Spread G

Stream S-IJ18-EPH (ROW)

Giles County



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking SW, ES

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-IJ18-eph\1_QAQC\Photo Doc_S-IJ18EPH.docx

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.322737	Lon.	-80.552396	WEATHER:	Intermittent showers	DATE:	August 17, 2021
IMPACT STREAM/SITE ID AN (watershed size (acreage), una		S-IJ1	8-EPH		MITIGATION STREAM CLAS (watershed size (acre	S./SITE ID AND S sage), unaltered or impa				Comments:	
STREAM IMPACT LENGTH:	74 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	0.26", 8/16/2021	Mitigation Length:	
Column No. 1- Impact Existing Co	ondition (Debit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple	Projected at Five Y tion (Credit)	'ears	Column No. 4- Mitigation Project Post Completion (C	cted at Ten Years redit)	Column No. 5- Mitigation Project	ted at Maturity (Credit)
Stream Classification:	Ephemeral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slope		Percent Stream Channel Sto	ppe		Percent Stream Channel	I Slope	0	Percent Stream Channel Slo		Percent Stream Channel	Slope 0
HGM Score (attach data	forms):	HGM Score (attach o	iata forms):		HGM Score (atta	ich data forms):		HGM Score (attach dat	ta forms):	HGM Score (attach	data forms):
	Average		Average				Average		Average		Average
Hydrology Biogeochemical Cycling	0.32 0.39666667	Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and Bio	0.31 ological Indicators	Habitat PART I - Physical, Chemical and	I Biological Indicators		PART I - Physical, Chemica	I and Biological Ind	icators	Habitat PART I - Physical, Chemical and B	Biological Indicators	PART I - Physical, Chemical and	d Biological Indicators
Po	ints Scale Range Site Score		Paints Scale Range Site Scare			Points Scale Range	Site Score		Points Scale Range Sile Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams class	ssifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
2. Embeddedness 3. Velockly Dept Regime 4. Sadiment Deposition 5. Channel Flow Status 6. Channel Alexation 7. Frequency of Rifles (or bends) 8. Bank Stability (LB & RB) 10. Repairs Vegetative Zone Width (LB & RB) 10. Repairs Vegetative Zone Width (LB & RB) 5.Ad-Total CHEMICAL INDICATOR (Applies to Intermatient an WVDEP Water Quality Indicators (General) Specific Conductivity 100-199 - 85 points BH 5.8-5.9 = 45 points DO	0.40 0.1	USEPA RAPE (Low Gradient Data Sheet) Lepfrand Subtratik Available Cover 2 Pool Substrate Characterization 3 Pool Variability 4 Sediment Deposition 6 Charmel Flow State 6 Charmel Alexation 1 Charmel ShowState 6 Charmel Alexation 10 Eigenin Vegetable Zow Widh (LB & RB) 10 Ei	0-90 5-90 0-1		USEPA KBP (High Gradiant Data Shee) I: Epfanal Substrate/Available Cover 2. Embeddedness 3. Visiodty Depth Regime 4. Sediment Deposition 5. Channel Rivor Status 6. Channel Alexation 5. Channel Alexation 5. Channel Alexation 5. Channel Alexation 5. Bank Stability (L8 & AB) 10. Ripartar Vegetalve Zone Widh (L8 & RB) 10. Ripartar Vegetalve Zone Widh (L8 & RB) CAELMICAL INDICATOR (Applies to Interm WyDEP Water Quality Indicators (Gene Specific Conductivity pH BO		0 0 0 ams)	USEPA RSP (High Gradient Data Bheet) I. Epifurual Schartsel/Available Cover 2. Embeddedness 3. Valocity (Updk Ragme 4. Sediment Deposition 6. Channel Alteration 7. Frequency GRIftes (or bends) 8. Bank Stability (LB & RB) 10. Repartin Vepterber Zork Work (LB & RB) 10. Repartin Vepterber Zork Work (LB & RB) 10. Chell Coll Coll CHEWICAL INDICATOR (Apples to Intermittent WDDEP Water Quality Indicators (General) Specific Conductivity pH	0-90	USEFAREP (High Gradient Data Sheet) 1: Epfanal Skatentek/walable Cover 2: Embeddedness 3: Vetocity Dept Regime 4: Sediment Deposition 5: Channel Rev Status 6: Channel Rev Status 9: Negatabler Protection (LB & RB) 10: Regiment Vegaterier Zone With (LB & RB) CHEWICAL INDICATOR (Applies to Intermit WYDEP Water Cauality Indicators (Generic Specific Conductivity 01 00	0-90
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	10-30 0 nt and Perennial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Int	10-30 Iermittent and Perenn	0 ial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermi	10-30 0 ttent and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Inter	10-30 0 mittent and Perennial Streams)
WV Stream Condition Index (WVSCI) 0 Sub-Total	0-100 0-1 0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 0
PART II - Index and Unit		PART II - Index and			PART II - Index a			PART II - Index and Un		PART II - Index and	
	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.582	74 43.0433333	0	0 0		0	0	0	0	0 0	0	0 0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the UPPERMOST STRATUM of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mount Valley Pipeline Location: Giles County Sampling Date: 8/17/21 Project Site Before Project Subclass for this SAR: Ephemeral Stream Uppermost stratum present at this SAR: SAR number: S-IJ18-EPH Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.56
Biogeochemical Cycling	0.32
Habitat	0.31

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
VEMBED	Average embeddedness of channel.	1.38	0.24
V _{SUBSTRATE}	Median stream channel substrate particle size.	3.15	1.00
V _{BERO}	Total percent of eroded stream channel bank.	30.00	0.91
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	173.33	1.00
VSRICH	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	80.00	0.98
V _{HERB}	Average percent cover of herbaceous vegetation.	100.00	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.95	1.00

			J			ter Strea et and C		••				
		ES, AW, K								37.322727		
Pı		t Name: Mount Valley Pipeline Longitude/UTM Easting: -80.55239 ocation: Giles County Sampling Date: 8/17/21							6			
ç		S-IJ18-EPH		Length (ft):	15	Stream Ty	(De:			0/17/21		
3	AR NUMBEL	5-1318-EPF	Reach	i Lengui (it).	15	Stream Ty	/pe. Eph	emeral Strear	n		•	
	Top Strata:	Sh	rub/Herb St	rata	(determine	d from perce	ent calculate	ed in V _{CCANO}	PY)			Va
Site	and Timing	Project Site				-	Before Proje	act			-	S In
		1-4 in strea					belote troje					
прі 1	V _{CCANOPY}				el by tree ar	nd sapling ca	anopy. Mea	asure at no f	ewer than 1	0 roughly		
						only if tree/s 9 to trigger			20%. (If les	s than	Not Used, <20%	Not
	-	rcent cover r	measureme	nts at each i	oint below:						1	
	0											
2	V _{EMBED}	Average er	nbeddednes	ss of the stre	eam channe	I. Measure	at no fewer	than 30 rou	ghly equidis	tant points		_
						ed. Before n					1.4	0
										g according rating score		
						rating score				U		
				for gravel, c	obble and b	oulder partic	cles (rescale	ed from Plat	ts, Megahar	n, and	Measure	
		Minshall 19 Rating	Rating De	scription							at least 30 points	ĺ
		5	-		overed, sur	rounded, or	buried by fi	ne sediment	(or bedroc	k)	00 00000	ĺ
		4				, surrounded					1	
		3				d, surrounde d, surrounde					ł	
		1				irrounded, o				al surface)	1	
	-	ings at each	point below	<i>I</i> :							1	
	1	1										
	1	4										
	1	1										
		Median stre										
		cle size in in as 0.0 in, s 23.70				n point below	/ (bedrock s	should be co	ounted as 99) in, asphalt		
	5.70	0.08										
	1.00	5.30										
	0.08	1.00										
4	V _{BERO}	Total perce	ent of eroded	d stream cha	annel bank.	Enter the to	tal number	of feet of er	oded bank o	on each		
				entage will b	e calculated	d If both bar	nks are ero	ded, total er	osion for the	e stream	30 %	0
		may be up	Left Bank:	1	ft		Right Bank:		ft			
			Leit Darik.		n		RIGHT DAHK.	. 4	i n			1
mpl	e Variables	5-9 within t	he entire ri	parian/buff	er zone adj	acent to the	e stream ch	nannel (25 f	eet from ea	ich bank).		
5	V _{LWD}					es in diamet						
				will be calcu		e 50'-wide b	outter and w	ithin the cha	annel, and ti	ne amount	0.0	0
		-				f downed wo			0			
6	V _{TDBH}			measure on eter. Enter		_Y tree/saplin n inches	g cover is a	it least 20%). Trees are	e at least 4	Not Used	Not
			,			(at least 4 in) within the	buffer on ea	ach side of			
		the stream				(at loast 4 iii) within the	buildr off of			_	
			Left Side					Right Side				
											1	1
											1	
											1	1
											l	1
7	V _{SNAG}	Number of	snags (at le	east 4" dbh a	ind 36" tall)	per 100 feet	of stream.	Enter numb	er of snads	on each		
7	V _{SNAG}					per 100 feet et will be cal		Enter numb	per of snags	on each	0.0	0
7	V _{SNAG}		stream, and	I the amoun			culated.		per of snags	on each	0.0	0
7	V _{SNAG}	side of the	stream, and Left Side:	I the amoun	t per 100 fee 0	et will be cal	culated. Right Side:		0	on each		0

9	V _{SRICH}						m reach. Cl				
		richness pe	er 100 feet a				ive species p from these d	ata.	-	ecles	0.00
			ıp 1 = 1.0						2 (-1.0)		
	Acer rubru			Magnolia t		7	Ailanthus a	altissima	7	Lonicera ja	ponica
	Acer sacch	narum		Nyssa sylv	ratica		Albizia julit	orissin		Lonicera ta	tarica
	Aesculus fi	lava		Oxydendrun	n arboreum	1	Alliaria pet	iolata		Lotus corni	culatus
	Asimina tri	loba		Prunus ser	rotina		Alternanthe	era		Lythrum sa	licaria
	Betula alleg	ghaniensis		Quercus a	lba		philoxeroid	les	1	Microstegiun	n vimineum
	Betula lent	а		Quercus c	occinea		Aster tatar	icus		Paulownia	tomentosa
	Carya alba	1		Quercus in	nbricaria		Cerastium	fontanum		Polygonum o	cuspidatum
	- Carya glab			Quercus p			Coronilla v			Pueraria m	
	Carya oval			Quercus ru			Elaeagnus u			Rosa multi	
	Carva ovat			Quercus ve			Lespedeza			Sorghum h	
-										-	
	Cornus floi			Sassafras			Lespedeza			Verbena bi	asilierisis
	Fagus grai			Tilia ameri			Ligustrum oi				
	Fraxinus a			Tsuga can			Ligustrum	sinense			
	Liriodendror	n tulipifera	1	Ulmus ame	ericana						
	Magnolia a	acuminata									
		1	Species in	Group 1				5	Species in	Group 2	
				·				•	000000	0.049 2	
Sampl	e Variables	10-11 withi	n at least 8	subplots (40" x 40", o	r 1m x 1m)) in the ripar	rian/buffer z	one within	25 feet fror	n each
		bplots shou	uld be place	ed roughly	equidistant	ly along ea	ach side of t	the stream.			
10	V _{DETRITUS}						material. Wo		<4" diamete	er and <36"	80.00 %
		long are ind		•	it cover of th	e detrital la	yer at each s			7	00.00 //
		75	Left	Side		05	Righ	t Side			
		75				85					
11	V _{HERB}	Average pe	ercentage co	over of herb	aceous vege	etation (mea	asure only if	tree cover is	s <20%). D	o not	
	HERD	include wo	ody stems a	it least 4" db	oh and 36" ta	all. Because	e there may l	be several la	iyers of gro	und cover	100 %
		vegetation each subpl		s up through	n 200% are a	accepted.	Enter the per	rcent cover o	of ground ve	egetation at	100 /0
				Side		I	Righ	t Side		1	
		100	Lon			100	Tigh	loide			
Samni	o Variablo 1	2 within the	o ontiro cat	chment of	the stream.						
-											
12	V _{WLUSE}	Weighted A	Average of H	Runoff Score	e for watersh	ned:					0.95
											D
			Land	Use (Choos	se From Dro	p List)			Runoff	% in Catch	Running Percent
						- ,			Score	ment	(not >100)
	Forest and r	native range (>	>75% ground	cover)				•	1	95	95
	Impervious	areas (parking	lots roofs d	riveways etc)				-	0	5	100
	·	areas (parking	1003, 10013, 0	invervays, etc)				•	0	5	100
	-							•			
								•			
	-							•			
	-								<u> </u>		
	-							•	ļ		
								•			
	[•			
							N.	4			
	5-1.	J18-EPH	ī					otes:			
V	ariable	Value	VSI				pleted using				
Vo	CANOPY	Not Used, <20%	Not Used				imagery an sed off of fie				5.
			0.04				lues have b				number.
VE	MBED	1.4	0.24		0						
٧s	UBSTRATE	3.15 in	1.00								
V	ERO	30 %	0.91								
V.											
		0.0	0.00								
VT	DBH	Not Used	Not Used								
	NAG	0.0	0.10								
۷s		173.3	1.00								
Vs	RICH	0.00	0.00								
	ETRITUS	80.0 %	0.98								
	ERB	100 %	1.00								
vv	LUSE	0.95	1.00	I							

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-IJ18-EPH	LOCATION Giles County				
STATION # RIVERMILE	STREAM CLASS Ephemeral				
LAT <u>37.322737</u> LONG <u>-80.552396</u>	RIVER BASIN Middle New				
STORET #	AGENCY VADEQ				
INVESTIGATORS ES, AW, KD, EM	INVESTIGATORS ES, AW, KD, EM				
FORM COMPLETED BY ES, AW, KD, EM	DATE 8/17/2021 TIME 2:31pm	REASON FOR SURVEY Baseline Assessment			

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? 100 % storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Air Temperature 29 0 C
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Coming in the site and indicate the areas sampled (or attach a photograph) Coming in the site and indicate the areas sampled (or attach a photograph) I have been been been been been been been be
STREAM CHARACTERIZATION	Stream Subsystem Intermittent Tidal Perennial Intermittent Tidal Stream Origin Coldwater Warmwater Glacial Spring-fed Mixture of origins Non-glacial montane Mixture of origins Vother Precipitation

Notes: No Flow.

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Industrial Indicate the dominant type and record the domin Trees Dominant species present	Local Watershed NPS Pollution Image: Some potential sources Image: Obvious sources Local Watershed Erosion Image: Some potential sources Image: Some po
INSTREAM FEATURES	Estimated Reach Length 4.57 m Estimated Stream Width 7.62 m Sampling Reach Area 34.82 m ² Area in km ² (m ² x1000) km ² Estimated Stream Depth NIA m Surface Velocity (at thalweg) NIA m/sec	Canopy Cover Partly shaded □Shaded ✓ Partly open □Partly shaded □Shaded High Water Mark 244m Proportion of Reach Represented by Stream Morphology Types Riffle % Pool % Channelized Yes Dam Present Yes
LARGE WOODY DEBRIS	LWD <u>•</u> m ² Density of LWD <u>NA</u> m ² /km ² (LWD/ reac	h area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Nome observed Portion of the reach with aquatic vegetation NA	☐Rooted floating ☐Free floating
WATER QUALITY (DS, US)	Temperature NA 0 C Specific Conductance NA Dissolved Oxygen NA pH NA Turbidity NA WQ Instrument Used NA	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Globs Slick Sheen None Other Turbidity (if not measured) Turbid Clear Slightly turbid Opaque Stained
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Anaerobic Potroleum Chemical Anaerobic None Other Oils Pofuse	Deposits Sludge Sawdust Paper fiber Sand Relict shells Other

INC	DRGANIC SUBSTRATE (should add up to 1		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock		0	Detritus				
Boulder	> 256 mm (10")	20		materials (CPOM)	50		
Cobble	64-256 mm (2.5"-10")	40	Muck-Mud	black, very fine organic	0		
Gravel	2-64 mm (0.1"-2.5")	5		(FPOM)	0		
Sand	0.06-2mm (gritty)	10	Marl	grey, shell fragments	0		
Silt	0.004-0.06 mm	25]		0		
Clay	< 0.004 mm (slick)	0					

Notes: No Flow.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-IJ18-EPH	LOCATION Giles County				
STATION # RIVERMILE	STREAM CLASS Ephemeral				
LAT <u>37.322737</u> LONG <u>-80.552396</u>	RIVER BASIN Middle New				
STORET #	AGENCY VADEQ				
INVESTIGATORS ES, AW, KD, EM					
FORM COMPLETED BY ES, AW, KD, EM	DATE8/17/2021 2:31pmREASON FOR SURVEY Baseline Assessment				

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	score 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
aram	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.		Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	_{score} 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: No flow.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	H-bit-t		Condition	n Category				
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	_{score} 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing dewastream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e evs	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to b	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

88

Notes: No flow.

Total Score

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-I.	J18-EPH	LOCATION Giles County							
STATION #	RIVERMILE	STREAM CLASS Ephemeral							
LAT <u>37.322737</u>	LONG80.552396	RIVER BASIN Middle New							
STORET #		AGENCY VADEQ							
INVESTIGATORS ES			LOT NUMBER						
FORM COMPLETED	^{BY} ES, AW, KD, EM	DATE 8/17/2021 TIME 2:31pm	REASON FOR SURVEY Baseline Assessment						
HABITAT TYPES	Indicate the percentage of Cobble%Sn Submerged Macrophytes	ags% 🗖 Vegetated Ba							
SAMPLE COLLECTION	Gear used D-frame		rom bank						
	Indicate the number of jabs/kicks taken in each habitat type. CobbleSnagsVegetated BanksSand Submerged MacrophytesOther ()								
GENERAL COMMENTS	No flow.								

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County:Giles CountyStream Name:UNT to Sinking CreekHUC Code:02080201Survey Date:8/17/2021

Stream ID: S-IJ18-EPH

Middle New


Surveyors: AW, KD, EM, ES


Type: Representative

			E COUNT			-	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	35	34.31	34.31
	Very Fine	.062125		▲ ▼	0	0.00	34.31
	Fine	.12525		▲ ▼	0	0.00	34.31
	Medium	.255	S A N D	▲ ▼	0	0.00	34.31
	Coarse	.50-1.0		▲ ▼	3	2.94	37.25
.0408	Very Coarse	1.0-2		•	9	8.82	46.08
.0816	Very Fine	2 -4		▲ ▼	8	7.84	53.92
.1622	Fine	4 -5.7		▲ ▼	5	4.90	58.82
.2231	Fine	5.7 - 8		•	4	3.92	62.75
.3144	Medium	8 -11.3		▲ ▼	4	3.92	66.67
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	2	1.96	68.63
.6389	Coarse	16 -22.6		▲ ▼	4	3.92	72.55
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	4	3.92	76.47
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	3	2.94	79.41
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	3	2.94	82.35
2.5 - 3.5	Small	64 - 90		▲ ▼	4	3.92	86.27
3.5 - 5.0	Small	90 - 128	CODDLE	▲ ▼	4	3.92	90.20
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	5	4.90	95.10
7.1 - 10.1	Large	180 - 256	-	▲ ▼	3	2.94	98.04
10.1 - 14.3	Small	256 - 362		▲ ▼	1	0.98	99.02
14.3 - 20	Small	362 - 512		▲ ▼	0	0.00	99.02
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	1	0.98	100.00
40 - 80	Large	1024 -2048	1	▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
		1		Totals:	102		

Reach Name: Sample Name:	_	Creek	
Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock		34.31 0.00 0.00 2.94 8.82 7.84 4.90 3.92 3.92 3.92 1.96 3.92 3.92 3.92 2.94 2.94 3.92 3.92 3.92 3.92 3.92 3.92 3.92 3.92	34.31 34.31 34.31 34.31 37.25 46.08 53.92 58.82 62.75 66.67 68.63 72.55 76.47 79.41 82.35 86.27 90.20 95.10 98.04 99.02 99.02 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	$\begin{array}{c} 0.03 \\ 0.62 \\ 3 \\ 74.94 \\ 178.94 \\ 1023.95 \\ 34.31 \\ 11.77 \\ 36.27 \\ 15.69 \\ 1.96 \\ 0 \end{array}$		

Total Particles = 102.





SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on January 29, 2020.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.

3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).



EOUT POINTS: S-IJ18-EPH CROSS SECTION B (PIPE CL)									
Р	RE-CROSSING	POST-CROSSING							
	FACTING	VERT.	HORZ.						
NORTHING	EASTING	ELEV	DIFF.	DIFF.					
3552362.32	1770535.59	2398.06							
3552367.73	1770525.03	2396.81							
3552368.51	1770523.59	2396.44							
3552369.09	1770522.30	2396.83							

POINTS: DRAINAGE FEATURE CROSS SECTION B (PIPE CL)										
PR	E-CROSSING	POST-CROSSING								
NORTHING	EASTING	ELEV	VERT.	HORZ.						
NORTHING	EASTING	ELEV	DIFF.	DIFF.						
13552345.16	1770571.36	2399.64								
13552348.34	1770564.95	2396.46								
13552350.38	1770561.82	2395.02								
13552351.87	1770557.56	2394.99								
13552358.14	1770544.66	2397.96								