Baseline Assessment – Stream Attributes

Reach S-MM18 (Pipeline ROW) Ephemeral Spread G Giles County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No water present
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No water present
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS VIEW
Location, Orientation, Photographer Initials: Downstream view of ROW looking NW, SB



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking S, SB



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking E, SB



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking W, SB



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking N, SB

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mounta	in Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.296226	Lon.	-80.481455	WEATHER:	M	ostly Sunny	DATE:	August 11	1, 2021		
IMPACT STREAM/SITE ID (watershed size (acreage), u			S-I	им18		MITIGATION STREAM CLAS (watershed size {acres						Comments:				
STREAM IMPACT LENGTH:	88	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		None	Mitigation Length:				
Column No. 1- Impact Existing	Column No. 1- Impact Existing Condition (Debit) Column No. 2			ondition - Baseline (Credit)		Column No. 3- Mitigation Post Complet		ve Years	Column No. 4- Mitigation Proje Post Completion (ected at Ten Ye Credit)	ars	Column No. 5- Mitigation Projecte	ed at Maturity (Cre	edit)		
Stream Classification:	tream Classification: Ephemeral		Stream Classification:			Stream Classification:		0	Stream Classification:	-)	Stream Classification:	0			
Percent Stream Channel Slo	ppe	6.1	Percent Stream Channel SI	ope		Percent Stream Channel	Slope	0	Percent Stream Channel SI	оре	0	Percent Stream Channel Slope		0		
HGM Score (attach da	ita forms):		HGM Score (attach	data forms):		HGM Score (attac	ch data forms):	HGM Score (attach da	ata forms):		HGM Score (attach da	ata forms):			
		Average		Average				Average			Average			Average		
Hydrology	0.67		Hydrology			Hydrology			Hydrology			Hydrology				
Biogeochemical Cycling Habitat	0.47 0.27	0.47	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat		0		
PART I - Physical, Chemical and E		ators	PART I - Physical, Chemical ar	nd Biological Indicators		PART I - Physical, Chemical	and Biologica	Indicators	PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Chemical and	Biological Indicat	tors		
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale F	ange Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score		
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ms classifications)	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)			
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover		0	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet 1. Epifaunal Substrate/Available Cover)		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover				
Epitaunai Substrate/Available Cover Embeddedness	0-20	6	Pool Substrate Characterization	0-20		Epitaunai Substrate/Available Cover Embeddedness	0-20		Epiraunai Substrate/Available Cover Embeddedness	0-20		Epitaunai Substrate/Available Cover Embeddedness				
Velocity/ Depth Regime	0-20	0	3. Pool Variability	0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime				
Sediment Deposition	0-20	20	Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20			
5. Channel Flow Status	0-20	0	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	0.1	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20			
6. Channel Alteration	0-20	20	6. Channel Alteration	0-20		6. Channel Alteration	0-20		Channel Alteration	0-20		6. Channel Alteration	0-20			
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20			
8. Bank Stability (LB & RB)	0-20	20	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)				
9. Vegetative Protection (LB & RB)	0-20	16 20	Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)				
Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Optimal	102	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 Poor 0		 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 Poor	0	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 		0		
Sub-Total	Орина	0.85	Sub-Total	0		Sub-Total	FOOL	Ö	Sub-Total	100	Ö	Sub-Total	F 001	0		
CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Str		CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermi	tent and Perenni	al Streams)	CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial S	treams)	CHEMICAL INDICATOR (Applies to Intermitter	it and Perennial Stres			
WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Gene	ral)		WVDEP Water Quality Indicators (General	1)		WVDEP Water Quality Indicators (General)			
Specific Conductivity	0-90		Specific Conductivity	0-90		Specific Conductivity	0-90		Specific Conductivity	0-90		Specific Conductivity	000			
100-199 - 85 points pH	0-90		рН	0-90		pH	0-90		рН	0-90		pH	0-90			
5.6-5.9 = 45 points	0-80			5-90 0-1			5-90	0-1		5-90 0-1			5-90 0-1			
DO			DO			DO			DO			DO				
	10-30			10-30			10-30			10-30			10-30			
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ont and Darannial I	Ptroome)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermit)	0		Sub-Total BIOLOGICAL INDICATOR (Applies to Inte	smittent and Day	O O	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	sittent and Barons	0	Sub-Total	sittent and Berennial			
WV Stream Condition Index (WVSCI)	ent and reletinal	Suedilis)	WV Stream Condition Index (WVSCI)	ent and Perennial Streams)		WV Stream Condition Index (WVSCI)	militent and Fer	eriniai Streams)	WV Stream Condition Index (WVSCI)	ilitelit alid Perelli	nai Streams)	WV Stream Condition Index (WVSCI)	Average Average Average O and Biological Indicators Associated to the base has been as classifications) 1 0 20 0 20 0 20 0 20 0 20 0 20 0 20 0			
WV Stream Condition index (WVSCI)	0-100 0-1		WV Stream Condition index (WVSCI)	0-100 0-1		WV Stream Condition index (WVSCI)	0-100	0-1	wy stream condition index (wysci)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1			
0 Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total	1	0		
PART II - Index and Ur	nit Score		PART II - Index and	Unit Score		PART II - Index a	nd Unit Score		PART II - Index and U	Init Score		PART II - Index and U	nit Score			
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Fe	eet Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		
0.648	88	56.98	0	0 0		0	0	0	0	0	0	0	0	0		
0.040	00	30.30	U	, ,		U	U	U	U	U	U	U	U	U		

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mountain Valley Pipeline

Location: Giles County **Sampling Date:** 8/11/2021

Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-MM18

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.67
Biogeochemical Cycling	0.47
Habitat	0.27

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	2.50	0.64
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.55	0.28
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	3.45	0.43
V_{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V_{SSD}	Number of saplings and shrubs per 100 feet of stream.	0.00	0.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	2.50	0.03
V_{HERB}	Average percent cover of herbaceous vegetation.	96.67	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.94	0.99

			High-G		Headwat Data She				a						
	Team:	SB, EL						Latitude/UT	M Northing:	37.296226					
Pro	oject Name:	Mountain V	alley Pipelir	ne			L	ongitude/U	ΓM Easting:	-80.481455	i				
	Location:	Giles Coun	ty					San	npling Date:	8/11/2021					
SA	AR Number:	S-MM18	Reach	Length (ft):		Stream Ty	- Ерік	emeral Stream			~				
	Top Strata:		rub/Herb Str	rata	(determined	d from perce	ent calculate	ed in V _{CCANO}	oy)						
Site	and Timing:	Project Site				•	Before Proje	ect			•				
Sample	Sample Variables 1-4 in stream channel 1 V _{CCANOPY} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly														
1		equidistant 20%, enter	points along at least one	g the stream value betw	. Measure een 0 and 1	only if tree/s	sapling cove	r is at least :			Not Used, <20%				
		cent cover r	neasuremer	nts at each p	point below:	ı			ı		1				
	17														
2	V _{EMBED}				am channe						2.5				
					from the be particle that i						2.5				
		to the follow of 1. If the	ving table. I bed is comp	f the bed is bosed of bed	an artificial s Irock, use a	surface, or o	composed o e of 5.	f fine sedime	ents, use a i	rating score	•				
	Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983) At the companies of the compa														
		Rating	Rating Des		overed ac-	rounded c	buried by fi-	ne sedimont	(or bedroot	-	30 points				
		5 4			overed, surrace covered,					·)					
		3			face covered										
		2			face covered covered, su					al surface)					
	List the rati	ngs at each			covered, ou	rroundou, o	i bunea by i	ine seamer	it (or artinoit	ar ourrace)	I				
	1	1	5	1	4										
	5	3	1	1	4										
	3	2	5	1	5 1										
	1	3	1	2	1										
3		Median stre			particle size.	Measure a	t no fewer t	han 30 roug	hly equidista	ant points					
		cle size in in	ches to the i	nearest 0.1					unted as 99	in, asphalt	0.55 in				
	0.08	as 0.0 in, s		0.08	0.08 in): 2.90						ŀ				
	10.00	0.08 1.50	2.20 0.08	0.08	4.00										
	1.90	3.50	0.60	0.08	0.50										
	0.08	0.40	0.08	1.20	0.08										
	0.08	2.50	11.00	1.50											
4	V _{BERO}		e total perce		nnel bank. e calculated						0 %				
		, ,	Left Bank:	0	ft		Right Bank:	0	ft						
Sample	Variables	5-9 within t	he entire ri	parian/buff	er zone adja	acent to the	e stream ch	annel (25 fe	eet from ea	ch bank).					
5	V_{LWD}	stream read		e number fr	east 4 inche om the entir lated.						3.4				
_		A 11					oody stems:		2						
6	V_{TDBH}	inches (10	cm) in diam	eter. Enter	y if V _{CCANOP} , tree DBHs in	n inches.		•		at least 4	Not Used				
		the stream	below:	onio oi iiidiV	ridual trees (₍ ωι ιυαοί 4 III	, widini ule		on alue Ul						
			Left Side					Right Side							
	0					0									
7	V _{SNAG}	Number of	snags (at le	ast 4" dbh a	nd 36" tall) i	per 100 feet	of stream	Enter numb	er of snags	on each					
	· SINAG		stream, and	the amount	per 100 fee		culated.			40.1	0.0				
8	V	Number of	Left Side:		oody stems	up to 4 imal-	Right Side:		otream (mer	neure only is					
0	V_{SSD}	tree cover i		nter numbei	oody stems of saplings ed.						0.0				

9	V _{SRICH}	Group 1 in			ndex will be		rom these da	ata			
			p 1 = 1.0	ina the sabi	HOUR WIII DO		10111 111000 11		2 (-1.0)		
	Acer rubrui			Magnolia t	ripetala		Ailanthus a		2 (1.0)	Lonicera ja	ponica
	Acer sacch			Nyssa sylv			Albizia julib	rissin		Lonicera ta	
=	Aesculus fl				n arboreum		Alliaria peti			Lotus corni	
	Asimina tril			Prunus sei						Lythrum sa	
							Alternanthe philoxeroide			•	
	Betula alleg			Quercus a						Microstegiun	
Ш	Betula lenta			Quercus co			Aster tatari			Paulownia	
	Carya alba			Quercus in	nbricaria		Cerastium	fontanum		Polygonum o	cuspidatum
	Carya glab	ra		Quercus p	rinus		Coronilla va	aria		Pueraria m	ontana
	Carya ovali	is		Quercus ru	ubra		Elaeagnus u	mbellata	1	Rosa multif	flora
	Carya ovat	а		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flor	rida		Sassafras	albidum		Verbena br	asiliensis			
	Fagus gran	ndifolia		Tilia ameri	Sassafras albidum Lespedeza cuneata V Tilia americana Ligustrum obtusifolium						
	Fraxinus ar	mericana		Tsuga can	adensis		Ligustrum s	inense			
_	Liriodendron tulipifera Magnolia acuminata			Ulmus ame	ericana						
_		-	_								
	magnona a	oummata									
		0	Species in	Group 1				2	Species in	Group 2	
ank.	The four sul	bplots shou	ıld be place	ed roughly	equidistant	ly along ea	ch side of t	he stream.			n each
10	V _{DETRITUS}						naterial. Wo ver at each s		4 diamete	anu <so< td=""><td>2.50 %</td></so<>	2.50 %
				Side			,	Side		1	
		10	0	5		0	0	0			
11	V_{HERB}						asure only if				
							there may be Enter the per				97 %
		each subple		s up illiougi	1 200 % ale a	accepted. L	inter the per	beni cover c	n ground ve	getation at	
			Left	ft Side Right Side							
		80	100	100							
ampl	e Variable 1	2 within the			the stream.	100	100	100			
ampl	e Variable 1 V _{WLUSE}		entire cato	chment of	the stream.		100	100			0.94
			e entire cato	chment of t		ned:	100	100	Runoff Score	% in Catch- ment	Running Percent
	Vwluse	Weighted A	e entire cate Average of R Land	chment of the Runoff Score	e for watersh	ned:	100	100	Score	ment	Running Percent (not >100)
	V _{WLUSE} Forest and n	Weighted A	e entire cate verage of R Land	Chment of the Runoff Score Use (Choose I cover)	e for watersh	ned:	100	100	Score 0.5	ment 5	Running Percent (not >100)
	V _{WLUSE} Forest and n	Weighted A	e entire cate verage of R Land	Chment of the Runoff Score Use (Choose I cover)	e for watersh	ned:	100	100	Score	ment	Running Percent (not >100)
	Forest and n	Weighted A	Land <50% ground	Use (Choose cover)	e for watersh	ned:	100	100	Score 0.5	ment 5	Running Percent (not >100)
	Forest and n	Weighted A	Land <50% ground	Use (Choose cover)	e for watersh	ned:	100	100	0.5 1	5 90	Running Percent (not >100) 5
	Forest and n	Weighted A	Land <50% ground	Use (Choose cover)	e for watersh	ned:	100	100	0.5 1	5 90	Running Percent (not >100) 5
	Forest and n	Weighted A	Land <50% ground	Use (Choose cover)	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	0.5 1	5 90	Running Percent (not >100) 5
	Forest and n	Weighted A	Land <50% ground	Use (Choose cover)	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	0.5 1	5 90	Running Percent (not >100) 5
	Forest and n	Weighted A	Land <50% ground	Use (Choose cover)	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	0.5 1	5 90	Running Percent (not >100 5
	Forest and n	Weighted A	Land <50% ground	Use (Choose cover)	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	0.5 1	5 90	Running Percent (not >100) 5
	Forest and n Forest and n Open space	Weighted Anative range (: (pasture, law)	Land <50% ground	Use (Choose cover)	e for watersh	ned:		* * * * * * * * * * * * * * * * * * *	0.5 1	5 90	Running Percent (not >100) 5
	Forest and n Forest and n Open space	Weighted A	Land <50% ground	Chment of the Runoff Score Use (Choose I cover) I cover) I, grass cover	e for watersh	p List)	No	▼	Score 0.5 1 0.3	ment 5 90 5	Running Percent (not >100 5 95 100
12	Forest and n Forest and n Open space	Weighted Anative range (: inative range	Land <50% ground	Chment of the Runoff Score Use (Choose I cover) I cover) I cover) I cover) Land Cover	e for watersh se From Dro r > 75%	p List)	No:	▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼	Score	ment 5 90 5	Running Percent (not >100 5 95 100
12 V	Forest and n Forest and n Open space	Meighted Anative range (: (pasture, law) MM18 Value Not Used,	e entire cate everage of R Land <50% ground >75% ground ns, parks, etc.	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f	e for watersh se From Dro r >75% ver Analysis from Lands	p List) p was compat satellite	No oleted using imagery an	v v v v tes: g the 2019 d other su	Score 0.5 1 0.3 National L pplementa	ment 5 90 5 and Cover	Running Percent (not >100 5 95 100
12 V V _C	Forest and n Forest and n Open space	MM18 Value Not Used, <20%	e entire cato exerage of R Land <50% ground >75% ground ns, parks, etc.;	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No:	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100 5 95 100 Database
V V _C V _E	Forest and n Forest and n Open space	Meighted Anative range (: (pasture, law) MM18 Value Not Used,	Land <50% ground >75% ground ns, parks, etc.;	Use (Choose Cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100 5 95 100 Database
V V _C V _E	Forest and n Forest and n Open space	MM18 Value Not Used, <20%	e entire cato exerage of R Land <50% ground >75% ground ns, parks, etc.;	Use (Choose Cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100 5 95 100 Database
V V _C V _E V _S	Forest and n Forest and n Open space S- Gariable CCANOPY CUBSTRATE	MM18 Value Not Used, <20% 2.5	verage of R Land <50% ground >75% ground ns, parks, etc. VSI Not Used 0.64	Use (Choose Cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100 5 95 100 Database
V V C V E V S V B	Forest and n Forest and n Open space S- Gariable CCANOPY MBED SUBSTRATE SERO	MM18 Value Not Used, <20% 2.5 0.55 in 0 %	verage of R Land <50% ground >75% ground >75% ground ns, parks, etc.) VSI Not Used 0.64 0.28 1.00	Use (Choose Cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100) 5 95 100 Database
V V _C V _E V _S	Forest and n Forest and n Open space S- Gariable CCANOPY MBED SUBSTRATE SERO	Meighted Anative range (- native range (- native range (- (pasture, lawn) MM18 Value Not Used, <20% 2.5 0.55 in	verage of R Land Solverage of R Land Not Used 0.64 0.28	Use (Choose Cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100 5 95 100 Database
V V _C V _E V _S V _B V _L	Forest and n Forest and n Open space S- Gariable CCANOPY MBED SUBSTRATE SERO	MM18 Value Not Used, <20% 2.5 0.55 in 0 %	verage of R Land <50% ground >75% ground >75% ground ns, parks, etc.) VSI Not Used 0.64 0.28 1.00	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100 5 95 100 Database
V _C V _E V _S V _B V _L V _T	Forest and n Forest and n Open space S- Gariable CCANOPY MBED BUBSTRATE BERO WD	MM18 Value Not Used, <20% 2.5 0.55 in 0 % 3.4 Not Used	VSI Not Used 0.43 Not Used	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100 5 95 100 Database
V V C V E V S V L V T V S	Forest and n Forest and n Open space S- Gariable CCANOPY MBED SUBSTRATE SERO WD DBH NAG	MM18 Value Not Used, <20% 2.5 0.55 in 0 % 3.4 Not Used 0.0	verage of R Land <50% ground >75% ground ns, parks, etc. VSI Not Used 0.64 0.28 1.00 0.43 Not Used 0.10	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100) 5 95 100 Database
VC VE VS VB VL VT	Forest and n Forest and n Open space S- Gariable CCANOPY MBED SUBSTRATE SERO WD DBH NAG	MM18 Value Not Used, <20% 2.5 0.55 in 0 % 3.4 Not Used	VSI Not Used 0.43 Not Used	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100) 5 95 100 Database
V Vc Vs Vs Vs Vs	Forest and n Forest and n Open space S- Gariable CCANOPY MBED SUBSTRATE SERO WD DBH NAG	MM18 Value Not Used, <20% 2.5 0.55 in 0 % 3.4 Not Used 0.0	verage of R Land <50% ground >75% ground ns, parks, etc. VSI Not Used 0.64 0.28 1.00 0.43 Not Used 0.10	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100) 5 95 100 Database
V	Forest and n Forest and n Open space S- ariable CANOPY MBED UBSTRATE BERO WD DBH NAG SSD BRICH	MM18 Value Not Used, <20% 2.5 0.55 in 0 % 3.4 Not Used 0.0 0.00	VSI Not Used 0.43 Not Used 0.10 0.00 0.00	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100) 5 95 100 Database
V	Forest and n Forest and n Forest and n Open space Sariable CANOPY MBED CUBSTRATE EERO WD DBH CNAG SSD GRICH EERITUS	MM18 Value Not Used, <20% 2.5 0.55 in 0 % 3.4 Not Used 0.0 0.00 0.00 2.5 %	VSI Not Used 0.43 Not Used 0.10 0.00 0.03	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	ed: p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100) 5 95 100 Database
12 V V V V V V V V V V V V V V V V V V V	Forest and n Forest and n Open space S- ariable CANOPY MBED UBSTRATE BERO WD DBH NAG SSD BRICH	MM18 Value Not Used, <20% 2.5 0.55 in 0 % 3.4 Not Used 0.0 0.00	VSI Not Used 0.43 Not Used 0.10 0.00 0.00	Use (Choose Cover) I cover) I cover) I cover) Land Cover (NLCD), f Watershe	e for watersh se From Dro r > 75% rer Analysis from Lands	p List) was compat satellite es are bas	No oleted using imagery an	tes: Ithe 2019 d other su Id delineat	Score 0.5 1 0.3 National L pplementaed stream	ment 5 90 5 and Cover ry datasets impacts.	Running Percent (not >100) 5 95 100

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-MM18	1	LOCATION Giles County							
STATION#R	IVERMILE	STREAM CLASS Ephemera	ıl						
LAT <u>37.296226</u> LO	ONG80.481455	RIVER BASIN Middle New							
STORET#		AGENCY VADEQ							
INVESTIGATORS SB, EL	-								
FORM COMPLETED BY	EL	DATE 8/11/2021 TIME 1:00pm	REASON FOR SURVEY Baseline Assessment						
WEATHER CONDITIONS	rain (shower 20 % / %c	(heavy rain)	Has there been a heavy rain in the last 7 days? Yes No Air Temperature 29 0 C Other						
SITE LOCATION/MAP	COMING IN	te and indicate the areas sample LOD VEX. X. X	N W \ E S						
STREAM CHARACTERIZATION	Stream Subsystem Perennial Into	ermittent	Stream Type ZColdwater						

Notes: No flow present.

Spring-fed

Mixture of origins

✓ Other Precipitation

Catchment Area 0.65

_km²

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predom Fores Field Agric Resid	Pasture Industri	rcial al	Local Watershed NPS ☑ No evidence ☐ Son ☐ Obvious sources Local Watershed Erosi ☐ None ☐ Moderate	ne potential sources			
RIPARIA VEGETA (18 meter	TION		e the dominant type and S		minant species present ☐ Grasses ☐ He	rbaceous			
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depth NA	m m² km² m	m High Water Mark oos m m² Proportion of Reach Represented by Street km² Morphology Types Riffle % Run % Pool %				
LARGE V DEBRIS	VOODY	LWD Density	of LWDn	n ² /km ² (LWD/	reach area)				
AQUATIO VEGETA		Roote Floati	e the dominant type and demergent RA A A RA A RA A RA A RA A RA A RA A	ooted submerge ttached Algae		□Free floating			
WATER (QUALITY	Specific Dissolve pH N/A Turbidi	cature NA 0 C Conductance NA ed Oxygen NA ty NA trument Used None - Dry. No	-		Other			
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Absen		Petroleum None	☐Relict shells ☑ ☐poking at stones whic are the undersides blace	Sludge Sawdust Paper fiber Sand Relict shells ✓Other None Looking at stones which are not deeply embedded, are the undersides black in color?			
INC		STRATE of	COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add				
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area			
Bedrock			0	Detritus	sticks, wood, coarse plant materials (CPOM)	10			
Boulder	> 256 mm (10")		5			10			
Cobble	64-256 mm (2.5	5"-10")	20	Muck-Mud	black, very fine organic (FPOM)				
Gravel	2-64 mm (0.1"-2	2.5")	50		(11 O.M.)				
Sand	0.06-2mm (gritt	y)	0	Marl grey, shell fragments					
Silt	0.004-0.06 mm		12.5						
Clay	< 0.004 mm (cli	ok)	12.5						

Notes: No flow present. Water quality parameters were not measured due to no flow.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-MM18	LOCATION Giles County						
STATION # RIVERMILE	STREAM CLASS Ephemeral						
LAT <u>37.296226</u> LONG <u>-80.481455</u>	RIVER BASIN Middle New						
STORET#	AGENCY VADEQ						
INVESTIGATORS SB, EL							
FORM COMPLETED BY EL	DATE 8/11/2021 REASON FOR SURVEY Baseline Assesment						

	Habitat	Condition Category													
	Parameter	Optimal	Suboptimal	Marginal	Poor										
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.										
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.										
ted in	score 6	20 19 18 17 16	5 4 3 2 1 0												
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).										
ıram	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.										
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.										
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										

Notes: No flow present.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category				
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
amp	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing dewastroom.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
eva	SCORE 10	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE 10	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score No flow present.

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-N	STREAM NAME S-MM18								LOCATION Giles County										
STATION #	R	IVE	RMI	LE_		STREAM C	LASS E	Ephe	eme	ral									
LAT 37.296226	_ LO	ONG	-80.4	481455	5	RIVER BAS	SIN Mid	dle l	New										
STORET#						AGENCY \	/ADEQ												
INVESTIGATORS S	B, EL					•				I	LOT	NUMBER							
FORM COMPLETED) BY	El	L			DATE 1:04				F	REAS	EASON FOR SURVEY Baseline Assessmer							
HABITAT TYPES		Cob	ble_		%	age of each habitat Snags% phytes%	ΠĪV	egeta		Banl (ks	%	_%						
SAMPLE	G	ear ı	used		D-fr	ame kick-net		o	ther										
COLLECTION	17.			41						c	. 1	k from boat							
	H)W W	vere	tne s	samp	les collected?	wading	3	ш	iron	n ban	k ☐from boat							
		Cob	ble			of jabs/kicks taken Snags phytes	$\square V$	egeta		Banl		Sand)	_						
GENERAL COMMENTS	No	o c	olle	ect	ion	- No flow													
Indicate estimated Dominant Periphyton	l abu	ında	ance	e: (1 2 3 4			nes	2, 2	= C	ommon, 3= Abund		1 =		3	4		
Filamentous Algae					-	1 2 3 4				nvei	rtebr	ates	-	1			4		
Macrophytes					0	1 2 3 4		Fisl	1				0	1	2	3			
FIELD OBSERVA Indicate estimated				e:	0 =	Absent/Not Obser nisms), 3= Abun						rganisms), 2 = Con , 4 = Dominant (>5				s)			
Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4		
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera Trickentera	0	1	2	3	4		
Platyhelminthes Turbellaria	0	1	2	3	4	Hemiptera Coleoptera	0	1	2	3	4	Trichoptera Other	0	1	2	3	4		
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4	Other	U	1	2	3	4		
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4								
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4								
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4								
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4								
_		1	2	3	4	Simuliidae	0	_	2	3	4								
Gastropoda	()	J	-			Simumae	U	1			-								
Gastropoda Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4								

WOLMAN PEBBLE COUNT FORM

County: Giles County Stream ID: S-MM18

Stream Name: UNT to Sinking Creek

HUC Code: 02080201 Basin: Middle New

Survey Date: 8/11/2021 Surveyors: EL

Type: Representative

T., .1	DADTICLE		LE COUNT	D4:-1-	T-4-1#	T4 0/	% Cui
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	A	26	26.26	26.26
	Very Fine	.062125		^		0.00	26.26
	Fine	.12525		•		0.00	26.26
	Medium	.255	SAND	•		0.00	26.26
	Coarse	.50-1.0		•		0.00	26.26
.0408	Very Coarse	1.0-2		4		0.00	26.26
.0816	Very Fine	2 -4	GRAVEL	-	2	2.02	28.28
.1622	Fine	4 -5.7		•	3	3.03	31.31
.2231	Fine	5.7 - 8		4	6	6.06	37.37
.3144	Medium	8 -11.3		•	2	2.02	39.39
.4463	Medium	11.3 - 16		4	1	1.01	40.40
.6389	Coarse	16 -22.6		4	5	5.05	45.45
.89 - 1.26	Coarse	22.6 - 32		•	10	10.10	55.56
1.26 - 1.77	Vry Coarse	32 - 45		•	11	11.11	66.67
1.77 -2.5	Vry Coarse	45 - 64		•	14	14.14	80.81
2.5 - 3.5	Small	64 - 90		4	11	11.11	91.92
3.5 - 5.0	Small	90 - 128		•	2	2.02	93.94
5.0 - 7.1	Large	128 - 180	COBBLE	•	5	5.05	98.99
7.1 - 10.1	Large	180 - 256	1	•		0.00	98.99
10.1 - 14.3	Small	256 - 362		-		0.00	98.99
14.3 - 20	Small	362 - 512	BOULDER	4	1	1.01	100.0
20 - 40	Medium	512 - 1024		-		0.00	100.0
40 - 80	Large	1024 -2048		4		0.00	100.0
80 - 160	Vry Large	2048 -4096		4		0.00	100.0
	Bedrock		BDRK	4		0.00	100.0
_	Total Tally:			Totals:	99		

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Sinking Creek Reach Name: S-MM18 Representative Survey Date: 08/11/2021

Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	26 0 0 0 0 0 2 3 6 2 1 5 10 11 14 11 2 5 0 0 0	26.26 0.00 0.00 0.00 0.00 2.02 3.03 6.06 2.02 1.01 5.05 10.10 11.11 14.14 11.11 2.02 5.05 0.00 0.00 0.00 0.00	26.26 26.26 26.26 26.26 26.26 28.28 31.31 37.37 39.39 40.40 45.45 55.56 66.67 80.81 91.92 93.94 98.99 98.99 98.99 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.04 7.1 26.83 71.47 138.91 511.99 26.26 0 54.55 18.18 1.01		

Total Particles = 99.

Ephemeral Stream Assessment Form (Form 1a) Unified Stream Methodology for use in Virginia For use in ephemeral streams Cowardin **Impact** Impact Project # Locality HUC SAR# **Project Name** Date Class. Length Factor **Mountain Valley Pipeline (Mountain** Giles 22865.06 R6 05050002 8/11/2021 S-MM18 1 88 Valley Pipeline, LLC) County Name(s) of Evaluator(s) Stream Name and Information SAR Length SB, EL, AO Unnamed Tributary to Sinking Creek 88 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) NOTES>> **Conditional Category** Optimal Suboptimal Marginal Low Marginal: High Poor: ow Suboptimal Non-maintained, High Suboptima Lawns, mowed High Marginal: Riparian areas ense herbaceou Riparian areas and maintained Low Poor: vegetation, riparian areas with tree stratum Impervious areas, nurseri (dbh > 3 inches) ense herbaceou (dbh > 3 inches) no-till cropland: surfaces, mine present, with vegetation with lacking shrub and esent, with 30% to 60% tree actively grazed pasture, sparsely spoil lands, enuded surface Free stratum (dbh > 3 inches) present Riparian 30% tree canop either a shrub tree stratum, hay with > 60% tree canopy cover and an cover and a layer or a tree roduction, ponds **Buffers** non-maintained understory. Wetlands nopy cover and vegetated nonrow crops, active maintained layer (dbh > 3 inches) present, open water. If present, tree containing both maintained area feed lots, trails, or understory. herbaceous and recently seeded other comparable Recent cutover with <30% tree stratum (dbh >3 shrub layers or a non-maintained and stabilized, or conditions. canopy cover. inches) present, other comparable vegetation). with <30% tree understory. condition. canopy cover with maintained understory High Low High Low High Low Condition 1.5 1.2 1.1 0.85 0.75 0.6 0.5 Scores 1. Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian Blocks equal 100 3. Enter the % Riparian Area and Score for each riparian category in the blocks below 100% Right Bank 0.6 0.75 1.5 CI= (Sum % RA * Scores*0.01)/2 100% CI % Riparian Area> 95% 5% Rt Bank CI > 0.98 Left Bank 0.75 0.6 Lt Bank CI > 0.74 0.86 REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH THE REACH CONDITION INDEX (RCI) >> 0.43 NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number

RCI= (Riparian CI)/2

COMPENSATION REQUIREMENT (CR) >>

38

CR = RCI X LF X IF


INSERT PHOTOS:


(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-MM18\Photos\S-MM18 DS COND US.jpg")




Reach S-MM18 looking upstream within ROW. Assessment is limited to areas within the temporary ROW.

DESCRIBE PROPOSED IMPACT:	
	PROVIDED UNDER SEPARATE COVER







CL STAKEOUT POINTS: S-MM18 CROSS SECTION B (PIPE CL)					CL)
	PRE-CROSSING			POST-CROSSING	
DT LOC	NODTHING	FASTING	ELEV	VERT.	HORZ.
PT. LOC.	NORTHING	EASTING		DIFF.	DIFF.
TS-L	13542829.40	1791195.22	2092.84		
BS-L	13542829.89	1791197.46	2092.39		
THW	13542830.39	1791199.14	2092.17		
BS-R	13542831.15	1791201.19	2092.39		
TS-R	13542832.03	1791205.61	2093.12		





SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on June 25, 2019.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).









NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



Wetland

7

 ∞

PHOTO TAKEN FROM LEFT BANK LOOKING



PHOTO TAKEN FROM BRIDGE LOOKING UPSTREAM TO THE SOUTH ON 06/25/2019





PHOTO TAKEN LOOKING



Horizontal Datum: NAD 1983 UTM ZONE 1 Vertical Datum: NAVD 88

Boundary and Topo Source: MVP WSSI 2' C.I. Topo					
Design	Draft	Approved			
PFS	JSF	NAS			
Sheet # 1 of 1					
Computer File Name:					

:\Survey\22000s\22800\22865.03\Spread G Work Dwgs 2865_03 S-G MP 208-227 Sheets_2.dwg