Baseline Assessment – Stream Attributes

Revisit

*Additional information was collected on 1/11/2022.

Reach S-MN11-Upstream/Downstream (Temporary Access Road) Ephemeral Spread G Giles County, Virginia

Data	Included
Photos	√*
SWVM Form	√*
FCI Calculator and HGM Form	N/A – No assessable reach
RBP Physical Characteristics Form	√*
Water Quality Data	N/A – No flow*
RBP Habitat Form	√*
RBP Benthic Form	√*
Benthic Identification Sheet	N/A – No flow*
Wolman Pebble Count	√*
RiverMorph Data Sheet	√*
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Spread G Stream S-MN11-Downstream/Upstream (Temporary AR) Giles County



Photo Type: DS View Location, Orientation, Photographer Initials: Upstream at LOD looking SW downstream, KB



Photo Type: US View Location, Orientation, Photographer Initials: Downstream at LOD looking E upstream, KB

DEQ Permit #21-0416

Spread G Stream S-MN11-Downstream/Upstream (Temporary AR) Giles County



Photo Type: CL ACCESS 1 Location, Orientation, Photographer Initials: Standing in Access Road looking N, KB



Photo Type: CL ACCESS 2 Location, Orientation, Photographer Initials: Standing in Access Road looking SW, KB

 $L: \label{eq:label_lab$

Spread GStream S-MN11-Downstream/Upstream (Temporary AR) Giles County



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of LOC looking W/NW, KB



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of LOC looking E, KB

DEQ Permit #21-0416

Spread GStream S-MN11-Downstream/Upstream (Temporary AR) Giles County



Photo Type: CL ACCESS 1 Location, Orientation, Photographer Initials: Standing in Access Road looking N/ NE, KB



Photo Type: CL ACCESS 2 Location, Orientation, Photographer Initials: Standing in Access Road looking S/SW, KB

DEQ Permit #21-0416

Spread GStream S-MN11-Downstream/Upstream (Temporary AR) Giles County



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of LOC looking W/SW, KB

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-MN11 Downstream\Revisits\S-MN11-DS Stream Crossing Photo Doc.docx

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO / Project Name: Mountain V (v2.1, Sept 2015)		ORDINATES: Lat. lal Degrees)	t. 37.332191 Lon80.559979		WEATHER:	Sunny	DATE:	January 11, 2022
IMPACT STREAM/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)	S-MN11 Downstream/Upstream (0.09	acre)		SS./SITE ID AND SITE DESCRIPTION age), unaltered or impairments)	N:		Comments:	
STREAM IMPACT LENGTH: 30 FORM OF MITIGATION:		RDINATES: Lat. al Degrees)		Lon.	PRECIPITATION PAST 48 HRS:	0.29"	Mitigation Length:	
Column No. 1- Impact Existing Condition (Debit)	Column No. 2- Mitigation Existing Condition - Baseline	e (Credit)	Column No. 3- Mitigation Post Complet		Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Project	ted at Maturity (Credit)
Stream Classification: Ephemeral	Stream Classification:		Stream Classification:	0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slope 22.4	Percent Stream Channel Slope		Percent Stream Channel	I Slope 0	Percent Stream Channel Slo		Percent Stream Channel	Slope 0
HGM Score (attach data forms):	HGM Score (attach data forms):		HGM Score (atta	ach data forms):	HGM Score (attach da	ta forms):	HGM Score (attach	data forms):
Average Hydrology	Hydrology	Average	Hydrology	Average	Hydrology	Average	Hydrology	Average
Biogeochemical Cycling 0	Biogeochemical Cycling Habitat	o	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and Biological Indicators	PART I - Physical, Chemical and Biological Indica	itors	PART I - Physical, Chemica	al and Biological Indicators	PART I - Physical, Chemical and B	Biological Indicators	PART I - Physical, Chemical an	d Biological Indicators
Puint Scale Range Site Score	Puints Scale Range	Site Score		Points Scale Range Site Score		Poinze Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams classifications)	PHYSICAL INDICATOR (Applies to all streams classifications)		PHYSICAL INDICATOR (Applies to all street	ams classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)
SEPA RBP (High Gradient Data Sheet)	USEPA RBP (Low Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover 0-20 0	Epifaunal Substrate/Available Cover 0-20 2. Pool Substrate Characterization 0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	Epifaunal Substrate/Available Cover Embeddedness	0-20	1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20
2. Embeddedness 0.20 16 3. Velocity/ Depth Regime 0.20 0				0-20		0-20		0-20
Velocity/ Depth Regime 0:20 Sediment Deposition 0:20	3. Pool Variability 0-20 4. Sediment Deposition 0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20
Channel Flow Status	5. Channel Flow Status 0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20	5. Channel Flow Status	0.20
Channel Alteration 0-1 20	6. Channel Alteration 0-20 0-1		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
			7. Frequency of Riffles (or bends)			0-20		
Frequency of Riffles (or bends) 0-20 0 0 0 0 0 0 0 0 0 0	7. Channel Sinuosity 0-20 8. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20	7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20	7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB) 0-20 16 0. Riparian Vegetative Zone Width (LB & RB) 0-20 12	9. Vegetative Protection (LB & RB) 0-20 10. Riparian Vegetative Zone Width (LB & RB) 0-20		 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB) 	0-20	9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20	 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB) 	0-20
otal RBP Score Optimal 104	Total RBP Score Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total 0.86666667	Sub-Total	0	Sub-Total	0	Sub-Total	0	Sub-Total	0
	CHEMICAL INDICATOR (Applies to Intermittent and Perennial Stream	ns)	CHEMICAL INDICATOR (Applies to Interm		CHEMICAL INDICATOR (Applies to Intermitten		CHEMICAL INDICATOR (Applies to Intermitt	
	WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Gene	eral)	WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Gener	al)
Specific Conductivity	Specific Conductivity		Specific Conductivity		Specific Conductivity		Specific Conductivity	
100-199 - 85 points	0-90			0-90		0-90		0.90
H	pH		pH		pH		pH	
0-80	5-90 0-1			5-90 0-1		5-90 0-1		5-90
5.6-5.9 = 45 points	550							-~
0	DO		DO		DO		DO	
10-30	10-30		1	10-30		10-30	1	10-30
ub-Total	Sub-Total	0	Sub-Total	0	Sub-Total	0	Sub-Total	0
IDLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Stres	-	BIOLOGICAL INDICATOR (Applies to Inte		BIOLOGICAL INDICATOR (Applies to Intermi	-	BIOLOGICAL INDICATOR (Applies to Inter	
VV Stream Condition Index (WVSCI)	WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0-100 0-1	0-100 0-1		1	0-100 0-1		0-100 0-1		0-100 0-1
0 Sub-Total O	Sub-Total	0	Sub-Total	0	Sub-Total	0	Sub-Total	0
PART II - Index and Unit Score	PART II - Index and Unit Score		PART II - Index	and Unit Score	PART II - Index and Ur	it Score	PART II - Index and	Unit Score
Index Linear Feet Unit Score	Index Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score

0 0 0

0 0

0

0

0

0

0 0

0

30 25

0.833

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-MN11	Downstream/Upstream	LOCATION Giles	County					
STATION # AR-242.01 R	IVERMILE	STREAM CLASS	Ephemeral					
LAT 37.332191 LO	ONG -80.559979	RIVER BASIN Middle New						
STORET #		AGENCY VADEQ	1					
INVESTIGATORS KB AB								
FORM COMPLETED BY	KB	DATE 1/11/22 TIME 12:00 PM		REASON FOR SURVEY Baseline	Assessment			
			T	Has there been a heavy rain in the last	7 days?			
WEATHER CONDITIONS	Now		ast 24	Yes Viona No	/ uays:			
	rain (showers %	(heavy rain) steady rain) (intermittent) oud cover ear/sunny	A	Air Temperature <u>-2.8</u> ⁰ C Other				
SITE LOCATION/MAP	Draw a map of the sit	e and indicate the ar	eas sample	ed (or attach a photograph)				
		AR-242.01 AS A 10	Les Land	Forested ss F				
STREAM CHARACTERIZATION	Stream Subsystem Perennial Inte Stream Origin Glacial Non-glacial montane Swamp and bog	□Spring-fed	(Stream Type ☐Coldwater ☑Warmwater Catchment Area_0.10 km ²				

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Field/Pasture Industrial Agricultural Other Residential Indicate the dominant type and record the dominant types Indicate the dominant type and record the dominant species present Multiflora Rose	Local Watershed NPS Pollution Image: No evidence Some potential sources Image: Obvious sources Dovious sources Local Watershed Erosion Heavy Image: None Moderate Heavy Lant species present Herbaceous
INSTREAM FEATURES	Estimated Reach Length 9 m Estimated Stream Width 0.25 m Sampling Reach Area 2 m² Area in km² (m²x1000) km² Estimated Stream Depth 0 m Surface Velocity (at thalweg) NA m/sec	Canopy Cover □ Partly shaded □ Shaded □ Partly open □ Partly shaded □ Shaded High Water Mark •m Proportion of Reach Represented by Stream Morphology Types Riffle •% Pool •% Channelized Yes Dam Present Yes
LARGE WOODY DEBRIS	LWD <u>3</u> m ² Density of LWD <u>1.500</u> m ² /km ² (LWD/ reac	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present NA Portion of the reach with aquatic vegetation	nant species present ☐Rooted floating ☐Free floating _%
WATER QUALITY	Temperature NA 0 C Specific Conductance NA Dissolved Oxygen NA pH NA Turbidity NA WQ Instrument Used NA	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Slick Sheen Other Globs Fishy Other Turbidity (if not measured) Turbid Clear Slightly turbid Opaque Stained
SEDIMENT/ SUBSTRATE	Odors Sewage Petroleum Chemical Anaerobic None Other Oils Pofuse	Deposits □Sludge □Sawdust □Paper fiber □Sand □Relict shells □Other □Poking at stones which are not deeply embedded, are the undersides black in color? □Yes □No

INC	DRGANIC SUBSTRATE (should add up to 1			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)					
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock		0	Detritus	sticks, wood, coarse plant	25				
Boulder	> 256 mm (10")	10		materials (CPOM)	25				
Cobble	64-256 mm (2.5"-10")	0	Muck-Mud	black, very fine organic (FPOM)	0				
Gravel	2-64 mm (0.1"-2.5")	0		(FPOM)	0				
Sand	0.06-2mm (gritty)	30	Marl	grey, shell fragments	0				
Silt	0.004-0.06 mm	30]		0				
Clay	< 0.004 mm (slick)	30]						

Note: No water quality parameters were assessed due to lack of flowing water in the reach

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-MN11 Downstream/Upstream	LOCATION Giles County	
STATION #_AR-242.01 RIVERMILE	STREAM CLASS Ephemeral	
LAT <u>37.332191</u> LONG <u>-80.559979</u>	RIVER BASIN Middle New	
STORET #	AGENCY VADEQ	
INVESTIGATORS KB AB		
FORM COMPLETED BY	DATE <u>1/11/22</u> TIME <u>12:00 PM</u> AM PM	REASON FOR SURVEY Baseline Assessment

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	_{SCORE} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted i	_{SCORE} 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
eters to be evalua	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).					
aram	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Ŀ	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	_{SCORE} 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

Notes: Stream reach more than 50% covered by Timbermat bridge. Assessments done based on reach above and below bridge within LOD. No flowing water in stream reach.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	_{score} 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
sampl	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing deventment.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e va	_{SCORE} 10	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	_{SCORE} 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	_{SCORE} 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE 5)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total Score 104

Notes: Stream reach more than 50% covered by Timbermat bridge. Assessments done based on reach above and below bridge within LOD. No flowing water in stream reach

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-M	N11 Downstream/Upstream	LOCATION Giles County						
STATION # AR-242.01	RIVERMILE	STREAM CLASS Ephemeral	STREAM CLASS Ephemeral					
LAT 37.332191	LONG80.559979	RIVER BASIN Middle New						
STORET #		AGENCY VADEQ						
INVESTIGATORS KE			LOT NUMBER					
FORM COMPLETED	^{BY} KB	DATE 1/11/22 TIME 12:00 PM	REASON FOR SURVEY Baseline Assessment					
HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%							
SAMPLE COLLECTION	Gear used D-frame		rom bank					
	Indicate the number of jabs/kicks taken in each habitat type. CobbleSnagsVegetated BanksSand Submerged Macrophytes							
GENERAL COMMENTS	Note: Benthic ma water in channel.		t sampled due to lack of flowing					

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:	Giles
Stream Name:	UNT to Sinking Creek
HUC Code:	05050002
Survey Date:	1/11/2022
Surveyors:	KB, AB
Туре:	Representative Bankfull

Stream ID: Basin:

Middle New

S-MN11 Downstream/Upstream

Inches	PARTICLE	Millimeters	PEBBLE COUNT neters		Total #	Item %	% Cu
				Count			
	Silt/Clay	< .062	S/C	▲ ▼	32	32.00	32.0
	Very Fine	.062125		▲ ▼	9	9.00	41.0
	Fine	.12525		▲ ▼	10	10.00	51.0
	Medium	.255	SAND	▲ ▼	15	15.00	66.0
	Coarse .50-1.0		▲ ▼	17	17.00	83.0	
.0408	Very Coarse	1.0-2		▲ ▼	7	7.00	90.0
.0816	Very Fine	2 -4		▲ ▼	0	0.00	90.0
.1622	Fine	4 -5.7		▲ ▼	0	0.00	90.0
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	90.0
.3144	Medium	8 -11.3		▲ ▼	0	0.00	90.0
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	0	0.00	90.0
.6389	Coarse	16 -22.6	-	▲ ▼	0	0.00	90.0
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	0	0.00	90.0
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	0	0.00	90.0
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	0	0.00	90.0
2.5 - 3.5	Small	64 - 90		▲ ▼	0	0.00	90.0
3.5 - 5.0	Small	90 - 128		▲ ▼	0	0.00	90.0
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	0	0.00	90.0
7.1 - 10.1	Large	180 - 256		▲ ▼	0	0.00	90.0
10.1 - 14.3	Small	256 - 362		▲ ▼	7	7.00	97.0
14.3 - 20	Small	362 - 512		▲ ▼	3	3.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.0
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	100.0
	Bedrock		BDRK	▲ ▼	0	0.00	100.0
				Totals	100		

River Name: Reach Name: Sample Name: Survey Date:	UNT to Sinking Creek S-MN11 Downstream/Upstream Representative Bankfull 01/11/2022					
Size (mm)	TOT #	ITEM %	CUM %			
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	32 9 10 15 17 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	32.00 9.00 10.00 15.00 17.00 7.00 0.00 0.00 0.00 0.00 0.00	32.00 41.00 51.00 66.00 83.00 90.00 9			
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Boulder (%) Boulder (%) Bedrock (%)	0.03 0.08 0.24 1.14 331.71 511.99 32 58 0 0 10 0					

Total Particles = 100.

Project # 22865.06 Nam		Project Norma			e in ephemeral st	ueama					
	Mountain V	Project Name	,	Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
Nam		alley Pipeline ey Pipeline, L	•	Giles County	R6	05050002	8/18/21	S-MN11- Upstream	30	1	
	Name(s) of Evaluator(s) Stream Nam			ne and Information					SAR Length		
	КВ/ТС		UNT to Sinki	ng Creek					30		
RIPARIA	BUFFERS: A	ssess both bank's	100 foot riparian	areas along the er	ntire SAR. (rough	measurements of	f length & width ma	ay be acceptable)			
			Con	ditional Cate	gory				NOTES>>		
	Opti	mal	Subo	ptimal	Mar	ginal	Po	oor			
Riparian Buffers	Tree stratum (dbh > with > 60% tree ca non-maintained unc are	hopy cover and an lerstory. Wetlands	tree stratum (dbb > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	tree stratum (dbh > 3 inches) present, with >30% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh s3 inches) present, with -30% tree canopy cover with maintained understory.	cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
			High	Low	High	Low	High	Low	-		
Condition Scores	1.	5	1.2	1.1	0.85	0.75	0.6	0.5			
Determine sc	arian areas along ea uare footage for ea Riparian Area and S	ch by measuring	or estimating leng	th and width. Calo	Ũ		of % R	the sums Riparian Inqual 100			
Right Bank	% Riparian Area>	90%	10%					100%	4		
-	Score >	0.5	0.75								
			1001					1000/	CI= (Sum % RA * So		
Left Bank	% Riparian Area>	90%	10%					1 00 %	Rt Bank CI >	0.53	
_	Score >	0.5	0.75						Lt Bank CI >	0.53	
		REACH (CONDITION I	NDEX and S	TREAM CON	NDITION UNI	TS FOR THIS	S REACH			
	CI should be rounded to	o 2 decimal places. Th	e CR should be round	ed to a whole number.				THE REACH	CONDITION INE	DEX (RCI) >>	
OTE: The CIs and							R	CI= (Riparian CI)	1/2		
OTE: The CIs and									- (1		


INSERT PHOTOS:

(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-MN11 Upstream 30\Photos\DS VIEW.jpg")



Downsream view looking W. Assessment is limited to areas within the temporary ROW.

PROVIDED UNDER SEPARATE COVER



BS-L

THW

TS: TOP OF SLOPE BS: BOTTOM OF SLOPE

THW: THALWEG (INVERT)

CL STAKEOUT POINTS: S-MN11 S. CROSS SECTION A (UPSTREAM)								
	PR	POST-CROSSING						
	NORTHING	EASTING	ELEV	VERT.	HORZ.			
PT. LOC.	NORTHING			DIFF.	DIFF.			
TS-L	13555764.4600'	1768291.6040'	2947.809'					
BS-L	13555773.8900'	1768293.8830'	2944.022'					
THW	13555777.7800'	1768296.8200'	2944.316'					
BS-R	13555781.2400'	1768297.2110'	2944.731'					
TS-R	13555790.2500'	1768304.2070'	2948.311'					



me: Oct 21, 2021 - 11:54em USTNL.ZEDLER

SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON OCTOBER 15, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

S-MN11 SOUTH BASELINE CROSS-SECTION A UPSTREAM OF TIMBER MAT

