Reach S-NN12 (Pipeline ROW) Ephemeral Spread G Giles County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No water present
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – No water present
Wolman Pebble Count	N/A – No substrate
RiverMorph Data Sheet	N/A – No substrate
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Stream S-NN12 (ROW)



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking N, AO



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking S, AO

Stream S-NN12 (ROW)



Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking E, AO



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking W, AO

Stream S-NN12 (ROW)



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking N, AO

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-NN12\Photo Document_S-NN12.docx

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORD (in Decimal De		37.300454	Lon.	-80.472911	WEATHER:	Partly Cloudy	DATE:	August 11, 2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S-N	N12		MITIGATION STREAM CLASS (watershed size (acreage					Comments:	
STREAM IMPACT LENGTH:	88	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDIN (in Decimal De			Lon.		PRECIPITATION PAST 48 HRS:	None	Mitigation Length:	
Column No. 1- Impact Existing	Condition (De	bit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Cre	dit)	Column No. 3- Mitigation P Post Completion	rojected at Five on (Credit)	Years	Column No. 4- Mitigation Proje Post Completion (C	cted at Ten Years Credit)	Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Ephe	emeral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Sl	ope	10.92	Percent Stream Channel Slo	pe		Percent Stream Channel	Slope	0	Percent Stream Channel Sto	ope 0	Percent Stream Channel S	lope 0
HGM Score (attach da	ata forms):		HGM Score (attach d	ata forms):		HGM Score (attac	h data forms):		HGM Score (attach da	ta forms):	HGM Score (attach d	ata forms):
		Average		Av	erage			Average		Average		Average
Hydrology	0.5		Hydrology			Hydrology			Hydrology		Hydrology	
Biogeochemical Cycling Habitat	0.2	0.26333333	Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and		cators	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical	and Biological I	ndicators	PART I - Physical, Chemical and I	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Pointa Scalo Rango Sit	te Score		Points Scale Ran	e Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	lassifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
1. Epifaunal Substrate/Available Cover	0-20	0	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	 Epifaunal Substrate/Available Cover 	0-20
2. Embeddedness	0-20	1	2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	0 20	3. Pool Variability 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20
5. Channel Flow Status	0-20	0	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		 Sediment Deposition Channel Flow Status 	0-20	5. Channel Flow Status	0-20
6. Channel Alteration	0-20 0-1	20	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	16	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Suboptimal	91	Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	t and Perennial S	0.75833333	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent		0	Sub-Total CHEMICAL INDICATOR (Applies to Intermitt	ent and Perennial	0 Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	0	Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	0
WVDEP Water Quality Indicators (General			WVDEP Water Quality Indicators (General)	,		WVDEP Water Quality Indicators (Gener			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Genera	
Specific Conductivity			Specific Conductivity			Specific Conductivity	<u></u>		Specific Conductivity		Specific Conductivity	,
100-199 - 85 points	0-90			0-90			0-90			0-90		0-90
nH			рН			рН			nH		рН	
	0-80			5-90 0-1			5-90 0-			5-90 0-1		5-90 0-1
5.6-5.9 = 45 points	0.00			0-30			0-30			5.50		5.55
DO			DO			DO			DO		DO	
	10-30		1	10-30			10-30			10-30	1	10-30
Sub-Total			Sub-Total		0	Sub-Total		0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perer	inial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Streams)
MD/ Store Condition Index (MD/SOI)			MOV Street Condition Index (MD/SOI)									
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	0.100 0.1
0	0-100 0-1		L	0-100 0-1			0-100 0-			0-100 0-1		0-100 0-1
Sub-Total		0	Sub-Total		0	Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	nit Score		PART II - Index and U	Jnit Score		PART II - Index ar	d Unit Score		PART II - Index and U	nit Score	PART II - Index and U	Jnit Score
Index	Linear Feet	Unit Score	Index	Linear Feet Unit	t Score	Index	Linear Fee	t Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.521	88	45.87	0	0	0	0	0	0	0	0 0	0	0 0
L		I	L	I		L	1		L		U	

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

 Project Name: Mountain Valley Pipeline

 Location: Giles County

 Sampling Date: 8/11/21

 Project Site

 Before Project

 Subclass for this SAR:

 Ephemeral Stream

 Uppermost stratum present at this SAR:

 SAR number:

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.50
Biogeochemical Cycling	0.20
Habitat	0.09

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	5.90	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	75.41	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	11.33	0.14
V _{HERB}	Average percent cover of herbaceous vegetation.	85.00	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.94	0.99

						ter Strea et and C					
	Team:	AO, ES						Latitude/UT	M Northing:	37.300454	
Pro	ject Name:	Mountain V	alley Pipelir	ne			L	.ongitude/U	TM Easting:	-80.472911	1
	Location:	Giles Coun	ty					San	npling Date:	8/11/21	
SA	R Number:	S-NN12	Reach	Length (ft):	61	Stream Ty	vpe: Ephe	emeral Strean	ı		
	Top Strata:	Sh	rub/Herb Sti	ata	(determine	d from perce	ent calculate	d in V _{CCANO}	PY)		
Site a	and Timing:	Project Site				•	Before Proje	ct			•
nple	Variables	1-4 in strea									
1	V _{CCANOPY} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 rougl equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)								Not Us <20%		
		cent cover r	neasuremer	nts at each p	oint below:						1
	0										
2	V _{EMBED}	Average er	nbeddednes	s of the stre	am channe	I. Measure a	at no fewer	than 30 rou	ahly equidis	tant points	
	EMBED	along the s	tream. Sele	ct a particle	from the be	d. Before m	noving it, de	termine the	percentage	of the	1.0
						is covered b					
						surface, or c rating score		f fine sedim	ents, use a	rating score	
						oulder partic		d from Plat	s Menahar	and	Measu
		Minshall 19	•		unu D	- 2.201 partic				.,	at lea
		Rating	Rating Des	scription							30 poi
		5	<5 percent	of surface c		rounded, or				()	1
		4				surrounded					-
		2				d, surrounde d, surrounde		1			-
		1				rrounded, or				al surface)	
	List the rati	ngs at each	point below	:						•	-
	1	1	1	1	1	1	1	1	1	1	
	1	1	1	1	1	1	1	1	1	1	
	1										
											-
3	V	Median stre	am channe	l substrate r	article size	Measure a	t no fewer t	han 30 roug	hlv equidist	ant noints	
		along the s	tream; use t	he same po	ints and par	ticles as use point below	ed in V _{EMBED}				0.08 i
			and or finer		,						1
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	-
	0.08 0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	0.00										
1	V _{BERO}	•				Enter the to					
		side and th may be up		entage will b	e calculated	I If both ban	iks are eroo	ded, total er	osion for the	e stream	6 %
		may be up	Left Bank:	2	ft		Right Bank:	2	ft		
			Len Dank.	2	it.		Right Dank.	2	. n		
nple	Variables	5-9 within t	he entire ri	parian/buff	er zone adj	acent to the	e stream ch	annel (25 f	eet from ea	ch bank).	
5	V _{LWD}					es in diamete					
			ch. Enter th t of stream			e 50'-wide b	uffer and w	thin the cha	innel, and th	ie amount	0.0
			a or stroum			f downed wo	ody stems:		0		
5	V _{TDBH}					_Y tree/saplin	g cover is a	t least 20%)	. Trees are	at least 4	Not Us
		inches (10	cm) in diam	eter. Enter	tree DBHs i	n inches.					NOT US
				ents of indiv	vidual trees ((at least 4 in) within the	buffer on ea	ich side of		
1		the stream						Discht Oide			1
			Left Side					Right Side			
											1
											1
											1
											J
7	V _{SNAG}					per 100 feet		Enter numb	er of snags	on each	0.0
		side of the	stream, and	ine amount	per 100 fee	et will be cald	culated.				0.0
			Left Side:		0		Right Side:		0		
3	V _{SSD}		saplings an			up to 4 inche	es dbh) per	100 feet of			
						and shrubs	on each sid	le of the stre	eam, and th	e amount	75.4
					P11						
		per 100 ft c	Left Side:		2		Right Side:		4		

9	V _{SRICH}		the tallest s	tratum. Che			ive species p		ll strata. Sp	ecies	0.00
			er 100 feet a p 1 = 1.0	ind the subi	ndex will be	calculated	from these da		0 2 (-1.0)		
	Acer rubru		p i = 1.0	Magnolia t	ripetala		Ailanthus a		52 (-1.0)	Lonicera ja	ponica
	Acer sacch			Nyssa sylv	-		Albizia julib			Lonicera ta	
~	Aesculus f				n arboreum		Alliaria peti			Lotus corni	
	Asimina tri			Prunus sei			Alternanthe			Lythrum sa	
	Betula alleg			Quercus a			philoxeroide			Microstegiun	
	Betula lent			Quercus c			Aster tatario	2115		Paulownia	
	Carya alba			Quercus in			Cerastium f			Polygonum d	
	Carya glab			Quercus p			Coronilla va			Pueraria m	
	Carya oval			Quercus ru			Elaeagnus u			Rosa multif	
	Carya ova			Quercus ve			Lespedeza			Sorghum h	
	Cornus flor			Sassafras			Lespedeza			Verbena br	
	Fagus grai			Tilia ameri			Ligustrum ob			Verbena br	2311011313
	Fraxinus a			Tsuga can			Ligustrum s				
	Liriodendror			-			Ligustium	mense			
				Ulmus ame	encana						
	Magnolia a	icuminata									
		1	Species in	Group 1				3	Species ir	n Group 2	
		Average pe	IId be place	of leaves, s	equidistant sticks, or oth	ly along e er organic) in the ripar ach side of the material. Wo ayer at each s	ne stream ody debris	•		n each 11.33 %
			Left	Side			Right	Side			
		15	5	10		3	15	20			
11	V _{HERB}	include woo	ody stems a percentage:	t least 4" db	oh and 36" ta	all. Because	asure only if t e there may b Enter the pere	e several	ayers of gro	ound cover	85 %
		each subpl	ot.		11 200 /0 are a	accepted.					
			Left	Side			Right			י ו	
-		70 2 within the	Left 90 entire cat	85 chment of t	the stream.	90	Right 85	Side 90]	
ample	e Variable 1 V _{WLUSE}	70 2 within the	Left 90 e entire cat	85 chment of f		90	-		Runoff Score	% in Catch- ment	0.94 Running Percent (not 2100)
-	Vwluse	70 2 within the Weighted A	Left 90 e entire cat werage of F Land	85 chment of f Runoff Score	the stream.	90	-		Score	ment	Running Percent (not >100)
	Vwluse	70 2 within the	Left 90 e entire cat werage of F Land	85 chment of f Runoff Score	the stream.	90	-			ment 4	Running Percent
	V _{WLUSE}	70 2 within the Weighted A	Left 90 e entire cat werage of F Land	85 chment of f Runoff Score Use (Choos	the stream.	90	-		Score	ment	Running Percent (not >100)
	V _{WLUSE} Forest and r Forest and r	70 2 within the Weighted A	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-		Score	ment 4	Running Percent (not >100) 4
	V _{WLUSE} Forest and r Forest and r	70 2 within the Weighted A native range (:	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-		Score 0.5 1 0.3	ment 4 90	Running Percent (not >100) 4 94
	V _{WLUSE} Forest and r Forest and r	70 2 within the Weighted A native range (:	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-	90	Score 0.5 1 0.3	ment 4 90	Running Percent (not >100) 4 94
	V _{WLUSE} Forest and r Forest and r	70 2 within the Weighted A native range (:	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-	90	Score 0.5 1 0.3	ment 4 90	Running Percent (not >100) 4 94
	V _{WLUSE} Forest and r Forest and r	70 2 within the Weighted A native range (:	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-	90	Score 0.5 1 0.3	ment 4 90	Running Percent (not >100) 4 94
	V _{WLUSE} Forest and r Forest and r	70 2 within the Weighted A native range (:	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-	90	Score 0.5 1 0.3	ment 4 90	Running Percent (not >100) 4 94
	V _{WLUSE} Forest and r Forest and r	70 2 within the Weighted A native range (:	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-	90	Score 0.5 1 0.3	ment 4 90	Running Percent (not >100) 4 94
	V _{WLUSE} Forest and r Forest and r Open space	70 2 within the Weighted A native range (:	Left 90 e entire cat verage of F Land <50% grounc	85 chment of t Runoff Score Use (Choos i cover)	the stream. e for watersh se From Dro	90	-	90	Score 0.5 1 0.3	ment 4 90	Running Percent (not >100) 4 94
12	VwLUSE Forest and r Open space	70 2 within the Weighted A native range (: native range (: (pasture, law)	Left 90 e entire cat werage of F Land <50% grounc -75% grounc -75% grounc	85 chment of 1 Runoff Score Use (Choos I cover) I cover)), grass cover	the stream. e for watersh se From Dro	90 ned: p List)	85 Not	90	Score 0.5 1 0.3	ment 4 90 6	Running Percent (not >100 4 94 100
12 V;	VwLUSE Forest and r Open space	70 2 within the Weighted A native range (: native range (: (pasture, law) -NN12 Value	Left 90 e entire cat werage of F Land <50% grounc -75% grounc -75% grounc -75% grounc -75% grounc	85 chment of 1 Runoff Score Use (Choose i cover) i cover) j grass cover), grass cover Land Cov	the stream. e for watersh se From Dro r >75%	90 ed: p List)	85	90	Score 0.5 1 0.3	ment 4 90 6	Running Percent (not >100 4 94 100
12 V:	VwLUSE Forest and r Open space	70 2 within the Weighted A native range (: native range (: (pasture, law)	Left 90 e entire cat werage of F Land <50% grounc -75% grounc -75% grounc	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
112 Via Via Via	VwLUSE Forest and r Open space	70 2 within the Weighted A native range (: native range (: (pasture, law) -NN12 Value Not Used,	Left 90 e entire cat werage of F Land <50% grounc -75% grounc -75% grounc -75% grounc -75% grounc	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using # imagery an	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
12 V; Vcc Vcr	VwLUSE Forest and r Open space Open space	70 2 within the Weighted A native range (: native range (: (pasture, lawn -NN12 Value Not Used, <20%	Left 90 e entire cat verage of F Land <50% ground -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
12 Va V _c V _c V _s	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE	70 2 within the Weighted A native range (: native range (: (pasture, law) (pasture, law) -NN12 Value Not Used, <20% 1.0 0.08 in	Left 90 e entire cat werage of F Land <50% ground -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
12 Va Vc Vc Vs Vs Vs	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE ERO	70 2 within the Weighted A native range (: (pasture, law (pasture, law NN12 Value Not Used, <20% 1.0 0.08 in 6 %	Left 90 e entire cat verage of F Land <50% grounc -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
12 Va V _c V _c V _s	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE ERO	70 2 within the Weighted A native range (: native range (: (pasture, law) (pasture, law) -NN12 Value Not Used, <20% 1.0 0.08 in	Left 90 e entire cat werage of F Land <50% ground -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
Va Va Vc Vs Vs Vs Vs Vs Vs Vs Vs	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE ERO	70 2 within the Weighted A native range (: (pasture, law (pasture, law NN12 Value Not Used, <20% 1.0 0.08 in 6 %	Left 90 e entire cat verage of F Land <50% grounc -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
V; 12 V _c V _c V _s V _s V _s V _s V _s	VwLUSE Forest and r Open space Open space Sariable CANOPY MBED UBSTRATE ERO WD	70 2 within the Weighted A native range (: native range (: (pasture, lawn (pasture, lawn NN12 Value Not Used, <20% 1.0 0.08 in 6 % 0.0	Left 90 entire cat verage of F Land <50% ground >75% g	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
12 12 V; V _C ; V _S ; V _B ; V _S ; V _S ;	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE ERO WD DBH NAG	70 2 within the Weighted A native range (: (pasture, lawn -NN12 Value Not Used, <20% 1.0 0.08 in 6 % 0.0 Not Used 0.0	Left 90 e entire cat verage of F Land c50% ground -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
12 12 V ₆ V ₆ V ₆ V ₈ V ₈ V ₁ V ₁ V ₁ V ₁ V ₁ V ₁ V ₁ V ₁	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD	70 2 within the Weighted A native range (: native range (: (pasture, law) -NN12 Value Not Used, <20% 1.0 0.08 in 6 % 0.0 Not Used 0.0 75.4	Left 90 e entire cat verage of F Land <50% ground <75% ground <75% ground is, parks, etc. VSI Not Used 0.00 Not Used	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
12 12 V ₆ V ₆ V ₈ V ₈ V ₈ V ₁ V ₁ V ₁ V ₁ V ₁ V ₁ V ₁ V ₁	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE ERO WD DBH NAG	70 2 within the Weighted A native range (: (pasture, lawn -NN12 Value Not Used, <20% 1.0 0.08 in 6 % 0.0 Not Used 0.0	Left 90 e entire cat verage of F Land c50% ground -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
V3 12 12 V3 Vc VEI VEI VLU VTI VSI VSI VSI VSI VSI VSI VSI	VwLUSE Forest and r Forest and r Open space Open space S ariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD	70 2 within the Weighted A native range (: native range (: (pasture, law) -NN12 Value Not Used, <20% 1.0 0.08 in 6 % 0.0 Not Used 0.0 75.4	Left 90 entire cat Land <50% ground -75% g	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database
Vi 12 V ₂ V ₂ V ₂ V ₃ V ₁ V ₃ V ₃ V ₃ V ₃ V ₃	VwLUSE Forest and r Forest and r Open space Open space Sariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH	70 2 within the Weighted A native range (: native range (: (pasture, law) -NN12 Value Not Used, 1.0 0.08 in 6 % 0.0 Not Used 0.0 75.4 0.00	Left 90 e entire cat werage of F Land <50% ground -75%	85 Chment of 1 Runoff Score Use (Choos cover) i cover)), grass cover), grass cover Land Cov (NLCD), f Watershe	the stream. e for watersh se From Dro r >75%	90 ed: p List) was com at satellite es are bas	85 Not pleted using imagery an sed off of fie	90	Score 0.5 1 0.3	ment 4 90 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Running Percent (not >100 4 94 100 Database

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-NN12		LOCATION Giles County				
STATION # 11328+00 R	IVERMILE	STREAM CLASS Ephemeral				
LAT 37.300454 LC	ONG80.472911	RIVER BASIN Middle New				
STORET #		AGENCY VADEQ				
INVESTIGATORS ES; AC)					
FORM COMPLETED BY	ES	DATE 8/11/2021 TIME 1:30pm	REASON FOR SURVEY Baseline Assessment			
	F					
WEATHER CONDITIONS	Now	hours	Has there been a heavy rain in the last 7 days? Yes No			
	$ \begin{array}{c c} & rain (\\ & showers \\ \underline{10} \% \checkmark \% cl \end{array} $	(intermittent)	Air Temperature <u>31.7</u> ° C Other			
SITE LOCATION/MAP	Draw a map of the sit	e and indicate the areas sample	ed (or attach a photograph)			
	T Bing Charles CA	Mounst	idge (Oring) 11 PB			
STREAM CHARACTERIZATION	Stream Subsystem Perennial Inte Stream Origin Glacial Non-glacial montane Swamp and bog	ermittent ∐l'idal [Stream Type Coldwater Warmwater Catchment Area ^{0.27} km ²			

Notes: No water present.

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse ☐ Forest ☐ Commercial ☐ Field/Pasture ☐ Industrial ☐ Agricultural ☐ Other ☐ Residential ☐ ☐ Indicate the dominant type and record the domin ☐ Trees ☐ Shrubs ☐ Dominant species present Wingstern	Local Watershed NPS Pollution ☑ No evidence □ Some potential sources □ Obvious sources Local Watershed Erosion ☑ None □ Moderate □ Moderate □ Heavy hant species present □ Herbaceous
INSTREAM FEATURES	Estimated Reach Length 18.59 m Estimated Stream Width 0.91 m Sampling Reach Area 16.92 m² Area in km² (m²x1000) km² Estimated Stream Depth NA m Surface Velocity (at thalweg) NA m/sec	Canopy Cover □Partly shaded □Shaded Image: Partly open □Partly shaded □Shaded High Water Mark 0.15 m Proportion of Reach Represented by Stream Morphology Types Riffle % Pool % Channelized Yes Dam Present Yes
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Rooted submergent Floating Algae Attached Algae Dominant species present	
WATER QUALITY (DS, US)	Temperature N/A 0 C Specific Conductance N/A Dissolved Oxygen N/A pH N/A Turbidity N/A WQ Instrument Used NA	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs None Other Turbidity (if not measured) Turbid Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Image: Sewage and the sewage	Deposits □ Paper fiber □ Sand □ Sludge □ Sawdust □ Paper fiber □ Sand □ Relict shells □ Other №A □ □ Lpoking at stones which are not deeply embedded, are the undersides black in color? □ Yes □ No

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)			
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock		0	Detritus sticks, wood, coarse plant		20	
Boulder	> 256 mm (10")	0		materials (CPOM)	20	
Cobble	64-256 mm (2.5"-10")	0	0 Muck-Mud black, very fine organic		0	
Gravel	2-64 mm (0.1"-2.5")	0		(FPOM)	0	
Sand	0.06-2mm (gritty)	0	Marl	grey, shell fragments	0	
Silt	0.004-0.06 mm	0]		0	
Clay	< 0.004 mm (slick)	0				

Notes: No water present. Water quality measurements were not taken due to no water in channel.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-NN12	LOCATION Giles County		
STATION #_11328+00 RIVERMILE	STREAM CLASS Ephemeral		
LAT <u>37.300454</u> LONG <u>-80.472911</u>	RIVER BASIN Middle New		
STORET #	AGENCY VADEQ		
INVESTIGATORS ES; AO			
FORM COMPLETED BY ES	DATE 8/11/2021 REASON FOR SURVEY TIME 1:30pm AM PM Baseline Assessment		

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	score 1	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	_{SCORE} 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: No water present

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category									
	Parameter	Optimal	Suboptimal	Marginal	Poor						
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.						
	_{score} 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.						
amp	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0						
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing deventment.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.						
e eva	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
to b	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0						
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.						
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0						
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.						
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0						
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0						

Total Score 9

91 Notes: No water present

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-N	N12	LOCATION Giles County									
STATION #_11328+00	RIVERMILE	STREAM CLASS Ephemeral									
LAT37.300454	LONG80.472911	RIVER BASIN Middle New									
STORET #		AGENCY VADEQ									
INVESTIGATORS ES	S; AO		LOT NUMBER								
FORM COMPLETED	^{BY} ES	DATE 8/11/2021 TIME 1:30pm	REASON FOR SURVEY Baseline Assessment								
HABITAT TYPES	Indicate the percentage of Cobble% Sn	ags% ☐Vegetated Ba									
SAMPLE COLLECTION	Gear used D-frame kick-net Other										
	How were the samples coll	lected? wading fi	rom bank 🔲 from boat								
	Indicate the number of jabs/kicks taken in each habitat type. CobbleSnags Vegetated BanksSand Submerged Macrophytes Other ()										
GENERAL COMMENTS	No water present. Vegetated swale. Benthics not collected.										

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

	Project Name Mountain Valley Pipelin Valley Pipeline,		Locality			– (0.00 //	Impact	Impact
Nam				Class.	HUC	Date	SAR #	Length	Factor
			Giles County	R6	05050002	8/11/2021	S-NN12	88	1
	e(s) of Evaluator(s)	Stream Name	e and Informa	ation				SAR Length	
	ES, AO	UNT to Sinki	ng Creek					91	1
RIPARIA	N BUFFERS: Assess both bank	d's 100 foot riparia	n areas along the	entire SAR. (rou	gh measurements	of length & width	may be acceptat	ole)	
			ditional Cate		girmododromonio	on longer of maa	indy so dooptab	NOTES>>	
	Optimal		ptimal		ginal	Po	oor		
Determine so elow.	Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover and an non-maintained understory. Wetlands areas. 1.5 arian areas along each stream bank quare footage for each by measuring Riparian Area and Score for each rij	containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca g or estimating leng	gth and width. Ca		- ·	of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100		
	% Riparian Area> 45%	35%	10%	10%			100%	1	
Right Bank	Score > 1.5	0.75	0.6	0.5				İ	
								CI= (Sum % RA * So	:ores*0.01)/2
Left Bank	% Riparian Area> 50%	35%	10%	5%			100%	Rt Bank CI >	1.05
	Score > 0.75	0.6	0.5	1.2				Lt Bank Cl >	0.70
	REACH C	ONDITION I	NDEX and S	TREAM CO	NDITION UN	ITS FOR TH	IS REACH		
	RCI should be rounded to 2 decimal places	. The CR should be ro	unded to a whole num	ıber.			THE REACH C	CONDITION IND	EX (RCI) >
TE: The Cls and									
DTE: The Cls and						h		CI= (Riparian CI) ON REQUIREM	

INSERT PHOTOS:


(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-NN12\Photos\S-NN12_DS COND US.JPG")



Reach S-NN12 looking upstream within ROW. Assessment is limited to areas within the temporary ROW.

L/22000s/22800/22865.06/Admin\05-ENVR\Field Data\Spread G\Field Forms\S-NN12\1 QAQC\S-NN12 USM MVP 08-22-2021 AO.xls>

PROVIDED UNDER SEPARATE COVER



DIFF. DIFF. 13544368.15 1793659.84 2140.55 --------13544374.14 1793672.25 2138.58 ---------13544379.98 | 1793677.84 | 2138.14 --------

TS-L

BS-L

THW

BS-R

TS-R

13544377.30 1793679.14 2138.50

13544383.45 1793691.23 2139.44

BS-R BS-THW TS: TOP OF SLOPE **BS: BOTTOM OF SLOPE** THW: THALWEG (INVERT)

SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.

3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).






PHOTO TAKEN LOOKING

No.

WSSI 2' C.I. Topo

Computer File Name:

Survey\22000s\22800\22865.03\Spread G Work Dwgs 865_03 S-G MP 208-227 Sheets_2.dwg

Design

PFS

MVP

Horizontal Datum: NAD 1983 UTM ZONE 1

Draft

JSF

Sheet #

1 of 1

Approved

NAS

Vertical Datum: NAVD 88

Boundary and Topo Source: