
Baseline Assessment - Stream Attributes

Reach S-OO13 (Pipeline ROW) Perennial Spread G Giles County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	√
Longitudinal Profile and Cross Sections	√



Location, Orientation, Photographer Initials: Standing on RB looking downstream along the ROW looking NW, TC



Location, Orientation, Photographer Initials: Standing on LB looking downstream along the ROW looking N, TC



Location, Orientation, Photographer Initials: Standing on RB looking upstream along the ROW looking S, TC



Location, Orientation, Photographer Initials: Standing on LB looking upstream along the ROW looking SE, TC



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking W, TC



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking NE, TC



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking NW, TC

Mile Column No. 1 Suggisten Project Column No. 2 Suggisten Project Column	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain ¹	/alley Pipeline		COORDINATES: cimal Degrees)	Lat.	37.31893 L	on.	-80.44093	WEATHER:	Partly Cloudy	DATE:	August 1	10, 2021
Ministration Security Control (1998) Ministration Ministra				S-C	0013						:		Comments:		
March Controlled Parcel Stave Channel Staye	STREAM IMPACT LENGTH:	77		RESTORATION (Levels I-III)			Lat.	L	on.		PRECIPITATION PAST 48 HRS:	None	Mitigation Length:		
Price Direct Direct Classed Dispo Add Price Direct Classed Dispo D	Column No. 1- Impact Existing	Condition (Deb	oit)	Column No. 2- Mitigation Existing Co	ondition - Base	line (Credit)		Column No. 3- Mitigation Project Post Completion (C	cted at Five Y redit)	'ears	Column No. 4- Mitigation Pr Post Completio	rojected at Ten Years n (Credit)	Column No. 5- Mitigation Projec	ted at Maturity (Cr	redit)
Mode Stores placed data from	Stream Classification:	Pere	nnial	Stream Classification:				Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
According Column		•	4.41		•					0				•	0
processor of Cycling PART 1- Prycoic Communication PART 1- P	HGM Score (attach d	ata forms):		HGM Score (attach o	data forms):			HGM Score (attach da	ta forms):		HGM Score (attach	data forms):	HGM Score (attach	lata forms):	
Page-defended Cycling			Average			Average				Average		Average			Average
No.	Hydrology Biogeochemical Cycling		0							0		0			0
Part	Habitat	Distanted I. "		Habitat	d Dietories'			Habitat	Distantant '		Habitat	ad Dielesiaal Indianter	Habitat	d Dielegieel I. "	
## PYBICAL RDICATOR (Apples to all colors constructions) ## PYBICAL RDICATOR (Apples to all colors construct	PART 1 - Physical, Chemical and			PART I - Physical, Chemical and							PART I - Physical, Chemical a		PART I - Physical, Chemical and		
SERVICE NEW Control State State		Points Scale Range	Site Score			Site Score				Site Score					Site Score
Eighand Schederbackeristo Cover 5-20 15 15 15 15 15 15 15 1	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all streams cla	ssifications)		PHYSICAL INDICATOR (Applies to all stres	ams classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	
Final Control Contro	USEPA RBP (High Gradient Data Sheet)	0.20	16		0.20				0.20				USEPA RBP (High Gradient Data Sheet)		
Schemer Deposition 220 18 Schemer Deposition 220 1 20 18 Schemer Deposition 220 Schemer D	Embeddedness														
Channel Flow Status	3. Velocity/ Depth Regime							3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime		
Channel Alburation Soil															
Toping Street Toping Stree															
Sear Stabling (LB A RB) 50 25 15 15 15 15 15 15 15															
Notestate Protection (B & RB)	7. Frequency of Riffles (or bends)														
10. Reportable Agree North (10. B (RS) 10. 20. 1 10. Reportable Agree North (10. B (RS) 10. Report															
Total SBP Score	Vegetative Protection (LB & RB)			Vegetative Protection (LB & RB)				Vegetative Protection (LB & RB)			Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
Sub-Total 0.925 Sub-Total 0.925 Sub-Total 0 OHEMICAL NDICATOR (Applies to Intermittent and Personnial Streams)	10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)				10. Riparian Vegetative Zone Width (LB & RB)		_	 Riparian Vegetative Zone Width (LB & RB) 		 Riparian Vegetative Zone Width (LB & RB) 		
CHEMICAL NDICATOR (Applies to Intermittent and Percental Streams) CHEMICAL NDICATOR (Applies to Intermittent and Percental Streams)	Total RBP Score Sub-Total	Optimal			Poor	0			Poor	0			Total RBP Score	Poor	0
Specific Conductivity		nt and Perennial St			and Perennial Str	reams)			nd Perennial Str	reams)		ittent and Perennial Streams)		ent and Perennial Str	eams)
Specific Conductivity	WVDEP Water Quality Indicators (General	n		WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gene	eral)	WVDEP Water Quality Indicators (General	al)	
Ph	Specific Conductivity							Specific Conductivity							
6.8.0 = 80 points	300-399 - 70 points	0-90	371.9	nU	0-90			nii	0-90		nu .	0-90	nu	0-90	
DO	6 0-8 0 = 80 points	0-80	7.34	μn	5-90 0-1			pri	5-90		pri	5-90 0-1	pri	5-90 0-1	
Sub-Total 0.9 SiD-Total 0.9 Si	DO DO PONIO			DO				DO			DO		DO	_	
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) We y Good 0-10 0-1 82.2 b-Total 0-822 PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score Index Linear Feet Unit Score Index Linear Feet Unit Score BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) Wy Stream Condit	>5.0 = 30 points	10-30			10-30				10-30					10-30	
Stream Condition Index (WVSCI)		tent and Perennial			ent and Perennial				nt and Perenni					mittent and Perenni	al Streams)
Very Good 0-10 0-1 82.2	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
PART II - Index and Unit Score Index Linear Feet Unit Score		0-100 0-1	82.2		0-100 0-1				0-100 0-1			0-100 0-1		0-100 0-1	
Index Linear Feet Unit Score Index Linear Fee	Sub-Total		0.822	Sub-Total		0		Sub-Total		0	Sub-Total	0	Sub-Total		0
	PART II - Index and U	Init Score		PART II - Index and	Unit Score			PART II - Index and Un	nit Score		PART II - Index and	d Unit Score	PART II - Index and	Unit Score	
0.882 77 67.9396867 0 0 0 0 0 0 0 0 0 0 0	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
	0.882	77	67.9396667	0	0	0		0	0	0	0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-0013		LOCATION Giles County								
	IVERMILE	STREAM CLASS Perennial								
LAT 37.31893 LC	ONG -80.44093	RIVER BASIN Middle New								
STORET #		AGENCY VADEQ								
INVESTIGATORS ES, AC)									
FORM COMPLETED BY		DATE 8/10/21	REASON FOR SURVEY							
	ES, AU	TIME 12:30 PM	Baseline Assessment							
		Ψ.								
WEATHER CONDITIONS	Now	Past 24 hours	Has there been a heavy rain in the last 7 days? Yes √No							
CONDITIONS		(heavy rain)	Air Temperature ³¹ C							
	shower	s (intermittent)	Other							
		loud cover / 10 %								
SITE LOCATION/MAP	Draw a man of the sit	te and indicate the areas sample	d (or attach a nhotograph)							
SITE EGGITTOTVIII	braw a map of the sit	e and indicate the areas sample	u (or accach a photograph)							
			1							
			Ripardon							
	Rip	(vigh	Buffer Pox							
		Buffer / U	7 / 05/							
			2000-							
	lo o	***								
	3 P	17	5 19							
	8 6	Town Y	O							
			20 may among							
	5		8							
		PCStrate man	8							
		Annedalingen	اعب							
			To an analysis of the second s							
		(
	and the second s		1 0 . 1							
		EQUIPMENT	proge							
		09								
	Andread State of the State of t	and the state of t	The second of th							
			·							
STREAM CHARACTERIZATION	Stream Subsystem ✓ Perennial Into	ermittent Tidal S	Stream Type Coldwater Warmwater							
CHARACTERIZATION	Stream Origin		Catchment Area 0.12 km ²							
	Glacial	☐Spring-fed	ACCIONNELL AI CA							
	Non-glacial montane	Other								

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predom ✓ Fores Field Agric Resid	Pasture Industria	duse rcial al	Local Watershed NPS ☑ No evidence ☐ Son ☐ Obvious sources ☐ Local Watershed Erosi ☑ None ☐ Moderate	on					
RIPARIA VEGETA (18 meter	TION		Indicate the dominant type and record the dominant species present ☐ Trees ☐ Grasses ☐ Herbaceous Dominant species present Rubus sp.								
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) red Stream Depth Velocity m	m m² km² m		ly shaded □Shaded 2m epresented by Stream Run •% □No □No					
LARGE V DEBRIS	VOODY	LWD o m² Density of LWD o m²/km² (LWD/ reach area)									
AQUATION VEGETA		Indicate the dominant type and record the dominant species present ☐ Rooted emergent ☐ Rooted submergent ☐ Rooted floating ☐ Free floating ☐ Dominant species present ☐ Portion of the reach with aquatic vegetation%									
WATER (US, DS)	QUALITY	Specific Dissolve pH 7.52,3 Turbidi				Chemical Other Globs Flecks red					
SEDIMEN SUBSTRA		Odors Norm Chem Other	nical Anaerobic	Petroleum None	Lρoking at stones whic are the undersides blac	□Paper fiber □Sand Other NA h are not deeply embedded, k in color?					
			<u> </u>								
INC		STRATE (dd up to 1	COMPONENTS 100%)		ORGANIC SUBSTRATE C (does not necessarily add						
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area					
Bedrock			0	Detritus	sticks, wood, coarse plant materials (CPOM)	5					
Boulder	> 256 mm (10")		1		, ,						
Cobble	64-256 mm (2.5		20	Muck-Mud	black, very fine organic (FPOM)	10					
Gravel	2-64 mm (0.1"-2		40			-					
Sand	0.06-2mm (gritt	y)	30	Marl	grey, shell fragments	0					
Silt	0.004-0.06 mm		5								
Clay	< 0.004 mm (sli	ck)	5								

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-0013	LOCATION Giles County					
STATION # RIVERMILE	STREAM CLASS Perennial					
LAT <u>37.31893</u> LONG <u>-80.44093</u>	RIVER BASIN Middle New					
STORET#	AGENCY VADEQ					
INVESTIGATORS ES&AO						
FORM COMPLETED BY ES	DATE 8/10/21 REASON FOR SURVEY TIME 2:30 PM AM PM Baseline Assessment					

	Habitat	Condition Category										
	Parameter	Optimal	Suboptimal	Marginal	Poor							
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.							
	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.							
ted in	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).							
ıram	_{SCORE} 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
P ₂	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.							
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.							
	score 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)


	Habitat		Condition	n Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
amp	score 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE 10	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to be	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total Score 185

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-OO13								LOCATION Giles County												
STATION #	R	IVE	RMI	LE_			STREAM CLASS Perennial													
LAT 37.31893	_ L	ONC	j -80.	44093			RIVI	ER BA	SIN M	lido	dle l	lew								
STORET#		AGENCY VADEQ																		
INVESTIGATORS E	INVESTIGATORS ES/DW								LOT NUMBER											
FORM COMPLETE	D BY	E	S/	D	W		DAT TIMI	E 8/3	:30 PM				I	REAS	SON FOR SURVEY Ba	aselii	ne A	sse	ssm	ent
HABITAT TYPES	I I ⊻	Cob	dicate the percentage of each habitat type present Cobble 50 % Snags % Vegetated Banks 20 % Sand 10 % Submerged Macrophytes 10 % Other ()%																	
SAMPLE	G	ear	used		D-fr	ame 🗸	kick-	net												
COLLECTION												_	l c	1	k 🛮 from boat	_				
	П	ow v	vere	tne	samp	les coll	ectea?		✓ wad	ıınş	5	Ь	ıror	n bar	ik lirom boai	L				
	✓	Cob	ble 4			r of jab Sna phytes_	igs			V	eget		Ban		Sand)					
GENERAL COMMENTS	В	ent	hic	S	amı	ole c	olle	cted	l. 4 k	۲ic	cks	W	ithi	in r	iffle/cobble ha	bita	at.			
Indicate estimate Dominant Periphyton	d ab	ınd	ance	e: (Absent			rved,			nes		= C	ommon, 3= Abund			2	3	4
Filamentous Algae						1 2	_							rtebr	ates			2		4
Macrophytes						1 2					Fisl					_	1		3	
FIELD OBSERV Indicate estimate				e:	0 =	Absen	t/Not	Obse			l = 1	Rar	e (1	-3 o	rganisms). 2 = Con		n (3	_0		
					orga	anisms), 3=	Abu							, 4 = Dominant (>5				ıs)	
Porifera	0	1	2	3	orga 4	Aniso	ptera	ı	ndant						, 4 = Dominant (>5				3	4
Hydrozoa	0 0	1 1	2			Aniso Zygo	ptera	ι	ndant ((>		2 2	3 3	sms)	Chironomidae Ephemeroptera	50 o		2 2		4 4
Hydrozoa Platyhelminthes		1 1 1	2 2	3	4	Aniso Zygo Hemi	optera ptera	ı	ndant ((>	-10 1	org 2	3 3 3	4 4 4	Chironomidae Ephemeroptera Trichoptera	0	rgai	2 2 2	3	4
Hydrozoa Platyhelminthes Turbellaria	0 0 0	-	2 2 2	3 3 3 3	4 4 4 4	Aniso Zygo Hemi Coleo	optera ptera ptera	ı	((((> 0 0 0 0	1 1 1 1 1	2 2 2 2	3 3 3 3	4 4 4 4	Chironomidae Ephemeroptera	0 0	rgai 1 1	2 2	3	4
Hydrozoa Platyhelminthes Turbellaria Hirudinea	0 0 0 0	1 1 1	2 2 2 2	3 3 3 3 3	4 4 4 4 4	Aniso Zygo Hemi Coleo Lepio	optera ptera ptera optera	ı	(((((> () () () () ()	1 1 1 1 1	2 2 2 2 2	3 3 3 3	4 4 4 4 4	Chironomidae Ephemeroptera Trichoptera	0 0 0	1 1 1	2 2 2	3 3 3	4
Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta	0 0 0 0	1 1 1 1	2 2 2 2 2	3 3 3 3 3	4 4 4 4 4	Aniso Zygo Hemi Coleo Lepio Sialio	optera ptera ptera optera lopter	ı ı ra	((((() (>	1 1 1 1 1 1 1	2 2 2 2 2 2	3 3 3 3 3	4 4 4 4 4 4	Chironomidae Ephemeroptera Trichoptera	0 0 0 0	1 1 1 1	2 2 2 2	3 3 3 3	4 4 4
Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda	0 0 0 0 0	1 1 1 1 1	2 2 2 2 2 2 2	3 3 3 3 3 3	4 4 4 4 4 4	Aniso Zygo Hemi Colec Lepid Sialid Cory	optera ptera ptera optera lopter lae	ı ı ra	((((((0) (>	1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3	4 4 4 4 4 4	Chironomidae Ephemeroptera Trichoptera Other -Crayfish 8	0 0 0 0	1 1 1 1	2 2 2 2 2	3 3 3 3	4 4 4
Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda	0 0 0 0 0 0	1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	4 4 4 4 4 4 4	Aniso Zygo Hemi Colec Lepio Sialio Coryo	optera ptera ptera optera lopter lae dalida	ı ra	((((((((0) (>	1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3	4 4 4 4 4 4 4	Chironomidae Ephemeroptera Trichoptera Other -Crayfish 8 found in sa	0 0 0 0	1 1 1 1	2 2 2 2 2	3 3 3 3	4 4 4
Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda Decapoda	0 0 0 0 0 0 0	1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3	4 4 4 4 4 4 4	Aniso Zygo Hemi Colec Lepid Sialid Cory Tipul Empi	optera ptera ptera optera loptera lae dalida idae	ı ı ra	((((((((((((((((((() (> 0) 0) 0) 0) 0) 0) 0)	1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	4 4 4 4 4 4 4 4	Chironomidae Ephemeroptera Trichoptera Other -Crayfish 8	0 0 0 0	1 1 1 1	2 2 2 2 2	3 3 3 3	4 4 4
Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda	0 0 0 0 0 0	1 1 1 1 1 1	2 2 2 2 2 2 2 2	3 3 3 3 3 3 3	4 4 4 4 4 4 4	Aniso Zygo Hemi Colec Lepio Sialio Coryo	optera ptera ptera optera loptera lae dalidae didae didae	ra ra	() () () () () () ()	0) (>	1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3	4 4 4 4 4 4 4	Chironomidae Ephemeroptera Trichoptera Other -Crayfish 8 found in sa	0 0 0 0	1 1 1 1	2 2 2 2 2	3 3 3 3	4 4 4

Mountain Valley Pipeline Data are not adjusted for subsampling



	Sample ID	S-0013
	Collection Date	08-31-2021
ORDER	GENUS/SPECIES	COUNT
Ephemeroptera	Baetis sp.	18
Ephemeroptera		27
Ephemeroptera		1
Ephemeroptera		1
	Eurylophella sp.	3
	Habrophlebiodes sp.	1
	Maccaffertium sp.	2 2 3
Plecoptera	•	4
Plecoptera Plecoptera		1
	Soyedina sp.	1 2
	Tallaperla sp.	2
	Cheumatopsyche sp.	2
	Chimarra sp.	1
	Diplectrona sp.	23
·	Hydroptila sp.	1
	Limnephilidae	1
<u> </u>	Ectopria sp.	10
	Psephenus sp.	8
Coleoptera	Stenelmis sp.	1
Diptera-Chironomidae	Corynoneura sp.	2
Diptera-Chironomidae		1
Diptera-Chironomidae	Metriocnemus sp.	1
Diptera-Chironomidae	Micropsectra sp.	1
Diptera-Chironomidae	Neostempellina sp.	9
Diptera-Chironomidae	Parachaetocladius sp.	7
Diptera-Chironomidae	Parametriocnemus sp.	4
Diptera-Chironomidae	Paraphaenocladius sp.	1
Diptera-Chironomidae	Polypedilum sp.	1
-	Psilometriocnemus triannulatus	1
Diptera-Chironomidae		3
•	·	1
	Thienemannimyia gr. sp.	
Diptera-Chironomidae	-	4
-	Caloparyphus/Euparyphus sp.	1
Diptera	Ceratopogoninae	27
Diptera	Dasyhelea sp.	1
Diptera	Helius sp.	1
Annelida	Enchytraeidae	4
Annelida	•	11
	tubificoid Naididae w/ cap setae	8
	Sphaeriidae	1
Gastropoda		1
	Cambaridae	1
Crustacea	Ostracoda	2
Acari	Sperchonopsis sp.	3
	TOTAL	206

Mountain Valley Pipeline WV SCI Metrics



Sample ID Collection Date	
WVSCI Metric Values Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	27 14 43.7 17.5 39.3 5.22
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	128.6 107.7 47.5 83.3 94.8 67.3
WVSCI Metric Scores Total taxa EPT taxa % EPT % Chironomidae % 2 Dominant HBI	100.0 100.0 47.5 83.3 94.8 67.3
WVSCI Total Score	82.2

WVSCI Thresholds

Unimpaired = > 68.00 Gray Zone = 60.61 to 68.00 Impaired = <60.61

WOLMAN PEBBLE COUNT FORM

County: Giles County Stream ID: S-OO13

Stream Name: UNT to Sinking Creek

HUC Code: 05050002 Basin: Middle New

Survey Date: 8/10/2021 Surveyors: AO, ES Type: Representative

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	~	5	5.00	5.00
	Very Fine	.062125		~	6	6.00	11.00
	Fine	.12525	1	•	1	1.00	12.00
	Medium	.255	SAND	A	1	1.00	13.00
	Coarse	.50-1.0		-	2	2.00	15.00
.0408	Very Coarse	1.0-2	1	A	7	7.00	22.00
.0816	Very Fine	2 -4		A	4	4.00	26.00
.1622	Fine	4 -5.7	1	^	4	4.00	30.00
.2231	Fine	5.7 - 8	1	A	12	12.00	42.00
.3144	Medium	8 -11.3	1	^	5	5.00	47.00
.4463	Medium	11.3 - 16	GRAVEL	A	3	3.00	50.00
.6389	Coarse	16 -22.6	1	A	6	6.00	56.00
.89 - 1.26	Coarse	22.6 - 32	1	A	2	2.00	58.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	3	3.00	61.00
1.77 -2.5	Vry Coarse	45 - 64	1	A	9	9.00	70.00
2.5 - 3.5	Small	64 - 90		A	10	10.00	80.00
3.5 - 5.0	Small	90 - 128	1	A	14	14.00	94.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	4	4.00	98.00
7.1 - 10.1	Large	180 - 256	1	A	0	0.00	98.00
10.1 - 14.3	Small	256 - 362		A	1	1.00	99.00
14.3 - 20	Small	362 - 512	1	<u> </u>	1	1.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>	0	0.00	100.0
40 - 80	Large	1024 -2048	1	A	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.0
	Bedrock		BDRK	<u> </u>	0	0.00	100.0
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

River Name: UNT to Sinking Creek Reach Name: S-0013 Representative 08/10/2021

Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	5 6 1 1 2 7 4 4 12 5 3 6 2 3 9 10 14 4 0 1 1 0 0 0	5.00 6.00 1.00 1.00 2.00 7.00 4.00 4.00 4.00 5.00 3.00 6.00 2.00 3.00 9.00 10.00 14.00 4.00 0.00 1.00 0.00 0.00	5.00 11.00 12.00 13.00 15.00 22.00 26.00 30.00 42.00 47.00 50.00 56.00 58.00 61.00 70.00 80.00 94.00 98.00 99.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	1.14 6.66 16 100.86 141 511.98 5 17 48 28 2		

Total Particles = 100.

		<u> </u>		Unified St	ream Method	lology for use			1)		
Project #	# Project Name (Applicant			For use in wade		HUC	Date	SAR#	Impact Length	Impact Factor	
22865.06 Mountain Valley Pipeline, I			Giles	Class. R3	05050002	8/10/21	S-0013	77	1		
Name	e(s) of Evaluat			County e and Inform	ation				SAR Length		
	ES/AO/KB		UNT to Sinki	ng Creek					7	7	
. Channel C	ondition: Asse	ss the cross-sec	tion of the stream	and prevailing co	ondition (erosion, a	aggradation)					
				ptimal	Conditional Category Marginal		Poor		Severe		
Very little incision or active eros 100% stable banks. Vegeta surface protection or natural		ks. Vegetative	Slightly incised, few areas of active erosion or unprotected banks. Majority		Often incised, but less than Severe or Poor. Banks more stable than Severe or Poor due to lower bank slopes.		Overwidened/incised. Vertically / laterally unstable. Likely to widen further. Majority of both banks are		Deeply incised (or excavated), vertical/lateral instability. Severe incision, flow contained within the		
Condition	ndition prominent (80-100%), AND/OR Stable bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom. Vegetative prot prominent (8 benches, or prominent (9 benches, or protions of the sediment covers) is the sediment covers and the sediment covers are sediment covers.		Vegetative protect prominent (60 Depositional feat stability. The ban channels are wellikely has acceptenches, or ne portions of the sediment covers	of banks are stable (60-80%). getative protection or natural rock prominent (60-80%) AND/OR epositional features contribute to ability. The bankfull and low flow hannels are well defined. Stream likely has access to bankfull benches, or newly developed portions of the reach. Transient sediment covers 10-40% of the stream bottom.				near vertical. Erosion present on 60- banks. Vegetative protection present on 20-40% of banks, and is insufficient to prevent erosion. the stream is covered by sediment. Sediment is temporary / transient in nature, and contributing to instability. AND/OR V-shaped channels have vegetative protection is present on > 40% of the banks and stable sediment		banks. Streambed below average trajority of banks vertical/undercut. Vegetative protection present on less than 20% of banks, is not preventing erosion. Obvious bank sloughing present. Erosion/raw banks on 80-100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability.	
Scores			2	.4	:	2	1.6		1		3.00
. RIPARIAN	I BUFFERS: A	ssess both bank		n areas along the	, ,	gh measurements	of length & width		ole)		
	Optio	mal		ptimal	, , 	ginal	Po				
Riparian Buffers	Tree stratum (dbh > with > 60% tree Wetlands located v area	canopy cover. within the riparian	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	either a shrub	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained	High Poor: Lawns, mowed, and maintained areas, nuseries; no-till cropland; actively grazed pasture, sparsely vegetated nonmaintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
						understory.					
		-	High	Low	High	Low	High	Low			
Scores	1.0	5	1.2	Low 1.1	High 0.85	_	High 0.6	Low 0.5			
. Delineate ripar . Determine squ elow.	rian areas along ea uare footage for ea	ach stream bank ich by measuring	1.2 into Condition Ca	1.1 tegories and Con gth and width. Ca	0.85	Low 0.75 g the descriptors.	0.6 Ensure t	0.5 he sums			
Delineate ripar Determine squelow. Enter the % R	rian areas along ea	ach stream bank ich by measuring Score for each rip	1.2 into Condition Ca or estimating len- parian category in	1.1 tegories and Con gth and width. Ca	0.85	Low 0.75 g the descriptors.	0.6 Ensure t	0.5 he sums liparian qual 100			
Delineate ripal Determine squelow. Enter the % R	rian areas along ea uare footage for ea Riparian Area and S	ach stream bank ich by measuring	1.2 into Condition Ca	1.1 tegories and Con gth and width. Ca	0.85	Low 0.75 g the descriptors.	0.6 Ensure t	0.5 he sums			
Delineate ripal Determine squelow. Enter the % R	rian areas along ex uare footage for ea Riparian Area and S % Riparian Area> Score >	ach stream bank ach by measuring Score for each rip 60% 0.85	1.2 into Condition Ca or estimating len parian category in 20% 0.75	tegories and Congth and width. Cathe blocks below. 20% 0.5	0.85	Low 0.75 g the descriptors.	0.6 Ensure t	0.5 he sums hiparian qual 100 100%	CI= (Sum % RA * Sc		
Delineate ripal Determine squelow. Enter the % R	rian areas along ex uare footage for ea Riparian Area and S % Riparian Area> Score >	ach stream bank uch by measuring score for each rip 60% 0.85	1.2 into Condition Ca or estimating len parian category in 20% 0.75	tegories and Congth and width. Cathe blocks below. 20% 0.5	0.85	Low 0.75 g the descriptors.	0.6 Ensure t	0.5 he sums liparian qual 100	Rt Bank CI >	0.76	CI 0.75
Delineate ripar Determine squelow. Enter the % R Right Bank Left Bank	rian areas along exuare footage for east siparian Area and S % Riparian Area > Score > % Riparian Area > Score > M HABITAT: Va	ach stream bank uch by measuring Goore for each rip 60% 0.85 40% 0.85	into Condition Ca or estimating len parian category in 20% 0.75	tegories and Congth and width. Cathe blocks below. 20% 0.5	0.85 dition Scores usin	Low 0.75 g the descriptors. ided for you	0.6 Ensure t of % F Blocks e	0.5 he sums liparian qual 100 100%		0.76 0.74	CI 0.75
Delineate ripar Determine squelow. Enter the % R Right Bank Left Bank	rian areas along ea uare footage for ea tiparian Area and S % Riparian Area> % Riparian Area> % Riparian Area>	ach stream bank uch by measuring Goore for each rip 60% 0.85 40% 0.85	into Condition Ca or estimating len parian category in 20% 0.75	tegories and Congth and width. Cathe blocks below. 20% 0.5 20% 0.5	0.85 dition Scores usin laculators are provential control of the	Low 0.75 g the descriptors. ided for you	0.6 Ensure t of % F Blocks e	0.5 he sums qual 100 100% 100%	Rt Bank CI > Lt Bank CI > cut banks; root ma	0.76 0.74	
Delineate ripar Determine squelow. Enter the % R Right Bank Left Bank	rian areas along exuare footage for east siparian Area and S % Riparian Area > Score > % Riparian Area > Score > M HABITAT: Va	ach stream bank uch by measuring Score for each rip 60% 0.85 40% 0.85 uried substrate si	1.2 into Condition Ca or estimating len parian category in 20% 0.75 40% 0.75 zes, water velocity	tegories and Congth and width. Cathe blocks below. 20% 0.5 20% 0.5	0.85 dition Scores usin alculators are provential Category	Low 0.75 g the descriptors. ided for you	0.6 Ensure t of % F Blocks e	0.5 he sums qual 100 100% 100%	Rt Bank CI >	0.76 0.74	
Delineate ripar Determine squelow. Enter the % R Right Bank Left Bank INSTREAN	rian areas along eauare footage for eauare footage fo	ach stream bank uch by measuring 60% 0.85 40% 0.85 uried substrate si s.	1.2 into Condition Ca or estimating len parian category in 20% 0.75 40% 0.75 zes, water velocity Subo Stable habitat ele present in 30-509 are adequate fo	tegories and Congth and width. Cathe blocks below. 20% 0.5 20% 0.5 and depths; woo	o.85 dition Scores usin alculators are provential Category Stable habitat ele present in 10-309 are adequate fo	Low 0.75 g the descriptors. ided for you	0.6 Ensure t of % 6 Blocks e	0.5 he sums liparian qual 100 100% 100% isss; shade; under listed above are stable. Habitat ally present in less	Rt Bank CI > Lt Bank CI > cut banks; root ma	0.76 0.74 ts; SAV;	

	St	ream In	npact A	ssessn	nent Fo	rm Pag	e 2		
Project #	Project Name (App	Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor 1	
22865.06	Mountain Valley Pipeline Valley Pipeline, L	•	Giles County	R3	05050002	8/10/21	S-0013	77	1
4. CHANNEL	L ALTERATION: Stream crossi	ings, riprap, conci			raightening of cha	annel, channelizat	ion, embankment		rictions, livestock
	Conditional Category								
								NOTES>>	
	Negligible	Mir	Conditiona nor	Mod	erate	Sev	/ere	NOTES>>	
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an	Less than 20% of the stream reach	20-40% of the stream reach is disrupted by any of the channel	Mode 40 - 60% of reach is disrupted by any of the channel	60 - 80% of reach is disrupted by any of the channel	Greater than 80% of by any of the chang in the parameter g	of reach is disrupted nel alterations listed juidelines AND/OR ored with gabion,		

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >> 1.29

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >> 99

CR = RCI X L_I X IF

INSERT PHOTOS:


(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-OO13\Photos\S-OO13_US COND DS.JPG")





Looking downstream within the ROW. Assessment is limited to areas within the temporary ROW.


DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER













SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 15, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).











Wetland


21

to

PHOTO TAKEN LOOKING DOWNSTREAM ON 03/22/2018



PHOTO TAKEN LOOKING UPSTREAM ON 03/22/2018






PHOTO TAKEN LOOKING

	Re							
IONS							SCALE: AS NOTED	
REVISIONS	Description						DATE: September, 2021	
	No. Date						TE: Sept	
	No.						DAT	
Horiz	zontal]	Datı	ım:	NAD	1983 U	TM ZC	NE 17N	
Verti	cal Da	tum		NA	VD	88		

Vertical Datum: NAVD 88 Boundary and Topo Source: WSSI 2' C.I. Topo Approved PMD NAS EJC Sheet # 1 of 1

Computer File Name:

865_03 S-G MP 208-227 Sheets.dwg

Survey\22000s\22800\22865.03\Spread G Work Dwgs