# Reach S-OO14 (Pipeline ROW) Perennial Spread G Giles County, Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – Not enough riffles present
Wolman Pebble Count	$\checkmark$
RiverMorph Data Sheet	$\checkmark$
USM Form (Virginia Only)	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

# Stream S-OO14 (ROW)

**Giles County** 




Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking N, ES



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking SE, ES

Page 1

**DEQ Permit #21-0416** 

# Stream S-OO14 (ROW)



Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking NE, ES



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SW, ES



# Stream S-OO14 (ROW)

**Giles County** 




Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking NW, ES

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-OO14\S-OO14\_Photo Document.docx

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.318647	Lon.	-80.441619	WEATHER:	Mostly Cloudy	DATE:	August 10, 2021
IMPACT STREAM/SITE ID ANI (watershed size (acreage), unali		S-0	014		MITIGATION STREAM CLAS: (watershed size (acree	S./SITE ID AND SI age}, unaltered or impai				Comments:	
STREAM IMPACT LENGTH:	86 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	None	Mitigation Length:	
Column No. 1- Impact Existing Col	ndition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Complet	Projected at Five Y tion (Credit)	ears	Column No. 4- Mitigation Proj Post Completion (	ected at Ten Years Credit)	Column No. 5- Mitigation Proje	cted at Maturity (Credit)
Stream Classification:	Perennial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slope		Percent Stream Channel Slo	ppe		Percent Stream Channel	Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel	Slope 0
HGM Score (attach data f	forms):	HGM Score (attach o	lata forms):		HGM Score (attac	ch data forms):		HGM Score (attach da	ata forms):	HGM Score (attach	data forms):
	Average		Average				Average		Average		Average
Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and Biol	ogical Indicators	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical	and Biological Indi	cators	Habitat PART I - Physical, Chemical and	Biological Indicators	Habitat PART I - Physical, Chemical ar	d Biological Indicators
Paint	ts Scale Range Site Score		Points Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams class	sifications)	PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all stream	ms classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)
E-thickdediness         0           L. Velocity Department Deposition         0           L. Sadiment Deposition         0           C. Channel Flow Status         0           E. Channel Flow Status         0           E. Channel Alteration         0           E. Channel Alteration         0           E. Channel Alteration         0           U. Status         0           B. Bank Shability (LB & RB)         0           V. Vogetative Forcetorin (LB & RB)         0           Total RB Scottal         S           CHEMICAL INDICATOR (Applies to Intermittent and WOVEP Watter Chandity Indicators (General)         Specific Conductivity           Specific Conductivity         0         300.599 - 70 points	20 0 15 20 16 20 12 20 0 1 20 0 10 10 10 10 10 10 10 10 10 10 10 10	USEPA RAP (Low Gradient Data Shee) Lipflural Stochardkanlable Cover 2. Pool Substrate Characterization 3. Pool Variability 4. Sediment Deposition 6. Channel Floro Status 6. Channel Alexadon 5. Channel Alexadon 4. Sadiment Alexadon 5. Channel Shousolty 8. Bank Stability (LB & RB) 10. Reprina Vegetable Zone Width (LB & RB) 10. Reprint Vegetable Zone Vegetable Zo			USEPA KBP (High Gradiant Data Sheet 1. Epfanal Substrate/Available Cover 2. Embeddedness 3. Velocity Deph Regime 4. Sedment Deposition 6. Channel Flow Status 6. Channel Alvration 1. Frequency of Kflbs (or bends) 8. Bank Stability (L8 & R8) 10. Repark Vegative Zone Widh (L8 & R8) CHEMICAL INDICATOR (Applies to Intermit WDDEF Water Quality Indicators (Gene Specific Conductivity pH	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0 0 0 ams)	USEPA RB/ (High Gradient Data Sheet) 1. Epfinant Sochtrahi/Availabie Cover 2. Embedderiness 3. Veicolity/ Dopth Regime 4. Sediment Deposition 8. Channel Flow Status 8. Channel Flow Status 8. Channel Flow Status 9. Avgetatient Cover Alternation 1. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 10. Reprint Vegetative Zore Widh (LB & RB) 10. Reprint	-	USEPA RBP (High Gradient Data Sheet) 1. Epfinanci Substratis/Available Cover 2. Embeddedness 3. Velocity/ Deph Regime 4. Sedimert Deposition 6. Channel Flow Status 6. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 10. Repartin Vegetarbe Zone Widh (LB & RB) 10. Repartin Vegetarbe Zone Widh (LB & RB) 10. Reparts Vegetarbe Zone Widh (LB & RB)	
>5.0 = 30 points 10 Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent a	0-30 7 0.9 Ind Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	10-30 0 nt and Perennial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Inte	10-30 ermittent and Perenni	0 al Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	10-30 0 ittent and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Inte	10-30 0 mittent and Perennial Streams)
WV Stream Condition Index (WVSCI) 0 0 Sub-Total	-100 0-1 <b>0</b>	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 0		WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 <b>0</b>	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 <b>0</b>
PART II - Index and Unit S	Score	PART II - Index and I	Unit Score		PART II - Index a	Ind Unit Score	Unit Score	PART II - Index and U	nit Score	PART II - Index and	Unit Score
0.855	86 73.53	0	0 0		0	0	0	0	0 0	0	0 0
0.000	.3.33		υ υ				÷				

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)



# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Indicate the dominant type and record the domin         Trees       Shrubs         Dominant species present       Leursia cryzoides and Carex crinita	Local Watershed NPS Pollution  No evidence Some potential sources  Obvious sources Local Watershed Erosion None Moderate Heavy  ant species present Grasses
INSTREAM FEATURES	Estimated Reach Length       18.59       m         Estimated Stream Width       1.52       m         Sampling Reach Area       28.26       m²         Area in km² (m²x1000)       km²         Estimated Stream Depth       0.03       m         Surface Velocity (at thalweg)       NA       m/sec	Canopy Cover       □Partly shaded □Shaded         I Partly open       □Partly shaded □Shaded         High Water Mark       0.25 m         Proportion of Reach Represented by Stream         Morphology Types         Riffle 30       %         Pool 30       %         Channelized       Yes         Dam Present       Yes
LARGE WOODY DEBRIS	LWDm <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Portion of the reach with aquatic vegetation 20	ant species present ☐Rooted floating ☐Free floating _%
WATER QUALITY (DS, US)	Temperature 20.6, 20.2       0 C         Specific Conductance 302.2, 709.2 uS/cm         Dissolved Oxygen 7.00, 7.20 mg/L         pH 7.07, 7.35         Turbidity N/A         WQ Instrument Used VA-1	Water Odors         Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Slick         Slick       Sheen       Globs         None       Other       Slick         Turbidity (if not measured)       Turbid         Clear       Slightly turbid       Turbid         Opaque       Stained       Other
SEDIMENT/ SUBSTRATE	Odors     Sewage     Petroleum       Chemical     Anaerobic     None       Other     Other     Pofuse	Deposits         □Sludge       □Sawdust       □Paper fiber       □Sand         □Relict shells       □Other         □Lpoking at stones which are not deeply embedded, are the undersides black in color?         □Yes       ☑No

INC	ORGANIC SUBSTRATE (should add up to 1		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock		0	Detritus	sticks, wood, coarse plant	E				
Boulder	> 256 mm (10")	10		materials (CPOM)	5				
Cobble	64-256 mm (2.5"-10")	15	Muck-Mud	black, very fine organic (FPOM)	10				
Gravel	2-64 mm (0.1"-2.5")	25		(FPOM)	10				
Sand	0.06-2mm (gritty)	20	Marl	grey, shell fragments	0				
Silt	0.004-0.06 mm	10	]		0				
Clay	< 0.004 mm (slick)	20							

Notes: Velocity not measurable.

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-OO14	LOCATION Giles County					
STATION # RIVERMILE	STREAM CLASS Perennial					
LAT <u>37.318647</u> LONG <u>-80.441619</u>	RIVER BASIN Middle New					
STORET #	AGENCY VADEQ					
INVESTIGATORS ES; AO						
FORM COMPLETED BY ES, AO	DATE     8/10/2021       TIME     3:00pm       AM     PM       Baseline Assessment					

	Habitat		Condition	Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	<sub>SCORE</sub> 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted ir	<sub>SCORE</sub> 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
ıram	<sub>SCORE</sub> 12	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	<sub>SCORE</sub> 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	<sub>score</sub> 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

# Notes:

## HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		-	С	ondition	Categor	у							
Parameter	Optimal	Su	boptima	I		Margin	al		Poo	r			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some chan present, us of bridge a evidence of channeliza dredging, past 20 yr present, bu channeliza present.	sually in abutment of past ation, i.e., (greater t ) may be ut recent	areas s; , than	Channel extensiv or shorin present of and 40 to reach ch disrupted	e; emban ng struct on both b o 80% o annelize	nkments ures oanks; f stream	or cem the stre channe disrupt habitat	shored v ent; ove am reac lized an ed. Inst greatly ed entire	r 80% h d ream altere	6 of		
<sub>score</sub> 20	20 19 18 17 16		13 12	2 11	10 9	8	7 6	54	3	2 1	l (		
7. Frequency o Riffles (or benc		Occurrence infrequent between ri the width between 7	; distance iffles divi of the stre	e ided by	bottom o some ha between	contours bitat; dis riffles d n of the s	stance ivided by stream is	shallov habitat riffles o width o	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
<sub>score</sub> 15	20 19 18 17 16	15 14	13 12	2 11	10 9	8	7 6	5 4	3	2 1			
8. Bank Stability (score each bank) Note: determine left or right side by facing desurcteory.	k) absent or minimal; little potential for future problems. <5% of bank affected.	Moderatel infrequent erosion me over. 5-30 reach has	, small an ostly heal 0% of bar	led nk in	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.			areas; ' frequent section obviout 60-100	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing 60-100% of bank has erosional scars.				
<sub>SCORE</sub> 10	Left Bank 10 9	8	7	6	5	4	3	2	2 1 0				
SCORE 10	Right Bank 10 9	8	7	6	5	4	3	2	1		0		
9. Vegetative Protection (scoreach bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of streamban covered by vegetation of plants is represente evident bu full plant ag to any gre- than one-fr potential p height rem	k surface y native , but one s not well d; disrup at not affe growth pe at extent; nalf of the plant stub	class l- tion ecting otential more	common half of th	ank surfa by veget on obvio of bare s cropped c; less that ne poten	tation; us; oil or vegetation	stream covered disrupt vegetat remove 5 centin	an 50% bank sur d by veg ion of st ion is ve ion has ed to meters of e stubble	faces etatio ream ery hi been r less	s on; iban igh; s in		
SCORE 7	Left Bank 10 9	8	7	6	5	4	3	2	1		0		
SCORE 7	Right Bank 10 9	8	7	6	5	4	3	2	1		0		
<b>10. Riparian</b> <b>Vegetative Zon</b> <b>Width</b> (score ea bank riparian zo	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone. Width of riparian 12-18 meters; hum activities have imp zone only minima					Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.				Width of riparian zone < meters: little or no riparian vegetation due t human activities.			
<sub>SCORE</sub> 10	Left Bank 10 9	8	7	6	5	4	3	2	1		0		
<sub>SCORE</sub> 8	) Right Bank 10 9	8	7	6	5	4	3	2	1		0		

Total Score 162

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-C	0014	LOCATION Giles County							
STATION #	RIVERMILE	STREAM CLASS Perennial							
LAT	LONG80.441619	RIVER BASIN Middle New							
STORET #		AGENCY VADEQ							
INVESTIGATORS ES			LOT NUMBER						
FORM COMPLETED	<sup>BY</sup> ES, AO	DATE 8/10/2021 TIME 3:00pm	REASON FOR SURVEY Baseline Assessment						
HABITAT TYPES	Indicate the percentage of each habitat type present         Cobble%       Snags%       Vegetated Banks%       Sand%         Submerged Macrophytes%       Other (       )%								
SAMPLE COLLECTION	How were the samples coll <u>In</u> dicate the number <u>of</u> jat								
GENERAL COMMENTS	Not enough riffle area to sample benthics.								

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

### WOLMAN PEBBLE COUNT FORM

County:Giles CountyStream Name:UNT to Sinking CreekHUC Code:05050002Survey Date:8/10/2021Surveyors:AO, ESType:Representative

Stream ID:

Basin:

Middle New

S-0014

	n		LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	26	26.00	26.00
	Very Fine	.062125		▲ ▼	0	0.00	26.00
	Fine	.12525		▲ ▼	0	0.00	26.00
	Medium	.255	S A N D	▲ ▼	2	2.00	28.00
	Coarse	.50-1.0		▲ ▼	1	1.00	29.00
.0408	Very Coarse	1.0-2		▲ ▼	3	3.00	32.00
.0816	Very Fine	2 -4		▲ ▼	9	9.00	41.00
.1622	Fine	4 -5.7		▲ ▼	8	8.00	49.00
.2231	Fine	5.7 - 8		▲ ▼	16	16.00	65.00
.3144	Medium	8 -11.3		▲ ▼	6	6.00	71.00
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	4	4.00	75.00
.6389	Coarse	16 -22.6		▲ ▼	4	4.00	79.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	1	1.00	80.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	0	0.00	80.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	0	0.00	80.00
2.5 - 3.5	Small	64 - 90		▲ ▼	2	2.00	82.00
3.5 - 5.0	Small	90 - 128	CODDIE	▲ ▼	4	4.00	86.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	5	5.00	91.00
7.1 - 10.1	Large	180 - 256		▲ ▼	4	4.00	95.00
10.1 - 14.3	Small	256 - 362		▲ ▼	3	3.00	98.00
14.3 - 20	Small	362 - 512	1	▲ ▼	0	0.00	98.00
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	2	2.00	100.00
40 - 80	Large	1024 -2048	1	▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
				Totals:	100		
	Total Tally:						

\_\_\_\_\_

\_\_\_\_\_

River Name: Reach Name: Sample Name: Survey Date:	Representative		
Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	26 0 2 1 3 9 8 16 6 4 4 1 0 0 2 4 5 4 3 0 2 0 0	26.00 0.00 2.00 1.00 3.00 9.00 8.00 16.00 4.00 4.00 1.00 0.00 2.00 4.00 5.00 4.00 3.00 0.00 2.00 4.00 5.00 4.00 3.00 0.00 2.00 0.00 2.00 0.	$\begin{array}{c} 26.00\\ 26.00\\ 26.00\\ 28.00\\ 29.00\\ 32.00\\ 41.00\\ 49.00\\ 65.00\\ 71.00\\ 75.00\\ 79.00\\ 80.00\\ 80.00\\ 80.00\\ 80.00\\ 80.00\\ 80.00\\ 80.00\\ 91.00\\ 95.00\\ 91.00\\ 95.00\\ 98.00\\ 100.00\\ 100.00\\ 100.00\\ 100.00 \end{array}$
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Boulder (%) Boulder (%)	0.04 2.67 5.84 109 256 1023.97 26 6 48 15 5 0		

Total Particles = 100.

		S	Strean	Unified St	ream Method	lology for use	e in Virginia		-,		
			F	For use in wadea		ssified as interm	nittent or perenni	ial			
Project #	-	t Name (App	•	Locality	Cowardin Class.	нис	Date	SAR #	Impact Length	Impact Factor	
22865.06	Vall	Valley Pipeline, LLC)		Giles County	R3	05050002	8/10/2021	S-0014	86	1	
Name	e(s) of Evalua	tor(s)	Stream Name and Information						SAR Length		
	ES/AO		UNT to Sinki	ing Creek					86		
. Channel C	condition: Asse	ess the cross-sec	tion of the stream								
	Opt	imal	Subo	ptimal	Conditional Catego	ginal	Po	or	Sev	ere	
Channel	Very little incision o 100% stable ban surface protectio prominent (80-1009	nks. Vegetative	erosion or unproted of banks are s	ew areas of active ted banks. Majority table (60-80%). tion or natural rock	Poor. Banks more or Poor due to lo	less than Severe or stable than Severe wer bank slopes. seent on 40-60% of	laterally unstable further. Majority	cised. Vertically / e. Likely to widen of both banks are sion present on 60-	Deeply incised vertical/lateral in: incision, flow con banks. Streambe	stability. Severe tained within the	
Condition		re present. Access loodplain or fully hkfull benches. Mic ansverse bars few. t deposition covers	Depositional feat stability. The bar channels are wel likely has acc benches,or ne portions of the r sediment covers	-80%) AND/OR tures contribute to nkfull and low flow II defined. Stream ess to bankfull ewly developed reach. Transient s 10-40% of the bottom.	40-60% of banks. be vertical or un 40-60% Sediment transient, contr Deposition that co may be forming/p shaped channels protection on > 40 depositional featur	tative protection on Streambanks may dercut. AND/OR may be temporary / ibute instability. ntribute to stability, esent. AND/OR V- s have vegetative % of the banks and es which contribute ability.	banks. Vegetative on 20-40% of insufficient to p the stream is cowv Sediment is temp nature, and contril AND/OR V-shap vegetative protect 40% of the banks a	e protection present banks, and is prevent erosion. ered by sediment. orary / transient in buting to instability. Jeed channels have ion is present on > and stable sediment is absent.	majority of banks Vegetative protecti than 20% of banks erosion. Obvious present. Erosion/ 100%. AND/OR A	vertical/undercut. on present on less , is not preventing s bank sloughing raw banks on 80- ggrading channel. b bed is covered by uting to instability. channels and/or	CI
Scores	3	3	2	.4	:	2	1	.6	1		2.40
NOTES>>	I BUFFERS: /	Assess both bank	's 100 foot riparia	n areas along the	entire SAR. (rou	gh measurements	of length & width	may be acceptab	ole)		
	Opti	imal • 3 inches) present, • canopy cover. within the riparian	Con	n areas along the ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	gory	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree		The second secon	NOTES>>		
. RIPARIAN	Opti Tree stratum (dbh > with > 60% tree Wetlands located	imal • 3 inches) present, • canopy cover. within the riparian	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	Gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable			
. RIPARIAN	Opti Tree stratum (dbh > with > 60% tree Wetlands located	imal • 3 inches) present, • canopy cover. within the riparian	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh >3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	Gory Marg High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
. RIPARIAN	Opti Tree stratum (dbh > with > 60% tree Wetlands located	imal • 3 inches) present, o canopy cover. within the riparian as.	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	Gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable			
Riparian Buffers Scores	Opti Tree stratum (dbh > with > 60% tree Wetlands located are	imal 3 inches) present, c canopy cover. within the riparian as. 5 sach stream bank	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1	gory           Marg           High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub           layer or a tree           layer (dh> 3           inches) present,           with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Riparian Buffers Scores Delineate ripa Determine squelow.	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are 1.	imal 3 inches) present, canopy cover. within the riparian as. 5 5 ach stream bank ach by measuring Score for each rip	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating lenger	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con-	gory           Marg           High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub           layer or a tree           layer (dh> 3           inches) present,           with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure I of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100			
Riparian Buffers Scores Delineate ripa Determine squelow. Enter the % F	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Interpret of the strategy o	imal  3 inches) present, canopy cover. within the riparian as.  5  ach stream bank ach by measuring	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating leng	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con-	gory           Marg           High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub           layer or a tree           layer (dh> 3           inches) present,           with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure I of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian			
Riparian Buffers Scores Delineate ripa Determine squelow. Enter the % F	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are International of the strategy of the	imal 3 inches) present, canopy cover. within the riparian as. 5 5 ach stream bank ach by measuring Score for each rij 80% 0.75	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating leng varian category in 20% 0.5	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below.	gory           Marg           High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub           layer or a tree           layer (dh> 3           inches) present,           with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure I of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>>	· · ·	
Riparian Buffers Scores Delineate ripa Determine squadow. Enter the % F	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b> <b>1.</b>	imal 3 inches) present, canopy cover. within the riparian as. 5 5 ach stream bank ach by measuring Score for each rij 80% 0.75 65%	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating leng arian category in 20% 0.5	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below. 15%	gory           Marg           High Marginal:           Non-maintained,           dense herbaceous           vegetation with           either a shrub           layer or a tree           layer (dh> 3           inches) present,           with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure I of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100	NOTES>> CI= (Sum % RA * Sc Rt Bank CI >	0.70	<u>CI</u>
Riparian Buffers Scores Delineate ripa Determine squere sow. Enter the % F Right Bank Left Bank	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are In trian areas along e ware footage for ex- Riparian Area and 1 % Riparian Area> Score > % Riparian Area> Score >	imal 3 inches) present, canopy cover. within the riparian as. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating lene carian category in 20% 0.5	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below.	yeqetion with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores usin alculators are prov	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors. ided for you	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 Low 0.5 the sums Riparian equal 100 100%	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	0.70 0.86	CI 0.78
Riparian Buffers Scores Delineate ripa Determine squelow. Enter the % F Right Bank Left Bank	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are In trian areas along e ware footage for ex- Riparian Area and 1 % Riparian Area> Score > % Riparian Area> Score >	imal 3 inches) present, canopy cover. within the riparian as. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating lene carian category in 20% 0.5	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below.	yeqetion with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores usin alculators are prov	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors. ided for you	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 Low 0.5 the sums Riparian equal 100 100%	NOTES>> CI= (Sum % RA * Sc Rt Bank CI >	0.70 0.86	
Riparian Buffers Scores Delineate ripa Determine squelow. Enter the % F Right Bank Left Bank S. INSTREAN	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Vetlands located are 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	imal 3 inches) present, canopy cover. within the riparian as. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating lene carian category in 20% 0.5	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below. 15% 0.5 y and depths; woo	yeqetion with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores usin alculators are prov	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors. ided for you	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 Low 0.5 the sums Riparian equal 100 100%	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	0.70 0.86	
Riparian Buffers Scores Delineate ripa Determine squelow. Enter the % F Right Bank Left Bank B. INSTREAM	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are International of the strategy trian areas along e uare footage for each international of the strategy Riparian Areas Score > % Riparian Areas Score > M HABITAT: Vixes, stable feature	imal 3 inches) present, canopy cover. within the riparian as. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating leng arian category in 20% 0.5	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below. 15% 0.5 y and depths; woo	yory Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores usin acculators are prov	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 g the descriptors. ided for you	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure I of % F Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 Low 0.5 the sums Riparian equal 100 100%	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > cut banks; root ma	0.70 0.86	
Riparian Buffers Scores Delineate ripa Determine squelow. Enter the % F Right Bank Left Bank Left Bank Instream Habitat/	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are International of the strategy trian areas along e uare footage for each international of the strategy Riparian Areas Score > % Riparian Areas Score > M HABITAT: Vixes, stable feature	imal 3 inches) present, canopy cover. within the riparian as. 5 ach stream bank ach by measuring Score for each rij 80% 0.75 65% 0.75 aried substrate si as.	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating leng arian category in 20% 0.5 20% 1.5 zes, water velocity Stable habitat elei	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below. 15% 0.5 y and depths; woo Conditiona ptimal ments are typically	yory Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores usin acculators are prov dition Scores usin acculators are prov al Category Margi Stable habitat elei	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with ~30% tree canopy cover with maintained understory. Low 0.75 g the descriptors. ided for you ginal ginal ments are typically	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure t of % F Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100% 100% ess; shade; under	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > cut banks; root ma	0.70 0.86	
Riparian Buffers Scores Delineate ripa Determine squelow. Enter the % F Right Bank Left Bank INSTREAM	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are International of the strategy trian areas along e uare footage for ex- strate areas along e uare footage for ex- score > % Riparian Areas Score > % Riparian Areas Score > M HABITAT: Vixes, stable feature Opti	imal 3 inches) present, canopy cover. within the riparian as. 5 5 5 5 5 5 5 5 5 5 5 5 5	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and ontaining both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating leng arian category in 20% 0.5 20% 1.5 zes, water velocity Stable habitat eleg present in 30-509 are adequate fo	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below. 15% 0.5 y and depths; woo Conditional	gory     Marginal:     Non-maintained,     dense herbaceous     vegetation with     either a shrub     layer of a tree     layer (dbh > 3     inches) present,     with <30% tree     canopy cover.     High     0.85  dition Scores usin acculators are prov  dition Scores usin acculators are prov  al Category     Marginal Stable habitat ele     present in 10-309     are adequate fo	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. LOW 0.75 g the descriptors. rided for you	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure t of % F Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lost, trails, or other comparable conditions. Low 0.5 Low 0.5 the sums equal 100 100% 100%	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > cut banks; root ma	0.70 0.86 ts; SAV;	0.78
Riparian Buffers Scores Delineate ripa Delineate ripa Determine squelow. Enter the % F Right Bank Left Bank Left Bank Instream Habitat/ Available	Opti Tree stratum (dbh > with > 60% tree Wetlands located are Wetlands located are 1. 1. rian areas along e uare footage for ea vare footage footage footage for ea vare footage	imal imal i inches) present, canopy cover. within the riparian as. 5 5 5 5 6 6 6 7 6 5 6 6 5 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	Con Suboy High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Ca or estimating lenge carian category in 20% 0.5 20% 1.5 zes, water velocity Stable habitat eler present in 30-50% are adequate fo popula	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Con- gth and width. Cat the blocks below. 15% 0.5 y and depths; wood Conditional ptimal ments are typically % of the reach and	yory Mary High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer (oth > 3 inches) present, with <30% tree canopy cover. High 0.85 dition Scores usin alculators are prov alculators are prov biology alculators are prov Stable habitat ele present in 10-309 are adequate fo popul	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <a href="https://www.acmin.org">amintained understory. Low 0.75 g the descriptors. ided for you is; stable substrat ginal ments are typically 6 of the reach and</a>	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Low 0.5 the sums Riparian equal 100 100% 100% support conditions	NOTES>> CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > cut banks; root ma	0.70 0.86 ts; SAV; Gradient	

Reach R3 File: L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread G\Field Forms\S-OO14\0\_Potesta Submission\Files\S-OO4\_USM\_MVP\_update.xlsx

	St	ream In	npact A	ssessn	nent Fo	rm Pag	e 2	•		
Project #	Project Name (Applicant)		Locality	ity Cowardin Class.	нис	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Giles County	R3	05050002	8/10/2021	S-0014	86	1	
. CHANNEI	LALTERATION: Stream cross	ings, riprap, concr	ete, gabions, or c	oncrete blocks, s	traightening of cha	annel, channelizat	ion, embankment	s, spoil piles, const	rictions, livestock	
			Conditiona	al Category				NOTES>>		
	Negligible	Mir	nor		erate 60 - 80% of reach	Severe				
Channel Alteration	the parameter guidelines.		disrupted by any of the channel alterations liste in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.		Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement.				CI	
Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.50
	REACH C	CONDITION I	NDEX and S	STREAM CO	NDITION UN	IITS FOR TH	IIS REACH			
NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number. THE REACH CONDITION INDEX (RCI) >>									1.18	
						RCI= (Sum of	all Cl's)/5, exce	ept if stream is ep	hemeral RCI = (	Riparian (
							COMPENSAT		IENT (CR) >>	101
							CR = RC	CI X L <sub>I</sub> X IF		

 (WSSI Photo Location \*L\*122000s/22800.22860.64Admin/05-ENVR/Field DatalSpread G/Field Forms/S-0014/Photos/S-0014\_US COND DS.jpeg\*)

 (WSSI Photo Location \*L\*122000s/22800.22800.22800.22800.92860.064Admin/05-ENVR/Field DatalSpread G/Field Forms/S-0014/Photos/S-0014\_US COND DS.jpeg\*)

 (WSSI Photo Location \*L\*122000s/22800.22800.22800.92800.000

 (WSSI Photo Location \*L\*122000s/22800.92800.92800.000

 (WSSI Photo Location \*L\*122000s/22800.92800.92800.000

 (WSSI Photo Location \*L\*122000s/22800.92800.000

 (WSSI Photo Location \*L\*122000s/22800.92800.000


 (WSSI Photo Location \*L\*12000s/22800.92800.000

 (WSSI Photo Location \*L\*12000s/22800.000


 (WSSI Photo Location \*L\*12000s/22800.000

DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER



	P	POST-C	ROSSING		
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13551048.00	1802731.52	2127.18		
BS-L	13551048.76	1802733.72	2126.51		
THW	13551050.00	1802736.13	2126.01		
BS-R	13551051.69	1802738.89	2126.20		
TS-R	13551053.06	1802741.20	2127.63		



## SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 17, 2018.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.

3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).



	LEGEND
	STUDY AREA (EASEMENT)
	EXISTING SURVEY-LOCATED THALWEG
EW	EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY)
	EXISTING CONTOUR LINE (MAJOR)
	EXISTING CONTOUR LINE (MINOR)
2125.8 +	EXISTING SURVEYED GROUND SHOT ELEVATION
A	BENCHMARK POINT (WSSI)

PRE-CROSSING PHOTOS

@ 342°N (T) LAT: 37.274918 LON: -80.4275


344

THE MAN STAR

POST-CROSSING PHOTOS

PENDING CROSSING

PENDING CROSSING



2865\_03 S-G MP 208-227 Sheets.dwg