Reach S-C36 US (Pipeline ROW) Intermittent Spread H Montgomery County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A – Headwater stream <4% slope
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No water present
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – No water present
Wolman Pebble Count	N/A – No stream substrate present
RiverMorph Data Sheet	N/A – No stream substrate present
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Stream S-C36 US (ROW) Montgomery County



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking SE, ES



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking N, ES

Stream S-C36 US (ROW) Montgomery County




Photo Type: LB CL Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking NW, ES



Photo Type: RB CL Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SE, ES

DEQ Permit #21-0416

Stream S-C36 US (ROW) Montgomery County




Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking S, ES

L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread H\Field Forms\S-C36\0_Potesta Submission\Docs\Photo Document S-C36.docx

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES (in Decimal Degrees)	: Lat.	37.257213	Lon.	-80.281475	WEATHER:	Sunny	DATE:	August 6, 2021
IMPACT STREAM/SITE ID (watershed size (acreage), t			S-C3	36 US		MITIGATION STREAM CLASS./ (watershed size (acreage),					Comments:	
STREAM IMPACT LENGTH:	96	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:	None	Mitigation Length:	
Column No. 1- Impact Existing	Condition (Deb	iit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Pro Post Completion	jected at Fiv (Credit)	e Years	Column No. 4- Mitigation Proje Post Completion (C	cted at Ten Years redit)	Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Interm	littent	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slo	ope	3.4	Percent Stream Channel Slo	ppe		Percent Stream Channel Slo	ope	0	Percent Stream Channel Slo	ope O	Percent Stream Channel S	lope 0
HGM Score (attach da	ata forms):		HGM Score (attach d	iata forms):		HGM Score (attach o	data forms)		HGM Score (attach da	ta forms):	HGM Score (attach d	ata forms):
Hydrology Biogeochemical Cycling		Average	Hydrology Biogeochemical Cycling	Average		Hydrology Biogeochemical Cycling		Average	Hydrology Biogeochemical Cycling	Average	Hydrology Biogeochemical Cycling	Average
Habitat PART I - Physical, Chemical and	Biological India	ators	Habitat PART I - Physical, Chemical and			Habitat PART I - Physical, Chemical an	d Biological		Habitat PART I - Physical, Chemical and B	Biological Indicators	Habitat PART I - Physical, Chemical and	
,,,,,,,	Points Scale Range	Site Score		Puints Scale Range Site Score	-		Points Scale Ra	ge Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	0	1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20
3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	0	3. Pool Variability 4. Sediment Deposition	0-20	-	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20
5. Channel Flow Status 6. Channel Alteration	0-20 0-1	0	5. Channel Flow Status 6. Channel Alteration	0-20 0-1		5. Channel Flow Status 6. Channel Alteration	0-20 0	1	5. Channel Flow Status 6. Channel Alteration	0-20 0-1	5. Channel Flow Status 6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20	20 10	8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20		8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20		8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20	8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total	0-20 Marginal	14 61 0,305	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total	0-20 Poor 0		10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total	0-20 Poor	0	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total	0-20 Poor 0	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total	0-20 Poor 0 0
CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Str		CHEMICAL INDICATOR (Applies to Intermittent	, v		CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial		CHEMICAL INDICATOR (Applies to Intermitten)		CHEMICAL INDICATOR (Applies to Intermittee	
WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)
Specific Conductivity 100-199 - 85 points	0-90		Specific Conductivity	0-90		Specific Conductivity	0-90		Specific Conductivity	0-90	Specific Conductivity	0-90
pH 5.6-5.9 = 45 points	0-80		рН	5-90 0-1		pH	5-90 0	1	рН	5-90 0-1	рН	5-90 0-1
DO	10-30		DO	10-30		DO	10-30		DO	10-30	DO	10-30
Sub-Total			Sub-Total	0		Sub-Total	ļ	0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Pere	nnial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0	1	WV Stream Condition Index (WVSCI)	0-100 0-1	WV Stream Condition Index (WVSCI)	0-100 0-1
0 Sub-Total		0	Sub-Total	0	-	Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	nit Score		PART II - Index and I	Unit Score		PART II - Index and	Unit Score		PART II - Index and Ur	lit Score	PART II - Index and L	Init Score
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Fee	t Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.553	96	53.04	0	0 0		0	0	0	0	0 0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)



Notes: No water present. No bed or bank present. Upland vegetation rooted in swale.

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse ✓ Forest Commercial Field/Pasture Industrial ✓ Agricultural Other ✓ Residential Industrial ✓ Indicate the dominant type and record the domin □ Trees □ Shrubs □ Dominant species present □cichanthelium clandestinum	Local Watershed NPS Pollution Image: Some potential sources Image: Obvious sources Local Watershed Erosion Image: Some potential sources Local Watershed Erosion Image: Some potential sources Local Watershed Erosion Image: Some potential sources Image: Some potential sour
INSTREAM FEATURES	Estimated Reach Length 12.5 m Estimated Stream Width 0.15 m Sampling Reach Area 188 m² Area in km² (m²x1000) km² Estimated Stream Depth 0.025 m Surface Velocity (at thalweg) m/sec	Canopy Cover □Partly shaded □Shaded Image: Partly open □Partly shaded □Shaded High Water Mark Mage: M
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ read	ch area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Portion of the reach with aquatic vegetation 15	Pant species present ☐Rooted floating ☐Free floating _%
WATER QUALITY	Temperature NA 0 C Specific Conductance NA Dissolved Oxygen NA pH NA Turbidity NA WQ Instrument Used NA	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other NA Water Surface Oils Shick Slick Sheen Globs None Other NA Turbidity (if not measured) Turbid Clear Slightly turbid Turbid Opaque Stained Other NA
SEDIMENT/ SUBSTRATE	Odors Normal Sewage Petroleum Chemical Anaerobic ✓ None Other Malerobic ✓ None Oils ✓ Absent Slight Moderate Profuse	Deposits □Sludge □Sawdust □Paper fiber □Sand □Relict shells □Other NA □ □Poking at stones which are not deeply embedded, are the undersides black in color? □Yes □No

INC	DRGANIC SUBSTRATE (should add up to 1			ORGANIC SUBSTRATE C (does not necessarily add			
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant	0		
Boulder	> 256 mm (10")			materials (CPOM)	0		
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic	0		
Gravel	2-64 mm (0.1"-2.5")			(FPOM)	0		
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments	0		
Silt	0.004-0.06 mm]		0		
Clay	< 0.004 mm (slick)						

Notes: No water present. No water quality measurements were taken due to no water present. No bed or bank present. Upland vegetation rooted in swale.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-C36 US	LOCATION Montgomery County				
STATION # RIVERMILE	STREAM CLASS Intermittent				
LAT <u>37.25726</u> LONG <u>-80.281611</u>	RIVER BASIN Upper Roanoke				
STORET #	AGENCY VADEQ				
INVESTIGATORS TC, SB					
FORM COMPLETED BY SB	DATE 8/06/2021 TIME 12:00PM AM PM REASON FOR SURVEY Baseline Assessment				

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted ii	score 1	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	_{score} 1	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Note: No water present. No bed or bank present. Upland vegetation rooted in swale.

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	_{score} 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amp	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing dewastrasm. SCORE 10	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars. 2 1 0
to be	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 61

Note: No water present. No bed or bank present. Upland vegetation rooted in swale.

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-C	36	LOCATION Montgomery Co	punty
STATION #	RIVERMILE	STREAM CLASS Intermitten	t
LAT <u>37.25726</u>	LONG80.281611	RIVER BASIN Upper Roano	ke
STORET #		AGENCY VADEQ	
INVESTIGATORS TO	C, SB		LOT NUMBER
FORM COMPLETED	^{BY} TC	DATE 8/06/2021 TIME 12:10 PM	REASON FOR SURVEY Baseline Assessment
HABITAT TYPES	Indicate the percentage of Cobble% Sn	ags% Vegetated B	
SAMPLE COLLECTION	Gear used D-frame	lected? □wading □fi	rom bank 🗌 from boat
		bs/kicks taken in each habitat ty ags Vegetated B Other (anks Sand
GENERAL COMMENTS	No water present		

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4


FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

		•	Stream	Unified S	tream Method	lology for use	e in Virginia				
							ittent or perennia	al			
Project #	Project	t Name (App		Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Va Valle	alley Pipeline y Pipeline, L	•	Montgomery County	R4	03010101	8/6/2021	S-C36 US	96	1	
Name	e(s) of Evaluato	or(s)	Stream Name	e and Informa	tion				SAR Length		
	SB, TC, AO		Unnamed Int	ermittent Trib	outary to Flatw	voods Brancl	ı		96		
Channel C	ondition: Assess	s the cross-secti	on of the stream a	nd prevailing con	dition (erosion ag	gradation)					
					Conditional Catego						
	Optir	mal	Subo	ptimal	Marg	ginal	Po	or	Sev	ere	
										<u>s</u>	
Channel Condition		Vegetative surface rock, prominent Stable point bars / present. Access podplain or fully full benches. Mid-	erosion or unprotec of banks are st Vegetative protect prominent (60 Depositional feat stability. The bar	ew areas of active ted banks. Majority table (60-80%). tion or natural rock -80%) AND/OR ures contribute to Afull and low flow efined. Stream likely	Poor. Banks more or Poor due to lo Erosion may be pre both banks. Veget 40-60% of banks. S vertical or under	less than Severe or stable than Severe ower bank slopes. esent on 40-60% of tative protection on streambanks may be ercut. AND/OR may be temporary /	laterally unstable further. Majority of vertical. Erosion pr banks. Vegetative on 20-40% of bank	both banks are near esent on 60-80% of protection present s, and is insufficient AND/OR 60-80% of	Deeply incised vertical/lateral in: incision, flow contain Streambed below av majority of banks Vegetative protecti than 20% of banks erosion. Obvious	stability. Severe ed within the banks. erage rooting depth, vertical/undercut. on present on less	
	channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom. portic		has access to ba newly developed portions of the r sediment covers 1 bott	Inkfull benches,or floodplains along each. Transient 0-40% of the stream tom.	transient, contri Deposition that con may be forming/pr shaped channels protection on > 40° depositional feature to sta	ibute instability. ntribute to stability, resent. AND/OR V- s have vegetative % of the banks and es which contribute ability.	Sediment is temp nature, and contril AND/OR V-shap vegetative protect 40% of the banks a deposition	orary / transient in buting to instability. ed channels have ion is present on > ind stable sediment is absent.	present. Erosion/raw AND/OR Aggradin than 80% of stream deposition, contrib Multiple thread of subterran	r banks on 80-100%. g channel. Greater bed is covered by uting to instability. channels and/or ean flow.	CI
Scores	3		2	.4	2	2	1	.6	1		3.00
	BUFFERS: Ass	sess both bank's				measurements o	f length & width ma				
	I BUFFERS: Ass Optin Tree stratum (dbh > with > 60% tree (Wetlands located w area	nal 3 inches) present, canopy cover. ithin the riparian	Con	nditional Cate	gory	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	Pc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till		NOTES>>		
Riparian	Optin Tree stratum (dbh > with > 60% tree c Wetlands located w	nal 3 inches) present, canopy cover. ithin the riparian	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or non-maintained	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till coropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable	bor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable	NOTES>>		
RIPARIAN Riparian Buffers	Optin Tree stratum (dbh > with > 60% tree c Wetlands located w area	nal 3 inches) present, canopy cover. tithin the riparian s.	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	Gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Ay be acceptable) DOF Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, conditions, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
RIPARIAN	Optin Tree stratum (dbh > with > 60% tree c Wetlands located w	nal 3 inches) present, canopy cover. tithin the riparian s.	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	tow Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	Gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	Pcor: Lawns, mowed, and maintained areas, nurseries: no-till cropland; actively grazed pasture, sparsely vegetaden non-maintained area, recently seeded and stabilized, or other comparable condition.	Ay be acceptable) DOF Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, denuded surfaces, strates, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ	Optin Tree stratum (dbh > with > 60% tree c Wetlands located w area	nal 3 inches) present, canopy cover. within the riparian s. 5 ch stream bank in ch	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy course and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Into Condition Cate or estimating leng	Inditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale	gory Marş High Marginal: Non-maintained, dense hetbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries, no-till coropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F	Ay be acceptable) DOF Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, conditions, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Optin Tree stratum (dbh > : with > 60% tree Wetlands located w area: 1.5 Trian areas along each uare footage for each	nal 3 inches) present, canopy cover. within the riparian s. 5 ch stream bank in ch	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy course and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Into Condition Cate or estimating leng	Inditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale	gory Marş High Marginal: Non-maintained, dense hetbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries, no-till coropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F	ay be acceptable) bor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 he sums tiparian	NOTES>>		
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Optin Tree stratum (dbh > : with > 60% tree Wetlands located w area: 1.5 rian areas along ear uare footage for eac uparian Area and Sc	nal 3 inches) present, canopy cover. within the riparian s. 5 ch stream bank ch stream bank sore for each ripar	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng arian category in th	Inditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale re blocks below.	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 tition Scores using	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries, no-till coropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F	ay be acceptable) Cor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 he sums tiparian qual 100	NOTES>>		
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Optin Tree stratum (dbh > : with > 60% tree Wetlands located w area: 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	nal 3 inches) present, canopy cover. within the riparian s. 5 ch stream bank ch by measuring xore for each ripa 60% 1.5	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Catu or estimating leng arian category in th 10% 0.85	Inditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale re blocks below. 15% 0.75	gory High Marginal: Non-maintained, dense hetbaceous vegetation with > 3 inches) present, with <30% tree canopy cover. High 0.85 titon Scores using culators are provid 15% 0.5	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries, no-till coropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F	ay be acceptable) oor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 he sums tiparian qual 100 100%	CI= (Sum % RA * Sc		
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R	Optin Tree stratum (dbh >: with > 60% tree Wetlands located w area: 1.5 Trian areas along ear uare footage for eac iparian Area and Sc % Riparian Area> Score > % Riparian Area>	nal 3 inches) present, canopy cover. within the riparian s. 5 6 6 6 6 6 6 6 6 6 6 6 6 6	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Catu or estimating leng arian category in th 10% 0.85	Inditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale th and width. Cale th blocks below. 15% 0.75	gory High Marginal: Non-maintained, dense hetbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 tion Scores using culators are provid 15% 0.5	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries, no-till coropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F	ay be acceptable) Cor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 he sums tiparian qual 100	CI= (Sum % RA * So Rt Bank CI >	1.17	CI
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank	Optin Tree stratum (dbh > : with > 60% tree Wetlands located w area: 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	nal 3 inches) present, canopy cover. within the riparian s. 5 ch stream bank ch by measuring xore for each ripa 60% 1.5	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Catu or estimating leng arian category in th 10% 0.85	Inditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale re blocks below. 15% 0.75	gory High Marginal: Non-maintained, dense hetbaceous vegetation with > 3 inches) present, with <30% tree canopy cover. High 0.85 titon Scores using culators are provid 15% 0.5	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries, no-till coropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F	ay be acceptable) oor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 he sums tiparian qual 100 100%	CI= (Sum % RA * Sc		<u>CI</u> 1.12
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank	Optin Tree stratum (dbh >: with > 60% tree Wetlands located w area: 1.5 Trian areas along ear uare footage for eac parian Area and Sc % Riparian Area Score > % Riparian Area> Score > 1 HABITAT: Varid	nal 3 inches) present, canopy cover. ithin the riparian s. ch stream bank th by measuring core for each ripa 60% 1.5 45% 1.5	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Into Condition Catu or estimating leng arian category in th 10% 0.85	additional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and any cover and any cover understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale th blocks below. 15% 0.75	gory High Marginal: Non-maintained, dense herbaceous vegetation with > 3 inches) present, with <30% tree canopy cover. High 0.85 tion Scores using culators are provid 15% 0.5	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure I of % F Blocks e	ay be acceptable)	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	1.17 1.07	
RIPARIAN Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank INSTREAN	Optin Tree stratum (dbh >: with > 60% tree Wetlands located w area: 1.5 Trian areas along ear uare footage for eac parian Area and Sc % Riparian Area Score > % Riparian Area> Score > 1 HABITAT: Varid	nal 3 inches) present, canopy cover. ithin the riparian s. ch stream bank th by measuring core for each ripa 60% 1.5 45% 1.5	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Into Condition Catu or estimating leng arian category in th 10% 0.85	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale blocks below. 15% 0.75 25% 0.75 and depths; woody	gory High Marginal: Non-maintained, dense hetbaceous vegetation with > 3 inches) present, with <30% tree canopy cover. High 0.85 tion Scores using culators are provid 15% 0.5 15% 0.5 y and leafy debris;	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure I of % F Blocks e	ay be acceptable)	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	1.17 1.07	
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank	Optin Tree stratum (dbh >: with > 60% tree Wetlands located w area: 1.5 Trian areas along ear uare footage for eac parian Area and Sc % Riparian Area Score > % Riparian Area> Score > 1 HABITAT: Varid	nal 3 inches) present, canopy cover. within the riparian s. 5 5 6 6 6 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng arian category in th 10% 0.85 15% 0.85 as, water velocity a	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale blocks below. 15% 0.75 25% 0.75 and depths; woody	gory High Marginal: Non-maintained, dense hetbaceous vegetation with > 3 inches) present, with <30% tree canopy cover. High 0.85 tion Scores using culators are provid 15% 0.5 15% 0.5 y and leafy debris; al Category	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below.	Pcc High Poor: Lawns, mowed, and maintained areas, nurseries; no-till corpland; actively grazed pasture, sparsely vegetated area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F Blocks e Down embededness	ay be acceptable)	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	1.17 1.07	
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank	Optin Tree stratum (dbh > with > 60% tree (Wetlands located w area: 1.E rian areas along ear uare footage for eac liparian Area and Sc % Riparian Area Score > % Riparian Area Score > M HABITAT: Varie e features.	nal 3 inches) present, canopy cover. ithin the riparian s. 5 ch stream bank i bh by measuring core for each ripz 60% 1.5 45% 1.5 ed substrate size nal e typically present	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy course and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Into Condition Cate or estimating leng arian category in th 10% 0.85 15% 0.85 es, water velocity a Stable habitat eler present in 30-50% c adequate for n	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale th and width. Cale th and width. Cale th blocks below. 15% 0.75 25% 0.75 and depths; woody Conditional	gory High Marginal: Non-maintained, dense herbaceous vegetation with > 3 inches) present, with <30% tree canopy cover. High 0.85 ition Scores using culators are provid 15% 0.5 15% 0.5 x and leafy debris; al Category Marg Stable habitat eler present in 10-30% c adequate for n	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. led for you below. stable substrate;	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F Blocks e Blocks e	ay be acceptable) toor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, active feed lots, trails, or other comparable conditions. Low 0.5 he sums tiparian qual 100 100% 100% ; shade; undercut coor : listed above are nstable. Habitat ally present in less	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > banks; root mats; \$	1.17 1.07 SAV; riffle/pool	1.12
Riparian Buffers Scores Delineate ripa Determine squ Enter the % R Right Bank Left Bank . INSTREAN omplexes, stabl Instream Habitat/ Available	Optin Tree stratum (dbh > with > 60% free (Wetlands located w area: 1.5 rian areas along ear uare footage for ear tiparian Area and Sc % Riparian Area? Score > % Riparian Area? % Riparian	nal 3 inches) present, canopy cover. ithin the riparian s. 5 ch stream bank i bh y measuring core for each ripz 60% 1.5 45% 1.5 ed substrate size nal e typically present % of the reach.	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 into Condition Cate or estimating leng arian category in th 10% 0.85 15% 0.85 es, water velocity a Stable habitat eler present in 30-50% of adequate for n popula	Inditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 egories and Cond th and width. Cale th and depths; woody Conditional ptimal ments are typically of the reach and are ptimal	gory High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 High 0.85 Ition Scores using culators are provid 15% 0.5 15% 0.5 Stable habitat eler present, with 10-30% or adequate for n popula	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, ripariar areas lacking shrut and tree stratum, hay production, ponds, open water: If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 the descriptors. Ided for you below. Stable substrate; ginal ments are typically of the reach and are maintenance of	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure 1 of % F Blocks e Blocks e Blocks e Habitat elements lacking or are u elements are typic than 10% c	ay be acceptable) toor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, active feed lots, trails, or other comparable conditions. Low 0.5 he sums tiparian qual 100 100% 100% ; shade; undercut coor : listed above are nstable. Habitat ally present in less	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	1.17 1.07 SAV: riffle/pool	

	J		npaci P	Cowardin	nent Foi	III Faye	<i>; </i>	Impost	Immont	
Project #	Project Name (App	Project Name (Applicant)		Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipeline Valley Pipeline, L		Montgomery County	R4	03010101	8/6/2021	S-C36 US	96	1	
. CHANNEL	ALTERATION: Stream crossin	ngs, riprap, concret	e, gabions, or cor	ncrete blocks, stra	ightening of chanr	el, channelization	, embankments, s	spoil piles, constricti	ons, livestock	
			Conditiona	al Category				NOTES>>		
	Negligible	Mir	nor		erate	Sev	/ere			
Channel Alteration	hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	40 - 60% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	by any of the chan in the parameter g 80% of banks sh riprap, o	of reach is disrupted nel alterations listed juidelines AND/OR ored with gabion, r cement.			СІ
Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.50
	REACH	CONDITION	INDEX and S	STREAM CO	NDITION UN	ITS FOR TH	IS REACH			
OTE: The Cls ar	nd RCI should be rounded to 2 deci	mal places. The Cl	R should be round	led to a whole nun	nber.		THE REAC	H CONDITION IN	DEX (RCI) >>	1.22
						RCI= (Sum of	f all Cl's)/5, exce	ept if stream is ep	hemeral RCI = (Riparian Cl/
							COMPENSA	ATION REQUIRE	MENT (CR) >>	117
							CR = R(CI X L _I X IF		




PROVIDED UNDER SEPARATE COVER



					1051-6805		
T. LOC.	NORTHING	EASTING	ELEV	VERT.	н		
1. LUC.		EASTING					

PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13529002.23	1849466.09	1412.40		
BS-L	13529008.55	1849441.71	1412.66		
THW	13529016.11	1849418.24	1413.35		
BS-R	13529022.33	1849394.21	1413.93		
TS-R	13529028.85	1849370.21	1414.84		

	LEGEND
	STUDY AREA (EASEMENT)
	EXISTING SURVEY-LOCATED THALWEG
EW	EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY)
	EXISTING CONTOUR LINE (MAJOR)
'	EXISTING CONTOUR LINE (MINOR)
1416.2 +	EXISTING SURVEYED GROUND SHOT ELEVATION
\triangle	BENCHMARK POINT (WSSI)



CROSS	SECTION
	H: 1"=10'
I SCALE:	
	V: $1''=5'$

