## **Baseline Assessment – Stream Attributes**

# Reach S-G25 (Pipeline ROW) Intermittent Spread H Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	N/A – No stream substrate present
RiverMorph Data Sheet	N/A – No stream substrate present
USM Form (Virginia Only)	<b>√</b>
Longitudinal Profile and Cross Sections	<b>√</b>



Photo Type: DS VIEW
Location, Orientation, Photographer Initials: Downstream view of ROW looking S, SB



Photo Type: US VIEW
Location, Orientation, Photographer Initials: Upstream view of LOC looking NE, SB



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking SW, AW



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SE, AW



Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking S, AW

USACE FILE NO./ Project Name: (v2.1, Sept 2015)			ACT STREAM/SITE ID AND SITE DES		Iountain V	ally Pipeline		COORDINATES: cimal Degrees)	Lat.	37.125398	Lon.	-80.121401	WEATHER:			Sunny		DATE:	August 2	25, 2021
IMPACT STREAM/SITE I (watershed size (acreage				S-G25				MITIGATION STREAM CLASS/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)								Comments:				
STREAM IMPACT LENGTH:	42	FORM MITIGAT		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 4	8 HRS:		None		Mitigation Length:				
Column No. 1- Impact Existin	g Condition (De	bit)		Column No. 2- Mitigation Existing Co	ondition - Base	line (Credit)		Column No. 3- Mitigation P Post Completion	rojected at Five \	/ears	Column No. 4- Mitig Post Co	ation Projected mpletion (Cred	d at Ten Yea dit)	irs		Column No. 5- Mitigation Projecte	d at Maturity (Cr	redit)		
Stream Classification: Intermittent			Stream Classification:				Stream Classification:		0	Stream Classification:		0			Stream Classification:	0				
Percent Stream Channel S	lope	6.14		Percent Stream Channel Slo	ре			Percent Stream Channel S	Slope	0	Percent Stream C	hannel Slope	,	0		Percent Stream Channel Sie	оре	0		
HGM Score (attach data forms):			HGM Score (attach o	iata forms):			HGM Score (attacl	n data forms):		HGM Score	(attach data f	forms):			HGM Score (attach da	ita forms):				
		Average				Average				Average				Average	ا			Average		
Hydrology Biogeochemical Cycling	0.35 0.16	0.19333333		Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling			0		Hydrology Biogeochemical Cycling		0		
PART I - Physical, Chemical an	0.07 d Biological Indi	cators	1	PART I - Physical, Chemical and	d Biological Inc	licators		PART I - Physical, Chemical a	and Biological Inc	dicators	PART I - Physical, Che	mical and Biol	logical Indic	ators		PART I - Physical, Chemical and I	Biological Indica	ators		
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score		Poir	nts Scale Range	Site Score			Points Scale Range	Site Score		
PHYSICAL INDICATOR (Applies to all stream	ns classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies t	o all streams clas	ssifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Dat	ta Sheet)			1	USEPA RBP (High Gradient Data Sheet)				
Epifaunal Substrate/Available Cover	0-20	0		Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available C		0-20		ı	Epifaunal Substrate/Available Cover	0-20			
2. Embeddedness	0-20	0	- 1	2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness		0-20		l l	2. Embeddedness	0-20			
Velocity/ Depth Regime     Sediment Deposition	0-20 0-20	20	2	Pool Variability     Sediment Deposition	0-20 0-20			Velocity/ Depth Regime     Sediment Deposition	0-20		Velocity/ Depth Regime     Sediment Deposition		0-20		II.	Velocity/ Depth Regime     Sediment Deposition	0-20			
5. Channel Flow Status	0-20	0	-	5. Channel Flow Status	0.20			5. Channel Flow Status	0-20		5. Channel Flow Status		0-20		l l	5. Channel Flow Status	0-20			
6. Channel Alteration	0-20	20	ē	6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20		6. Channel Alteration		0-1		II.	6. Channel Alteration	0-20			
7. Frequency of Riffles (or bends)	0-20	0	7	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)		0-20		l l	7. Frequency of Riffles (or bends)	0-20			
8. Bank Stability (LB & RB)	0-20	20	8	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)		0-20		l l	8. Bank Stability (LB & RB)	0-20			
9. Vegetative Protection (LB & RB)	0-20	12	9	9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20		<ol><li>Vegetative Protection (LB &amp; RE</li></ol>	3) (	0-20		l l	Vegetative Protection (LB & RB)	0-20			
10. Riparian Vegetative Zone Width (LB & RB)	0-20	15	1	10. Riparian Vegetative Zone Width (LB & RB)	0-20	•		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (	LB & RB) (	0-20	0	l l	10. Riparian Vegetative Zone Width (LB & RB)	0-20	0		
Total RBP Score Sub-Total	Marginal	87 0.435	l l	Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total		Poor	0	II.	Total RBP Score Sub-Total	Poor	0		
CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial S			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial St	-		CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial St		CHEMICAL INDICATOR (Applies	to Intermittent an	d Perennial St			CHEMICAL INDICATOR (Applies to Intermittent	nt and Perennial Stre			
WVDEP Water Quality Indicators (General	al)			WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)									WVDEP Water Quality Indicators (General)			
Specific Conductivity				Specific Conductivity				Specific Conductivity			Specific Conductivity				1	Specific Conductivity				
100-199 - 85 points	0-90			nU	0-90			nu nu	0-90		nU		0-90		I	nu .	0-90			
pn	0-80			рп	5-90 0-1			pn	5-90 0-1		рп	Τ,	5-90		1	рп	5-90 0-1			
5.6-5.9 = 45 points			i	no.				DO.			no				ļ	DO.				
	10-30		Ī		10-30				10-30			1	0-30		ļ		10-30			
Sub-Total				Sub-Total		0		Sub-Total		0	Sub-Total			0	ļ	Sub-Total		0		
BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intern	mittent and Perenn	ial Streams)	BIOLOGICAL INDICATOR (Appli	es to Intermitten	nt and Perenn	ial Streams)	ļ	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennic	al Streams)		
WV Stream Condition Index (WVSCI)			1	WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (W	VSCI)			ļ	WV Stream Condition Index (WVSCI)				
0	0-100 0-1				0-100 0-1				0-100 0-1			0	1-100 0-1		ا		0-100 0-1			
Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub-Total			0	ا	Sub-Total		0		
			_																	
PART II - Index and	Unit Score			PART II - Index and	Unit Score			PART II - Index an	d Unit Score		PART II - In	ndex and Unit S	Score			PART II - Index and U	nit Score			
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score	Index	L	inear Feet	Unit Score		Index	Linear Feet	Unit Score		
0.405	42	17.0275	F	0	0	0		0	0	0	0		0	0	ļ	0	0	0		

Ver. 10-20-17

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mountain Valley Pipeline

Location: Franklin County

Sampling Date: 8/25 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-G25

Shrub/Herb Strata

Functional Results Summary: Enter Results

**Enter Results in Section A of the Mitigation Sufficiency Calculator** 

Function	Functional Capacity Index
Hydrology	0.35
Biogeochemical Cycling	0.16
Habitat	0.07

#### Variable Measure and Subindex Summary:


Variable	Name	Average Measure	Subindex
V <sub>CCANOPY</sub>	Percent canpoy over channel.	Not Used, <20%	Not Used
$V_{EMBED}$	Average embeddedness of channel.	1.00	0.10
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.08	0.04
$V_{BERO}$	Total percent of eroded stream channel bank.	0.00	1.00
$V_{LWD}$	Number of down woody stems per 100 feet of stream.	0.00	0.00
$V_{TDBH}$	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	13.33	0.21
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
V <sub>DETRITUS</sub>	Average percent cover of leaves, sticks, etc.	2.50	0.03
$V_{HERB}$	Average percent cover of herbaceous vegetation.	100.00	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.65	0.68

			High-G		Headwa			•	a						
Field Data Sheet and Calculator  Team: JB AW SB  Project Name: Mountain Valley Pipeline  Longitude/UTM Fasting: -80.121401															
Pro			alley Pipelir	ne					_						
	Location:	Franklin Co	ounty					San	npling Date:	8/25					
SA	AR Number:	S-G25	Reach	Length (ft):	15	Stream Ty	/pe: Inter	mittent Strea	m		▼				
	Top Strata:	Sh	rub/Herb Str	rata	(determine	d from perce	ent calculate	d in V <sub>CCANO</sub>	<sub>&gt;Y</sub> )						
Site	and Timing:	Project Site				•	Before Proje	ct			▼				
Sample	tample Variables 1-4 in stream channel  1 V <sub>CCANOPY</sub> Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly														
'	equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)  List the percent cover measurements at each point below:														
		cent cover r	neasuremer	nts at each p	point below:						,				
	0														
2	V <sub>EMBED</sub>	Average en	nbeddednes	s of the stre	eam channe	. Measure	at no fewer	than 30 rou	ahlv equidis	tant points					
	LMDLD	along the s	tream. Sele	ct a particle	from the be	d. Before n	noving it, de	termine the	percentage	of the	1.0				
					particle that										
		of 1. If the	bed is comp	osed of bed	an artificial :	rating score	of 5.				Measure				
	Minshall 1983 )														
	Minshall 1983 )  Rating Rating Description  5   <5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)														
		5 4			covered, suri					)	<b> </b>				
		3			face covered										
		2			face covered	•	•	,							
	Lint Ho	1			covered, su	rrounded, o	r buried by f	ine sedimer	nt (or artificia	al surface)	J				
		ngs at each		:							1				
	1	1	1												
	1	1													
	1	1	1												
	1	1	1												
3	Vouporpare			l substrate r	particle size.	Measure a	t no fewer t	han 30 roug	hly equidist:	ant points					
		ele size in in	ches to the i	nearest 0.1	ints and par				unted as 99	in, asphalt	0.08 in				
		as 0.0 in, s		particles as	0.08 in):						1				
	0.08	0.08	0.08												
	0.08	0.08	0.08												
	0.08	0.08	0.08												
	0.08	0.08	0.08												
4	V <sub>BERO</sub>			stream cha	annel bank.	Enter the to	tal number	of feet of er	oded bank o	n each					
	BENO		e total perce		e calculated						0 %				
			Left Bank:	0	ft		Right Bank:	0	ft						
Sample	e Variables	5-9 within t	he entire ri	parian/buff	er zone adi	acent to the	stream ch	annel (25 f	eet from ea	ch bank).					
5	V <sub>LWD</sub>				least 4 inche			`							
	LWD	stream read	ch. Enter th	e number fr	om the entir						0.0				
		per 100 fee	t of stream	will be calcu		f downod we	ody stems:		0						
6	$V_{TDBH}$	Average dh	h of trees (r	measure on	ly if V <sub>CCANOP</sub>					at least 4					
	▼ IDBH	-	,		tree DBHs ii		g 00101 10 u	1100012070)	. 11000 010	at loadt 4	Not Used				
		`	,		vidual trees (		) within the	buffer on ea	ch side of						
		the stream		01.10 01 11.41			,	Dano: 011 00	011 0140 01						
			Left Side					Right Side							
											]				
											[				
											Į l				
	V	Nimeter		not 4" -" 1	m d 00" ( 1")	100 (	of ot	Fate:::	or of	an a 1					
7	$V_{SNAG}$				ind 36" tall)   t per 100 fee			∟nter numb	er of snags	on each	0.0				
		SIGE OF LITE	outaiii, aii0	uic aiii0uNi	r hei 100 166	, will be call	ouiai <del>c</del> u.				0.0				
			Left Side:		0		Right Side:		0						
8	$V_{SSD}$				oody stems										
			s <20%). E		r of saplings ted.	and shrubs	on each side	le of the stre	eam, and the	e amount	13.3				

9	V <sub>SRICH</sub>	Group 1 in			aday will ba	calculated fr	rom these d	ata				
			p 1 = 1.0	ind the Subii	idex will be	Calculateu II	ioni inese u		2 (-1.0)			
1	Acer rubrui		p 1 – 1.0	Magnolia tr	rinetala		Ailanthus a		/ 2 (-1.0)	Lonicera ja	nonica	
	Acer sacch			Nyssa sylva			Albizia julib			Lonicera ta		
=	Aesculus fl			Oxydendrum			Alliaria peti			Lotus corni		
	Asimina trii			Prunus ser			•			Lythrum sa		
_							Alternanthe philoxeroid			-		
_	Betula alleg			Quercus al		1.1				Microstegiun		
_	Betula lent		Ш	Quercus co			Aster tatari			Paulownia		
_	Carya alba			Quercus im	nbricaria		Cerastium			Polygonum o	uspidatum	
	Carya glab	ra		Quercus pr	rinus		Coronilla v	aria		Pueraria m		
	Carya oval	is		Quercus ru	ıbra		Elaeagnus u	mbellata	J	Rosa multif	lora	
	Carya ovat	а		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense	
	Cornus flor	rida		Sassafras a	albidum		Lespedeza	cuneata		Verbena br	asiliensis	
	Fagus grar	Fagus grandifolia Tilia americana					Ligustrum ol	otusifolium				
	Fraxinus a	mericana		Tsuga cana	adensis		Ligustrum	sinense				
4	Liriodendron	tulipifera	Ш	Ulmus ame	ericana							
_	Magnolia a	cuminata										
	- 3											
		1	Species in	Group 1				2	Species in	Group 2		
	e Variables Γhe four su∣									25 feet fron	n each	
10	V <sub>DETRITUS</sub>				_				<4" diamete	er and <36"		
	DEIRIIOS				t cover of th						2.50 %	
			Left	Side			Righ	t Side		]		
		0				5						
11	$V_{HERB}$								s <20%). D			
									ayers of ground ve		100 %	
				. 3					5	5		
		each subpl	ot.							_		
		each subpl		Side			Righ	t Side		]		
		100		Side		100	Righ	t Side		]		
ample	e Variable 1	100	Left		the stream.	100	Righ	t Side				
ample	e Variable 1 V <sub>WLUSE</sub>	100 2 within the	Left	chment of t	the stream.		Righ	t Side			0.65	
		100 2 within the	Left e entire cate verage of F	chment of t		ed:	Righ	t Side	Runoff	% in Catchment	Running Percent	
	V <sub>WLUSE</sub>	100  2 within the Weighted A	Left  e entire cate  verage of F	chment of t	e for watersh	ed:	Righ	t Side	Score	ment	Running Percent (not >100)	
	V <sub>WLUSE</sub>	100 2 within the	Left  e entire cate  verage of F	chment of t	e for watersh	ed:	Right	t Side	Score 0.5	1	Running Percent	
	V <sub>WLUSE</sub> Forest and r	100  2 within the Weighted A	Left  e entire cate  everage of F  Land	chment of t	e for watersh	ed:	Righ	t Side	Score	ment	Running Percent (not >100)	
	Forest and r	2 within the Weighted A	Left  e entire cate  verage of F  Land  <50% ground  >75% ground	Chment of t	e for watersh	ed:	Righ	t Side	Score 0.5	ment 36	Running Percent (not >100)	
	Forest and r	2 within the Weighted A stative range (cative range (cativ	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:	Righ	\	0.5 1 0	36 42 5	Running Percent (not >100) 36 78 83	
	Forest and r	2 within the Weighted A	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:	Righ	\ \ \ \	0.5 1	ment 36 42	Running Percent (not >100) 36	
	Forest and r	2 within the Weighted A stative range (cative range (cativ	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:	Righ	\	0.5 1 0	36 42 5	Running Percent (not >100) 36 78 83	
	Forest and r	2 within the Weighted A stative range (cative range (cativ	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:	Righ	\ \ \ \	0.5 1 0	36 42 5	Running Percent (not >100) 36 78 83	
	Forest and r	2 within the Weighted A stative range (cative range (cativ	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:	Righ	\ \ \ \	0.5 1 0	36 42 5	Running Percent (not >100) 36 78 83	
	Forest and r	2 within the Weighted A stative range (cative range (cativ	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:	Righ	\ \ \ \	0.5 1 0	36 42 5	Running Percent (not >100) 36 78 83	
	Forest and r	2 within the Weighted A stative range (cative range (cativ	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:	Righ	\ \ \ \	0.5 1 0	36 42 5	Running Percent (not >100) 36 78 83	
	Forest and r Forest and r Impervious : Open space	2 within the Weighted A stative range (cative range (cativ	Left  e entire cate  verage of F  Land  <50% ground  >75% ground  glots, roofs, d	Chment of t Runoff Score Use (Choose I cover) I cover)	e for watersh	ed:		\ \ \ \	0.5 1 0	36 42 5	Running Percent (not >100) 36 78 83	
12	Forest and r Forest and r Impervious : Open space	2 within the Weighted A active range (active range (active range (active range (pasture, law))	Left  verage of F  Land  <50% ground  >75% ground  glots, roofs, d  ns, parks, etc.	Chment of t Runoff Score Use (Choos I cover) I cover) Iriveways, etc)	e for watersh	p List)	No	tes:	0.5 1 0 0.3	36 42 5	Running Percent (not >100) 36 78 83 100	
V:	Forest and r Forest and r Impervious Open space	2 within the Weighted A mative range (contained and partial pa	Left  e entire cate  verage of F  Land  > 75% ground glots, roofs, d ns, parks, etc.	Chment of t Runoff Score Use (Choos I cover) I cover) Iriveways, etc; ), grass cover	e for watersh se From Dro ) >75% s to stream National La	due to der	No nse veg. La Database (	tes:	Score  0.5  1  0  0.3  Analysis wom Landsa	ment  36  42  5  17  vas complet t satellite in	Running Percent (not >100 36 78 83 100	
V: V <sub>o</sub>	Forest and r Forest and r Impervious : Open space	2 within the Weighted A mative range (contained in the contained in the co	Left  e entire cate  everage of F  Land  >75% ground  >75% ground  glots, roofs, d  ns, parks, etc.  VSI  Not Used	Chment of t Runoff Score Use (Choos Cover) I cover) Iriveways, etc; ), grass cover  No access the 2019 Nand other	e for watersh se From Dro ) >75% s to stream National La supplemer	due to der	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
V: V <sub>c</sub>	Forest and r Forest and r Impervious Open space	2 within the Weighted A mative range (contained and contained and contai	Left  e entire cate  verage of F  Land  > 75% ground glots, roofs, d ns, parks, etc.	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas ipacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in	Running Percent (not >100 36 78 83 100 ed using nagery f field	
Va V <sub>C</sub> V <sub>E</sub>	Forest and r Forest and r Impervious Open space	2 within the Weighted A mative range (: mative	Left  e entire cate  everage of F  Land  >75% ground  >75% ground  glots, roofs, d  ns, parks, etc.  VSI  Not Used	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro ) >75% s to stream National La supplemer	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
Vi Vcc Vel Vsi	Forest and r Forest and r Impervious Open space	2 within the Weighted A wative range (continue range) (co	Left  Pentire cate  Verage of F  Land  >75% ground  plots, roofs, d  ns, parks, etc.  VSI  Not Used  0.10  0.04	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
Vi Vcc Vel Vsi	Forest and r Forest and r Impervious Open space	2 within the Weighted A mative range (continue range) mative range	Left  e entire cate  Verage of F  Land  75% ground  10s, roofs, d  ns, parks, etc.  VSI  Not Used  0.10	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
V: Vcc V <sub>EI</sub> V <sub>SI</sub>	Forest and r Forest and r Impervious : Open space	2 within the Weighted A wative range (continue range) (co	Left  Pentire cate  Verage of F  Land  >75% ground  plots, roofs, d  ns, parks, etc.  VSI  Not Used  0.10  0.04	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
V: Vc Vc Vsi	Forest and r Forest and r Impervious Open space  ariable CANOPY MBED UBSTRATE ERO	2 within the Weighted A mative range (continue range) was areas (parking) (pasture, law) G-G25 Value Not Used, <20% 1.0 0.08 in 0 % 0.0	Left  Peentire cate  Verage of F  Land  >75% ground  glots, roofs, d  ns, parks, etc.  VSI  Not Used  0.10  0.04  1.00  0.00	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
V: V <sub>C</sub> V <sub>SI</sub> V <sub>L</sub> V <sub>T</sub>	Forest and r Forest and r Forest and r Impervious Open space  Sariable CANOPY MBED UBSTRATE ERO WD	2 within the Weighted A wative range (continue range) (co	Left  Pentire cate  Verage of F  Land  >75% ground  plots, roofs, d  ns, parks, etc.  VSI  Not Used  0.10  0.04  1.00  0.00  Not Used	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
V: Vcc Vsi Vsi VLV VTI	Forest and r Forest and r Impervious Open space  ariable CANOPY MBED UBSTRATE ERO	2 within the Weighted A  mative range (continue range)  mative	Left  Peentire cate  Verage of F  Land  >75% ground  glots, roofs, d  ns, parks, etc.  VSI  Not Used  0.10  0.04  1.00  0.00	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
V: V <sub>C</sub> V <sub>SI</sub> V <sub>L</sub> V <sub>T</sub>	Forest and r Forest and r Impervious : Open space  Sariable CANOPY MBED UBSTRATE ERO WD DBH NAG	2 within the Weighted A wative range (continue range) (co	Left  Pentire cate  Verage of F  Land  >75% ground  plots, roofs, d  ns, parks, etc.  VSI  Not Used  0.10  0.04  1.00  0.00  Not Used	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
Valvalue Val	Forest and r Forest and r Impervious Open space  ariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD	2 within the Weighted A  mative range (continue range)  areas (parking) (pasture, law)  3-G25  Value  Not Used, <20%  1.0  0.08 in  0 %  0.0  Not Used  0.0  13.3	Left  Peentire cate  Verage of F  Land  > 75% ground  plots, roofs, d  ns, parks, etc.  VSI  Not Used  0.10  0.04  1.00  0.00  Not Used  0.10  0.21	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100) 36 78 83 100  ed using aggery f field	
Valvalia Val	Forest and r Forest and r Forest and r Impervious a Open space  Sariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH	2 within the Weighted A wative range (careas (parking (pasture, law) 1.0 0.0 Not Used 0.0 13.3 0.00	VSI Not Used 0.00 Not Used 0.10 0.21 0.00	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100 36 78 83 100 ed using nagery f field	
Value	Forest and r Forest and r Forest and r Impervious Open space  Sariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH ETRITUS	2 within the Weighted A wative range (continue range) (co	VSI Not Used 0.10 0.00 Not Used 0.10 0.21 0.00 0.03	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100) 36 78 83 100  ed using aggery f field	
V: VC: VB: VL: VT: VS: VS: VS: VD:	Forest and r Forest and r Forest and r Impervious a Open space  Sariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH	2 within the Weighted A wative range (careas (parking (pasture, law) 1.0 0.0 Not Used 0.0 13.3 0.00	VSI Not Used 0.00 Not Used 0.10 0.21 0.00	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100) 36 78 83 100  ed using agery f field	
VSI	Forest and r Forest and r Forest and r Impervious Open space  Sariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH ETRITUS	2 within the Weighted A wative range (continue range) (co	VSI Not Used 0.10 0.00 Not Used 0.10 0.21 0.00 0.03	Use (Choose Cover) I cover) Iriveways, etc. ), grass cover  No access the 2019 I and other delineated	e for watersh se From Dro  >75%  s to stream National La supplement	due to der ind Cover Intary datas apacts. *Pe	Nonse veg. La Database ( ets. Water	tes: and Cover NLCD), fr	Score  0.5  1  0  0.3  Analysis wom Landsa daries are	ment  36  42  5  17  vas complet t satellite in based off of	Running Percent (not >100) 36 78 83 100  ed using aggery f field	

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-G25		LOCATION Franklin County	,
STATION # I	RIVERMILE	STREAM CLASS Intermittent	ıt
LAT <u>37.125398</u> L	LONG80.121401	RIVER BASIN Upper Roand	oke
STORET#		AGENCY VADEQ	
INVESTIGATORS JB, A	.W, SB		
FORM COMPLETED BY	JB, AW,SB	DATE 8/25/21 TIME 10:00am	REASON FOR SURVEY Baseline Assessment
WEATHER CONDITIONS	rain (s	n (heavy rain) (steady rain) (steady rain) (steady rain)	Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature 31.1 ° C  Other



Notes: No flowing water.

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predom Fores Field Agric Resid	Pasture Industria	duse rcial al	Pollution ne potential sources on Heavy					
RIPARIA VEGETA (18 meter	TION		e the dominant type and s  or  or  or  or  or  or  or  or  or		minant species present ☐ Grasses ☐ He	rbaceous				
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depth 0.1  Velocity 0 m	m m² km² m	M High Water Mark o m  M² Proportion of Reach Represented by Street  Morphology Types Riffle % Run %  Pool%					
LARGE V DEBRIS	VOODY	LWD Density	m² of LWDm	n <sup>2</sup> /km <sup>2</sup> (LWD/	reach area)					
AQUATION VEGETA		Roote Floati	e the dominant type and d emergent ng Algae  ant species present of the reach with aquat	ooted submerge tached Algae	nt Rooted floating	Free floating				
WATER ((DS, US)	QUALITY	Specific Dissolve pH N/A Turbidi	rature NA 0 C Conductance NA ed Oxygen NA ty NA trument Used NA			Chemical   Other				
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Absen	ical Anaerobic	Petroleum None	— Εροking at stones whic are the undersides blac	☐Paper fiber ☐Sand  Other ☐  h are not deeply embedded, k in color?				
INC		STRATE (	COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock Boulder	> 256 mm (10")	)		Detritus	sticks, wood, coarse plant materials (CPOM)	5				
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2	5"-10")		Muck-Mud	black, very fine organic (FPOM)	5				
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments					
Silt	0.004-0.06 mm									
Clay	< 0.004 mm (sli	ck)								

Notes: No flowing water. Water quality measurements were not taken due to a lack of flowing water.

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-G25	LOCATION Franklin County					
STATION # RIVERMILE	STREAM CLASS Intermittent					
LAT <u>37.125398</u> LONG <u>-80.121401</u>	RIVER BASIN Upper Roanoke					
STORET#	AGENCY VADEQ					
INVESTIGATORS JB, AW, SB						
FORM COMPLETED BY JB, AW,SB	DATE 8/25/21 REASON FOR SURVEY TIME 10:00am AM PM Baseline Assessment					

	Habitat		Condition	Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	st- depth regime (usually ow slow-deep).				
ıram	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
P <sub>2</sub>	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

Notes: No flowing water

## HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ding reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amb	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing development.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE 10	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 87 Notes: No flowing water.

## BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-G25						LOCATION Franklin	LOCATION Franklin County								
STATION #	R	IVE	RMI	LE_		STREAM CLASS Int	ermitte	nt							
LAT 37.125398	_ L	ONC	<b>j</b> -80.	121401		RIVER BASIN Uppe	er Roa	noke	;						
STORET#						AGENCY VADEQ									
INVESTIGATORS JE	3, AV	V, S	В			•	LOT NUMBER								
FORM COMPLETED	-			A۱	Ν,	DATE 8/25/21 10:00am		F	REAS	SON FOR SURVEY Ba	selir	ne A	sses	sme	ent
						<b>.</b>									
HABITAT TYPES	▮∟	Cob	ble_		%	ge of each habitat type pres  Snags% □Veg nytes%	e <b>nt</b> etated Other	Banl (	ks	%	_%				
SAMPLE	G	ear ı	used		D-fr	ne kick-net	Other								
COLLECTION	Н	low were the samples collected? wading from bank from boat													
	In	ndicate the number of jabs/kicks taken in each habitat type.													
		Cobble Snags Vegetated Banks Sand Sand Submerged Macrophytes Other (													
GENERAL COMMENTS	┢	o flowing water.													
QUALITATIVE I Indicate estimated Dominant						TIC BIOTA osent/Not Observed, 1 =	Rare	e, 2	= C	ommon, 3= Abund	ant,	4 =	:		
Periphyton					0	1 2 3 4 S	limes				0	1	2	3	4
Filamentous Algae					0	1 2 3 4 N	Iacroi	nvei	rtebr	rates	0	1	2	3	4
Macrophytes					0	1 2 3 4 F	ish				0	1	2	3	4
FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)															
Porifera	0	1	2	3	4	Anisoptera 0	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera 0	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera 0	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera 0		3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera 0		3	4						
Oligochaeta	0	1	2	3	4	Sialidae 0		3	4						
Isopoda	0	1	2	3	4	Corydalidae 0 1 Tipulidae 0		3	4						
1 1 1 1				.,	4	Tipulidae 0	2	3	4						
Amphipoda	0	1	2	3	4	*	_								
Decapoda	0	1	2	3	4	Empididae 0		3	4						
						*	2								

		Strear	Unified S	tream Method	lology for use	in Virginia		' '		
Duning 4	Durate of Names (Asset			Cowardin	ssified as interm			Impact	Impact	
Project #	Project Name (App	•	Locality	Class.	HUC	Date	SAR#	Length	Factor	
22865.06	Mountain Valley Pipelin Valley Pipeline,		Franklin County	R4	03010101	8/25/2021	S-G25	42	1	
Name	e(s) of Evaluator(s)	Stream Name	e and Informa	ition				SAR Length		
	JB AW	UNT to Green	n Creek					4	2	
. Channel C	ondition: Assess the cross-sec	ion of the stream a	and prevailing con							
	Optimal Suboptimal		ptimal	Conditional Category  Marginal		Poor		Severe		
Channel Condition	Very little incision or active erosion; 80 100% stable banks. Vegetative surface protection or natural rock, prominent (80-100%). AND/OR Stable point bars bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom.	e erosion or unproted of banks are s / Vegetative protec prominent (60 Depositional feat stability. The ban channels are well dinas access to be newly developed portions of the r sediment covers 1	ew areas of active cted banks. Majority table (60-80%). tion or natural rock -80%) AND/OR tures contribute to kfull and low flow efined. Stream likely inkfull banches, or floodplains along reach. Transient 0-40% of the stream tom.	Poor. Banks more or Poor due to Ic Erosion may be pr both banks. Vege 40-60% of banks. Severtical or und 40-60% Sediment transient, comb to be position that cc may be forming/ples shaped channel protection on > 40	less than Severe or stable than Severe wer bank slopes. essent on 40-60% of tative protection on treambanks may be ercut. AND/OR may be temporary / ibute instability, ntribute to stability, resent. AND/OR V-s have vegetative % of the banks and es which contribute	further. Majority of vertical. Erosion pr banks. Vegetative on 20-40% of bank to prevent erosion. the stream is cow Sediment is temp nature, and contril AND/OR V-shag vegetative protect 40% of the banks a	e. Likely to widen both banks are near sesent on 60-80% of protection present s, and is insufficient AND/OR 60-80% of orary / transient in buting to instability.	than 20% of banks erosion. Obvious present. Erosion/raw AND/OR Aggradin than 80% of stream deposition, contrib Multiple thread of	stability. Severe ed within the banks. erage rooting depth, vertical/undercut. on present on less i, is not preventing is bank sloughing v banks on 80-100%. g channel. Greater i bed is covered by uting to instability. channels and/or	
Scores	3	2	.4	to sta	ability.	·	.6	subterranean flow.		CI 3.00
	-	_			_				•	0.00
. RIPARIAN	I BUFFERS: Assess both bank	Cor	nditional Cate	gory		-	, ,	NOTES>>		
RIPARIAN Riparian Buffers	Optimal  Optimal  Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	Cor Subo	nditional Cate	gory Mar	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	, ,	NOTES>>		
Riparian	Optimal  Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian	Cor Subo High Suboptimal: Riparian areas with tree stratum (dbb > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	Low Suboptimal: Riparian areas with tree stratum (dh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	Communication of the stratum, when the stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <a href="documents">30% tree canopy cover with maintained</a>	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable	NOTES>>		
Riparian	Optimal  Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian	Cor Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	nditional Cate ptimal  Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Compy Cover with a control of the co	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers  Scores  Delineate ripa Determine squ	Optimal  Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover.  Wetlands located within the riparian areas.	Righ Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High  1.2  into Condition Cat	Low Suboptimal: Riparian areas with tree stratum (dbn > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Conduct th and width. Cal	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh. > 3 inches) present, with <30% tree canopy cover.  High 0.85	Ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the seed of the seed	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R	Optimal  Tree stratum (dbh > 3 inches) present with > 60% tree canopy cover.  Wetlands located within the riparian areas.  1.5	Righ Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High  1.2  into Condition Cat	Low Suboptimal: Riparian areas with tree stratum (dbn > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Conduct th and width. Cal	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh. > 3 inches) present, with <30% tree canopy cover.  High 0.85	Ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the seed of the seed	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5	NOTES>>		
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R	Optimal  Tree stratum (dbh > 3 inches) present with > 60% tree canopy cover.  Wetlands located within the riparian areas.  1.5  Trian areas along each stream bank ware footage for each by measuring liparian Area and Score for each riginal area.	Righ Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cat or estimating leng	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Condetth and width. Caline blocks below.	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85	Ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the seed of the seed	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums diparian qual 100			
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R	Optimal  Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.  1.5  Trian areas along each stream bank ware footage for each by measuring liparian Area and Score for each rig. % Riparian Area> 20% Score > 0.5	Righ Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cat or estimating leng arian category in the 10% 0.75	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Condetth and width. Caline blocks below. 25% 1.5	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85	Ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the seed of the seed	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums cliparian qual 100 100%	CI= (Sum % RA * Sc		
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R	Optimal  Tree stratum (dbh > 3 inches) present with > 60% tree canopy cover. Wetlands located within the riparian areas.  1.5  Trian areas along each stream bank ware footage for each by measuring liparian Area and Score for each rig. % Riparian Area> 20% Score > 0.5	Righ Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cat or estimating leng arian category in tt 10% 0.75	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Condetth and width. Caline blocks below. 25% 1.5	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85	Ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the seed of the seed	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums diparian qual 100	CI= (Sum % RA * Sc Rt Bank CI >	0.93	CI 0.89
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R Right Bank  Left Bank	Optimal  Tree stratum (dbh > 3 inches) present with > 60% tree canopy cover. Wetlands located within the riparian areas.  1.5  Trian areas along each stream bank ware footage for each by measuring diparian Area and Score for each rip % Riparian Area > 20% Score > 0.5  M Riparian Area> 20% Score > 0.5  M HABITAT: Varied substrate size	High Suboptimal: Riparian areas with tree stratum (dbb > 3 inches) present, with 30% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cat or estimating leng arian category in the 10% 0.75	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Conduct and width. Calculate blocks below. 25% 1.5	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75  the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the condition of the comparable condition of the comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums liparian qual 100 100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI >	0.93 0.85	CI 0.89
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R Right Bank	Optimal  Tree stratum (dbh > 3 inches) present with > 60% tree canopy cover. Wetlands located within the riparian areas.  1.5  Trian areas along each stream bank ware footage for each by measuring diparian Area and Score for each rip % Riparian Area > 20% Score > 0.5  M Riparian Area> 20% Score > 0.5  M HABITAT: Varied substrate size	High Suboptimal: Riparian areas with tree stratum (dbb > 3 inches) present, with 30% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cat or estimating leng arian category in the 10% 0.75	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Cond th and width. Calme blocks below. 25% 1.5	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  Litton Scores using culators are provided to the culture of the	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75  the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the condition of the comparable condition of the comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums liparian qual 100 100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	0.93 0.85	
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R Right Bank  Left Bank	Optimal  Tree stratum (dbh > 3 inches) present with > 60% tree canopy cover. Wetlands located within the riparian areas.  1.5  Trian areas along each stream bank ware footage for each by measuring diparian Area and Score for each rip % Riparian Area > 20% Score > 0.5  M Riparian Area> 20% Score > 0.5  M HABITAT: Varied substrate size	Righ Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cate or estimating lenguarian category in the 10% 0.75	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Cond th and width. Calme blocks below. 25% 1.5	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  ition Scores using culators are provided to the state of t	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75  the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to the condition of the comparable condition of the comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or of other comparable conditions.  Low 0.5  he sums ciparian qual 100 100%  100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI >	0.93 0.85	
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R Right Bank  Left Bank . INSTREAN	Optimal  Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.  1.5  Trian areas along each stream bank ware footage for each by measuring strain Area and Score for each rig. % Riparian Area > 20% Score > 0.5  M HABITAT: Varied substrate size features.	Righ Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cat or estimating leng arian category in the condition of the condition cate or estimating leng arian category in the condition cate or estimating leng arian category in the condition cate or estimating leng arian category in the condition cate or estimating leng arian category in the condition cate or estimating leng arian category in the condition cate or estimating leng arian category in the condition cate or estimating leng arian category in the condition cate or estimating leng arian category in the condition cate or estimating length category in the condition category in the category in th	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Conductor and width. Calme blocks below. 25% 1.5  70% 0.85  and depths; woody	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  High 0.85  At 5%  O.85  y and leafy debris; al Category  Stable habitat ele present in 10-30% adequate for	Ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparia and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75  the descriptors. ded for you below.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure 1  of % F  Blocks e  Habitat elements lacking or are u lements are typic	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or of other comparable conditions.  Low 0.5  he sums ciparian qual 100 100%  100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; S	0.93 0.85 AV; riffle/pool	

	Stream	Impact A	Assessn	nent Fo	rm Page	2			
Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor	
22865.06	Mountain Valley Pipeline (Mounta Valley Pipeline, LLC)	n Franklin County	R4	03010101	8/25/2021	S-G25	42	1	
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock									
	Conditional Category NOTES>>								
	Negligible Minor Moderate Severe								

60 - 80% of reach is disrupted by any 40 - 60% of reach s disrupted by any of the channel Iterations listed of the channel Iterations listed i Less than 20% of the stream reach is 20-40% of the stream reach is Channel Greater than 80% of reach is disrupted the parameter the parameter Alteration Channelization, dredging, alteration, o disrupted by any of isrupted by any o by any of the channel alterations listed auidelines. If auidelines. If hardening absent. Stream has an unaltered pattern or has naturalized. the channel Iterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, the channe tream has beer channelized, stream has been channelized, erations listed in the parameter riprap, or cement. the parameter normal stable normal stable guidelines guidelines. stream meander pattern has not stream meander pattern has not

CI 1.50

0.9 REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

0.7

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

1.3

1.5

THE REACH CONDITION INDEX (RCI) >>

1.18

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2) COMPENSATION REQUIREMENT (CR) >> 50

CR = RCI X L<sub>I</sub> X IF

0.5

**INSERT PHOTOS:** 

Scores


(WSSI Photo Location L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread H\Field Forms\S-G25\Photos\2021-08-25\_10-00-46.jpg)



Reach S-G25 looking upstream within ROW. Assessment is limited to areas within the temporary ROW.


ח
FS
CR
IRE
= p
R
ΩP
O:
SF
n
IM
P
ΔC
:т.

PROVIDED UNDER SEPARATE COVER



## SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on January 3, 2019.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross section B shot at location of pipe centerline (based on field stakes).





S-G24 PRE-CROSSING PHOTOS












S-G25 PRE-CROSSING PHOTOS





PHOTO TAKEN LOOKING DOWNSTREAM ON 01/03/2019














NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

CROSS SECTION

EXISTING GRADE

CROSS SECTION LEGEND

H: 1"=10' V: 1"=5'

	SS-Section Prepared For: M  Klin County, V  221 Wetland Studii
POST-CROSSING PHOTOS	-Sec
PENDING CROSSING  PHOTO TAKEN LOOKING	Profile and Cross-Section  Prepared For: M  Prepared For: M  Crossing S-G24 & S-G25 - UNT to  Franklin County, V  Copyright © 2021 Wetland Studi
PENDING CROSSING	
PHOTO TAKEN LOOKING	App.
PENDING CROSSING	REVISIONS  Rev. By  By  SCALE: AS NOTED
PHOTO TAKEN LOOKING	
	No. Date
PENDING CROSSING	Horizontal Datum: NAD 1983 UTM ZONE 17N  Vertical Datum: NAVD 88
	Vertical Datum: NAVD 88  Boundary and Topo Source: MVP WSSI 2' C.I. Topo

Draft

Sheet #

1 of 1

Computer File Name:

2865\_03 S-H MP 245-253 Sheets.dwg

:\Survey\22000s\22800\22865.03\Spread H Work Dwgs

PFS

PHOTO TAKEN LOOKING

MGE NAS