## **Baseline Assessment - Stream Attributes**

# Reach S-G40 (Timber Mat Crossing) Perennial Spread H Montgomery County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low Flow
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	<b>√</b>
Longitudinal Profile and Cross Sections	✓

## Spread H Stream S-G40 (Timber Mat) Montgomery County



Photo Type: DS VIEW
Location, Orientation, Photographer Initials: Downstream view of ROW looking NW, AO



Photo Type: US VIEW
Location, Orientation, Photographer Initials: Upstream view of ROW looking SE, AO

### Spread H Stream S-G40 (Timber Mat) Montgomery County



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking E, AO



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking W, AO

# Spread H Stream S-G40 (Timber Mat) Montgomery County



Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking N, AO

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		М	ountain V	alley Pipeline		COORDINATES: cimal Degrees)	Lat.	37.264882	Lon.	-80.307302		WEATHER:		Sunny		DATE:	Augus	st 24, 2021
IMPACT STREAM/SITE II (watershed size (acreage)				S-	G40			MITIGATION STREAM CLA (watershed size (ac	ASS./SITE ID AND reage), unaltered or imp		N:					Comments:		
STREAM IMPACT LENGTH:	20	FORM MITIGAT		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		None		Mitigation Length:		
Column No. 1- Impact Existin	g Condition (Deb	it)		Column No. 2- Mitigation Existing C	ondition - Base	line (Credit)		Column No. 3- Mitigatio Post Compl	n Projected at Five etion (Credit)	Years		Column No. 4- Mitigation Proje Post Completion (		ars		Column No. 5- Mitigation Projected	d at Maturity	(Credit)
Stream Classification:	Perei	nnial		Stream Classification:				Stream Classification:		0		Stream Classification:		0	Stre	eam Classification:		0
Percent Stream Channel S	lope	9.35		Percent Stream Channel Slo	оре			Percent Stream Chann	el Slope	0		Percent Stream Channel SI	lope	0		Percent Stream Channel Slo	ope	0
HGM Score (attach o	iata forms):			HGM Score (attach o	data forms):			HGM Score (att	ach data forms):			HGM Score (attach da	ata forms):			HGM Score (attach da	ta forms):	
		Average				Average				Average				Average				Average
Hydrology				Hydrology				Hydrology				Hydrology			Hyd	drology	1	
Biogeochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0	Bio	geochemical Cycling	1	0
Habitat				Habitat				Habitat				Habitat			Hab	bitat		
PART I - Physical, Chemical and				PART I - Physical, Chemical an				PART I - Physical, Chemic				PART I - Physical, Chemical and				PART I - Physical, Chemical and E		
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Rang	ge Site Score			Points Scale Range	Site Score			Points Scale Ran	ange Site Score
PHYSICAL INDICATOR (Applies to all stream	s classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all str	reams classifications)			PHYSICAL INDICATOR (Applies to all streams	s classifications)		PH	YSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data She	et)			USEPA RBP (High Gradient Data Sheet)			USE	EPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	11		Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20			pifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	11		Pool Substrate Characterization	0-20			2. Embeddedness	0-20			2. Embeddedness	0-20		2. E	mbeddedness	0-20	J. Company
Velocity/ Depth Regime	0-20	13		Pool Variability	0-20			Velocity/ Depth Regime	0-20			Velocity/ Depth Regime	0-20			/elocity/ Depth Regime	0-20	J. Company
Sediment Deposition	0-20	10		4. Sediment Deposition	0-20			4. Sediment Deposition	0-20			4. Sediment Deposition	0-20			Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1	13		5. Channel Flow Status	0-20 0-1			5. Channel Flow Status	0-20 0-1	1		5. Channel Flow Status	0-20 0-1			Channel Flow Status	0-20 0-	-1
6. Channel Alteration	0-20	20 16		6. Channel Alteration	0-20			6. Channel Alteration	0-20			6. Channel Alteration	0-20			Channel Alteration	0-20	
7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20	15		7. Channel Sinuosity 8. Bank Stability (LB & RB)	0-20			7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20			7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20			requency of Riffles (or bends) Bank Stability (LB & RB)	0-20	
		12			0-20								0-20				0-20	
Vegetative Protection (LB & RB)     Reparan Vegetative Zone Width (LB & RB)	0-20	13		Vegetative Protection (LB & RB)     Regetative Zone Width (LB & RB)	0-20			Vegetative Protection (LB & RB)     Riparian Vegetative Zone Width (LB & R	0-20 (B) 0-20			Vegetative Protection (LB & RB)     Riparian Vegetative Zone Width (LB & RB)	0-20			/egetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	134		Total RBP Score	Poor	0		Total RBP Score	Poor	0		Total RBP Score	Poor	0		al RBP Score	Poor	0
Sub-Total	-	0.67		Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub	o-Total		0
CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Str	reams)		CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial St	reams)		CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial	Streams)		CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial S	treams)	СНІ	EMICAL INDICATOR (Applies to Intermittent	t and Perennial	Streams)
WVDEP Water Quality Indicators (General	al)			WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (Ger	neral)			WVDEP Water Quality Indicators (General	I)		wv	DEP Water Quality Indicators (General)		
Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity			Spe	ecific Conductivity		
400-499 - 60 points	0-90	465.5			0-90				0-90				0-90				0-90	1
nH	_			nH	_			nН				nH	_		pН		-	
	0-80	7.01			5-90 0-1				5-90				5-90 0-1				5-90	-1
6.0-8.0 = 80 points		7.01						0.0				0.0						
DO				БО	_			DO				DO	_		DO			
<5.0 = 10 points	10-30	4.65			10-30				10-30				10-30				10-30	1
Sub-Total	•	0.75		Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub	p-Total		0
BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to In	ntermittent and Perer	nnial Streams)		BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perenr	nial Streams)	вю	DLOGICAL INDICATOR (Applies to Intermit	ttent and Perer	nnial Streams)
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			wv	Stream Condition Index (WVSCI)		
0	0-100 0-1				0-100 0-1				0-100 0-1	1			0-100 0-1			'	0-100 0-	4
Sub-Total		0		Sub-Total		0		Sub-Total	1 1	0		Sub-Total		0	Sub	o-Total		0
PART II - Index and I	Unit Score		j	PART II - Index and	Unit Score			PART II - Index	and Unit Score			PART II - Index and U	Init Score			PART II - Index and Ur	nit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Fee	t Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	et Unit Score
0.710	20	14.2		0	0	0		0	0	0		0	0	0		0	0	0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-G40		LOCATION Montgomery Co	punty
STATION #_12035+11 RI	VERMILE	STREAM CLASS Perennial	
LAT <u>37.264882</u> LO	ONG80.307302	RIVER BASIN Upper Roan	oke
STORET#		AGENCY VADEQ	
INVESTIGATORS			
FORM COMPLETED BY	AO, MM	DATE 8/24/2021 TIME 9:26am	REASON FOR SURVEY Baseline Assessment
WEATHER CONDITIONS  SITE LOCATION/MAP	rain (s	(heavy rain) steady rain) s (intermittent) loud cover ear/sunny  e and indicate the areas sample  S-VV13	Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature 26 ° C  Other  ed (or attach a photograph)  VEG ISLAND  VEG ISLAND  VEG ISLAND  EX POSED  ROW  BEOLEX  FOUR MONTH  BEILDAND  I BS
STREAM CHARACTERIZATION	Stream Subsystem  ✓ Perennial Inte  Stream Origin  Glacial  Non-glacial montane  Swamp and bog	Spring-fed	Stream Type Coldwater Warmwater  Catchment Area_21 km²

Notes: Low flow

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Fores Field	Pasture Industria Other	rcial al	Local Watershed NPS  ☑ No evidence ☐ Son ☐ Obvious sources  Local Watershed Erosi ☐ None ☑ Moderate	ne potential sources
RIPARIA VEGETA (18 meter	TION		e the dominant type and S		minant species present ☐ Grasses ☐ He	rbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat		m m² km² m		ly shaded □Shaded  10 _m epresented by Stream  Run_25% □No □No
LARGE V DEBRIS	VOODY	LWD Density	m²	n <sup>2</sup> /km <sup>2</sup> (LWD/	<sub>reach area)</sub> na	
AQUATIO VEGETA		Floati	e the dominant type and	record the do toted submerge tached Algae	minant species present nt	□Free floating
WATER ((DS)	QUALITY	Specific Dissolve pH 7.01 Turbidi	cature 17.4 0 C c Conductance 465.5 uS/cm ed Oxygen 4.65 mg/L			Other
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils		Petroleum None	— Εροking at stones whic are the undersides blace	□Paper fiber □Sand Other sit clay  h are not deeply embedded, k in color?
INC		STRATE dd up to 1	COMPONENTS		ORGANIC SUBSTRATE C	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock Boulder	> 256 mm (10")	)	5 2	Detritus	sticks, wood, coarse plant materials (CPOM)	0
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2		20 48	Muck-Mud	20	
Sand	0.06-2mm (gritt	y)	10	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm		5	]		ľ
Clay	< 0.004 mm (sli	ck)	10	]		

Note: Water quality measurements were only taken at the downstream location of the ROW due to low flow

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-G40	LOCATION Montgomery County					
STATION #_12035+11 RIVERMILE	STREAM CLASS Perennial					
LAT <u>37.264882</u> LONG <u>-80.307302</u>	RIVER BASIN Upper Roanoke					
STORET#	AGENCY VADEQ					
INVESTIGATORS						
FORM COMPLETED BY AO, MM	DATE 8/24/2021 REASON FOR SURVEY TIME 9:26am AM PM Baseline Assessment					

	Habitat		Condition	Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ted in	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).		
ıram	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
P <sub>2</sub>	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	SCORE 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

Notes: Low flow

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amp	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing devergement.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
eva	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 134 Notes: Low flow

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-G	340					L	OCAT	TON N	lontg	jome	ery C	oun	ty						
STATION # 12035+11						S	STREAM CLASS Perennial RIVER BASIN Upper Roanoke												
LAT 37.264882	_ L	ONO	j -80.	30730	2	R	IVER	BASIN	Up	per	Roa	noke	)						
STORET#						А	GENO	CY VAD	EQ										
INVESTIGATORS						•						]	LOT	NUMBER					
FORM COMPLETED	) BY	Α	0	, [	ΛN	/ D	ATE IME	8/24/202 9:26am	! —			]	REAS	SON FOR SURVEY B	aselin	ie A	sses	ssm	ent
HABITAT TYPES	▮∟	Cob	ble_		%	tage of eac Snags		oitat typ %	$\square$ V	eget	t ated other	Ban	ks	%	%				
SAMPLE	G	ear	used	Г	D-fr	ame 🔲 k	ick-ne	t		По	ther								
COLLECTION														1					
	Н	ow v	vere	the	samp	les collect	ed?	Ш	adin	g	Ь	l froi	n bar	ık 🔲 from boa	ıt				
		Cob	ble			r of jabs/k ☐ Snags phytes			$\square V$	eget		Ban		Sand	_				
GENERAL COMMENTS	L	OW	flo	W,	no	ne coll	ecte	ed											
Dominant					0 = 2	Absent/N	ot Ok	oserve	d, 1			e, 2	= C	ommon, 3= Abuno					
Periphyton						1 2 1 2	3 4				mes			rates	•	1	_		4
Filamentous Algae												nve	rtebi	rates	-	_	_		4
Macrophytes					0	1 2	3 4	•		Fis	h				0	1		3	4
	l ab	und	anc	e:	0 = org	Absent/N anisms),	Not O 3= Al	bserve	nt (>	>10	org	anis	sms)	rganisms), 2 = Coi , 4 = Dominant (>				ıs)	
Porifera	0	1	2	3	4	Anisopt	era		0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygopte			0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemipt			0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleopt			0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepido			0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae			0	1	2	3	4						
Isopoda	0	1	2	3	4	Coryda			0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulid			0	1	2	3	4						
Decapoda	0	1	2	3	4	Empidi			0	1	2	3	4						
Gastropoda	0	1	2	3	4 4	Simulii Tabinid			0	1	2	3	4						
Bivalvia	0	1	2	3	4				0	1	2	3	4						
						Culcida	.c		U			3	4						

#### WOLMAN PEBBLE COUNT FORM

County: Montgomery County Stream ID: S-G40

Stream Name: UNT to North Fork Roanoke

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/24/2021 Surveyors: AO, MM Type: Representative

			LE COUNT	1 _ '		1 _	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	<b>^</b>	16	16.00	16.00
	Very Fine	.062125		<b>4</b>	1	1.00	17.00
	Fine	.12525	]	•	0	0.00	17.00
	Medium	.255	SAND	•	0	0.00	17.00
	Coarse	.50-1.0	]	•	3	3.00	20.00
.0408	Very Coarse	1.0-2	1	•	3	3.00	23.00
.0816	Very Fine	2 -4		•	9	9.00	32.00
.1622	Fine	4 -5.7	1	•	2	2.00	34.00
.2231	Fine	5.7 - 8	1	•	7	7.00	41.00
.3144	Medium	8 -11.3	1	•	7	7.00	48.00
.4463	Medium	11.3 - 16	GRAVEL	•	5	5.00	53.00
.6389	Coarse	16 -22.6	1	•	12	12.00	65.00
.89 - 1.26	Coarse	22.6 - 32	1	•	1	1.00	66.00
1.26 - 1.77	Vry Coarse	32 - 45	1	•	7	7.00	73.00
1.77 -2.5	Vry Coarse	45 - 64		<b>A</b>	5	5.00	78.00
2.5 - 3.5	Small	64 - 90		•	8	8.00	86.00
3.5 - 5.0	Small	90 - 128	CORRIE	<b>A</b>	5	5.00	91.00
5.0 - 7.1	Large	128 - 180	COBBLE	<b>A</b>	2	2.00	93.00
7.1 - 10.1	Large	180 - 256		<b>A</b>	2	2.00	95.00
10.1 - 14.3	Small	256 - 362		<b>4</b>	0	0.00	95.00
14.3 - 20	Small	362 - 512	1	<b>4</b>	1	1.00	96.00
20 - 40	Medium	512 - 1024	BOULDER	<b>4</b>	0	0.00	96.00
40 - 80	Large	1024 -2048	1	<b>A</b>	0	0.00	96.00
80 - 160	Vry Large	2048 -4096		<b>4</b>	0	0.00	96.00
	Bedrock		BDRK	<b>4</b>	4	4.00	100.00
				Totals:	100		
	Total Tally:						

#### RIVERMORPH PARTICLE SUMMARY

UNT to North Fork Roanoke River

S-G40

River Name: Reach Name: Sample Name: Sample Name: Representative Survey Date: 08/24/2021

Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	16 1 0 0 3 3 9 2 7 7 5 12 1 7 5 8 5 2 2 0 0 4	16.00 1.00 0.00 0.00 3.00 3.00 9.00 2.00 7.00 5.00 12.00 1.00 7.00 5.00 8.00 5.00 2.00 2.00 2.00 0.00 4.00	16.00 17.00 17.00 20.00 23.00 32.00 34.00 41.00 48.00 53.00 65.00 66.00 73.00 78.00 86.00 91.00 93.00 95.00 96.00 96.00 96.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.06 6.03 13.18 83.5 256 Bedrock 16 7 55 17		

Total Particles = 100.

		•	Strear	Unified St	tream Method	dology for use	in Virginia		' /		
					able channels cla	assified as interm			Impact	Impact	
Project #	,	ct Name (App		Locality	Class.	HUC	Date	SAR#	Length	Factor	
22865.06		'alley Pipeline ey Pipeline, L		Montgomery County	R3	03010105	8/24/2022	S-G40	20	1	
Nam	e(s) of Evaluat			and Informa	tion				SAR Length		
	AO, MM		Unnamed Tri	butary to Nor	th Fork Roan	oke River			6	2	
. Channel C	Condition: Asse	ss the cross-secti	on of the stream a								
	Opti	imal	Subo	ptimal	Conditional Catego Mar	ginal	Po	or	Sev	ere	
				ew areas of active		less than Severe or stable than Severe		ised. Vertically /	Deeply incised vertical/lateral in	(or excavated), stability. Severe	
Channel Condition  Channel Condition  Condit			of banks are st Vegetative protect prominent (60 Depositional feat stability. The bar channels are well de has access to ba newly developed portions of the r sediment covers.	table (60-80%).  tion or natural rock -80%) AND/OR  ures contribute to nkfull and low flow efined. Stream likely inkfull benches, or floodplains along each. Transient 0-40% of the stream tom.	or Poor due to le Erosion may be pr both banks. Vege 40-60% of banks. S vertical or und 40-60% Sediment transient, contral Deposition that cc may be forming/p shaped channel protection on 3 - 40 depositional feature	ower bank slopes. esent on 40-60% of tatitive protection on Streambanks may be tercut. AND/OR may be temporary / ribute instability, resent. AND/OR V- shave vegetative % of the banks and res which contribute a ballity.	further. Majority of vertical. Erosion probanks. Vegetative on 20-40% of bank to prevent erosion. the stream is covered Sediment is temporature, and contril	both banks are near essent on 60-80% of protection present s, and is insufficient AND/OR 60-80% of ered by sediment. orary / transient in buting to instability. ed channels have ion is present on > and stable sediment	incision, flow contain Streambed below av majority of banks Vegetative protecti than 20% of banks erosion. Obviou: present. Erosion/raw AND/OR Aggradin than 80% of stream deposition, contrib	ned within the banks. erage rooting depth, vertical/undercut. ion present on less is, is not preventing s bank sloughing b banks on 80-100%. g channel. Greater i bed is covered by utting to instability. channels and/or	CI
Scores	3	3	2	.4		2	1.	.6	1	1	2.40
	N BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable)										
. RIPARIAN	N BUFFERS: A	ssess both bank's	<u> </u>	•	, •	neasurements of	length & width ma	ay be acceptable)	NOTES>>		
2. RIPARIAN	N BUFFERS: A		Con	areas along the enditional Cate	gory	measurements of	length & width ma	, ,	NOTES>>		
RIPARIAN Riparian Buffers		imal  3 inches) present, e canopy cover. within the riparian	Con Subo	ptimal  Low Suboptimal: Riparian areas with	gory	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production,		, ,	NOTES>>		
Riparian Buffers	Option  Tree stratum (dbh - with > 60% tree  Wetlands located are	imal  > 3 inches) present, canopy cover. within the riparian as.	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High	Low Suboptimal:  Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <a href="4">430% tree</a> canopy cover with maintained understory.  Low	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers  Scores  Delineate ripa	Option  Tree stratum (dbh - with > 60% tree Wetlands located	imal  3 inches) present, canopy cover. within the riparian as.  5 ach stream bank ach by measuring	Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High  1.2  Into Condition Cate or estimating lengers	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Cond	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh. > 3 inches) present, with <30% tree canopy cover.  High 0.85	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian aneas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R	Tree stratum (dbh-with > 60% tree Wetlands located are	imal  3 inches) present, canopy cover. within the riparian as.  5 ach stream bank ach by measuring score for each riparian as.	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cate or estimating leng arian category in the 20%	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Cond	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh. > 3 inches) present, with <30% tree canopy cover.  High 0.85	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian aneas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5	NOTES>>		
Riparian Buffers  Scores  Delineate ripa Determine squ Enter the % R	Tree stratum (dbh with > 60% tree Wetlands located are  1.  Train areas along equare footage for each	imal  3 inches) present, canopy cover. within the riparian as.  5 ach stream bank ach by measuring score for each riparian score for each riparian.	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2 into Condition Cate or estimating leng	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Cond th and width. Calc	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh. > 3 inches) present, with <30% tree canopy cover.  High 0.85	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian aneas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  he sums		anath 0410	
Riparian Buffers  Scores  Delineate ripa Determine square in the square	Tree stratum (dbh-with > 60% tree Wetlands located are  1.  arian areas along e- uare footage for ea  Riparian Area and S  % Riparian Area>	imal  3 inches) present, canopy cover. within the riparian as.  5 ach stream bank ach by measuring score for each riparian as.	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cate or estimating leng arian category in the 20%	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Cond th and width. Calc	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh. > 3 inches) present, with <30% tree canopy cover.  High 0.85	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian aneas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  he sums	NOTES>>  CI= (Sum % RA * Sc  Rt Bank CI >	ores*0.01)/2	CI
Riparian Buffers  Scores  Delineate ripa Determine squeenter the % R	Tree stratum (dbh-with > 60% tree Wetlands located are  1.  arian areas along e- uare footage for ea  Riparian Area and S  % Riparian Area> Score >	imal  3 inches) present, canopy cover. within the riparian as.  5 ach stream bank ach by measuring core for each riparian on the riparian of the riparian of the riparian as.	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2 into Condition Cate or estimating lenguarian category in the 20% 1.5	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  egories and Cond th and width. Calcue blocks below. 10% 0.6	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh. > 3 inches) present, with <30% tree canopy cover.  High 0.85	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian aneas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  he sums ciparian qual 100 100%	CI= (Sum % RA * Sc	,	CI 0.82
Riparian Buffers  Scores  Delineate ripa Determine square Enter the % R Right Bank  Left Bank	Tree stratum (dbh with > 60% tree Wetlands located are Wetlands located are Wetlands notated with the with the with the work with the wetlands located are Wetlands located are Wetlands located are Wetlands located with the wet	imal  3 inches) present, o canopy cover. within the riparian as.  5 ach stream bank ach by measuring 70% 0.75  75% 0.6	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  Into Condition Cate or estimating leng arian category in tree 20% 1.5	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutver (dense vegetation).  Low  1.1  egories and Cond th and width. Calc the blocks below.  10% 0.6	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  ition Scores using culators are provided to the control of the	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  the descriptors. ded for you below.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t  of % F  Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums tiparian qual 100 100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > banks; root mats; \$	0.89 0.75	
Riparian Buffers  Scores  Delineate ripa Determine sq. Enter the % R Right Bank  Left Bank S. INSTREAM	Tree stratum (dbh with > 60% tree Wetlands located are Wetlands located are Wetlands notated with > 60% tree Wetlands located are Wetlands located are Score > 60% Riparian Area > 60% Rip	imal  3 inches) present, a canopy cover. within the riparian as.  5  ach stream bank ach by measuring core for each riparian as.  75% 0.6	Com Subor Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Cate or estimating leng arian category in the 20% 1.5  15% 1.5  es, water velocity a	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutver (dense vegetation).  Low 1.1  egories and Cond th and width. Calche blocks below. 10% 0.6  10% 0.75  and depths; woody	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  ition Scores using culators are provided the control of the con	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75  the descriptors. ded for you below.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure to 6 % 6 Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums stiparian qual 100 100%  100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI >	0.89 0.75	
Riparian Buffers  Scores  Delineate ripa Determine square in the ware Right Bank Left Bank Left Bank	Tree stratum (dbh with > 60% tree Wetlands located are Wetlands located	imal  3 inches) present, a canopy cover, within the riparian as.  5  ach stream bank ach by measuring core for each riparian as.  70% 0.75  75% 0.6  ried substrate size imal	Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  Into Condition Cate or estimating lenguarian category in the 20% 1.5  Subo Stable habitat elepresent in 30-50% adequate for restimating elegant in 30-50% and category in the substitution of the substitu	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutver (dense vegetation).  Low  1.1  egories and Cond th and width. Calc the blocks below.  10% 0.6	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  ition Scores using culators are provided to the control of the	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  the descriptors. ded for you below.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t  of % 6  Blocks e	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums tiparian qual 100 100%	CI= (Sum % RA * Sc Rt Bank CI > Lt Bank CI > banks; root mats; \$	0.89 0.75	

	Stream II	mpact A	ssessn	nent For	rm Page	2						
Project #	Project Name (Applicant)	Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor				
22865.06	Mountain Valley Pineline (Mountain Montgomery											

4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock

		NOTES>>							
l	Negligible	Minor		Moderate		Severe			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	the channel		is disrupted by any of the channel alterations listed in the parameter guidelines. If	60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement.			
Scores	1.5	1.3	1.1	0.9	0.7	0.5			
REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH									

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >>

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2) COMPENSATION REQUIREMENT (CR) >> 24

CR = RCI X L<sub>I</sub> X IF

#### **INSERT PHOTOS:**


(WSSI Photo Location L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread H\Field Forms\S-G40\Photos)




Downstream view of ROW looking NW. Assessment is limited to areas within the temporary ROW.

į			-	-	===		
1)	FSCH	ZIKE.	PRO	POS	⊢I) I	мРД	(:)


PROVIDED UNDER SEPARATE COVER





# **SURVEY NOTES:**

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 10, 2018 and October 7, 2021.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. Profile and cross-section data shown hereon is based on post-pipeline installation to convey the baseline assessment data requested. Information regarding pre-crossing and restoration conditions will be provided to the agencies as applicable.
- 6. All section views shown are left to right facing downstream.
- 7. S-G40 and S-PP23 cross-section B shot at location of pipe centerline (based on field stakes).





CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM ON 10/01/2018




PHOTO TAKEN LOOKING UPSTREAM ON PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM ON

REVISION

Wetland

