Baseline Assessment - Stream Attributes

Revisit


*Additional information was collected on 2/2/2022. Water Quality and Benthic Data was not collected due to no flow conditions.

Reach S-GH11 (Pipeline ROW) Intermittent Spread H Franklin County, Virginia

Data	Included
Photos	√ *
SWVM Form	√ *
FCI Calculator and HGM Form	√ *
RBP Physical Characteristics Form	√ *
Water Quality Data	N/A – No flowing water
RBP Habitat Form	√ *
RBP Benthic Form	√ *
Benthic Identification Sheet	N/A – No flowing water
Wolman Pebble Count	√ *
RiverMorph Data Sheet	√ *
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Upstream view of ROW looking NE at dense herbaceous vegetation,
AO



Location, Orientation, Photographer Initials: Upstream view under equipment bridge looking NE, AO



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline and cattle fence looking NW, AO



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SE, SB



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking SW, SB



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Downstream view of ROW looking S/SW, KB



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of LOC looking N/NE, KB



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking W, KB



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking E, KB



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking S/SW, KB

USACE FILE NO J Project Name: (v2.1, Sept 2015)	Moi	ıntain Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.104707	Lon.	-80.04622	WEATHER:		Sunny	DATE:	February 2	2, 2022
IMPACT STREAM/SITE ID AND 8 (watershed size (acreage), unaltered		S-GI	H11 (0.1 acre)		MITIGATION STREAM CLASS (watershed size {acrea						Comments:		
STREAM IMPACT LENGTH:	77 FORM OF		MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		0.0"	Mitigation Length:		
Column No. 1- Impact Existing Condi	ition (Debit)	Column No. 2- Mitigation Existin	ng Condition - Baseline (Credit)		Column No. 3- Mitigation I Post Completi		ive Years	Column No. 4- Mitigation Proje Post Completion (ected at Ten Ye Credit)	ars	Column No. 5- Mitigation Projecte	ed at Maturity (Cre	edit)
Stream Classification:	Intermittent	Stream Classification:			Stream Classification:		0	Stream Classification:		0	Stream Classification:	0	
Percent Stream Channel Slope	7.03	Percent Stream Channe	I Slope		Percent Stream Channel	Slope	0	Percent Stream Channel SI	ope	0	Percent Stream Channel SI	ope	0
HGM Score (attach data for	ms):	HGM Score (atta	ach data forms):		HGM Score (attack	h data form	s):	HGM Score (attach da	ata forms):		HGM Score (attach da	ata forms):	
	Average		Average				Average			Average			Average
	0.52	Hydrology			Hydrology		_	Hydrology		0	Hydrology		
	0.33333333	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	-	0
PART I - Physical, Chemical and Biolog		PART I - Physical, Chemica	al and Biological Indicators		PART I - Physical, Chemical	and Biologica	I Indicators	PART I - Physical, Chemical and	Biological India	cators	PART I - Physical, Chemical and	Biological Indicat	tors
Points Sco	ale Range Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams classific	cations)	PHYSICAL INDICATOR (Applies to all stre	ams classifications)		PHYSICAL INDICATOR (Applies to all strea	ms classification	s)	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover 0-20	10	USEPA RBP (Low Gradient Data Sheet 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0:20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover		
Epifaunal Substrate/Available Cover 0-20 Embeddedness 0-20		Pool Substrate Characterization	0-20		Epitadrial Substrate/Available Cover Embeddedness	0-20		Epirauriar Substrate/Available Cover Embeddedness	0-20		Embeddedness	0-20	
Velocity/ Depth Regime 0-20		3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition 0-20		Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	
5. Channel Flow Status 0-20		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	0-1	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1	
6. Channel Alteration 0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends) 0-20 8. Bank Stability (LB & RB) 0-20		7. Channel Sinuosity 8. Bank Stability (LB & RB)	0-20		7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20		7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20		7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB) 0-20	10	Riparian Vegetative Zone Width (LB & RE	8) 0-20		Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score Ma	arginal 102	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total CHEMICAL INDICATOR (Applies to Intermittent and Pe	0.51	Sub-Total CHEMICAL INDICATOR (Applies to Interm	0		Sub-Total CHEMICAL INDICATOR (Applies to Intermit		0	Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	1 D	0	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten		0
	erennial Streams)						al Streams)			treams)			ams)
WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (Gen Specific Conductivity	erai)		WVDEP Water Quality Indicators (General Specific Conductivity	rai)		WVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (General) Specific Conductivity		
100-199 - 85 points			0-90			0-90			0-90			0-90	
рН	0.1	рН	0.1		рН		0.1	pH	0.1		pH	0-1	
5.6-5.9 = 45 points		DO	5-90		DO	5-90		DO	5-90		DO	5-90	
10-30			10-30			10-30			10-30			10-30	
Sub-Total		Sub-Total	0		Sub-Total		0	Sub-Total	 	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermittent and	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inte	ermittent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Pe	rennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perenr	nial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial	d Streams)
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
0-100	0-1		0-100 0-1			0-100	0-1		0-100 0-1			0-100 0-1	
Sub-Total	0	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and Unit Sco	ore	PART II - Index	and Unit Score		PART II - Index a	nd Unit Score		PART II - Index and U	Init Score		PART II - Index and U	nit Score	
Index Line	ear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear F	eet Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.494	77 38.0508333	0	0 0		0	0	0	0	0	0	0	0	0

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Mountain Valley Pipeline Location: FRANKLIN COUNTY

Sampling Date: 2/2/2022 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-GH11

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.52
Biogeochemical Cycling	0.36
Habitat	0.12

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.70	0.35
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.15	0.08
V_{BERO}	Total percent of eroded stream channel bank.	6.25	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V_{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	3.13	0.99
V_{SSD}	Number of saplings and shrubs per 100 feet of stream.	90.63	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	8.00	0.10
V _{HERB}	Average percent cover of herbaceous vegetation.	55.00	0.73
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.96	1.00

			High-G				ms in Ap		a		
	Team:	KB AB		i ioid i	Julu Ollo	or and o			M Northing:	37.104707	
Pro		Mountain V	alley Pipelir	ne					TM Easting:		
	Location:	FRANKLIN	COUNTY					San	npling Date:	2/2/2022	
SA	AR Number:	S-GH11	Reach	Length (ft):	86	Stream Ty	/pe: Inter	mittent Strea	m		~
	Top Strata:	Sh	rub/Herb St	rata	(determine	d from perce	ent calculate	d in V _{CCANO}	_{PY})		
Site	and Timing:	Project Site	Š Š			•	Before Proje	ct			•
Sample		1-4 in strea									
1	V _{CCANOPY}	equidistant 20%, enter	points along at least one	g the stream value betw	. Measure een 0 and 1	only if tree/s	anopy. Mea sapling cove Top Strata o	r is at least			Not Used, <20%
	0	cent cover r	neasuremei	nts at each p	oint below:						
	0										
2	V _{EMBED}						at no fewer				1.7
							noving it, de			of the g according	1.7
		to the follow of 1. If the	ving table. I bed is comp	If the bed is bosed of bed	an artificial Irock, use a	surface, or or rating score	composed of e of 5.	f fine sedim	ents, use a	rating score	
		Embedded Minshall 19	-	for gravel, c	obble and b	oulder partic	cles (rescale	d from Platt	s, Megahan	, and	Measure at least
		Rating	Rating Des						,	,	30 points
		5 4					buried by fir d, or buried I		,	()	
		3					ed, or buried				
		2				•	ed, or buried	,			
	1 :-4 414:	1			covered, su	rrounded, o	r buried by f	ine sedimer	nt (or artificia	al surface)	
	a string ration	ngs at each	point below	: 							
	1	2									
	1	1									
	2	1									
	4	1									
3	Enter partic	cle size in in	tream; use t	he same po nearest 0.1	ints and par inch at each	ticles as use	ed in V _{EMBED}				0.15 in
		as 0.0 in, s	and or finer	particles as	0.08 in):	1	1		1	1	
	0.20	0.08									
	0.60	0.30									
	0.50	0.08									
	2.00	0.08									
4	V_{BERO}	side and th	e total perce				otal number oks are eroo				2 %
		may be up	to 200%. Left Bank:	2	ft		Right Bank:	0	ft		
Sample	Variables	5-9 within t	he entire ri	parian/buff	er zone adi	acent to the	e stream ch	annel (25 f	eet from ea	ch bank).	
5	V_{LWD}	Number of	down wood	y stems (at l	east 4 inche	es in diamet	er and 36 in	ches in leng	th) per 100	feet of	0.0
				will be calcu	lated.				,		
•	17	A	h - f t (-				oody stems:		O	-4144	
6	V_{TDBH}	inches (10	cm) in diam	eter. Enter	tree DBHs in	n inches.	g cover is a) within the			at least 4	Not Used
		the stream	below:	o or man			,				Ī
			Left Side					Right Side			
				_			_				
7	V	Number of	enage (at !-	2et / dbb -	nd 36" toll)	nor 100 fact	of stream.	Enter now	or of one	on cook	
′	V _{SNAG}					per 100 feet et will be cal		Linter numb	ei oi snags	on each	1.2
	.,		Left Side:		1		Right Side:		0		
8	V_{SSD}	tree cover i	s <20%). E		of saplings		es dbh) per on each sid			asure only if e amount	33.7

V _{SRICH}	Riparian ve Group 1 in richness pe		nd the subindex will	e calculated	from these da	ala.			
	Grou	ıp 1 = 1.0				Group	2 (-1.0)		
Acer rubru	ım		Magnolia tripetala		Ailanthus a	ltissima	1	Lonicera ja	ponica
Acer sacci	harum		Nyssa sylvatica		Albizia julib	rissin		Lonicera ta	tarica
Aesculus I	flava		Oxydendrum arboreui	n	Alliaria peti	olata		Lotus corni	culatus
Asimina tr	iloba		Prunus serotina		Altornantha	·ro		Lythrum sa	licaria
_					Alternanthe philoxeroid			•	
	-		Quercus alba					Microstegiun	
Betula len	ta		Quercus coccinea		Aster tatari	cus		Paulownia	tomentos
Carya alba	э		Quercus imbricaria	nbricaria Cerastium fontanum			Polygonum d	cuspidatun	
Carya glal	hra		Quercus prinus		Coronilla va	aria		Pueraria m	ontana
, ,			•						
Carya ova	IIS		Quercus rubra		Elaeagnus u	mbellata		Rosa multif	iora
Carya ova	ta		Quercus velutina		Lespedeza	bicolor		Sorghum h	alepense
Cornus flo	rida		Sassafras albidum		Lespedeza	cuneata		Verbena br	asiliensis
Fagus gra	ndifolia		Tilia americana		Ligustrum ob	tusifolium			
Fraxinus a	ımericana		Tsuga canadensis		Ligustrum s	inense			
Liriodendro	n tulipifera		Ulmus americana						
Magnolia a	acuminata								
	1	Species in	Group 1			3	Species in	Group 2	
			subplots (40" x 40" ed roughly equidista					25 feet fron	n each
0 V _{DETRITUS}			of leaves, sticks, or					er and <36"	
	long are inc	clude. Enter	the percent cover of	the detrital la	yer at each s	ubplot.			8.00 %
		Left	Side		Right	Side		1	
	10			2					
	10			10					
1 V _{HERB}		ercentage co	over of herbaceous v		asure only if t	ree cover i	s <20%). D	o not	
HEND			t least 4" dbh and 36						55.07
	vegetation	percentages	up through 200% a	e accepted.	Enter the per	cent cover	of ground ve	egetation at	55 %
	each subple	ot							
	Jagii Jubpi	01.						_	
	одон заврі		Side	1	Right	Side]	
	80		Side	70	Right	Side] '	
nple Variable [.] 2 V _{WLUSE}	80 20 12 within the	Left	Side Chment of the streatunoff Score for water	50 n.	Right	Side			
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side	Runoff	% in Catch-	
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side	Runoff	% in Catch- ment	Percen
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side			Runnin Percen (not >100
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percen (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percen (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percen (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percen (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percer (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percen (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percer (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percer (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percer (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percer (not >10
•	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	Side		ment	Percen (not >10
2 Vwluse	80 20 12 within the	Left e entire cate Average of R	chment of the strea	n.	Right	* * * * * * * * * * * * * * * * * * *		ment	Percen (not >10
VWLUSE VWLUSE	80 20 12 within the Weighted A	e entire cate Average of R	chment of the strea	n. rshed:	No	▼	Score	ment 100	Percen (not >10 100
2 Vwluse	80 20 12 within the Weighted A	e entire cate Average of R Land	Chment of the streatunoff Score for water Use (Choose From Discourse Choose From Discour	n. rshed: prop List)	No:	es: the 2019 d other su	Score National Lupplementa	ment 100 and Cover ary datasets	Percen (not >10 100
VWLUSE VWLUSE	80 20 12 within the Weighted A	e entire cate Average of R	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percen (not >10 100
2 Vwluse Variable Vccanopy	80 20 12 within the Weighted A S-GH11 Value Not Used,	e entire cate Average of R Land	Chment of the streatunoff Score for water Use (Choose From Discourse Choose From Discour	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percen (not >10 100
Variable Vccanopy Vembed	80 20 12 within the Weighted A S-GH11 Value Not Used, <20%	Left e entire cate verage of R Land VSI Not Used	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percen (not >10 100
2 Vwluse Variable Vccanopy	80 20 12 within the Weighted A S-GH11 Value Not Used, <20%	Left e entire cate verage of R Land VSI Not Used	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percen (not >10 100
Variable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE}	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in	VSI Not Used 0.35 0.08	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percen (not >10 100
Variable VCCANOPY Vembed Vsubstrate Vbero	80 20 12 within the Weighted A Weighted A S-GH11 Value Not Used, <20% 1.7 0.15 in 2 %	VSI Not Used 0.35 0.08 1.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE}	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in	VSI Not Used 0.35 0.08	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable Vccanopy Vembed Vsubstrate Vbero Vlund	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0	VSI Not Used 0.35 0.08 1.00 0.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO} V _{LWD} V _{TDBH}	80 20 12 within the Weighted A Weighted A S-GH11 Value Not Used, <20% 1.7 0.15 in 2 %	VSI Not Used 0.35 0.08 1.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable Vccanopy Vembed Vsubstrate Vbero Vlund	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0	VSI Not Used 0.35 0.08 1.00 0.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH VSNAG	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0 Not Used 1.2	VSI Not Used 0.35 0.08 1.00 Not Used 1.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percen (not >10 100
Variable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO} V _{LWD} V _{TDBH}	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0 Not Used	VSI Not Used 0.00 Not Used	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable Vccanopy Vembed Vsubstrate Vbero Vtub Vtub Vsnag Vssb	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0 Not Used 1.2	VSI Not Used 0.35 0.08 1.00 Not Used 1.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssc	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0 Not Used 1.2 33.7 0.00	VSI Not Used 0.00 Not Used 1.00 0.52 0.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vsnag Vssd Vssd Vssd Vsrich Vdetritus	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0 Not Used 1.2 33.7 0.00 8.0 %	VSI Not Used 0.00 Not Used 1.00 0.52 0.00 0.10	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percer (not >10 100
Variable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssc	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0 Not Used 1.2 33.7 0.00	VSI Not Used 0.00 Not Used 1.00 0.52 0.00	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Percen (not >10 100
Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vsnag Vssd Vssd Vssd Vsrich Vdetritus	80 20 12 within the Weighted A Weighted A Value Not Used, <20% 1.7 0.15 in 2 % 0.0 Not Used 1.2 33.7 0.00 8.0 %	VSI Not Used 0.00 Not Used 1.00 0.52 0.00 0.10	Land Cover Analy (NLCD), from Lan Watershed bound	sis was com dsat satellite aries are bas	No ppleted using imagery an sed off of fie	es: I the 2019 d other suld delinea	Score National L pplementated stream	and Cover	Perce (not >11

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY

				W 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
WEATHER CONDITIONS	Now	storm (heavy rain) rain (steady rain)	Past 24 hours	Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C
	%	showers (intermittent) %cloud cover clear/sunny	%	Other
SITE LOCATION/MAP	Draw a map o	f the site and indicate the	e areas samp	oled (or attach a photograph)
		Steep Steep Short TMY Steep Banks Steep Banks	pe j	Figorian Side Vaterbox Kiporian Bench XXXXXX Marred grass World Bench X Moved grass X X X X X X X X X X X X X X X X X X
STREAM CHARACTERIZATION	Stream Subsys Perennial	stem Intermittent Tida	ıl	Stream Type Coldwater Warmwater
	Stream Origin Glacial Non-glacial Swamp and l	Spring-fee montane Mixture o	l f origins	Catchment Areakm ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHE FEATURES	Inc	Fedominant Surrounding Land Forest Commer Field/Pasture Industria Agricultural Other Residential	record the do	Local Watershed NPS No evidence Sor Obvious sources Local Watershed Erosi None Moderate minant species present	ne potential sources
VEGETATIO (18 meter but	ffor)	Trees Sh ominant species present	ırubs	0140040	roaceous
INSTREAM FEATURES	Esi Sai Ar Esi Su		m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle % Pool % Channelized Yes Dam Present Yes	Run%
LARGE WOODEBRIS	ODY LV De	WDm² ensity of LWDm²	² /km ² (LWD/ r	reach area)	
AQUATIC VEGETATIO	DN 1 Do	dicate the dominant type and Rooted emergent Ro Floating Algae Att ominant species present ortion of the reach with aquati	oted submerger ached Algae	nt Rooted floating	Free floating
WATER QUA	Sp Dis pH Tu	emperature0 C ecific Conductance ssolved Oxygen H urbidity Q Instrument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMENT/ SUBSTRATE	C Oil	dors Normal Sewage Chemical Anaerobic Other ils Absent Slight Moderate	Petroleum None	are the undersides blac	Paper fiber Sand Other h are not deeply embedded, k in color?
INORO	GANIC SUBSTRA	ATE COMPONENTS up to 100%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate	Diameter	% Composition in	Substrate	Characteristic	% Composition in

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)			
Substrate Type			Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock			Detritus	sticks, wood, coarse plant		
Boulder	> 256 mm (10")			materials (CPOM)		
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic		
Gravel	2-64 mm (0.1"-2.5")			(FPOM)		
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments		
Silt	0.004-0.06 mm					
Clay	< 0.004 mm (slick)					

Note: Low flow conditions

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		LOT NUMBER
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY
1		

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-GH11

Stream Name: UNT to North Fork Blackwater River

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 2/2/2022 Surveyors: KB AB

Type: Representative Bankfull

T 1	DADTICI E		LE COUNT	D. 41.1.	70. 4. 1. //	T4 0/	0/ C
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	^	30	30.00	30.00
	Very Fine	.062125		^	0	0.00	30.00
	Fine	.12525	1	•	35	35.00	65.00
	Medium	.255	SAND	4	0	0.00	65.00
	Coarse	.50-1.0		4	0	0.00	65.00
.0408	Very Coarse	1.0-2		4	10	10.00	75.00
.0816	Very Fine	2 -4		4	0	0.00	75.00
.1622	Fine	4 -5.7	1	•	0	0.00	75.00
.2231	Fine	5.7 - 8	1	•	8	8.00	83.00
.3144	Medium	8 -11.3	1	•	5	5.00	88.00
.4463	Medium	11.3 - 16	GRAVEL	•	7	7.00	95.00
.6389	Coarse	16 -22.6	1	•	5	5.00	100.00
.89 - 1.26	Coarse	22.6 - 32		•	0	0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45		•	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64		•	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		•	0	0.00	100.00
3.5 - 5.0	Small	90 - 128	COBBLE	•	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	•	0	0.00	100.00
7.1 - 10.1	Large	180 - 256		•	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		•	0	0.00	100.00
14.3 - 20	Small	362 - 512		•	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.00
40 - 80	Large	1024 -2048		•	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		•	0	0.00	100.0
	Bedrock		BDRK	*	0	0.00	100.0
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

UNT to North Fork Blackwater River River Name:

S-GH11

Reach Name: Sample Name: Survey Date: Representative Bankfull 02/02/2022

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	30 0 35 0 10 0 0 8 5 7 5 0 0 0 0 0 0	30.00 0.00 35.00 0.00 10.00 0.00 0.00 8.00 5.00 7.00 5.00 0.00 0.00 0.00 0.00 0	30. 00 30. 00 65. 00 65. 00 75. 00 75. 00 75. 00 83. 00 88. 00 95. 00 100. 00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0. 03 0. 14 0. 2 8. 66 16 22. 6 30 45 25 0		

Total Particles = 100.

		S	tream	1 Ass	essm	ent Fo	orm (F	orm	1)		
				Unified St	ream Method	lology for use	in Virginia				
					ble channels cla				Impact	Impact	
Project #	Project Na		, and the second	Locality	Class.	HUC	Date	SAR#	Length	Factor	
22865.06	Mountain Valley	ey Pipeline Pipeline, L		Franklin County	R4	03010101	8/26/2021	S-GH11	77	1	
Name	e(s) of Evaluator(s		Stream Name		ation				Stream Map		
	AO, MM		UNT to North	n Fork Blacky	vater River				7	7	
1 Channel C	Condition: Assess th	he cross-sect	tion of the stream	and prevailing o	andition (erosion	aggradation)					
i. Onamici o					Conditional Catego	ory					
	Optimal	ı	Subo	ptimal	Mar	ginal	Po	oor	Sev	ere	
Channel Condition	Very little incision or activ 100% stable banks. \ surface protection or n prominent (80-100%). Ah bankfull benches are pre to their original floodpl developed wide bankfu channel bars and transve Transient sediment depc less than 10% of b	Vegetative natural rock, ND/OR Stable esent. Access plain or fully ull benches. erse bars few. osition covers	of banks are st Vegetative protect prominent (60- Depositional feate stability. The ban channels are wel likely has acce benches,or ne portions of the re sediment covers	cted banks. Majority table (60-80%). title (60-80%). title (60-80%). AND/OR tures contribute to hkfull and low flow II defined. Stream ess to bankfull ewly developed each. Transient	Poor. Banks more or Poor due to lo Erosion may be proboth banks. Vege 40-60% of banks. be vertical or un 40-60% Sediment transient, control Deposition that comay be forming/poshaped channel protection on > 40°	less than Severe or stable than Severe wer bank slopes. esent on 40-60% of tative protection on Streambanks may dercut. AND/OR may be temporary / ribute instability, resent. AND/OR V-s have vegetative % of the banks and	laterally unstable further. Majority near vertical. Eros banks. Vegetative on 20-40% of bank to prevent erosion the stream is cow Sediment is temp nature, and contri AND/OR V-shag vegetative protect 40% of the banks a	cised. Vertically / e. Likely to widen of both banks are ion present on 60-protection present s, and is insufficient a AND/OR 60-80% ered by sediment. orary / transient in buting to instability. bed channels have ion is present on > and stable sediment.	present. Erosion/ 100%. AND/OR A than 80% of stream deposition, contrib Multiple thread of	stability. Severe tained within the do below average vertical/undercut. on present on less is not preventing is bank sloughing raw banks on 80-ggrading channel. In bed is covered by uting to instability. channels and/or	
					depositional featur to sta	es which contribute ability.	deposition	is absent.	subterran	ean flow.	CI
Scores	3		2.	.4	2	2	1	.6	1		2.40
Z. KIFAKIAI			'a 100 fact riparia	n arasa alana th	ontire CAD (res	uah maaauraman	to of longth 9 wid	th may be seent	abla)		
Riparian Buffers	Optimal Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas.	ches) present,		Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory.	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present,	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree		Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable	able) NOTES>>		
Riparian	Optimal Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within	ches) present,	Con Subor Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <a>30% tree canopy cover with maintained understory.	Pro High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Riparian	Optimal Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within	ches) present,	Con Subor Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hap production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	Promotion of the company of the comp	Low Poor: Impervious surfaces, mine spoil lands, row crops, active feed lots, trails, or other comparable			
Riparian Buffers Scores 1. Delineate ripa descriptors. 2. Determine squeedow.	Optimal Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5 Treatman areas along each treatman areas along each treatman areas treatman areas treatman areas along each treatman areas each treatman area	ches) present, ppy cover. In the riparian	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Linto Condition C. g or estimating len	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 categories and Co	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <a>30 % tree canopy cover with maintained understory. Low 0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5			
Riparian Buffers Scores 1. Delineate rips descriptors. 2. Determine squelow. 3. Enter the % F	Optimal Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5	ches) present, ppy cover. In the riparian	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Linto Condition C. g or estimating len	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 categories and Co	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <a>30 % tree canopy cover with maintained understory. Low 0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5			
Riparian Buffers Scores 1. Delineate ripa descriptors. 2. Determine squeedow.	Optimal Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5 arian areas along each quare footage for each te	ches) present, ppy cover, n the riparian stream bank by measuring	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Cinto Condition C	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 categories and Co	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 Indition Scores us Calculators are proven.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 sing the	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5			
Riparian Buffers Scores 1. Delineate ripatescriptors. 2. Determine squelow. 3. Enter the % F	Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5 arian areas along each quare footage for each barrian area and Score > Score >	ches) present, opy cover. In the riparian stream bank by measuring re for each right 40% 0.6	Con Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Cinto Condition C g or estimating ler parian category in 30% 0.75	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 categories and Co	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 endition Scores us Calculators are prov.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with < 30% tree canopy cover with maintained understory. Low 0.75 Sing the ovided for you	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5	NOTES>>		
Riparian Buffers Scores 1. Delineate rips descriptors. 2. Determine squelow. 3. Enter the % F	Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5 arian areas along each quare footage for each b Riparian Area and Score % Riparian Area> Score >	ches) present, opy cover. In the riparian stream bank by measuring re for each rig 40% 0.6	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Into Condition C g or estimating ler parian category ir 30% 0.75	Low Suboptimal: Riparian areas with tree stratum (dbh s 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 Lategories and Congth and width. (and the blocks below 17% 0.85	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 Indition Scores us Calculators are prov. 10% 0.5	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with < 30% tree canopy cover with maintained understory. Low 0.75 Sing the ovided for you	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5	NOTES>> CI= (Sum % RA * Sc Rt Bank CI >	0.70	CI 0.71
Riparian Buffers Scores 1. Delineate ripa descriptors. 2. Determine squelow. 3. Enter the % F Right Bank Left Bank 3. INSTREAN	Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5 arian areas along each quare footage for each barrian area and Score > Score >	ches) present, ppy cover. In the riparian stream bank by measuring re for each rip 40% 0.6	Con Subor Subor High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 Cinto Condition C g or estimating ler parian category in 30% 0.75	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 categories and Co	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 Indition Scores us Calculators are prov. 10% 0.5	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 sing the ovided for you 3% 1.2	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F Blocks 6	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.70 0.72	CI 0.71
Riparian Buffers Scores 1. Delineate ripadescriptors. 2. Determine squelow. 3. Enter the % F Right Bank Left Bank 3. INSTREAN	Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5 arian areas along each quare footage for each to Riparian Area and Score > % Riparian Area Score > W HABITAT: Varied exes, stable features.	ches) present, opy cover. In the riparian stream bank by measuring re for each rig 40% 0.6 60% 0.75	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 k into Condition C g or estimating ler parian category in 30% 0.75 15% 0.85 zes, water velocity	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 Lategories and Coungth and width. (and the blocks below 17% 0.85 15% 0.6 by and depths; wo	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 Calculators are provided to the control of the	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 Sing the ovided for you 3% 1.2	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F Blocks 6	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.70 0.72	
Riparian Buffers Scores 1. Delineate ripa descriptors. 2. Determine squelow. 3. Enter the % F Right Bank Left Bank 3. INSTREAN	Tree stratum (dbh > 3 inc with > 60% tree cano Wetlands located within areas. 1.5 arian areas along each guare footage for each barrian Area and Score > % Riparian Area Score > % Riparian Area Score > W HABITAT: Varied	ches) present, opy cover. In the riparian stream bank by measuring refor each right 40% 0.6 co.75 substrate size size size size size size size siz	Con Subop High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory. High 1.2 cinto Condition C g or estimating let parian category in 30% 0.75 15% 0.85 zes, water velocity Subop Stable habitat eler	ditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh s 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 Lategories and Coungth and width. (and the blocks below 17% 0.85 15% 0.6 y and depths; wo Conditional ptimal ments are typically 6 of the reach and rmaintenance of	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 Indition Scores us Calculators are provided to the control of t	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory. Low 0.75 sing the ovided for you 3% 1.2	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Ensure of % F Blocks e Habitat elements lacking or are u elements are typic	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 the sums Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.70 0.72 mats; SAV;	

	St	ream In	npact A	ssessn	nent Fo	rm Pag	e 2		
Project #	Project Name (App	licant)	Locality	Cowardin Class.	HUC	Date	SAR#	Impact Length	Impact Factor
22865.06	Mountain Valley Pipeline Valley Pipeline, I	•	Franklin County	R4	03010101	8/26/2021	S-GH11	77	1
4. CHANNEI livestock	L ALTERATION: Stream cross	ings, riprap, conc			straightening of c	hannel, channeliz	ation, embankme		nstrictions,
	Negligible	Mir		al Category	erate	Sev	vere	NOTES>>	
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	is disrupted by any of the channel alterations listed in the parameter guidelines. If	iso - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not	Greater than 8	y of the channel in the parameter DR 80% of banks		
Scores	1.5	1.3	1.1	0.9	0.7	0	.5		
	REACH C	CONDITION	NDEX and S	STREAM CO	NDITION UN	NITS FOR TH	IIS REACH		
MOTE: The Ole -	and RCI should be rounded to 2 de	cimal places. The	CR should be ro	unded to a whole	number		THE REACH	CONDITION IN	OFX (RCI) >>

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >>

CR = RCI X L_i X IF

INSERT PHOTOS:


(WSSI Photo Location L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread H\Field Forms\S-GH11\Photos\S-GH11_US VIEW (Dense veg)_2021-08-26(1).jpg)



Looking upstream under equipment bridge in the ROW. Some erosion was observed at the base of the right bank bridge footer. Assessment is limited to areas within the temporary ROW.


DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER




S-GH11 BASELINE THALWEG 1442 1440.3 □ 1438 1434 0+00 0+10 0+20 0+30 0+40 0+50 0+60 0+70DISTANCE ALONG CROSS-SECTION (FT)





SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 4, 2019.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross section B shot at location of pipe centerline (based on field stakes).



CROSS SECTION

EXISTING GRADE

CROSS SECTION LEGEND

H: 1"=10'

V: 1"=5'



Wetland

252.

to Inklii

S

Profile



PHOTO TAKEN LOOKING UPSTREAM TO THE NORTH-NORTHEAST ON 04/16/2019

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM @ IMPACT LIMITS AT LEFT BANK

PENDING CROSSING

AS-BUILT TABLE: S-GH11 CROSS SECTION B (PIPE CL) No coordinates available due to C/L crossing the stream at the exisiting culvert

PHOTO TAKEN LOOKING DOWNSTREAM @ IMPACT LIMITS AT RIGHT BANK TYPICAL 5-POINT CROSS-SECTION THW TS: TOP OF SLOPE BS: BOTTOM OF SLOPE THW: THALWEG (INVERT)

REVISIONS


Horizontal Datum: NAD 1983 UTM ZONE 1 Vertical Datum: NAVD 88


Boundary and Topo Source: WSSI 2' C.I. Topo Approved NAS JSF PFS Sheet #

1 of 1

Computer File Name: :\Survey\22000s\22800\22865.03\Spread H Work Dwgs 2865_03 S-H MP 245-253 Sheets.dwg

S-GH11 BASELINE CROSS-SECTION A 1450 1448 WATER SURFACE EL. =1439.7' __1446 (APRIL 2019) 1444 ₹ 1442 1438 EX. THALWEG EL.: 1439.5 0+00 0+10 0+20 0+30 0+40 0+50DISTANCE ALONG CROSS-SECTION (FT)





NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.