### **Baseline Assessment – Stream Attributes**

# Reach S-GH14 (Pipeline ROW) Perennial Spread H Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	<b>√</b>
Longitudinal Profile and Cross Sections	✓



Photo Type: DS VIEW
Location, Orientation, Photographer Initials: Downstream view of ROW looking SW, AO



Photo Type: US VIEW Location, Orientation, Photographer Initials: Upstream view of ROW looking NE, AO



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking NW, AO



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking SE, AO



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking SW, AO

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		М	ountain V	alley Pipeline		COORDINATES: cimal Degrees)	Lat.	37.105883	Lon.	-80.048861		WEATHER:		Sunny		DATE:	Augus	st 26, 2021
IMPACT STREAM/SITE I (watershed size {acreage				S-C	GH14			MITIGATION STREAM CLA (watershed size (ac	ASS./SITE ID AND reage), unaltered or imp		N:					Comments:		
STREAM IMPACT LENGTH:	76	FORM MITIGAT		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		None		Mitigation Length:		
Column No. 1- Impact Existin	ng Condition (Deb	it)		Column No. 2- Mitigation Existing C	ondition - Base	line (Credit)		Column No. 3- Mitigatio Post Compl	n Projected at Five letion (Credit)	Years		Column No. 4- Mitigation Proje Post Completion (		ars		Column No. 5- Mitigation Projecte	d at Maturity	(Credit)
Stream Classification:	Perei	nnial		Stream Classification:				Stream Classification:		0		Stream Classification:		0	Str	ream Classification:		0
Percent Stream Channel S	Slope	4.57		Percent Stream Channel Sle	оре			Percent Stream Chann	el Slope	0		Percent Stream Channel Sle	оре	0		Percent Stream Channel Sle	ope	0
HGM Score (attach	data forms):			HGM Score (attach	data forms):			HGM Score (att	tach data forms):			HGM Score (attach da	ata forms):			HGM Score (attach da	ta forms):	
		Average				Average				Average				Average				Average
Hydrology				Hydrology				Hydrology				Hydrology			Ну	ydrology	1	
Biogeochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0	Bio	ogeochemical Cycling	1	0
Habitat				Habitat				Habitat				Habitat			Ha	abitat		
PART I - Physical, Chemical an	id Biological Indic	ators		PART I - Physical, Chemical an	d Biological Inc	dicators		PART I - Physical, Chemic	cal and Biological I	ndicators		PART I - Physical, Chemical and	Biological Indi	cators		PART I - Physical, Chemical and I	Biological Ind	licators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Rang	ge Sita Score			Points Scale Range	Site Score			Points Scale Ran	ange Site Score
PHYSICAL INDICATOR (Applies to all stream	ns classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all str	reams classifications)			PHYSICAL INDICATOR (Applies to all streams	s classifications)		РН	HYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data She				USEPA RBP (High Gradient Data Sheet)				SEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	11		Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover				Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	15 8		2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20			2. Embeddedness	0-20			Embeddedness	0-20	
Velocity/ Depth Regime     Sediment Deposition	0-20	10		Pool Variability     Sediment Deposition	0-20			Velocity/ Depth Regime     Sediment Deposition	0-20			Velocity/ Depth Regime     Sediment Deposition	0-20			Velocity/ Depth Regime Sediment Deposition	0-20	
5. Channel Flow Status	0-20	15		5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			Channel Flow Status	0-20	7
6. Channel Alteration	0-20 0-1	20		6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0-1			Channel Alteration	0-20 0-	-1
7. Frequency of Riffles (or bends)	0-20	17		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20			Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	10		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20	7
9. Vegetative Protection (LB & RB)	0-20	13		9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20	
Vegetative Protection (LB & RB)     Reparian Vegetative Zone Width (LB & RB)		18		Vegetative Protection (LB & RB)     Riparian Vegetative Zone Width (LB & RB)	0-20			Vegetative Protection (LB & RB)     Regetative Zone Width (LB & R	0-20 RB) 0-20			Vegetative Protection (LB & RB)     Reparian Vegetative Zone Width (LB & RB)				). Riparian Vegetative Zone Width (LB & RB)	0-20	7
Total RBP Score	Suboptimal	137		Total RBP Score	Poor	0		Total RBP Score	Poor	0		Total RBP Score	Poor	0		otal RBP Score	Poor	0
Sub-Total		0.685		Sub-Total		0		Sub-Total	*	0		Sub-Total		0		ub-Total		0
CHEMICAL INDICATOR (Applies to Intermitt		reams)		CHEMICAL INDICATOR (Applies to Intermitten		reams)		CHEMICAL INDICATOR (Applies to Inter		Streams)		CHEMICAL INDICATOR (Applies to Intermitter		Streams)		HEMICAL INDICATOR (Applies to Intermittent		Streams)
WVDEP Water Quality Indicators (Gener Specific Conductivity	al)			WVDEP Water Quality Indicators (General) Specific Conductivity				WVDEP Water Quality Indicators (Ger Specific Conductivity	neral)			WVDEP Water Quality Indicators (General Specific Conductivity	)		W\	VDEP Water Quality Indicators (General) pecific Conductivity		
Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity			Sp	ecific Conductivity		
<=99 - 90 points	0-90	67.2			0-90				0-90				0-90				0-90	1
pH				pH	-			pH				pH			рН			
6.0-8.0 = 80 points	0-80	6.16			5-90 0-1				5-90				5-90				5-90	1
DO				DO				DO				DO			DC	)		
>5.0 = 30 points Sub-Total	10-30	8.37		Sub-Total	10-30	0		Sub-Total	10-30	0		Sub-Total	10-30	0	e	ub-Total	10-30	
BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial			BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial			BIOLOGICAL INDICATOR (Applies to In	ntermittent and Perer			BIOLOGICAL INDICATOR (Applies to Interm	nittent and Pereni			OLOGICAL INDICATOR (Applies to Intermi	ittent and Perer	nnial Streams)
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			w	V Stream Condition Index (WVSCI)		
0	0-100 0-1				0-100 0-1				0-100 0-1	1			0-100 0-1				0-100 0-	-1
Sub-Total	1 1	0		Sub-Total	1 1	0		Sub-Total		0		Sub-Total	' '	0	Su	ub-Total		0
PART II - Index and	Unit Score	n	ı	PART II - Index and	Unit Score			PART II Index	and Unit Score			PART II - Index and U	Init Score			PART II - Index and Ur	nit Score	
PACE II - III dex and	o deole			PART II - III DEX AND	ot ocore			PART II - IIIde)	and onit score			PART II - III GEX BIIG O	ocore			PART II - IIIdex and Of	Julie	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Fee	t Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	et Unit Score
0,843	76	64.03		0	0	0		0	0	0		0	0	0	-	0	0	0
1	1			-	1	1 1		1				1	1	1 -			1 -	_

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-GH14		LOCATION Franklin County	,
STATION #_13325+30 R	IVERMILE	STREAM CLASS Perennial	
LAT 37.104707 LO	ONG80.04622	RIVER BASIN Upper Roan	oke
STORET#		AGENCY VADEQ	
INVESTIGATORS AO, MI	M		
FORM COMPLETED BY	AO, MM	DATE 8/26/21 TIME 11 AM	REASON FOR SURVEY Baseline Assessment
WEATHER CONDITIONS	rain ( shower	(heavy rain) (steady rain)	Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature 28 0 C  Other
SITE LOCATION/MAP	Draw a map of the sit	te and indicate the areas sample	ed (or attach a photograph)
	Coming	EQUIPMENT BRIDGE	Scall X X X X X X X X X X X X X X X X X X

Stream Type Coldwater

Catchment Area 0.12

✓Warmwater

 $km^2$ 

Notes: Low flow observed.

STREAM CHARACTERIZATION

☐ Spring-fed
✓ Mixture of origins
☐ Other

Stream Subsystem

✓ Perennial Intermittent ITidal

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predom  ✓ Fores  ✓ Field/  ☐ Agric  ☐ Resid	Pasture Industri	ercial al	Local Watershed NPS  ☑ No evidence ☐ Son ☐ Obvious sources  Local Watershed Erosi ☑ None ☐ Moderate	ne potential sources				
RIPARIA VEGETA (18 meter	TION		e the dominant type and S		ominant species present ☐ Grasses	rbaceous				
INSTREA FEATURI		Estimat Samplin Area in Estimat	ted Stream Depth 0.03  Velocity 0.25 m	m m² km²		ly shaded □Shaded  3m epresented by Stream  Run 40% □ No □ No				
LARGE V DEBRIS	VOODY	LWD Density	of LWDn	n²/km² (LWD/	reach area)					
AQUATIO VEGETA		✓ Roote Floati	e the dominant type and demergent RA A A A A The species present Carex of the reach with aquations and the reach with aquations and the reach with aquations are the dominant type and RA A A A A A A A A A A A A A A A A A A	ooted submerge ttached Algae sp., Impatiens capensis, M	icrostegium vimineum	□Free floating				
WATER ((DS, US)	QUALITY	Specific Dissolve pH 6.16 Turbidi	cature 20.3 0 C c Conductance 67.2 uS/cm ed Oxygen 8.37 mg/L city NA variation Used VA-1	-		Globs Flecks				
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Absen		Petroleum None	— Εροking at stones whic are the undersides blace	☐Paper fiber ☑Sand Other h are not deeply embedded, k in color?				
INC		STRATE of	COMPONENTS		ORGANIC SUBSTRATE C					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock Boulder	> 256 mm (10")	)	1 Detritus sticks, wood, coarse plant materials (CPOM) 3							
Cobble	64-256 mm (2.5	5"-10")	9	Muck-Mud	black, very fine organic	0				
Gravel	2-64 mm (0.1"-2	2.5")	40		(FPOM)	0				
Sand	0.06-2mm (gritt	y)	40	Marl	grey, shell fragments	0				
Silt	0.004-0.06 mm		5							
Clov	< 0.004 mm (cli	ok)	5		1					

Notes: Low flow observed. Water quality measurements only taken at downstream location due to low flow.

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-GH14	LOCATION Franklin County				
STATION #_13325+30 RIVERMILE	STREAM CLASS Perennial				
LAT <u>37.104707</u> LONG <u>-80.04622</u>	RIVER BASIN Upper Roanoke				
STORET#	AGENCY VADEQ				
INVESTIGATORS AO, MM					
FORM COMPLETED BY AO, MM	DATE 8/26/21 REASON FOR SURVEY TIME 11 AM PM Baseline Assessment				

	Habitat	Condition Category										
	Parameter	Optimal	Suboptimal	Marginal	Poor							
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.							
	SCORE 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.							
ted in	SCORE 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).							
ıram	<sub>SCORE</sub> 8	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
P <sub>2</sub>	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.							
	SCORE 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.							
	score 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							

Notes: Low flow observed.

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ding reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amp	score 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing development.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0

135 Notes: Low flow observed.

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-C	3H14					LO	OCATION	√ Frank	lin C	ount	y							
STATION # 13325+30	R	IVE	RMI	LE_		ST	REAM C	CLASS F	Pere	nnial								
LAT 37.104707	_ L	ONC	j -80.	04622		RI	VER BA	SIN Up	per	Roar	noke							
STORET#						A	GENCY \	/ADEQ										
INVESTIGATORS A	O, M	IM				•					Ι	OT	NUMBER					_
FORM COMPLETED	ВY	Α	0	, [	ΛN	DA TI	ATE 8/26 ME 11				F	REAS	SON FOR SURVEY Ba	selir	ne A	sses	ssm	ent
HABITAT TYPES	✓	Cob	ble 7	•	%	tage of eac Snags phytes	3 %	ŬŪV	eget	t ated l		(S_ <sup>75</sup> _	%	_%				
SAMPLE	G	ear	used		D-fr	ame 🔲 ki	ck-net		o	ther								
COLLECTION	,,			41		1114-	.10 Г	¬	_		l c	n ban	k 🔲 from boat					
	Н	ow v	vere	tne	samp	les collecte	ea: L	wading	3	ш	iron	n ban	kirom boat					
		Cob	ble			r of jabs/ki Snags_ phytes		$\square V$	eget		Bank		Sand )	_				
GENERAL COMMENTS	ш		•			aken d y obse		low fl	OW	r. C	ad	ldis	fly larvae and	stc	ne	fly	r	
QUALITATIVE I Indicate estimated Dominant					0 = A	Absent/No		rved, 1	= F		2, 2	= C	ommon, 3= Abund		1		3	4
Filamentous Algae					0	1 2	3 4		Ma	croi	nvei	tebr	ates	0	1	2	3	4
Macrophytes					0	1 2	3 4		Fisl	1				0	1	2	3	4
	l ab	und	anc	e:	0 = orga	Absent/N anisms), 3	ot Obse = Abun	dant (>	<b>&gt;10</b>	org	anis	ms)	rganisms), 2 = Con , 4 = Dominant (>5	<b>0</b> o	rgai	ism		
Porifera						_							Chironomidae					
Hydrozoa	0	1	2	3	4	Zygopte		0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemipte		0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria Hirudinea	0	1	2	3	4	Coleopte		0	1	2	3	4	Other	0	1	2	3	4
Oligochaeta	0	1	2	3	4	Lepidop Sialidae		0	1	2	3	4	Plecoptera la	rva	e			
Isopoda	0	1	2	3	4	Corydal		0	1	2	3	4	observed.					
Amphipoda	0	1	2	3	4	Tipulida		0	1	2	3	4						
Decapoda	0	1	2	3	4	Empidid		0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliid		0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinida		0	1	2	3	4						
						Culcidae		0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-GH14

Stream Name: UNT to North Fork Blackwater River

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/26/2021 Surveyors: AO, MM Type: Representative

T 1	DADTICI E		LE COUNT	D (1.1	700 4 7 11	T. 0/	0/ C
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	<b>^</b>	10	10.00	10.00
	Very Fine	.062125		•	2	2.00	12.00
	Fine	.12525	1	•	4	4.00	16.00
	Medium	.255	SAND	•	0	0.00	16.00
	Coarse	.50-1.0	1	•	16	16.00	32.00
.0408	Very Coarse	1.0-2	1	<b>^</b>	8	8.00	40.00
.0816	Very Fine	2 -4		•	14	14.00	54.00
.1622	Fine	4 -5.7	1	•	6	6.00	60.00
.2231	Fine	5.7 - 8	1	•	6	6.00	66.00
.3144	Medium	8 -11.3	1	•	5	5.00	71.00
.4463	Medium	11.3 - 16	GRAVEL	•	2	2.00	73.00
.6389	Coarse	16 -22.6	1	•	0	0.00	73.00
.89 - 1.26	Coarse	22.6 - 32	1	•	2	2.00	75.00
1.26 - 1.77	Vry Coarse	32 - 45	1	•	3	3.00	78.00
1.77 -2.5	Vry Coarse	45 - 64	1	•	3	3.00	81.00
2.5 - 3.5	Small	64 - 90		•	7	7.00	88.00
3.5 - 5.0	Small	90 - 128	GODDIE	•	7	7.00	95.00
5.0 - 7.1	Large	128 - 180	COBBLE	•	1	1.00	96.00
7.1 - 10.1	Large	180 - 256	1	•	1	1.00	97.00
10.1 - 14.3	Small	256 - 362		•	0	0.00	97.00
14.3 - 20	Small	362 - 512	1	•	0	0.00	97.00
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	97.00
40 - 80	Large	1024 -2048	1	•	0	0.00	97.00
80 - 160	Vry Large	2048 -4096	1	•	0	0.00	97.00
	Bedrock		BDRK	<b>^</b>	3	3.00	100.0
				Totals	100		

#### RIVERMORPH PARTICLE SUMMARY

UNT to North Fork Blackwater River

S-GH14

River Name: Reach Name: Sample Name: Representative 08/26/2021 Survey Date:

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	10 2 4 0 16 8 14 6 6 5 2 0 2 3 3 7 7 1 1 0 0 0 0	10.00 2.00 4.00 0.00 16.00 8.00 14.00 6.00 5.00 2.00 0.00 2.00 3.00 7.00 7.00 1.00 1.00 0.0	10.00 12.00 16.00 16.00 32.00 40.00 54.00 60.00 66.00 71.00 73.00 73.00 75.00 78.00 81.00 88.00 95.00 96.00 97.00 97.00 97.00 97.00 97.00 97.00 97.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.25 1.38 3.43 75.14 128 Bedrock 10 30 41 16 0		

Total Particles = 100.

		Ş	Strean	n Ass	essm	enicro	orm (F	•	.,		
				Unified S	tream Method	ology for use	in Virginia				
					Cowardin				Impact	Impact	
Project #	•	ct Name (App		Locality Franklin	Class.	HUC	Date	SAR#	Length	Factor	
22865.06		ey Pipeline, L		County	R3	03010101	8/26/2021	S-GH14	76	1	
Name	e(s) of Evalua	tor(s)	Stream Name	e and Informa	tion				SAR Length		
	AO, MM		Unnamed Tri	ibutary to Nor	th Fork Black	water River			76		
1. Channel C	ondition: Asse	ss the cross-sect	on of the stream								
	Opti	imal	Subo	ptimal	Conditional Catego	<sub>ry</sub> ginal	Po	or	Sev	rere	
Channel Condition	Very little incision or 100% stable banks.	r active erosion; 80- Vegetative surface al rock, prominent 7 Stable point bars / re present. Access loodpalan of tully likfull benches. Mid- ransverse bars few. t deposition over	Slightly incised, fi erosion or unprotet of banks are si Vegetative protect prominent (60 Depositional feat stability. The archannels are well d has access to ba newly developed portions of the re- sediment covers. 1	ew areas of active	Often incised, but I Poor. Banks more s Poor due to low Erosion may be pre both banks. Vege 40-60% Sediment. transient, contraction that comay be formingip shaped channels protection on a 40 depositional features.	ess than Severe or table than Severe or table than Severe or transition of the severe or the severe or the severe or treambanks may be recrut. AND/OR may be temporary / ibute instability.  Intribute to stability, essent. AND/OR V-is have vegetative for the banks and which contribute to the same very severe or the severe or	Overwidened/inclaterally unstable. Lil Majority of both Majority of both Erosion preser bare to 20-40% of bank to prevent erosion. the stream is cow Sediment is temp nature, and contri AND/OR V-shap vegetative protect.	ised. Vertically / kely to widen further. ks are near vertical. to n 60-80% of protection present s, and is insufficient AND/OR 60-80% of read by sediment.	Deeply incised vertical/lateral instabil flow contained w Streambed below av majority of banks Vegetative protection. 20% of banks, is erosion. Obvious present. Erosion/law AND/OR Aggradin	(or excavated), (ity. Severe incision, vithin the banks, erage rooting depth, vertical/undercut, present on less than snot preventing shanks on 80-100%, go channel. Greater in bed is covered by utiling to instability.	
			_		stab						CI
Scores	3	3	2	.4	2	2	1	.6	1	ı	2.00
NOTES>> 2. RIPARIAN	I BUFFERS: A	ssess both bank's	s 100 foot riparian	n areas along the e	entire SAR. (roug	h measurements	of length & width	may be acceptable	le)		
	Opti  Tree stratum (dbh : with > 60% tree Wetlands located are	imal  > 3 inches) present, e canopy cover. within the riparian	Con	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).				Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.	NOTES>>		
2. RIPARIAN	Opti Tree stratum (dbh - with > 60% tree Wetlands located	imal  > 3 inches) present, e canopy cover. within the riparian	Con Subo  High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Record cunderstory. Record (dense	High Marginal: Non-maintained, dense herbaceous wegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30%	Low Marginal: Non-maintained, dense herbaceous vegetation, ripartian areas lacking shrubi nonds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetad non-maintained area, recently seeded and stabilized, or other comparable	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, tralls, or other comparable			
2. RIPARIAN	Opti Tree stratum (dbh - with > 60% tree Wetlands located	imal  3 inches) present, e canopy cover. within the riparian as.	Con Suboy  High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	ditional Cate ptimal  Low Suboptimal: Riparian areas with tree stratum (dsh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaccos vegetation with either a shrub sire or a tree layer (dbh 2 3 inches) present, with < 30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetalion, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-fill cropland; actively grazed pasture, sparsely vegetated area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
2. RIPARIAN  Riparian Buffers  Scores  1. Delineate ripa descriptors. 2. Determine squeedow.	Opti Tree stratum (dbh with > 60% tree Wetlands located are	imal  - 3 inches) present, canopy cover. within the riparian ass.  5 each stream bank ach by measuring Score for each rip	High Suboptimal: Riparian areas with tree stratum (dth > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2 into Condition Ca or estimating len	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  ategories and Corrugth and width. Ca	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (doh > 3 inches) present, with <30% tree canopy cover.  High 0.85  adition Scores usin	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas tacking shrub yonds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; acity grazed pasture, sparsely vegetated area, recently seeded and stabilized, or other comparable condition.  High  0.6	Low Poor: Impervious surfaces, mine spoil fands, et mou crops, active feed lots, trails, or other comparable conditions.  Low 0.5 he sums tiperian qual 100			
Riparian Buffers  Scores  Delineate ripa escriptors. Determine squelelow.	Tree stratum (dbh with > 60% tree Wetlands located are	- 3 inches) present, e canopy cover. within the riparian ass.	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating len parian category in 30%	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  ategories and Cornott the blocks below. 20%	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (bth > 3 inches) present, with <30% tree canopy cover.  High 0.85  dittion Scores usin alculators are provided to the second of the second	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas tacking shrub yonds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	High Poor: Lawns, mowed, and maintained areas, nurseries: no-ill cropland; acity grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil lands, denuided surfaces, row crops, active feed lois, trails, or other comparable conditions.  Low 0.5 he sums			
Riparian Buffers  Scores 1. Delineate ripa descriptors. 2. Determine squelow. 3. Enter the % R	Opti Tree stratum (dbh with > 60% tree Wetlands located are	imal  - 3 inches) present, canopy cover. within the riparian ass.  5 each stream bank ach by measuring Score for each rip	High Suboptimal: Riparian areas with tree stratum (dth > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2 into Condition Ca or estimating len	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  ategories and Corrugth and width. Ca	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (doh > 3 inches) present, with <30% tree canopy cover.  High 0.85  adition Scores usin	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas tacking shrub yonds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	High Poor: Lawns, mowed, and maintained areas, nurseries: no-ill cropland; acity grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil fands, et mou crops, active feed lots, trails, or other comparable conditions.  Low 0.5 he sums tiperian qual 100		ores*0.01)/2	
Riparian Buffers  Scores  1. Delineate ripa elescriptors. 2. Determine squelow. 3. Enter the % R	Tree stratum (dbh with > 60% tree Wetlands located are	- 3 inches) present, e canopy cover. within the riparian ass.	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating len parian category in 30%	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  ategories and Cornott the blocks below. 20%	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (bth > 3 inches) present, with <30% tree canopy cover.  High 0.85  dittion Scores usin alculators are provided to the second of the second	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas tacking shrub yonds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	High Poor: Lawns, mowed, and maintained areas, nurseries: no-ill cropland; acity grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil fands, et mou crops, active feed lots, trails, or other comparable conditions.  Low 0.5 he sums tiperian qual 100	NOTES>>	ores*0.01)/2 0.80	CI
Riparian Buffers  Scores  Delineate ripalescriptors. Determine squelow. Enter the % R	Tree stratum (dbh > with > 60% free Wetlands located are	imal  3 inches) present, canopy cover. within the riparian ass.  5  each stream bank ach by measuring Score for each rig 40%  0.75	High Suboptimal: Riparian areas with tree stratum (dth > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating len varian category in 30% 0.85	Low Suboptimal: Riparian areas with tree stratum (dth > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutoer (dense vegetation).  Low 1.1 ategories and Cor ngth and width. C: the blocks below. 20% 0.6	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer (bth > 3 inches) present, with <30% tree canopy cover.  High 0.85  dittion Scores usin alculators are provided to the control of th	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas tacking shrub yonds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	High Poor: Lawns, mowed, and maintained areas, nurseries: no-ill cropland; acity grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure t	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other companied conditions.  Low 0.5  Low 10.5  Low 10.5  Low 10.5	NOTES>>  Cl= (Sum % RA * Soc		CI 0.82
Riparian Buffers  Scores  Delineate ripa descriptors. Deletmine squelow. Enter the % R Right Bank  Left Bank  Instream	Tree stratum (dbh > with > 60% free Wetlands located are Wetlands located are footage for e top and the footage footage for e top and the footage footage for e top and the footage footag	imal  3 inches) present, e canopy cover. within the riparian ass.  5  ach by measuring 40%  0.75  70%  0.75  ried substrate sizes.	High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present; with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2 into Condition Cate or estimating lenders	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present; with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low  1.1  ategories and Correct the blocks below.  20%  0.6  10%  0.6  and depths; wood	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer (bth > 3 inches) present, with <30% tree canopy cover.  High 0.85  dittion Scores usir alculators are provential or the service of	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrubu and tree stratum, hay production, production, stratum (dbh >3 inches) present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  Ing the vided for you	High Poor: Lawns, mowed, and maintained areas, nurseries; no-ill croplant; achievly grazed pasture, sparsely vegetated area, recently seeded and non-maintained, according to the poor of	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, row crops, active feed lots, trails, other comparable conditions.  Low 0.5  the sums tiparian qual 100 100%	NOTES>>  Cl= (Sum % RA * Scr Rt Bank Cl >	0.80 0.85	
Riparian Buffers  Scores  Delineate ripa descriptors. Delescriptors. Determine squelow. Right Bank  Left Bank  Left Bank  Just Real Right Bank  Left Bank  Left Bank	Tree stratum (dbh with > 60% tree Wetlands located are Wetlands located are strain areas along a uare footage for e tiparian Area and % Riparian Area Score >   1 HABITAT: Vaxes, stable featur	imal  3 inches) present, canopy cover; within the riparian as.  5  ach stream bank ach by measuring 40% 0.75  70% 0.75  ried substrate sizes.  imal  by pleaty present in % of the reach.	High Suboptimal: Riparian areas with tree stratum (dsh > 3 inches) present; with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2 into Condition Cate or estimating len arian category in 30% 0.85  15% 1.5  ss, water velocity  Stable habitat ele present in 30-50% adequate for popul	Low Suboptimal: Riparian areas with tree stratum (dah > 3 inches) present; with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1 ategories and Correct the blocks below. 20% 0.6 10% 0.6 and depths; wooc Conditional	High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer (oth > 3 inches) present, with <30% tree canopy cover.  High 0.85  didition Scores usin alculators are provent with <30% tree canopy cover.  10% 1.2  5% 0.85  dy and leafy debries at Category Marginal Category Marginal Category Stable habitatelet present in 10-30%	ginal  Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, pharian stratum (dbh >3 inches) present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low  0.75  Ig the vided for you  ginal  ments are typically of the reach and are naintenance of stons.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-ill cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  O.6  Ensure t  of % F  Blocks e  Habitat elements lacking or are u elements are typic than 10% or	Low Poor: Impervious surfaces, mine spoil lands, denuided surfaces, row crops, active feed lois, trails, or other comparable conditions.  Low 0.5  he sums Riparian qual 100 100%  100%	CI= (Sum % RA * Sci Rt Bank CI > Lt Bank CI > cut banks; root mat	0.80 0.85 ts; SAV;	

#### **Stream Impact Assessment Form Page 2** Cowardin Impact Impact Project Name (Applicant) Locality SAR# Project # Class. Length **Factor** Mountain Valley Pipeline (Mountain Franklin 22865.06 R3 03010101 8/26/2021 S-GH14 76 Valley Pipeline, LLC) County 4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestoci **Conditional Category** NOTES>> Negligible Moderate Severe 60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been s disrupted by any of the channel alterations listed in Channel Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or the stream reach is disrupted by any of stream reach is isrupted by any o the parameter guidelines. If stream has been Channelization, dredging, alteration, o Alteration hardening absent. Stream has an unaltered pattern or has naturalized. the channel alterations listed in the channel terations listed in channelized, channelized, the parameter the parameter normal stable normal stable guidelines. guidelines. stream meande stream meande pattern has not pattern has not CI Scores 1.5 1.3 1.50 REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number THE REACH CONDITION INDEX (RCI) >> 1.16

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >> 88

CR = RCI X L, X IF

#### INSERT PHOTOS:


(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread H\Field Forms\S-GH14\Photos\S-GH14 RB DS VIEW 2021-08-26 1.jpg")




Looking downstream within the ROW. Assessment is limited to areas within the temporary ROW.

#### DESCRIBE PROPOSED IMPACT:


PROVIDED UNDER SEPARATE COVER







## SURVEY NOTES:


- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on December 18, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).



CL ST	CL STAKEOUT POINTS: S-GH14 CROSS SECTION B (PIPE CL)											
	PR	E-CROSSING		POST-CROSSIN								
PT. LOC.	NORTHING	ELEV	VERT.	HORZ.								
P1. LOC.	INORTHING	EASTING	ELEV	DIFF.	DIFF.							
TS-L	13474510.16	1917703.22	1427.86									
BS-L	13474518.69	1917688.78	1418.35									
THW	13474520.74	1917685.39	1417.53									
BS-R	13474521.72	1917683.34	1418.13									
TS-R	13474526.82	1917674.46	1426.31									












PHOTO TAKEN LOOKING UPSTREAM ON 12/18/2018



PHOTO TAKEN LOOKING DOWNSTREAM ON 12/18/2018




PHOTO TAKEN LOOKING





PHOTO TAKEN LOOKING



Riv

to I

Computer File Name: Survey\22000s\22800\22865.03\Spread H Work Dwgs 865\_03 S-H MP 245-253 Sheets.dwg