#### **Baseline Assessment - Stream Attributes**

# Reach S-MM11 (Pipeline ROW) Ephemeral Spread H Montgomery County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No water present
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No water present
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓

#### Spread H Stream S-MM11 (ROW) Montgomery County



Location, Orientation, Photographer Initials: Downstream view of ROW looking S, AO



Location, Orientation, Photographer Initials: Upstream view of ROW looking NW, AO

#### Spread H Stream S-MM11 (ROW) Montgomery County



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking SW, AO



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking NE, AO

### Spread H Stream S-MM11 (ROW) Montgomery County



Location, Orientation, Photographer Initials: Downstream conditions outside of ROW looking S, AO

 $L: \cline{L:l22000s} \cline{$ 

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mo	ountain Valley	y Pipeline		COORDINATES: cimal Degrees)	Lat.	37.258403	Lon.	-80.288186		WEATHER:		Sunny		DATE:	August 9	9, 2021
IMPACT STREAM/SITE ID (watershed size (acreage),				S-M	M11			MITIGATION STREAM CLASS (watershed size (acreag			N:					Comments:		
STREAM IMPACT LENGTH:	80	FORM C MITIGATION		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		None		Mitigation Length:		
Column No. 1- Impact Existing	Condition (Det	oit)		Column No. 2- Mitigation Existing Co	ondition - Base	line (Credit)	·	Column No. 3- Mitigation Pr Post Completion		ears		Column No. 4- Mitigation Proje Post Completion (	ected at Ten Ye Credit)	ears		Column No. 5- Mitigation Projected	d at Maturity (Cr	redit)
Stream Classification:	Ephe	meral	Stre	eam Classification:				Stream Classification:		0	5	Stream Classification:		0		Stream Classification:	0	
Percent Stream Channel Slo	•	9.32		Percent Stream Channel Slo	•			Percent Stream Channel S	•	0		Percent Stream Channel SI	•	0		Percent Stream Channel Sic	•	0
HGM Score (attach da	ata forms):			HGM Score (attach o	iata forms):			HGM Score (attach	data forms):			HGM Score (attach da	ata forms):			HGM Score (attach da	ita forms):	
		Average				Average				Average				Average		1		Average
Hydrology	0.4		Hyd	Irology				Hydrology			H	Hydrology				Hydrology		4
Biogeochemical Cycling	0.51	0.33333333		geochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0
Habitat	0.09		Habi	itat				Habitat			ŀ	Habitat				Habitat		4
PART I - Physical, Chemical and				PART I - Physical, Chemical and				PART I - Physical, Chemical a				PART I - Physical, Chemical and				PART I - Physical, Chemical and E		
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)			/SICAL INDICATOR (Applies to all streams of	classifications)			PHYSICAL INDICATOR (Applies to all stream	s classifications)		F	PHYSICAL INDICATOR (Applies to all streams	s classifications)			PHYSICAL INDICATOR (Applies to all streams of	classifications)	
USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0.20			pifaunal Substrate/Available Cover	0.20			USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0.20			USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0,20			USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0.20	
2. Embeddedness	0-20	15		ool Substrate Characterization	0-20			2. Embeddedness	0-20			2. Embeddedness	0-20			Embeddedness	0-20	
Velocity/ Depth Regime	0-20	0		ool Variability	0-20			Velocity/ Depth Regime	0-20		1	3. Velocity/ Depth Regime	0-20			3. Velocity/ Depth Regime	0-20	
Sediment Deposition	0-20	20		ediment Deposition	0-20			Sediment Deposition	0-20		4	4. Sediment Deposition	0-20			Sediment Deposition	0-20	
5. Channel Flow Status	0-20	0	5. CI	hannel Flow Status	0-20			5. Channel Flow Status	0-20		٤	5. Channel Flow Status	0-20			5. Channel Flow Status	0-20	
6. Channel Alteration	0-20	20		hannel Alteration	0-20			6. Channel Alteration	0-20		E	6. Channel Alteration	0-20			6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	0	7. CI	hannel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7	7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	20	8. Ba	ank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		٤	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	20		egetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20	
<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>		16		Riparian Vegetative Zone Width (LB & RB)	0-20			<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20			<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>		
Total RBP Score	Optimal	111		al RBP Score	Poor	0		Total RBP Score	Poor	0		Total RBP Score	Poor	0		Total RBP Score	Poor	0
Sub-Total  CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial St	0.925 reams)		-Total EMICAL INDICATOR (Applies to Intermittent	and Perennial St	o reams)		Sub-Total  CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial St	reams)		Sub-Total  CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial S	0 Streams)		Sub-Total  CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Str	eams)
WVDEP Water Quality Indicators (General)	)		wvr	DEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (Genera	n			WVDEP Water Quality Indicators (General	n			WVDEP Water Quality Indicators (General)		
Specific Conductivity	•		Sper	cific Conductivity				Specific Conductivity	<u> </u>		5	Specific Conductivity				Specific Conductivity		
400 400 05 14	0-90				0-90				0-90				0-90			ı İ	0-90	
100-199 - 85 points	-		nН		-			nH	-			nH	_			nH		
	0-80				5-90 0-1				5-90 0-1		ľ		5-90 0-1			f I	5-90	
5.6-5.9 = 45 points	1								1		L					200		
DO	_		БО					DO	_		<u> </u>	DO				<u> </u>		
	10-30				10-30				10-30				10-30			ı l	10-30	
Sub-Total			Sub-	-Total		0		Sub-Total		0	8	Sub-Total		0		Sub-Total	·	0
BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial	Streams)	вю	LOGICAL INDICATOR (Applies to Intermitte	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Interr	nittent and Perenn	ial Streams)	E	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Pereni	nial Streams)		BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennia	al Streams)
WV Stream Condition Index (WVSCI)			wv:	Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			<u> </u>	WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)		
0	0-100 0-1				0-100 0-1				0-100 0-1				0-100 0-1				0-100 0-1	
Sub-Total		0	Sub-	-Total		0		Sub-Total		0	8	Sub-Total		0	Į	Sub-Total		0
PART II - Index and U	Init Score			PART II - Index and I	Unit Score			PART II - Index an	d Unit Score		] [	PART II - Index and U	Init Score		1	PART II - Index and Un	nit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score
0.598	80	47.8333333		0	0	0		0	0	0		0	0	0		0	0	0

Ver. 10-20-17

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

**Project Name:** Mountain Valley Pipeline **Location:** Montgomery County

Sampling Date: 8/09/2021 Project Site Before Project

Subclass for this SAR:

**Ephemeral Stream** 

Uppermost stratum present at this SAR: SAR number: S-MM11

Shrub/Herb Strata

Functional Results Summary:

**Enter Results in Section A of the Mitigation Sufficiency Calculator** 

Function	Functional Capacity Index
Hydrology	0.40
Biogeochemical Cycling	0.51
Habitat	0.09

#### Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V <sub>CCANOPY</sub>	Percent canpoy over channel.	Not Used, <20%	Not Used
$V_{EMBED}$	Average embeddedness of channel.	4.47	0.77
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.08	0.04
$V_{BERO}$	Total percent of eroded stream channel bank.	0.00	1.00
$V_{LWD}$	Number of down woody stems per 100 feet of stream.	0.00	0.00
$V_{TDBH}$	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	188.00	1.00
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
V <sub>DETRITUS</sub>	Average percent cover of leaves, sticks, etc.	26.25	0.32
$V_{HERB}$	Average percent cover of herbaceous vegetation.	77.50	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.74	0.78

Field Data Sheet and Calculator  Team: ES, TC, EL  Project Name: Mountain Valley Pipeline Location: Montgomery County  SAR Number: S-MM11 Reach Length (ft): 50 Stream Type: Ephemeral Stream Top Strata: Shrub/Herb Strata (determined from percent calculated in V <sub>CCANOPY</sub> )  Site and Timing: Project Site  Sample Variables 1-4 in stream channel  1 V <sub>CCANOPY</sub> Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)  List the percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)  Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediment (or before).  Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)  Rating Rating Description  5 <5 percent of surface covered, surrounded, or buried by fine sediment  2
Project Name:  Location:  Montgomery County  SAR Number:  S-MM11  Reach Length (ft):  Somple Variables 1-4 in stream channel  1 V <sub>CCANORY</sub> Average embeddedness of the stream channel. Measure at no fewer than 10 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and are assurounding the particle that is covered by fine sediment of 1. If the bed is an artificial surface, or composed of fine sediment (or buried by fine sediment 1. If 5.0.25 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface).  List the ratings at each point below:  2 VEMBED  Average embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)  Rating Rating Description  5 < 5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)  4
SAR Number: S-MM11 Reach Length (ft): 50 Stream Type: Ephemeral Stream  Top Strata: Shrub/Herb Strata (determined from percent calculated in V <sub>CCANGPY</sub> )  Site and Timing: Project Site
Site and Timing: Project Site
Sample Variables 1-4 in stream channel  1 V <sub>CCANDPY</sub> Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)  List the percent cover measurements at each point below:  2 V <sub>EMSED</sub> Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter than ga coording to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.  Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)  Rating Rating Description  5 <5 percent of surface covered, surrounded, or buried by fine sediment  2 5 11 or 75 percent of surface covered, surrounded, or buried by fine sediment  1 1 75 percent of surface covered, surrounded, or buried by fine sediment  2 5 10 10 75 percent of surface covered, surrounded, or buried by fine sediment  1 1 75 percent of surface covered, surrounded, or buried by fine sediment  2 5 10 10 75 percent of surface covered, surrounded, or buried by fine sediment  3 2 10 10 50 percent of surface covered, surrounded, or buried by fine sediment  1 1 75 percent of surface covered, surrounded, or buried by fine sediment  2 5 10 10 75 percent of surface covered, surrounded, or buried by fine sediment  3 2 10 10 50 percent of surface covered, surrounded, or buried by fine sediment  1 1 1 75 percent of surface covered, surrounded, or buried by fine sediment  2 5 10 10 75 percent of surface covered, surrounded, or buried by fine sediment  3 2 10 10 10 10 10 10 10 10 10 10 10 10 10
Sample Variables 1-4 in stream channel  1 V <sub>CCANOPY</sub> Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)  List the percent cover measurements at each point below:  2 V <sub>EMBED</sub> Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.  Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)  Rating Rating Description  5 is 9 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  1 is 75 percent of surface covered, surrounded, or buried by fine sediment  1 is 75 percent of surface covered, surrounded, or buried by fine sediment  1 is 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered, surrounded, or buried by fine sediment  2 is 10 to 75 percent of surface covered with surface surro
Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)  List the percent cover measurements at each point below:  O
Solution   Company   Com
2 V <sub>EMBED</sub> Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.    Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)   Rating Rating Description
Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.    Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)
along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.  Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983.)  Rating Rating Description  5
along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.  Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)  Rating Rating Description  5
to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5.    Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)   Measure at least 30 point at least 30 point 4   5 to 25 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)   4   5 to 25 percent of surface covered, surrounded, or buried by fine sediment   2   51 to 75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine
of 1. If the bed is composed of bedrock, use a rating score of 5.    Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983)   Rating Description   5   <5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)   4   5 to 25 percent of surface covered, surrounded, or buried by fine sediment   2   51 to 75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or buried by fine sediment   1   >75 percent of surface covered, surrounded, or
Minshall 1983 )  Rating Rating Description  5
5 <5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock) 4 5 to 25 percent of surface covered, surrounded, or buried by fine sediment 3 26 to 50 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface)  List the ratings at each point below:  4 5 5 5 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 0 0 0 0
4 5 to 25 percent of surface covered, surrounded, or buried by fine sediment 3 26 to 50 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment 1 > 75 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface)  List the ratings at each point below:  4 5 5 5 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
3 26 to 50 percent of surface covered, surrounded, or buried by fine sediment 2 51 to 75 percent of surface covered, surrounded, or buried by fine sediment 1 >75 percent of surface covered, surrounded, or buried by fine sediment (or artificial surface)  List the ratings at each point below:  4 5 5 5 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
List the ratings at each point below:  4 5 5 5 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5  2 V <sub>SUBSTRATE</sub> Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant points along the stream; use the same points and particles as used in V <sub>EMBED</sub> .  Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in):  1.70 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0
List the ratings at each point below:  4 5 5 5 3 5 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5  Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in):  1.70 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0
4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
3 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
5 5 5 5 0.000 mesh to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in):  1.70 0.08 0.08 0.08 0.00 0.30 0.08 0.08 0.0
5 5 5 0.08 when the same points and particles as used in V <sub>EMBED</sub> .  2 V <sub>SUBSTRATE</sub> Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant points along the stream; use the same points and particles as used in V <sub>EMBED</sub> .  2 Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in):  1.70 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0
3 V <sub>SUBSTRATE</sub> Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant points along the stream; use the same points and particles as used in V <sub>EMBED</sub> .  Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in):  1.70 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0
along the stream; use the same points and particles as used in V <sub>EMBED</sub> .  Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in):  1.70
1.70         0.08         0.08           0.60         0.70         0.08           0.80         0.30         0.08           0.30         0.08         0.08           0.08         0.08         0.08           4         V <sub>BERO</sub> Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each
0.60         0.70         0.08           0.80         0.30         0.08           0.30         0.08         0.08           0.08         0.08         0.08           4         V <sub>BERO</sub> Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each
0.80         0.30         0.08 <td< td=""></td<>
0.08     0.08     0.08       4     V <sub>BERO</sub> Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each
4 V <sub>BERO</sub> Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each
BENO
side and the total percentage will be calculated If both banks are eroded, total erosion for the stream 0 %
may be up to 200%.  Left Bank:  0 ft  Right Bank:  0 ft
Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).  5 V <sub>LWD</sub> Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of
stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated.
Number of downed woody stems: 0
6 V <sub>TDBH</sub> Average dbh of trees (measure only if V <sub>CCANOPY</sub> tree/sapling cover is at least 20%). Trees are at least 4
Not Hoo
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:    Ceft Side   Right Side   Ri
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:
inches (10 cm) in diameter. Enter tree DBHs in inches.  List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below:    Ceft Side

9	V <sub>SRICH</sub>	Group 1 in	the tallest st	tratum. Ch	eck all exotic	and invasi	m reach. Ch ve species p from these da	resent in all			0.00
			p 1 = 1.0	ina the sub-	HOOK WIII DO		TOTTI GIOGO GO		2 (-1.0)		
	Acer rubrui			Magnolia t	ripetala	7	Ailanthus a			Lonicera jaj	ponica
	Acer sacch			Nyssa sylv	•		Albizia julib	rissin		Lonicera ta	
_	Aesculus fl				n arboreum		Alliaria peti			Lotus corni	
	Asimina tril			Prunus sei			•				
							Alternanthe philoxeroide			Lythrum sa	
	Betula alleg			Quercus a						Microstegium	
	Betula lenta			Quercus c			Aster tatario			Paulownia i	
_	Carya alba			Quercus in	nbricaria		Cerastium t	fontanum		Polygonum d	uspidatum
	Carya glab	ra		Quercus p	rinus		Coronilla va	aria		Pueraria m	ontana
	Carya ovali	is		Quercus ru	ubra		Elaeagnus u	mbellata	7	Rosa multif	lora
	Carya ovat	а		Quercus v	elutina		Lespedeza	bicolor		Sorghum ha	alepense
	Cornus flor	rida		Sassafras	albidum	1	Lespedeza	cuneata		Verbena br	asiliensis
	Fagus gran	ndifolia		Tilia ameri	cana		Ligustrum ob	tusifolium			
	Fraxinus ar	mericana		Tsuga can	adensis		Ligustrum s	sinense			
	Liriodendron	tulipifera		Ulmus ame	ericana						
_	Magnolia a	-	_								
	magnona a	oummata									
		0	Species in	Group 1				3	Species in	Group 2	
		bplots shou	ıld be place	ed roughly	equidistant	ly along ea	in the ripari ich side of ti naterial. Wo	he stream.			
		long are inc	lude. Enter	the percer	nt cover of th	e detrital lay	yer at each s	ubplot.		_	26.25 %
				Side			Right	Side			
		60	30			5	10				
11	1/	Averes no ne	reenters on	was af bash		tation (mag	asure only if t		<200/ \ D		
	V <sub>HERB</sub>	include woo	ody stems a percentages ot.	t least 4" db s up through	oh and 36" ta	all. Because	there may b Enter the per	e several la cent cover d	yers of grou	und cover	78 %
		40		Side		100	Right 100	Side	ı		
		40	70								
	e Variable 1						100				
ample 12	e Variable 1		verage of R	Runoff Score	the stream. e for watersh	ned:	100		Runoff Score	% in Catchment	Percent
	Vwluse	Weighted A	verage of R Land	Runoff Score	e for watersh	ned:	100		Score	ment	Running Percent (not >100)
	Vwluse		verage of R Land	Runoff Score	e for watersh	ned:	100				Running Percent
	V <sub>WLUSE</sub>	Weighted A	Land	Runoff Score Use (Choos	e for watersh	ned:	100	<b>*</b>	Score	ment	Running Percent (not >100)
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100		Score 0 1	5 65	Running Percent (not >100) 5
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100		Score 0	ment 5	Running Percent (not >100)
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	Score 0 1	5 65	Running Percent (not >100) 5
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	Score 0 1	5 65	Running Percent (not >100) 5
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	Score 0 1	5 65	Running Percent (not >100) 5
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	Score 0 1	5 65	Running Percent (not >100) 5
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100	<b>▼</b>	Score 0 1	5 65	Running Percent (not >100) 5
	Impervious a	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	100	* * * * * * * * * * * * * * * * * * *	Score 0 1	5 65	Running Percent (not >100) 5
	Impervious a Forest and n Open space	Weighted A	Land Jots, roofs, d	Use (Chooselriveways, etc.	e for watersh	ned:	Not	* *	Score 0 1	5 65	Running Percent (not >100) 5
12	Impervious a Forest and n Open space	Weighted A areas (parking native range (: (pasture, lawi	Land Jots, roofs, d	Use (Choo: driveways, etc l cover)	e for watersh	p List)		▼	0 1 0.3	ment 5 65 30	Running Percent (not >100) 5 70 100
12 V	Impervious a Forest and n Open space	Weighted A  areas (parking hative range (s) (pasture, law)  MM11  Value  Not Used,	Land Joles, roofs, d 75% ground ns, parks, etc.	Use (Choo: Use (Choo: Iriveways, etc. I cover) ), grass cover Land Cov (NLCD), f	e for watersh se From Dro c) r >75%  ver Analysis from Lands	p List)  p was compat satellite	Not oleted using imagery an	tes:  g the 2019 d other su	Score  0 1 0.3  National L pplementa	ment  5  65  30  and Cover rry datasets	Running Percent (not >100) 5 70 100
12 V V <sub>C</sub>	Impervious a Forest and n Open space	Meighted A  areas (parking hative range (: (pasture, law)  MM11  Value  Not Used, <20%	Land Jolots, roofs, d 75% ground ns, parks, etc. VSI Not Used	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub>	Impervious a Forest and n Open space	Weighted A  areas (parking hative range (s) (pasture, law)  MM11  Value  Not Used,	Land Joles, roofs, d 75% ground ns, parks, etc.	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not oleted using imagery an	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>E</sub>	Impervious a Forest and n Open space	Meighted A  areas (parking hative range (: (pasture, law)  MM11  Value  Not Used, <20%	Land Jolots, roofs, d 75% ground ns, parks, etc. VSI Not Used	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>E</sub> V <sub>S</sub>	Impervious a Forest and n Open space  Sariable CANOPY CHIBETRATE	Meighted A  areas (parking native range (: (pasture, lawn  MM11  Value  Not Used, <20%  4.5  0.08 in	VSI Not Used 0.77 0.04	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub>	Impervious a Forest and n Open space  S- Gariable  CCANOPY  MBED  SUBSTRATE SERO	MM11 Value Not Used, <20% 4.5 0.08 in 0 %	VSI Not Used 0.77 0.04 1.00	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>E</sub> V <sub>S</sub>	Impervious a Forest and n Open space  S- Gariable  CCANOPY  MBED  SUBSTRATE SERO	Meighted A  areas (parking native range (: (pasture, lawn  MM11  Value  Not Used, <20%  4.5  0.08 in	VSI Not Used 0.77 0.04	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub> V <sub>L</sub>	Impervious a Forest and n Open space  S- Gariable  CCANOPY  MBED  SUBSTRATE SERO	MM11 Value Not Used, <20% 4.5 0.08 in 0 %	VSI Not Used 0.77 0.04 1.00	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V C V E V S V B V L L V T T	Impervious a Forest and n Open space  Sariable CANOPY MBED GUBSTRATE SERO WD	MM11 Value Not Used, <20% 4.5 0.08 in 0 % 0.0 Not Used	VSI Not Used 0.00 Not Used	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V C V E V S V L V T V S	Impervious a Forest and n Open space  S- Gariable  CANOPY  MBED  JUBSTRATE  JERO  WD  DBH	MM11  Value Not Used, <20% 4.5 0.08 in 0 % 0.0	VSI Not Used 0.77 0.04 1.00 0.00	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V C V E V S V B V L L V T T	Impervious a Forest and n Open space  S- Gariable  CANOPY  MBED  JUBSTRATE  JERO  WD  DBH	MM11 Value Not Used, <20% 4.5 0.08 in 0 % 0.0 Not Used	VSI Not Used 0.00 Not Used	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V C V E V S V B V L V T V S V S V S	Impervious a Forest and n Open space  S- ariable CCANOPY MBED UBSTRATE BERO WD DBH INAG	MM11 Value Not Used, <20% 4.5 0.08 in 0 % 0.0 Not Used 0.0 188.0	VSI Not Used 0.70 Not Used 0.10 1.00	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>S</sub> V <sub>B</sub> V <sub>L</sub> V <sub>T</sub> V <sub>S</sub> V <sub>S</sub> V <sub>S</sub>	Impervious a Forest and n Open space  S- ariable CANOPY IMBED UBSTRATE BERO WD DBH INAG SSD RICH	MM11 Value Not Used, <20% 4.5 0.08 in 0 % 0.0 Not Used 0.0 188.0 0.00	VSI Not Used 0.70 Not Used 0.10 1.00 0.00	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>L</sub> V <sub>T</sub> V <sub>S</sub> V <sub>S</sub> V <sub>D</sub>	Impervious a Forest and in Open space  Sariable CANOPY MBED UBSTRATE SERO WD DBH CNAG SSD GRICH SETRITUS	MM11 Value Not Used, <20% 4.5 0.08 in 0 % 0.0 Not Used 0.0 188.0 0.00 26.3 %	VSI Not Used 0.70 Not Used 0.10 1.00 0.00 0.32	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100) 5 70 100
V V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>L</sub> V <sub>T</sub> V <sub>S</sub> V <sub>S</sub> V <sub>D</sub>	Impervious a Forest and n Open space  S- ariable CANOPY IMBED UBSTRATE BERO WD DBH INAG SSD RICH	MM11 Value Not Used, <20% 4.5 0.08 in 0 % 0.0 Not Used 0.0 188.0 0.00	VSI Not Used 0.70 Not Used 0.10 1.00 0.00	Use (Choose Use (Choose Use (Choose Use (Choose Use (Choose Use Use (Choose Use Use Use Use (Choose Use Use Use Use Use Use Use Use Use U	e for watersh se From Dro c) r > 75%  rer Analysis from Lands, d boundari	ed: p List) was compat satellite es are bas	Not pleted using imagery an ed off of fie	tes: g the 2019 id other su	Score  0 1 0.3  National L pplementaed stream	ment  5  65  30  and Cover ry datasets impacts.	Running Percent (not >100)  5  70  100  Database

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-MM11		LOCATION Montgomery Co	ounty
STATION # 12101+57 R	IVERMILE	STREAM CLASS Ephemera	I
LAT <u>37.258403</u> LO	ONG80.288186	RIVER BASIN Upper Roand	oke
STORET#		AGENCY VADEQ	
INVESTIGATORS ES, EI	_, TC		
FORM COMPLETED BY	ES	DATE 8/09/2021 TIME 2:30PM	REASON FOR SURVEY Baseline Assessment
			Has there been a heavy rain in the last 7 days?
WEATHER CONDITIONS	Now	Past 24 hours	Yes No
	storm	(heavy rain) steady rain)	Air Temperature <sup>33</sup> C
	showers	(intermittent)	Other
		ear/sunny	
SITE LOCATION/MAP	Draw a map of the sit	e and indicate the areas sampl	ed (or attach a photograph)
	XXX	XXX XXX	XXXXXXX
	10. 5.07. 1	your e	al de la constantina della con
		* Mille Ge -	
	_	184:10	Soice Avoy
	-1		(Ĝ
	1		
	5		4
	$\mathcal{U}_{\ell}$	74	12
	3		/ /
		-	
		1 imperin	at bridge
	X 10 V	515 V 10 25 16	K I K K K K K K K K K
	(XXX)	CXXXXXX	XXXXXXXXX
			·
GENT AND	a. a.		0
STREAM CHARACTERIZATION	Stream Subsystem ☐Perennial ☐Inte	ermittent Tidal	Stream Type  ☐Coldwater  ✓Warmwater
	Stream Origin	Coninc End	Catchment Area 0.22 km²
	Glacial Non-glacial montane Swamp and bog	Spring-fed Mixture of origins Other	
	swamp and bog		

Notes: No water present

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predom  ✓ Fores  Field  Agric  Resid	Pasture Industria	duse rcial al	Local Watershed NPS  ☑ No evidence ☐ Son ☐ Obvious sources  Local Watershed Erosi ☑ None ☐ Moderate	ne potential sources
RIPARIA VEGETA (18 meter	TION		e the dominant type and S unt species present Oriental		minant species present ☐ Grasses	rbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000)  red Stream Depth  Velocity  m	m m² km² m	Canopy Cover  Partly open □Part  High Water Mark ○  Proportion of Reach R  Morphology Types  Riffle % Pool 9%  Channelized □Yes  Dam Present □Yes	<u> </u>
LARGE V DEBRIS	VOODY	LWD Density	<u>°</u> m² of LWD <u>°</u> m	1 <sup>2</sup> /km <sup>2</sup> (LWD/	reach area)	
AQUATIO VEGETA		Roote Floati	e the dominant type and defenergent Re ng Algae At unt species present of the reach with aquat	ooted submerge tached Algae	nt  □Rooted floating	Free floating
WATER (	QUALITY	Specific Dissolve pH N/A Turbidi	cature NA C c Conductance NA ed Oxygen NA eity NA strument Used NA			Chemical  Other_NA    Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils  Absen	nical Anaerobic	□ Petroleum □ None	— Lρoking at stones whic are the undersides blace	□Paper fiber □Sand Other □Sand h are not deeply embedded, k in color?
INC	ORGANIC SUBS	STRATE	COMPONENTS		ORGANIC SUBSTRATE C	OMPONENTS
Substrate	(should a	dd up to 1 er	% Composition in	Substrate	(does not necessarily add  Characteristic	up to 100%) % Composition in
Type			Sampling Reach	Type		Sampling Area
Bedrock Boulder	> 256 mm (10")		0	Detritus	sticks, wood, coarse plant materials (CPOM)	15%
Cobble	64-256 mm (2.5		0	Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2		5	Truck Widd	(FPOM)	0
Sand	0.06-2mm (gritt		10	Marl	grey, shell fragments	
Silt	0.004-0.06 mm	• /	0	1	<i>S</i>	0
Clay	< 0.004 mm (sli	ck)	85	1		

Notes: No water present

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-MM11	LOCATION Montgomery County
STATION # 12101+57 RIVERMILE	STREAM CLASS Ephemeral
LAT <u>37.258403</u> LONG <u>-80.288186</u>	RIVER BASIN Upper Roanoke
STORET#	AGENCY VADEQ
INVESTIGATORS ES, EL, TC	
FORM COMPLETED BY ES	DATE 8/09/2021 TIME 2:50PM AM PM REASON FOR SURVEY Baseline Assessment

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE 15	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
$P_{\mathcal{E}}$	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: No water present

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
ampl	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing downstream.  SCORE	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
p pe	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters (	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 10	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 111 Notes: No water present

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STATION # 12101-927	ssment
STORET #   AGENCY VADEQ	ssment
Indicate the percentage of each habitat type present   Cobble   %   Sangs   %   ZVegetated Banks 95   %   Sand   %   Sample Collection   How were the samples collected?   wading   from bank   from boat   Indicate the number of jabs/kicks taken in each habitat type.   Cobble   Sangs   Vegetated Banks   Sand   Sand   Sand   Submerged Macrophytes   Other   Cobble   Sangs   Vegetated Banks   Sand   S	ssment
FORM COMPLETED BY ES	ssment
HABITAT TYPES	ssment
Cobble	
How were the samples collected?   wading   from bank   from boat   Indicate the number of jabs/kicks taken in each habitat type.   Sand   Submerged Macrophytes   Other (	
How were the samples collected?   wading   from bank   from boat   Indicate the number of jabs/kicks taken in each habitat type.   Sand   Submerged Macrophytes   Other (	
Indicate the number of jabs/kicks taken in each habitat type.   Cobble   Snags   Cobble   Snags   Cother (	
GENERAL COMMENTS  Overall dry. No sample taken	
QUALITATIVE LISTING OF AQUATIC BIOTA Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant  Periphyton 0 1 2 3 4 Slimes 0 1 2 Filamentous Algae 0 1 2 3 4 Macroinvertebrates 0 1 2 Macrophytes 0 1 2 3 4 Fish 0 1 2  FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	
QUALITATIVE LISTING OF AQUATIC BIOTA Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 =  Periphyton	
Periphyton   0   1   2   3   4   4   5   5   5   5   5   5   5   5	
Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant  Periphyton 0 1 2 3 4 Slimes 0 1 2 Filamentous Algae 0 1 2 3 4 Macroinvertebrates 0 1 2 Macrophytes 0 1 2 3 4 Fish 0 1 2  FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	
Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant  Periphyton 0 1 2 3 4 Slimes 0 1 2 Filamentous Algae 0 1 2 3 4 Macroinvertebrates 0 1 2 Macrophytes 0 1 2 3 4 Fish 0 1 2  FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	
Macrophytes 0 1 2 3 4 Fish 0 1 2  FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	3 4
FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	3 4
Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	3 4
Porifera 0 1 2 3 4 Anisoptera 0 1 2 3 4 Chironomidae 0 1 2	
	3 4
Hydrozoa 0 1 2 3 4 Zygoptera 0 1 2 3 4 Ephemeroptera 0 1 2	3 4
Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4         Trichoptera         0         1         2	3 4
Turbellaria 0 1 2 3 4 Coleoptera 0 1 2 3 4 Other 0 1 2	3 4
Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Sialidae 0 1 2 3 4	
Oligochaeta         0         1         2         3         4         Sialidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Corydalidae         0         1         2         3         4	
Amphipoda 0 1 2 3 4 Tipulidae 0 1 2 3 4	
Decapoda 0 1 2 3 4 Empididae 0 1 2 3 4	
Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4	
Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	
Culcidae 0 1 2 3 4	

#### WOLMAN PEBBLE COUNT FORM

County: Montgomery County Stream Name: UNT to Flatwoods Branch Stream ID: S-MM11

HUC Code: 03010101 Upper Roanoke Basin:

Survey Date: 8/9/2021 Surveyors: TC

Type: Representative

I	PARTICLE		LE COUNT	Particle	Total #	Item %	% Cun
Inches	PARTICLE	Millimeters		Count	1 otal #	Item %	% Cun
	Silt/Clay	< .062	S/C	<b>-</b>	63	63.00	63.00
	Very Fine	.062125		•	18	18.00	81.00
	Fine	.12525	SAND	•	0	0.00	81.00
	Medium	.255		•	0	0.00	81.00
	Coarse	.50-1.0		•	0	0.00	81.00
.0408	Very Coarse	1.0-2		•	0	0.00	81.00
.0816	Very Fine	2 -4		<b>-</b>	2	2.00	83.00
.1622	Fine	4 -5.7		•	2	2.00	85.00
.2231	Fine	5.7 - 8		•	4	4.00	89.00
.3144	Medium	8 -11.3		•	4	4.00	93.00
.4463	Medium	11.3 - 16	GRAVEL	•	1	1.00	94.00
.6389	Coarse	16 -22.6		•	0	0.00	94.00
.89 - 1.26	Coarse	22.6 - 32		<b>^</b>	3	3.00	97.00
1.26 - 1.77	Vry Coarse	32 - 45		<b>-</b>	0	0.00	97.00
1.77 -2.5	Vry Coarse	45 - 64		<b>-</b>	2	2.00	99.00
2.5 - 3.5	Small	64 - 90	COBBLE	<b>^</b>	1	1.00	100.00
3.5 - 5.0	Small	90 - 128		<b>^</b>	0	0.00	100.00
5.0 - 7.1	Large	128 - 180		<b>^</b>	0	0.00	100.00
7.1 - 10.1	Large	180 - 256		•	0	0.00	100.00
10.1 - 14.3	Small	256 - 362	BOULDER	•	0	0.00	100.00
14.3 - 20	Small	362 - 512		<b>^</b>	0	0.00	100.00
20 - 40	Medium	512 - 1024		<b>^</b>	0	0.00	100.00
40 - 80	Large	1024 -2048		<b>-</b>	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		<b>-</b>	0	0.00	100.00
	Bedrock		BDRK	<b>-</b>	0	0.00	100.00
				Totals:	100		

#### RIVERMORPH PARTICLE SUMMARY

UNT to Flatwoods Branch

S-MM11

River Name: Reach Name: Sample Name: Representative 08/09/2021 Survey Date:

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	63 18 0 0 0 0 0 2 2 4 4 4 1 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	63.00 18.00 0.00 0.00 0.00 2.00 2.00 4.00 4.00 4.00 1.00 0.00 3.00 0.00 2.00 1.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	63.00 81.00 81.00 81.00 81.00 83.00 85.00 89.00 93.00 94.00 94.00 97.00 97.00 97.00 100.00 100.00 100.00 100.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.02 0.03 0.05 4.85 25.73 90 63 18 18 0		

Total Particles = 100.

#### **Ephemeral Stream Assessment Form (Form 1a)** Unified Stream Methodology for use in Virginia For use in ephemeral streams Cowardin **Impact Impact** Project # **Project Name** Locality HUC Date SAR# Class. Length Factor **Mountain Valley Pipeline (Mountain** Montgomery 22865.06 8/9/2021 R6 03010101 S-MM11 1 80 Valley Pipeline, LLC) County Name(s) of Evaluator(s) Stream Name and Information SAR Length ES, TC, EL, AO Unnamed Tributary to Flatwoods Branch 80 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) NOTES>> **Conditional Category** Optimal Suboptimal Marginal Low Marginal: High Poor: ow Suboptimal Non-maintained High Suboptima Lawns, mowed High Marginal: Riparian areas ense herbaceou Riparian areas and maintained Low Poor: vegetation, riparian areas with tree stratum Impervious areas, nurseri (dbh > 3 inches) ense herbaceou (dbh > 3 inches) no-till cropland: surfaces, mine present, with vegetation with lacking shrub and esent, with 30% to 60% tree actively grazed pasture, sparsely spoil lands, enuded surface Free stratum (dbh > 3 inches) presen Riparian 30% tree canop either a shrub tree stratum, hay with > 60% tree canopy cover and an cover and a layer or a tree roduction, ponds **Buffers** non-maintained understory. Wetlands nopy cover and vegetated nonrow crops, active maintained layer (dbh > 3 inches) present, open water. If present, tree containing both maintained area feed lots, trails, or understory. herbaceous and recently seeded other comparable Recent cutover with <30% tree stratum (dbh >3 shrub layers or a non-maintained and stabilized, or conditions. canopy cover. inches) present, other comparable vegetation). with <30% tree understory. condition. canopy cover with maintained understory High Low High Low High Low Condition 1.5 1.2 1.1 0.85 0.75 0.6 0.5 Scores 1. Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums 2. Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian 3. Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100

Score > 0.6 0.85 1.5

REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH

3%

45%

0.6

22%

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number

0.85

75%

% Riparian Area>

THE REACH CONDITION INDEX (RCI) >> 0.36

RCI= (Riparian CI)/2

CI= (Sum % RA \* Scores\*0.01)/2

0.74

0.68

CI

0.71

COMPENSATION REQUIREMENT (CR) >> 29

Rt Bank CI >

Lt Bank CI >

CR = RCI X LF X IF

100%

100%

#### **INSERT PHOTOS:**

Right Bank


Left Bank


(WSSI Photo Location "L:\22000s\22800\22865.06\Admin\05-ENVR\Field Data\Spread H\Field Forms\S-MM11\Photos\S-MM11\_DS COND US.JPG")



Upstream view of ROW looking NW. Assessment is limited to areas within the temporary ROW.

DESCRIBE PROPOSED IMPACT:	
Pi	rovided under separate cover
	·





DIFF.

----

TS: TOP OF SLOPE

BS: BOTTOM OF SLOPE

THW: THALWEG (INVERT)

----

13529422.41 | 1847508.12 | 1493.87


13529421.07 | 1847502.55 | 1492.47


13529420.20 | 1847498.71 | 1492.48


TS-R 13529417.12 1847488.41 1495.77


#### SURVEY NOTES:


- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on March 4, 2019.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6.Cross section B shot at location of pipe centerline (based on field stakes).











CROSS SECTION LEGEND EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



PRE-CROSSING PHOTOS


Wetland

PHOTO TAKEN LOOKING DOWNSTREAM ON 03/04/2019



PHOTO TAKEN LOOKING UPSTREAM ON 03/04/2019

POST-CROSSING PHOTOS PENDING CROSSING PHOTO TAKEN LOOKING



Horizontal Datum: NAD 1983 UTM ZONE 1

to

Vertical Datum: NAVD 88 Boundary and Topo Source:

WSSI 2' C.I. Topo Approved NAS PFS JSF Sheet # 1 of 1

Computer File Name: Survey\22000s\22800\22865.03\Spread H Work Dwgs