### **Baseline Assessment - Stream Attributes**

#### Revisit

\*Additional information was collected on 1/25/2022, however some data could not be collected due to limited access (logs and limbs obscuring the stream.

# Reach S-MM22 (Pipeline ROW) Perennial Spread H Montgomery County, Virginia

Data	Included
Photos	√*
SWVM Form	<b>√</b> *
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)*
RBP Physical Characteristics Form	√*
Water Quality Data	N/A – No flow*
RBP Habitat Form	<b>√</b> *
RBP Benthic Form	<b>√</b> *
Benthic Identification Sheet	N/A – Not assessable*
Wolman Pebble Count	N/A – Not assessable*
RiverMorph Data Sheet	N/A – Not assessable*
USM Form (Virginia Only)	<b>√</b> *
Longitudinal Profile and Cross Sections	N/A – Not Assessable*

## Spread H Stream S-MM22 (ROW) Montgomery County



Photo Type: DS VIEW
Location, Orientation, Photographer Initials: Downstream view of LOC looking N, KB



Photo Type: US VIEW
Location, Orientation, Photographer Initials: Upstream view of LOC looking S, KB

## Spread H Stream S-MM22 (ROW) Montgomery County



Location, Orientation, Photographer Initials: Standing on LB looking at RB along pipe centerline looking E, KB



Location, Orientation, Photographer Initials: Standing on RB looking at LB along pipe centerline looking NW, KB

## Spread H Stream S-MM22 (ROW) Montgomery County



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream conditions outside of LOC looking N/NW, KB

USACE FILE NO / Project Name: (v2.1, Sept 2015)	Mountain Valle	ey Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.205284	Lon.	-80.1872282	WEATHER:	Pa	artly Cloudy	DATE:	January 25	5, 2022
IMPACT STREAM/SITE ID AND SITE DESCRIPTION (watershed size (acreage), unalitered or impairments)	ON:	S-MM22 (Drainage a	area = 8.83 acres)		MITIGATION STREAM CLASS (watershed size (acreag						Comments:		
	FORM OF TIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		0	Mitigation Length:		
Column No. 1- Impact Existing Condition (Debit)		Column No. 2- Mitigation Existing Cor	ndition - Baseline (Credit)		Column No. 3- Mitigation P Post Completion		e Years	Column No. 4- Mitigation Proje Post Completion (6	cted at Ten Yea Credit)	ars	Column No. 5- Mitigation Projecte	d at Maturity (Cre	edit)
Stream Classification: Perennial	Str	ream Classification:			Stream Classification:		0	Stream Classification:		0	Stream Classification:	0	
Percent Stream Channel Slope		Percent Stream Channel Slop	oe e		Percent Stream Channel S	lope	0	Percent Stream Channel Sle	оре	0	Percent Stream Channel Sle	ope	0
HGM Score (attach data forms):		HGM Score (attach da	ata forms):		HGM Score (attack	data forms)	:	HGM Score (attach data forms):		HGM Score (attach da	ta forms):		
Averag			Average				Average			Average			Average
Hydrology	Hy	rdrology			Hydrology			Hydrology			Hydrology		
Biogeochemical Cycling 0 Habitat		ogeochemical Cycling	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling		0	Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and Biological Indicators	na	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical a	ind Biological	Indicators	PART I - Physical, Chemical and	Biological Indic	cators	PART I - Physical, Chemical and I	Biological Indicat	tors
Polent Scale State Score	ire		Points Scale Range Site Score			Points Scale Ra	nge Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams classifications)	РН	HYSICAL INDICATOR (Applies to all streams cla	assifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)		SEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover 0-20 0 2. Embeddedness 0-20 18		Epifaunal Substrate/Available Cover Pool Substrate Characterization	0-20		Epifaunal Substrate/Available Cover     Embeddedness	0-20		Epifaunal Substrate/Available Cover     Embeddedness	0-20		Epifaunal Substrate/Available Cover     Embeddedness	0-20	
3. Velocity/ Depth Regime 0-20 0			0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
4. Sediment Deposition 0-20 18			0-20		Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	
5. Channel Flow Status 0-20 0.4		Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration 0-20 U-1 20		Channel Alteration	0-20		6. Channel Alteration	0-20	1	6. Channel Alteration	0-20		6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends) 0-20		Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB) 0-20 20		Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB) 0-20 14		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB) 0-20 14 Total RBP Score Marginal 104			0-20 <b>0</b>		10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Poor	0	10. Riparian Vegetative Zone Width (LB & RB)	0-20	0	10. Riparian Vegetative Zone Width (LB & RB)	0-20 Poor	
Total RBP Score         Marginal         104           Sub-Total         0.52		tal RBP Score ib-Total	Poor		Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)		HEMICAL INDICATOR (Applies to Intermittent a	_		CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennia		CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial St		CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Strea	
WVDEP Water Quality Indicators (General)	w	VDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General	ıl)		WVDEP Water Quality Indicators (General	)		WVDEP Water Quality Indicators (General)		
Specific Conductivity		pecific Conductivity			Specific Conductivity	<b>_</b>		Specific Conductivity			Specific Conductivity		
100-199 - 85 points 0-90			0-90			0-90			0-90			0-90	
0.80	pn		5-90 0-1		рп	5-90	-1	рп	5-90 0-1		pn	5-90 0-1	
5.6-5.9 = 45 points	DO		5-90		DO.	5-90		DO	5-90		DO	_ 590	
10-30			10-30			10-30			10-30			10-30	
Sub-Total	Sut	ib-Total	0		Sub-Total	4	0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)		OLOGICAL INDICATOR (Applies to Intermitten	at and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inter	mittent and Pere	ennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenn		BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial	
WV Stream Condition Index (WVSCI)	w	V Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
0-100 0-1			0-100 0-1			0-100	-1		0-100 0-1			0-100 0-1	
0 Sub-Total 0	Sul	ib-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and Unit Score		PART II - Index and U	nit Score		PART II - Index an	d Unit Score		PART II - Index and U	nit Score		PART II - Index and U	nit Score	
Index Linear Feet Unit Sc	core	Index	Linear Feet Unit Score		Index	Linear Fe	et Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.660 175 115.5	.5	0	0 0		0	0	0	0	0	0	0	0	0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-MM22	LOCATION Montgomery County
STATION #_ <sup>238</sup> RIVERMILE_	STREAM CLASS Perennial
LAT <u>37.205284</u> LONG <u>-80.1872282</u>	RIVER BASIN Upper Roanoke
STORET#	AGENCY VADEQ
INVESTIGATORS KB NF	
FORM COMPLETED BY KB, NF	DATE 1/25/22 TIME 11:00 AM Baseline Assessment
WEATHER Now CONDITIONS	Past 24 Has there been a heavy rain in the last 7 days?
sto	hours Yes V No orm (heavy rain) ain (steady rain) wers (intermittent) %cloud cover clear/sunny  Yes V No  Air Temperature 5 0 C  Other
SITE LOCATION/MAP Draw a map of the	e site and indicate the areas sampled (or attach a photograph)
	Steep Slopes  Materbar  Materbar  Jogarra  Lindo  L
STREAM CHARACTERIZATION  Stream Subsystem Perennial  Stream Origin Glacial Non-glacial mon Swamn and bog	Stream Type Coldwater  Catchment Area 0.04 km²  Warmwater  Catchment Area 0.04 km²

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Fores	Pasture Industri	rcial	Local Watershed NPS  ☑ No evidence ☐ Son ☐ Obvious sources ☐ Local Watershed Eros ☑ None ☐ Moderate	me potential sources
RIPARIA VEGETA (18 meter	TION	Trees		hrubs	ominant species present ☐ Grasses ☐ He	erbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depth O	m² km²	High Water Mark	ily shaded □Shaded □ m  tepresented by Stream  Run 100% □ No □ No
LARGE V DEBRIS	VOODY	LWD Density	of LWD 2.781.6 m	n²/km² ( <b>LWD</b> /	reach area)	
AQUATIC VEGETA		Floati	e the dominant type and demergent RAIgae AI AI AI AI AI THE RESERTION NOTE OF THE REAL THE RE	tached Algae		□Free floating
WATER (	QUALITY	Specific Dissolve pH N/A Turbidi	rature NA 0 C Conductance NA ed Oxygen NA ty NA trument Used NA			Chemical Other  Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils	ical Anaerobic	Petroleum None	Epoking at stones which are the undersides bla	☐Paper fiber ☐Sand ☐Other ☐ Ch are not deeply embedded, ck in color?
INC		STRATE (	COMPONENTS 00%)		ORGANIC SUBSTRATE ( does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock Boulder	> 256 mm (10")	1	20	Detritus	sticks, wood, coarse plant materials (CPOM)	15
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2	- /	20 20	Muck-Mud	black, very fine organic (FPOM)	0
Sand Silt Clay	0.06-2mm (gritt 0.004-0.06 mm < 0.004 mm (sli		15 15 10	Marl	grey, shell fragments	0

Note: Water quality parameters were not sampled due to large woody debris in channel and snow cover.

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-MM22	LOCATION Montgomery County
STATION # 238 RIVERMILE	STREAM CLASS Perennial
LAT <u>37.205284</u> LONG <u>-80.1872282</u>	RIVER BASIN Upper Roanoke
STORET#	AGENCY VADEQ
INVESTIGATORS KB NF	
FORM COMPLETED BY KB, NF	DATE 1/25/22 REASON FOR SURVEY TIME 11:00 AM PM Baseline Assessment

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Notes: Observations were made to the best of our ability due to snow cover. Stream channel covered by LWD and snow.

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 20	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amb	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing dewastram.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
eva	SCORE 10	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE 10	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score \_\_\_\_\_ Notes: LOD recently staked, ROW recently cleared. ROW not grubbed/ graded since clearing.

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-M	1M22	2				L	OCA'	TION N	1ontg	jome	ery C	oun	ty						
STATION # 238	R	IVE	RMI	LE_		S	TREA	AM CLA	SS F	Pere	nnial	1							
LAT 37.205284	_ L	ONC	j -80.	18722	32	R	IVER	BASIN	Up	per	Roai	noke							
STORET#						Α	GEN	CY VAL	EQ										
INVESTIGATORS KI	B NF	-										I	LOT	NUMBER					_
FORM COMPLETED	BY	K	Β,	Ν	1F		OATE IME	1/25/22 11:00 AM	и			I	REAS	SON FOR SURVEY Ba	aselir	ne A	sse	ssm	ent
HABITAT TYPES		Cob	ble	-	%	tage of ea Snags	3	bitat typ _%	ΠÎV	eget	t ated other	Bani	ks	%	%				
SAMPLE	G	ear	used		D-fr	ame 🔲 k	ick-ne	et		o	ther								
COLLECTION	,,			41			10												
	Н	ow v	vere	tne	samp	les collect	ea?	Ш"	adınş	g		ıror	n bar	ık 🔲 from boa	ι				
	▮⊑	Cob	ble			r of jabs/l Snags phytes	S		$\square V$	eget		Ban		Sand )	_				
GENERAL COMMENTS	В	ent	thic	CS I	not	samp	led	due t	o L	.W	D i	n c	ha	nnel and snov	v co	ve	r.		
QUALITATIVE I									d. 1	= F	Rare	. 2	= C	ommon, 3= Abuno	lant.	4 =	=		
Dominant					,							-, -							
Periphyton					-	1 2	-	-			nes				0	1	2	3	4
Filamentous Algae					0	1 2	3 4	4		Ma	croi	nve	rtebr	rates	0	1	2	3	4
Macrophytes					0	1 2	3 4	4		Fisl	h				0	1	2	3	4
	l ab	und	anc	e:	0 = orga	Absent/I anisms),	Not C 3= A	Observe bunda	nt (>	>10	org	anis	sms)	rganisms), 2 = Cor , 4 = Dominant (>5	50 oı	rgar	ism		
Porifera	0	1				_			0	1			4	Chironomidae	0	1	2	3	
Hydrozoa	0	1	2	3	4	Zygopt			0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemipt			0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleop			0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepido			0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialida			0	1	2	3	4						
Isopoda	0	1	2	3	4	Coryda			0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulid			0	1	2	3	4						
Decapoda	0	1	2	3	4	Empidi			0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simulii			0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinio			0	1	2	3	4						
						Culcida	ıe		0	1	2	3	4						

				Unified St	ream Method	lology for use	e in Virginia	Form '	1)		
Project #	Project Name	e (App		For use in wadea  Locality	Cowardin Class.	HUC	Date	SAR #	Impact Length	Impact Factor	
22865.06	Mountain Valley Pi Valley Pipe	_		Montgomer y County		03010101	1/25/2022	S-MM22		1	
Name	e(s) of Evaluator(s)		Stream Nam	e and Inform	ation				SAR Length		
	KB, NF		S-MM22						85		
. Channel C	condition: Assess the cr	oss-sec	tion of the stream		` `	,					
	Optimal		Subo	ptimal	Conditional Catego  Mar	ginal	Po	oor	Sev	vere	
			E B B B B B B B B B B B B B B B B B B B								
Channel Condition	100% stable banks. Veget surface protection or natura prominent (80-100%). AND/OF point bars / bankfull benches are present.	l rock, R Stable	erosion or unproted of banks are s Vegetative protec	ew areas of active cted banks. Majority table (60-80%). tion or natural rock -80%) AND/OR	Poor. Banks more or Poor due to lo Erosion may be pr	less than Severe or stable than Severe ower bank slopes. esent on 40-60% of tative protection on	further. Majority near vertical. Eros 80°	e. Likely to widen of both banks are sion present on 60-% of e protection present	incision, flow cor banks. Streambe rooting	nstability. Severe ntained within the ed below average g depth, vertical/undercut.	
	to their original floodplain o developed wide bankfull bench channel bars and transverse b Transient sediment deposition less than 10% of botton	nes. Mid pars few. n covers	stability. The bar channels are wel likely has acce benches,or ne portions of the r sediment covers	cures contribute to hkfull and low flow all defined. Stream less to bankfull ewly developed reach. Transient is 10-40% of the bottom.	be vertical or un 40-60% Sediment transient, contr Deposition that co may be forming/pr shaped channels protection on > 40 depositional featur	Streambanks may dercut. AND/OR may be temporary / ribute instability. Intribute to stability, resent. AND/OR V-s have vegetative % of the banks and res which contribute ability.	insufficient to particle the stream is covered Sediment is temparture, and contrict AND/OR V-shap vegetative protect 40% of the banks a	f banks, and is prevent erosion. ered by sediment. forary / transient in buting to instability. Ded channels have tion is present on > and stable sediment is absent.	than 20% of banks erosion. Obviou present. Erosion. 100%. AND/OR A than 80% of strean deposition, contrib Multiple thread	ion present on less s, is not preventing is bank sloughing /raw banks on 80-Aggrading channel. In bed is covered by buting to instability. In channels and/or mean flow.	C
Scores	3		2	<u>.</u> 4	10 516	<b>2</b>	1	.6	,	1	3.0
NOTES>>					<u>'</u>		<u>.</u>		<u> </u>		
			High Suboptimal: Riparian areas	Low Suboptimal: Riparian areas with tree stratum	High Marginal: Non-maintained,	dense herbaceous vegetation,	Lawns, mowed, and maintained	Low Poor:			
Riparian Buffers	Tree stratum (dbh > 3 inches) with > 60% tree canopy co Wetlands located within the r areas.	over.	with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover	either a shrub	•	areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition.	Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Buffers	with > 60% tree canopy co Wetlands located within the r areas.	over.	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low	no-till cropland; actively grazed pasture, sparsely vegetated non- maintained area, recently seeded and stabilized, or other comparable condition.  High	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Scores  Delineate ripa Determine squeelow. Enter the % F	with > 60% tree canopy converted within the rareas.  1.5  Trian areas along each streature footage for each by meaning the result of the rareas and Score for % Riparian Area and Score for % Riparian Area > 25°	m bank easuring each rip	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenger parian category in 75%	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Congth and width. Ca	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are provented.	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	no-till cropland; actively grazed pasture, sparsely vegetated nonmaintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Scores  Delineate ripa Determine squelow. Enter the % F	with > 60% tree canopy co Wetlands located within the rareas.  1.5  Trian areas along each streature footage for each by meaning the streature footage footage for each by meaning the streature foota	m bank easuring each rip	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenger	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Congth and width. Ca	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are provented.	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	no-till cropland; actively grazed pasture, sparsely vegetated nonmaintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums  Riparian equal 100		cores*0.01\/2	
Scores  Delineate ripa Determine squelow. Enter the % F	with > 60% tree canopy converted within the rareas.  1.5  Trian areas along each streature footage for each by meaning the result of the rareas and Score for % Riparian Area and Score for % Riparian Area > 25°	m bank easuring each rip %	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenger parian category in 75%	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Congth and width. Ca	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are provented.	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	no-till cropland; actively grazed pasture, sparsely vegetated nonmaintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums  Riparian equal 100		cores*0.01)/2 1.31	C
Scores  Delineate ripa Determine squelow. Enter the % F	with > 60% tree canopy converted within the real areas.  1.5  Trian areas along each streaturate footage for each by meaning and Score for % Riparian Area and Score for % Riparian Area > 25% Score > 0.7	m bank easuring each rip %	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenge parian category in 75% 1.5	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Congth and width. Ca	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are provented.	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75	no-till cropland; actively grazed pasture, sparsely vegetated nonmaintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums Riparian equal 100 100%	CI= (Sum % RA * So	,	C 1.3
Scores  Delineate ripa Determine squelow. Enter the % R Right Bank  Left Bank  INSTREAM	with > 60% tree canopy con Wetlands located within the rareas.  1.5  Trian areas along each streaturate footage for each by meaning the streature footage footage footage for each by meaning the streature footage footage footage	im bank easuring each rip % 75	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenge parian category in 75% 1.5  75% 1.5	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Con gth and width. Ca the blocks below.	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are proven	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  g the descriptors. vided for you	no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure  of % F  Blocks 6	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums  Riparian  equal 100  100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI >	1.31	
Scores  Delineate ripa Determine squelow. Enter the % R Right Bank  Left Bank  INSTREAM	with > 60% tree canopy con Wetlands located within the rareas.  1.5  Trian areas along each streaturare footage for each by measure footage footage footage for each by measure footage footage footage footage footage footage fo	im bank easuring each rip % 75	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenge parian category in 75% 1.5  75% 1.5	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Con gth and width. Ca the blocks below.  y and depths; woo	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are proven	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  g the descriptors. vided for you	no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure  of % F  Blocks 6	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums Riparian equal 100 100%  100%  ess; shade; under	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI >	1.31	
Buffers  Scores  Delineate ripa Determine squelow. Enter the % R Right Bank  Left Bank  INSTREAN fle/pool comple	with > 60% tree canopy con Wetlands located within the rareas.  1.5  Trian areas along each streaturate footage for each by meaning the streature footage footage footage for each by meaning the streature footage footage footage	im bank easuring each rip % 75	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenge parian category in 75% 1.5  75% 1.5  75% 1.5	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Con gth and width. Ca the blocks below.  y and depths; woo	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are proventations are proventations are proventations are proventations are proventations.	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  g the descriptors. vided for you	no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure  of % F  Blocks 6	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums Riparian equal 100 100%  100%  ess; shade; under	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI >	1.31	
Scores  Delineate ripa Determine squelow. Enter the % R Right Bank  Left Bank  INSTREAN ffle/pool comple  Instream Habitat/ Available Cover	with > 60% tree canopy con Wetlands located within the rareas.  1.5  Trian areas along each streature footage for each by meaning the results of the results	m bank easuring each rip % '5 strate size present	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating lenge parian category in 75% 1.5  75% 1.5  Subor  Subor  Stable habitat eler present in 30-50% are adequate for popula	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Con gth and width. Ca the blocks below.  conditiona ptimal  ments are typically of the reach and r maintenance of ations.	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High 0.85  dition Scores using alculators are provent  Alculators are provent  Stable habitat ele present in 10-30% are adequate fo popul	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  g the descriptors. vided for you  ginal  ments are typically of the reach and r maintenance of ations.	no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure  of % F  Blocks 6  Ele; low embededn  ee; low embededn  than 10% of than 10% of the seeded and stabilized, or other comparable condition.	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums  Riparian  equal 100  100%  100%  cess; shade; under stable. Habitat cally present in less of the reach.	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > Cut banks; root ma	1.31 ats; SAV; Gradient	1.S
Scores  Delineate ripa Determine squeelow. Enter the % R Right Bank  Left Bank  INSTREAN iffle/pool comple  Instream Habitat/ Available	with > 60% tree canopy con Wetlands located within the rareas.  1.5  1.5  Trian areas along each streaturare footage for each by metaparian Area and Score for % Riparian Area and Score for % Riparian Area > 250 Score > 0.7  M HABITAT: Varied substaxes, stable features.  Optimal  Habitat elements are typically	m bank easuring each rip % 5 strate size present each.	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating leng parian category in 75% 1.5  75% 1.5  Subor  Subor  Stable habitat eler present in 30-50% are adequate for popula	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Con gth and width. Ca the blocks below.  Conditiona ptimal  ments are typically of the reach and r maintenance of ations.	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High  0.85  dition Scores using alculators are provent alculators are provent Stable habitat ele present in 10-30% are adequate for popul	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  g the descriptors. vided for you  ginal  ments are typically of the reach and r maintenance of ations.	no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure  of % F  Blocks exists  ee; low embededn  than 10% of than 10% of the comparable condition.	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums  Riparian  equal 100  100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > Cut banks; root ma	1.31 1.31 ats; SAV;	1.5
Scores  Delineate ripa Determine squelow. Enter the % Formula iffle/pool comple  Instream Habitat/ Available Cover	with > 60% tree canopy con Wetlands located within the rareas.  1.5  Trian areas along each streature footage for each by meaning the results of the results	m bank easuring each rip % 5 strate size present each.	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating leng parian category in 75% 1.5  75% 1.5  Subor  Subor  Stable habitat eler present in 30-50% are adequate for popula	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Con gth and width. Ca the blocks below.  Conditiona ptimal  ments are typically of the reach and r maintenance of ations.	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High  0.85  dition Scores using alculators are provent  Stable habitat ele present in 10-30% are adequate fo popul  0  SSESSI	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  g the descriptors. vided for you  ginal  ments are typically of the reach and r maintenance of ations.	no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure  of % F  Blocks exists  ee; low embededn  than 10% of than 10% of the comparable condition.	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums  Riparian  equal 100  100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > Tout banks; root many NOTES>>	1.31 ats; SAV;  Gradient gh	1.S
Scores  Delineate ripa Determine squelow. Enter the % Formula iffle/pool comple  Instream Habitat/ Available Cover	with > 60% tree canopy con Wetlands located within the rareas.  1.5  Trian areas along each streature footage for each by meaning the results of the results	m bank easuring each rip % '5 strate size present each.	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.  High 1.2  into Condition Ca or estimating leng parian category in 75% 1.5  75% 1.5  Zes, water velocity are adequate for popula	(dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).  Low 1.1  tegories and Con gth and width. Ca the blocks below.  Conditiona ptimal  ments are typically of the reach and r maintenance of ations.	vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.  High  0.85  dition Scores using alculators are provent alculators are provent Stable habitat ele present in 10-30% are adequate for popul	riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.  Low 0.75  g the descriptors. vided for you  ginal  ments are typically of the reach and r maintenance of ations.	no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.  High  0.6  Ensure  of % F  Blocks exists  ee; low embededn  than 10% of than 10% of the comparable condition.	surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.  Low 0.5  the sums  Riparian  equal 100  100%	CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > Cut banks; root ma	1.31 ats; SAV; Gradient	1.S

			Conditiona	al Category			NOTES>>
	Negligible	Mi	nor	Mod	erate	Severe	
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	of the channel	20-40% of the stream reach is	is disrupted by any of the channel alterations listed in the parameter guidelines. If	60 - 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered.	Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement.	Majority of stream reach c
Scores	1.5	1.3	1.1	0.9	0.7	0.5	

NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

Sum of all Cl's \/5 except if stream is enhanced RCL = (Riparian Cl/2

RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI = (Riparian CI/2)

COMPENSATION REQUIREMENT (CR) >> 217

CR = RCI X L<sub>I</sub> X IF

## **INSERT PHOTOS:**

(WSSI Photo Location )



Downstream view of the LOC facing N

## DESCRIBE PROPOSED IMPACT:

PROVIDED UNDER SEPARATE COVER