Baseline Assessment – Stream Attributes

Reach S-B9 (Pipeline ROW) Perennial Spread I Pittsylvania County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓

Spread I Stream S-B9 (Pipeline ROW) Pittsylvania County



Photo Type: US VIEW

Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking NE upstream, RAH



Photo Type: DS COND

Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking SW downstream, RAH

Spread I Stream S-B9 (Pipeline ROW) Pittsylvania County



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NW at right streambank, RAH



Photo Type: RB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking SE at left streambank, RAH

Spread I Stream S-B9 (Pipeline ROW) Pittsylvania County



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NE upstream, RAH



Photo Type: DS VIEW

Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking S downstream, RAH

A B	C D E	F	G H I	J K	L M	N O	P Q	R S T U	V	XYZ
USACE FILE NO./ Project Name:	Mountai	n Valley Pipeline	IMPACT COORDINATES:	Lat.	36.877416 Lon.	-79.416255	WEATHER:	Sunny	DATE:	
(v2.1, Sept 2015)			(in Decimal Degrees)							8/19/2020
IMPACT STREAM/SITE ID AND S	SITE DESCRIPTION:	S-B9/1/	40.82 ac		MITIGATION STREAM CLASS,/SITE II	AND SITE DESCRIPTION:			Comments:	
(watershed size {acreage}, unaltere		C 25/1-	40.02 do		(watershed size {acreage}, unalte				Comments.	
STREAM IMPACT LENGTH:	78 FORM OF		MIT COORDINATES:	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
	MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)						g =g	
					Column No. 3- Mitigation Projected	at Fire Manua	Column No. 4- Mitigation Pro	in the distance Version		
Column No. 1- Impact Existing Cond	ition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Post Completion (Cred		Post Completion		Column No. 5- Mitigation Projec	ed at Maturity (Credit)
Stream Classification:	Perennial	Stream Classification:		1	Stream Classification:	0	Stream Classification:	0	Stream Classification:	0
						-		-		
Percent Stream Channel Slope	7.92	Percent Stream Channel Slo	рре		Percent Stream Channel Slope	0	Percent Stream Channel S	Slope 0	Percent Stream Channel S	Slope 0
HGM Score (attach data for	ms):	HGM Score (attach d	data forms):		HGM Score (attach data f	orms):	HGM Score (attach o	data forms):	HGM Score (attach o	ata forms):
	Average		Average			Average		Аустана		Avera
Hydrology	Average	Hydrology	Average		Hydrology	Average	Hydrology	Average	Hydrology	Averaç
Biogeochemical Cycling	0	Biogeochemical Cycling	0		Biogeochemical Cycling	0	Biogeochemical Cycling	0	Biogeochemical Cycling	0
Habitat	1 11 11 1	Habitat			Habitat		Habitat		Habitat	
PART I - Physical, Chemical and Biolog	icai indicators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and Biol	gicai indicators	PART I - Physical, Chemical and	d Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
Points Si	cale Range Site Score		Points Scale Range Site Score		Points S	ale Range Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams classific	cations)	PHYSICAL INDICATOR (Applies to all streams of	classifications)	1	PHYSICAL INDICATOR (Applies to all streams classified	ations)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
USEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
1. Epifaunal Substrate/Available Cover 0-20		Epifaunal Substrate/Available Cover	0-20	1	Epifaunal Substrate/Available Cover 0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
2. Embeddedness 0-20		Pool Substrate Characterization	0-20		2. Embeddedness 0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
3. Velocity/ Depth Regime 0-20 4. Sediment Deposition 0-20		Pool Variability Sediment Deposition	0-20 0-20		3. Velocity/ Depth Regime 0-20 4. Sediment Deposition 0-20		Velocity/ Depth Regime Sediment Deposition	0-20 0-20	Velocity/ Depth Regime Sediment Deposition	0-20 0-20
5. Channel Flow Status 0-20		5. Channel Flow Status	0-20		5. Channel Flow Status 0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
6. Channel Alteration 0-20		6. Channel Alteration	0-20 0-1		6. Channel Alteration 0-20		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends) 0-20		7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB) 0-20	14	10. Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB) 0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score Sub	poptimal 143	Total RBP Score	Poor 0		Total RBP Score	Poor 0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total	0.715	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total	0
CHEMICAL INDICATOR (Applies to Intermittent and Po	erennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and Po	rennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial Streams)
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Genera	al)	WVDEP Water Quality Indicators (Genera	1)
Specific Conductivity		Specific Conductivity	0	1	Specific Conductivity		Specific Conductivity		Specific Conductivity	
0-90	33.8		0-90		0-90			0-90		0-90
e = 99 - 90 points		a U			mld.		hU.		hH	
Pri	0-1	Pi	0-1	l	μ ι	0-1	ρп	0-1	PΠ	0-1
6.0-8.0 = 80 points	6.66		5-90		5-90			5-90		5-90
DO		DO		1	DO		DO		DO	
10-30	7.91		10-30	1	10-3			10-30		10-30
>5.0 = 30 points	1	Sub-Total			Sub-Total	0	Sub-Total		Sub-Total	1 1
BIOLOGICAL INDICATOR (Applies to Intermittent and	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent a	d Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Stream
WV Stream Condition Index (WVSCI)	,	WV Stream Condition Index (WVSCI)	,	l	WV Stream Condition Index (WVSCI)	•	WV Stream Condition Index (WVSCI)	,	WV Stream Condition Index (WVSCI)	
0-100	0 0-1	, , , , ,	0-100 0-1	1	0-10	0-1		0-100 0-1	, , , , , , , , , , , , , , , , , , , ,	0-100 0-1
B 0 0	0	Sub-Total	0	l	Sub-Total		Sub-Total	 	Sub-Total	1 1
Oub-Total	U	Jour-Total	U	ı	OUD-TOTAL	U	Gub-1 otal	U	Jour-Total	
PART II - Index and Unit Sco	ore	PART II - Index and I	Unit Score	ı	PART II - Index and Unit S	core	PART II - Index and	Unit Score	PART II - Index and	Unit Score
FAINT II - IIIGGA AIIG OTHE SEC		FAINT II - IIIGEX allu V	S 30010		PAINT II - III dex aild Ullit 3		FAINT II - IIIGEX dilu	J 50010	r Alt II - IIIdex allu	300/0
Index Line	ear Feet Unit Score	Index	Linear Feet Unit Score		Index Lin	ear Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Sco
	on rock on other	muex	Linear reet Offic Score		lillex Lill	onit score	ilidex	Linear i eet Onit Score	iliuex	Linear reet Unit SCC
, macx										
	78 66.885	0	0 0		0	0 0	0	0 0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY			

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
	Timber mat 66ft
	LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater
	Stream Origin Catchment Area km² Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industri	ercial	No evidence Son Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓΙΟΝ	Trees	e the dominant type and S ant species present	hrubs		rbaceous
INSTREA FEATURI			ted Reach Length		Canopy Cover Partly open Part	ly shaded Shaded
				m	High Water Mark	m
					Proportion of Reach Re	epresented by Stream
			km² (m²x1000) ted Stream Depth	km²	Morphology Types Riffle Pool %	Run%
			Velocity		Channelized Yes	No
		(111 11111			Dam Present Yes	No
LARGE V DEBRIS	VOODY		m² of LWDn	n ² /km ² (LWD /	reach area)	
AQUATIO VEGETA		Indicate Roote Floati Domina	e the dominant type and demergent R ng Algae A	l record the do ooted submerge ttached Algae	minant species present nt Rooted floating	C
		Portion	of the reach with aqua	tic vegetation _	%	
WATER (QUALITY	Specific	rature0 C Conductance	-	Water Odors Normal/None Sewage Petroleum Fishy	Chemical Other
		рН	ed Oxygen		Water Surface Oils Slick Sheen None Other	Globs Flecks
			strument Used		Turbidity (if not measu Clear ☐ Slightly tur Opaque Stained	r ed) rbid Turbid Other
SEDIMEN SUBSTRA		Odors Norm Chem		Petroleum None	Deposits Sludge Sawdust Relict shells	Paper fiber Sand Other
		Oils Abser		te Profu	are the undersides blac	h are not deeply embedded, k in color?
INC	ORGANIC SUBS		COMPONENTS (00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant	
Boulder	> 256 mm (10")				materials (CPOM)	
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic	

Gravel

Sand

Silt

Clay

2-64 mm (0.1"-2.5")

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat	Condition Category										
	Parameter	Optimal	Suboptimal	Marginal	Poor							
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.							
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.							
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).							
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.							
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.							
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat								
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED BY		DATE REASON FOR SURVEY TIME					
HABITAT TYPES	Indicate the percentage of	Indicate the percentage of each habitat type present					

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand
	Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

S-B9 Stream ID:

County: Pittsylvania
Stream Name: UNT to Pole Bridge Branch
HUC Code: 03010105 03010105 8/19.2021 Basin: Banister

Survey Date: Surveyors: SK, VM Type: Representative

			LE COUNT	, , , , , , , , , , , , , , , , , , ,		T	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	▲	0	0.00	0.00
	Very Fine	.062125		A	1	1.00	1.00
	Fine	.12525	1	*	4	4.00	5.00
	Medium	.255	SAND	*	0	0.00	5.00
	Coarse	.50-1.0		*	8	8.00	13.00
.0408	Very Coarse	1.0-2	1	A	7	7.00	20.00
.0816	Very Fine	2 -4		^	2	2.00	22.00
.1622	Fine	4 -5.7		▲	4	4.00	26.00
.2231	Fine	5.7 - 8	1	▲	7	7.00	33.00
.3144	Medium	8 -11.3	1	▲	8	8.00	41.00
.4463	Medium	11.3 - 16	GRAVEL	▲	8	8.00	49.00
.6389	Coarse	16 -22.6	1	A	0	0.00	49.00
.89 - 1.26	Coarse	22.6 - 32	1	▲	3	3.00	52.00
1.26 - 1.77	Vry Coarse	32 - 45		A	3	3.00	55.00
1.77 -2.5	Vry Coarse	45 - 64		A	4	4.00	59.00
2.5 - 3.5	Small	64 - 90		A	7	7.00	66.00
3.5 - 5.0	Small	90 - 128		A	3	3.00	69.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲	3	3.00	72.00
7.1 - 10.1	Large	180 - 256		A	3	3.00	75.00
10.1 - 14.3	Small	256 - 362		A	0	0.00	75.00
14.3 - 20	Small	362 - 512	1	A	0	0.00	75.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	75.00
40 - 80	Large	1024 -2048]	A	0	0.00	75.00
80 - 160	Vry Large 2048 -4096]	A	0	0.00	75.00
	Bedrock		BDRK	A	25	25.00	100.0
				Totals:	100		

RIVERMORPH PARTICLE SUMMARY

UNT to Pole Bridge Branch

River Name: Reach Name: Sample Name: Survey Date: S-B9 Representative 08/19/2021

Size (mm)	тот #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	0 1 4 0 8 7 2 4 7 8 8 0 3 3 4 7 3 3 3 0 0 0 0 0	0.00 1.00 4.00 0.00 8.00 7.00 2.00 4.00 7.00 8.00 8.00 0.00 3.00	0.00 1.00 5.00 5.00 13.00 20.00 22.00 26.00 33.00 41.00 49.00 49.00 52.00 55.00 59.00 66.00 69.00 72.00 75.00 75.00 75.00 75.00 75.00 100.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	1.43 8.83 25.73 Bedrock Bedrock 0 20 39 16 0 25		

Total Particles = 100.

Stream Assessment Form (Form 1) Unified Stream Methodology for use in Virginia or use in wadeable channels classified as intermittent or perennial Cowardin Impact Impact Project # Project Name (Applicant) Locality HUC Date SAR# Class <u>-ength</u> Factor Mountain Valley Pipeline (Mountain Pittslyvania 22865.06 R3 03010105 8/19/2021 **S-B9** 78 1 Valley Pipeline, LLC) SAR Length Stream Name and Information Name(s) of Evaluator(s) S-B9; Spread I; Pittsylvania County SK, VM 78 1. Channel Condition: Assess the cross-section of the stream and prevailing condition (erosion, aggradation) Conditional Category Optimal Suboptimal Poor Severe Marginal ned/incised. Vertically ery little incision or active erosion; 80 Slightly incised, few areas of active Often incised, but less than Severe o Deeply incised (or excavated), 100% stable banks. Vegetative sion or unprotected banks. Majorit Poor, Banks more stable than Severe laterally unstable. Likely to widen vertical/lateral instability. Severe of banks are stable (60-80%). or Poor due to lower bank slopes ncision, flow contained within the Channel prominent (80-100%). AND/OR Stable Vegetative protection or natural rock Erosion may be present on 40-60% of near vertical. Erosion present on 60 banks. Streambed below average Condition pankfull benches are present. Acces to their original floodplain or fully both banks. Vegetative protection on 40-60% of banks. Streambanks may prominent (60-80%) AND/OR Depositional features contribute to banks. Vegetative protection presen on 20-40% of banks, and is insufficier majority of banks vertical/undercut. Vegetative protection present on less stability. The bankfull and low flow channels are well defined. Stream likely has access to bankfull be vertical or undercut. AND/OR 40-60% Sediment may be temporary transient, contribute instability. than 20% of banks, is not preventing eveloped wide bankfull benches. Mic to prevent erosion. AND/OR 60-80% the stream is covered by sediment. Sediment is temporary / transient in erosion. Obvious bank sloughing present. Erosion/raw banks on 80hannel bars and transverse bars few Transient sediment deposition covers 100%. AND/OR Aggrading channel. than 80% of stream bed is covered by deposition, contributing to instability. less than 10% of bottom. benches,or newly developed Deposition that contribute to stability nature, and contributing to instability portions of the reach. Transient sediment covers 10-40% of the may be forming/present. AND/OR V-shaped channels have vegetative AND/OR V-shaped channels have vegetative protection is present on > stream hottom protection on > 40% of the banks and 10% of the banks and stable sedimer Multiple thread channels and/or depositional features which contribute deposition is absent subterranean flow CI to stability. 3 **Scores** 2.4 1.6 2.40 NOTES>> Assessment is limited to areas within the temporary ROW. 2. RIPARIAN BUFFERS: Assess both bank's 100 foot riparian areas along the entire SAR. (rough measurements of length & width may be acceptable) **Conditional Category** NOTES>> Optimal Suboptimal Marginal Poor Low Marginal: High Poor: Lawn: ow Suboptimal Non-maintained High Suboptima mowed, and Riparian areas High Marginal nse herbaceoi aintained area Riparian areas Low Poor: with tree stratum Non-maintained, vegetation, with tree stratum nurseries: no-till Impervious (dbh > 3 inches) lense herbaceou riparian areas cropland: actively (dbh > 3 inches) surfaces mine esent, with 30% to 60% tree vegetation with acking shrub and ree stratum (dbh > 3 inches) presen present, with 309 grazed pasture, spoil lands, Riparian either a shrub tree stratum, hav with > 60% tree canopy cover. to 60% tree parsely vegetate lenuded surfaces anopy cover an a maintained layer or a tree layer (dbh > 3 roduction, pond open water. If **Buffers** Wetlands located within the riparian anopy cover ar row crops, active areas. containing both area, recently feed lots, trails, or understory. Recent cutover inches) present with <30% tree present, tree herbaceous and seeded and other comparable conditions. stratum (dbh >3 shrub layers or a abilized, or othe (dense canopy cover inches) present non-maintained comparable vegetation). with <30% tree condition. understory canopy cover with maintained High Low High Low High Low 1.5 1.2 0.85 0.6 0.5 Scores 1.1 0.75 Delineate riparian areas along each stream bank into Condition Categories and Condition Scores using the descriptors Ensure the sums Determine square footage for each by measuring or estimating length and width. Calculators are provided for you of % Riparian pelow . Enter the % Riparian Area and Score for each riparian category in the blocks below Blocks equal 100 % Riparian Area> 100% 100% Right Bank 0.85 Score > CI= (Sum % RA * Scores*0.01)/2 % Riparian Area> 100% 100% Rt Bank CI > 0.85 CI Left Bank Score > Lt Bank CI > 0.85 0.85 3. INSTREAM HABITAT: Varied substrate sizes, water velocity and depths; woody and leafy debris; stable substrate; low embededness; shade; undercut banks; root mats; SAV; ffle/pool complexes, stable features **Conditional Category** NOTES>> Instream Optimal Suboptimal Marginal Poor Habitat/ Stable habitat elements are typically Stable habitat elements are typically Habitat elements listed above are **Available** present in 30-50% of the reach and Habitat elements are typically preser present in 10-30% of the reach and lacking or are unstable. Habitat in greater than 50% of the reach are adequate for maintenance of are adequate for maintenance of elements are typically present in less Cover than 10% of the reach. populations populations Stream Gradient High / Low

Scores

1.5

0.9

0.5

1.50

1.2

	St	ream Ir	npact A	ssessn	nent Fo	rm Page	e 2		
Project #	Project Name (App	licant)	Locality	Cowardin Class.	нис	Date	SAR#	Impact length	Impact Factor
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Pittslyvania	R3	03010105	8/19/2021	S-B9	78	1
. CHANNE	L ALTERATION: Stream cross	ings, riprap, conc		oncrete blocks, st	traightening of cha	annel, channelizati	on, embankments	s, spoil piles, constr	rictions, livestock
	Negligible		nor	Mod	erate	Severe			
Channel Alteration	Channelization, dredging, alteration, or hardening absent. Stream has an unaltered pattern or has naturalized.	of the channel	20-40% of the stream reach is	is disrupted by any of the channel alterations listed in the parameter guidelines. If	of the channel	Greater than 80% o by any of the chann in the parameter g 80% of banks sh riprap, or	el alterations listed uidelines AND/OR ored with gabion,		
Scores	1.5	1.3	1.1	0.9	0.7	0.	5		
		ONDITION	NDEV I	TDE AM CO	NIDITION III	UTC FOR TU	IC DEACH		
	REACH C	CONDITION	INDEX and S	TREAM CO	אט אטוווטא טא	IIIS FUR IH	IS REACH		

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >> 98


CR = RCI X L_i X IF


INSERT PHOTOS:




DESCRIBE PROPOSED IMPACT:


PROVIDED UNDER SEPARATE COVER








CL :	CL STAKEOUT POINTS: S-B9 CROSS SECTION B (PIPE CL)									
	PR	PRE-CROSSING								
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ.					
PI. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.					
TS-L	13393827.88	2103486.61	759.61							
BS-L	13393825.03	2103492.36	758.17							
THW	13393822.94	2103496.71	758.05							
BS-R	13393822.72	2103497.58	758.47							
T\$-R	13393817.28	2103508.24	761.68							



SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on December 7, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).






PHOTO TAKEN LOOKING

Computer File Name:

2865_03 S-I MP 292-303 Sheets.dwg

:\Survey\22000s\22800\22865.03\Spread I Work Dwgs

PRE-CROSSING PHOTOS