Reach S-C8 (Pipeline ROW) Intermittent Spread I Franklin County, Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – No Benthics Found
Wolman Pebble Count	\checkmark
RiverMorph Data Sheet	\checkmark
USM Form (Virginia Only)	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

No Benthics were found during kick-net survey

Spread I Stream S-C8 (ROW) FRANKLIN County




Photo Type: US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking NE upstream, VM



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking SW downstream, VM

DEQ Permit #21-0416

Spread I Stream S-C8 (ROW) FRANKLIN County



Photo Type: LB CL

Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking NW at left streambank, VM



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking SE at right streambank, VM

DEQ Permit #21-0416

Spread I Stream S-C8 (ROW) FRANKLIN County



Photo Type: US COND Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NE upstream, VM



Photo Type: DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SW downstream, VM

86 42.7491667

0.497

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain V	alley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.059098	Lon.	-79.853595	WEATHER:	Sunny	DATE:	August 26, 2021
IMPACT STREAM/SITE II (watershed size (acreage)	D AND SITE DESCRIP }, unaltered or impairments)	PTION:	S-C8/1	2.92 ac		MITIGATION STREAM CLA (watershed size (acc	ASS./SITE ID AN reage}, unaltered or is				Comments:	
STREAM IMPACT LENGTH:		FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existin	ng Condition (Debit)		Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigatio Post Compl	n Projected at Fin letion (Credit)	re Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Projec	ted at Maturity (Credit)
Stream Classification:	Intermittent		Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel S	Slope 5.	i.37	Percent Stream Channel Slo	pe		Percent Stream Channe	el Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel	Slope 0
HGM Score (attach o	data forms):		HGM Score (attach d	lata forms):		HGM Score (att	tach data forms	:	HGM Score (attach da	ata forms):	HGM Score (attach o	data forms):
		erage		Average				Average		Average		Averag
Hydrology Biogeochemical Cycling Habitat	0.37 0.29 0.286	666667	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and			PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemic	cal and Biologica	Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	d Biological Indicators
	Points Scale Range Site	e Score		Points Scale Range Site Score			Points Scale R	inge Site Score		Points Scale Range Site Score		Pointx Scale Range Site Score
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all str	reams classifications)	PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all stream	is classifications)
JSEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data She			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	8	1. Epifaunal Substrate/Available Cover 2. Pool Substrate Characterization	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20		1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20	1. Epifaunal Substrate/Available Cover 2. Embeddedness	0-20
3. Velocity/ Depth Regime	0-20	4	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20
. Sediment Deposition		13	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20
5. Channel Flow Status		8	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
5. Channel Alteration		18	6. Channel Alteration	0-1		6. Channel Alteration	0-20	-1	6. Channel Alteration	0-20	6. Channel Alteration	0-20 0-1
. Frequency of Riffles (or bends)		2	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
Bank Stability (LB & RB)		14	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
. Vegetative Protection (LB & RB)		14	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
0. Riparian Vegetative Zone Width (LB & RB)		18	10. Riparian Vegetative Zone Width (LB & RB)	0-20		 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & R 	0-20 (B) 0-20		 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB) 	0-20	 Vegetative Protection (LB & RB) Riparian Vegetative Zone Width (LB & RB) 	0-20
Total RBP Score		103	Total RBP Score	Poor 0		Total RBP Score	Poor	-	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total		.515	Sub-Total	1001		Sub-Total	PUUI		Sub-Total	Pool	Sub-Total	1001
CHEMICAL INDICATOR (Applies to Intermitte			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inter	mittent and Perennia	l Streams)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	
WDEP Water Quality Indicators (Genera	al)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Ger	neral)		WVDEP Water Quality Indicators (General	D	WVDEP Water Quality Indicators (General	al)
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity	
	0-90 44	4.7		0-90			0-90			0-90		0-90
<=99 - 90 points	0.00	H4.7		0.30			0-50			0-50		0.00
H			pH			pH			pH		pH	
	0-80 0-1 6	6.4		5-90 0-1			5-90	-1		5-90		5-90 0-1
6.0-8.0 = 80 points							1					
00			DO			DO			DO		DO	_
50 10 11	10-30 3.	.85		10-30			10-30			10-30		10-30
<5.0 = 10 points Sub-Total		0.9	Sub-Total			Sub-Total			Sub-Total		Sub-Total	
IDLOGICAL INDICATOR (Applies to Interm			BIOLOGICAL INDICATOR(Applies to Intermitte	nt and Perennial Streame)		SUD-TOTAL BIOLOGICAL INDICATOR (Applies to In	ntermittent and Per	U annial Streame)	SUD- I OTAI BIOLOGICAL INDICATOR (Applies to Interm	U	BIOLOGICAL INDICATOR (Applies to Intern	mittent and Perennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)	,		WV Stream Condition Index (WVSCI)		,	WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
_	0-100 0-1			0-100 0-1				м		0-100 0-1		0-100 0-1
0 Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total		Sub-Total	0
		n •						n			·	
PART II - Index and	Unit Score		PART II - Index and U	Jnit Score		PART II - Index	and Unit Score		PART II - Index and U	Init Score	PART II - Index and	Unit Score
Index	Linear Feet Unit	Score	Index	Linear Feet Unit Score		Index	Linear Fe	et Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Sco

	Version 10-20-									on 10-20-17	
	High-Gradient Headwater Streams in Appalachia										
Field Data Sheet and Calculator											
	Team:	AJ, VM						Latitude/UT	M Northing:	37.059098	
Pro	oject Name:	S-C8						Longitude/U	TM Easting:	<mark>-79.853595</mark>	5
	Location:	Franklin					_	San	npling Date:	8-27-21	
SA	AR Number:		Reach	Length (ft):	70	Stream Ty	ype: I	ntermittent Strea	am		•
	Top Strata:	Sh	rub/Herb Str	rata	(determine	d from perce	ent calcu	llated in V _{CCANO}	_{PY})		
Site	and Timing:	Project Site	9			•	Before P	Project			•
Sample	e Variables	1-4 in strea	am channel								
1	V _{CCANOPY}	equidistant		g the stream	n. Measure	only if tree/s	sapling c	Measure at no f over is at least ata choice.)			Not Used, <20%
	List the per	cent cover i	measuremei	nts at each	point below:						
	0										
2	V _{EMBED}	along the s	tream. Sele	ect a particle	from the be	ed. Before i	moving it	wer than 30 rou t, determine the	percentag	e of the	1.6
								ediment, and er or composed of			
			e of 1. If the						line seuline	ents, use a	
		-	ness rating f				-	caled from Plat	ts, Megaha	n, and]
		Rating 5	Rating Des		overed sur	rounded or	buried b	y fine sedimen	t (or bedroc	k)	-
		4						ied by fine sedi		r)	1
		3						ried by fine sec			1
		2						ried by fine sec			
		1			covered, su	irrounded, o	or buried	by fine sedime	nt (or artific	ial surface)	
	List the rati	ngs at each	point below			7					
	1	1	1	2	1	1	2	2	1	1	
	2	2	2	1	1	2	3	1	3	1	
	1	2	1	1	1	1	2	3	2	2	
_			·								
3	V _{SUBSTRATE}		eam channe tream; use t					er than 30 roug	ghly equidis	tant points	1.58 in
			ches to the and or finer			n point below	v (bedroo	ck should be co	ounted as 9	9 in, asphalt	
	0.08	0.08	0.08	0.08	2.50	2.70	4.05	2.65	2.53	0.08	1
	3.25	0.08	0.50	0.08	2.50	4.60	1.90	1.50	1.55	1.70	1
	1.60	1.30	0.08	0.60	0.08	0.08	2.50	2.70	4.05	2.65	1
											1
											1
4	V _{BERO}	Total perce	ent of erodec	l stream cha	annel bank.	Enter the to	otal num	ber of feet of er	oded bank	on each	
		side and th may be up		entage will b	e calculated	If both bar	nks are	eroded, total er	osion for th	e stream	36 %
			Left Bank:	1() ft		Right Ba	nk: 1	5 ft		

Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).

5	V _{LWD}	stream rea	ich. Enter th	y stems (at least 4 inch ne number from the enti will be calculated.						0.0
				Number o	f downed w	oody stems:		0		
6	V _{TDBH}		Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches.						Not Used	
		List the db the stream		nents of individual trees	(at least 4	in) within the	buffer on ea	ach side of	F	
			Left Side				Right Side			
	0				0					
7	V _{SNAG}			east 4" dbh and 36" tall) d the amount per 100 fe	-		Enter num	per of snag	js on each	0.0
			Left Side:	0		Right Side:		0		
8	V_{SSD}			d shrubs (woody stems						
				Enter number of saplin Il be calculated.	gs and shr	ubs on each	side of the s	stream, an	d the amount	85.7
			Left Side:			Right Side:	3	35		
9	V _{SRICH}			ecies richness per 100		am reach. C				
				tratum. Check all exoti and the subindex will be				l strata. S	pecies	0.00
		Grou	up 1 = 1.0				Group	2 (-1.0)		
	Acer rubru	ım		Magnolia tripetala		Ailanthus a	ltissima	\checkmark	Lonicera ja	ponica
	Acer sacc	harum		Nyssa sylvatica		Albizia julib	rissin		Lonicera ta	tarica
	Aesculus	flava		Oxydendrum arboreum		Alliaria peti	olata		Lotus corni	iculatus
	Asimina tr	iloba		Prunus serotina		Alternanthe	era		Lythrum sa	licaria
	Betula alle	ghaniensis		Quercus alba		philoxeroid	es	\checkmark	Microstegiur	n vimineum
	Betula len	ta		Quercus coccinea		Aster tatari	cus		Paulownia	tomentosa
	Carya alb	а		Quercus imbricaria		Cerastium	fontanum		Polygonum	cuspidatum
	Carya gla	bra		Quercus prinus		Coronilla va	aria		Pueraria m	ontana
	Carya ova	alis		Quercus rubra		Elaeagnus u	mbellata	\checkmark	Rosa multii	flora
	Carya ova	ata		Quercus velutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo	orida		Sassafras albidum		Lespedeza	cuneata		Verbena bi	rasiliensis
	Fagus gra	ndifolia		Tilia americana		Ligustrum ol	otusifolium			
	Fraxinus a			Tsuga canadensis		Ligustrum s	sinense			I
	Liriodendro			Ulmus americana		-				
		acuminata								
		0	Species in	Group 1			0	Spacias in	Croup 2	
		0	opecies III				3	Species in	r Group Z	

Sample Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from each bank. The four subplots should be placed roughly equidistantly along each side of the stream.

10 V_{DETRITUS} Average percent cover of leaves, sticks, or other organic material. Woody debris <4" diameter and <36" long are include. Enter the percent cover of the detrital layer at each subplot.

6.67 %

			Left	Side			Righ	t Side]	
			0	10	15	15	0	0			
11	V _{HERB}	Average pe	rcentage cr	wer of berb		atation (mea	sure only if	tree cover	is <20%). D	o not	
	V HERB	include woo	ody stems a percentages	t least 4" db	h and 36" ta	all. Because	there may l	be several	ayers of gro of ground v	und cover	93 %
			Ī	Side				t Side			
			100	90	84	85	100	100			
Sample Variable 12 within the entire catchment of the stream.											
12	V _{WLUSE}	Weighted A	Average of F	Runoff Score	e for watersł	ned:					0.55
			Land	Use (Choos	e From Dro	p List)			Runoff Score	% in Catch- ment	Running Percent (not >100)
	Open space	(pasture, law	ns, parks, etc.), grass cover	>75%			-	0.3	62	62
	Forest and r	native range (3	>75% ground	cover)				-	1	34	96
	Forest and r	native range (·	<50% ground	cover)				-	0.5	4	100
								-			
	-							-			
	-							-			
	-							-			
	-							-			
	Su	mmary					No	tes:			
V	ariable	Value	VSI								
Vc	CANOPY	Not Used, <20%	Not Used								
V _E	MBED	1.6	0.30								
Vs	UBSTRATE	1.58 in	0.79								
VB	ERO	36 %	0.88								
VL	WD	0.0	0.00								
VT	DBH	Not Used	Not Used								
Vs	NAG	0.0	0.10								
Vs	SD	85.7	1.00								
Vs	RICH	0.00	0.00								
	ETRITUS	6.7 %	0.08								
V _H	IERB	93 %	1.00								
Vw	VLUSE	0.55	0.58								

Before Project

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: S-C8 Location: Franklin Sampling Date: 8-27-21

Subclass for this SAR:

Intermittent Stream

SAR number:

Project Site

Uppermost stratum present at this SAR: Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.37
Biogeochemical Cycling	0.29
Habitat	0.20

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.57	0.30
VSUBSTRATE	Median stream channel substrate particle size.	1.58	0.79
V _{BERO}	Total percent of eroded stream channel bank.	35.71	0.88
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	85.71	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	6.67	0.08
V _{HERB}	Average percent cover of herbaceous vegetation.	93.17	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.55	0.58

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY	

WEATHER CONDITIONS	rain (stea showers (ir % %cloue clear/	termittent) d cover% Other sunny
SITE LOCATION/MAP	Draw a map of the site at FIGWSW Silt Sock LOD	Ind indicate the areas sampled (or attach a photograph) R Buffer S-C8
Gas out	-	Down ST Up ST
Gas in	S	tream 70ft x 1ft LOC
$\langle \rangle$	Timber mat	
From WV	Silt Sock	R Buffer
STREAM CHARACTERIZATION	Stream Subsystem Perennial Interm Stream Origin Glacial Non-glacial montane Swamp and bog	ittent Tidal Stream Type Coldwater Warmwater Catchment Areakm ² Mixture of origins Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Forest Commercial Forest Industrial Agricultural Other Residential Other Indicate the dominant type and record the domin Trees Shrubs Devices the second secon	Local Watershed NPS Pollution No evidence Some potential sources Obvious sources Jocal Watershed Erosion None Moderate Heavy Mant species present Herbaceous
INSTREAM FEATURES	Dominant species present	Canopy Cover Partly open Partly shaded Shaded High Water Mark m Proportion of Reach Represented by Stream Morphology Types Riffle % Riffle % Pool % Channelized Yes No No
LARGE WOODY DEBRIS	LWDm ² Density of LWDm ² /km ² (LWD/ reac	h area)
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Rooted submergent Attached Algae Dominant species present	Rooted floating Free floating
WATER QUALITY	Temperature ⁰ C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Clear Slightly turbid Turbid Opaque Stained Other
SEDIMENT/ SUBSTRATE	Odors Petroleum Normal Sewage Petroleum Chemical Anaerobic None Other Oils Absent Slight	Deposits Sludge Sawdust Paper fiber Sand Relict shells Other

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)				
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			Detritus	sticks, wood, coarse plant			
Boulder	> 256 mm (10")			materials (CPOM)			
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2.5")			(FPOM)			
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments			
Silt	0.004-0.06 mm						
Clay	< 0.004 mm (slick)						

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY	

	Habitat		Condition	1 Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).		
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	1 Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE(LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET #		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY				
HABITAT TYPES	Cobble% Sn	ndicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%					
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand				
GENERAL COMMENTS							

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County:Franklin CountyStream Name:UNT to Blackwater RiverHUC Code:03010101Survey Date:8/27/2021Surveyors:AJ, VMType:Representative

Stream ID: S-C8

Upper Roanoke

T 1	DADELCI E		LE COUNT	D (1	m	X : 0/	A/ G
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	▲ ▼	30	30.00	30.00
	Very Fine	.062125		▲ ▼	0	0.00	30.00
	Fine	.12525		▲ ▼	0	0.00	30.00
	Medium	.255	S A N D	▲ ▼	0	0.00	30.00
	Coarse	.50-1.0		▲ ▼	10	10.00	40.00
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	40.00
.0816	Very Fine	2 -4		▲ ▼	12	12.00	52.00
.1622	Fine	4 -5.7		▲ ▼	8	8.00	60.00
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	60.00
.3144	Medium	8 -11.3		▲ ▼	0	0.00	60.00
.4463	Medium	11.3 - 16	G R A V E L	▲ ▼	0	0.00	60.00
.6389	Coarse	16 -22.6		▲ ▼	0	0.00	60.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	0	0.00	60.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	0	0.00	60.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	0	0.00	60.00
2.5 - 3.5	Small	64 - 90		▲ ▼	27	27.00	87.00
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	13	13.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		▲ ▼	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		▲ ▼	0	0.00	100.0
14.3 - 20	Small	362 - 512		▲ ▼	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.0
40 - 80	Large	1024 -2048]	▲ ▼	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		▲ ▼	0	0.00	100.0
	Bedrock		BDRK	▲ ▼	0	0.00	100.0
				Totals:	100		

River Name: Reach Name: Sample Name: Survey Date:	UNT to Black S-C8 Representati 08/27/2021			
Size (mm)	тот #	ITEM %	CUM %	
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	$\begin{array}{c} 30\\ 0\\ 0\\ 0\\ 10\\ 0\\ 12\\ 8\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\$	$\begin{array}{c} 30.00\\ 0.00\\ 0.00\\ 0.00\\ 10.00\\ 10.00\\ 0.00\\ 12.00\\ 8.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 0.00\\ 13.00\\ 0.00\\ $	30.00 30.00 30.00 30.00 40.00 40.00 52.00 60.00 60.00 60.00 60.00 60.00 60.00 60.00 60.00 60.00 60.00 60.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00	
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Gravel (%) Boulder (%) Bedrock (%)	0.03 0.75 3.67 87.11 113.38 128 30 10 20 40 0 0			

Total Particles = 100.

	S	Strean	n Ass	essm	ent Fo	orm (F	form '	1)		
				ream Method	lology for use	e in Virginia		•		
Project #	Project Name (App	licant)	Locality	Cowardin Class.	нис	Date	SAR #	Impact Length	Impact Factor	
22865.07	Mountain Valley Pipeline Valley Pipeline, I		Franklin County	R3 or R4	03010101	8-27-21	S-C8	86	1	
Nam	e(s) of Evaluator(s)	e and Informa	ation			SAR Length				
	AJ, VM	S-C8						86		
I. Channel C	Condition: Assess the cross-sec	tion of the stream		ndition (erosion, a Conditional Catego						
	Optimal	Subo	ptimal		ginal	Po	or	Sev	ere	
Channel Condition	Very little incision or active erosion; 80 100% stable banks. Vegetative surface protection or natural rock, prominent (80-100%). AND/OR Stable bankfull benches are present. Access to their original floodplain or fully developed wide bankfull benches. Mid channel bars and transverse bars few. Transient sediment deposition covers less than 10% of bottom.	Silghtly incised, f erosion or unprotec of banks are s Vegetative protec prominent (60 Depositional feat stability. The bar channels are wel likely has acc benches, or me portions of the r sediment covers	ew areas of active cted banks. Majority table (60-80%). How a control of the set of the set of the set of the set of the why developed reach. Transient s 10-40% of the bottom.	Often incised, but Poor: Banks more or Poor due to le Erosion may be pr both banks. Vege 40-60% of banks. be vertical or un 40-60% Sediment transient, contu Deposition that co may be forming/p shaped channel protection on > 40	less than Severe or stable than Severe ower bank slopes. esent on 40-60% of tative protection on Streambanks may dercut. AND/OR may be temporary / inbute instability. ntribute to stability, ntribute to stability, resent. AND/OR V- s have vegetative % of the banks and res which contribute	Overwidened/in- laterally unstein further. Majority near vertical. Eroc banks. Vegetative on 20-40% of bank to prevent erosion the stream is cov Sediment is temp nature, and contri AND/OR V-shag vegetative protect 40% of the banks i	ised. Vertically / e. Likely to widen of both banks are ion present on 60- protection present , AND/OR 60-80% ered by sediment. AND/OR 60-80% ered by sediment have ion is present on > and stable sediment is absent.	Deeply incised vertical/lateral ins incision, flow con banks. Streambe majority of banks Vegetative protecti than 20% of banks	(or excavated), stability. Severe tained within the d below average vertical/undercut. on present on less , is not preventing taw banks on 80- ggrading channel. bed is covered by uting to instability. hannels and/or	
				to sta	ability.					CI
Scores	3	2	.4		2	1	.6	1	l	2.00
2. RIPARIAN	N BUFFERS: Assess both bank	Con	ditional Cate	gory				•) NOTES>>		
RIPARIAN Riparian Buffers	N BUFFERS: Assess both bank	Con Subo High Suboptimal:	nditional Cate ptimal Low Suboptimal: Riparian areas with	gory	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with		Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Riparian	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory.	teristional Cate; ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understoy. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Dor Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Riparian Buffers	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory.	teristicational Cate; ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present; with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low	Per High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low			
Riparian	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory.	teristional Cate; ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understoy. Recent cutover (dense vegetation).	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Dor Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
Riparian Buffers Scores Delineate ripa	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas.	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating lenge	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cond gth and width. Cal	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low			
Riparian Buffers Scores Delineate ripa Determine sq alow. Enter the % F	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank yuare footage for each by measuring	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating lenge	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cond gth and width. Cal	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5			
Riparian Buffers Scores . Delineate ripa . Determine sq elow.	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank uare footage for each by measuring Riparian Area and Score for each rip	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating lenge	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cond gth and width. Cal	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100	NOTES>>	ores*0.011/2	
Riparian Buffers Scores . Delineate ripa . Determine sq elow. . Enter the % F Right Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank quare footage for each by measuring Riparian Area and Score for each rip % Riparian Area>	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating lenge	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cond gth and width. Cal	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100		ores*0.01)/2 0.85	CI
Riparian Buffers Scores Delineate ripa Determine sq elow. Enter the % F	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank quare footage for each by measuring Riparian Area and Score for each rip % Riparian Area> 100% Score > 0.85	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating lenge	Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cond gth and width. Cal	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100%	NOTES>>	,	CI 0.85
Riparian Buffers Scores Delineate ripe Determine sq elow. Enter the % F Right Bank Left Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank quare footage for each by measuring Riparian Area and Score for each rip % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% Score > 0.85 M HABITAT: Varied substrate siz	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating lenge parian category in f	tegories and Cond the blocks below.	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.85 0.85	
Riparian Buffers Scores Delineate ripe Determine sq elow. Enter the % F Right Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank quare footage for each by measuring Riparian Area and Score for each rip % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% Score > 0.85 M HABITAT: Varied substrate siz	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating lenge parian category in f	Additional Cate; ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present; with 30% to 60% tree canopy cover and a maintained understoy. Recent cutover (dense vegetation). Low 1.1 tegories and Cond the blocks below.	yegory High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 ittion Scores using culators are provi	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl > Lt Bank Cl >	0.85 0.85	
Riparian Buffers Scores Delineate ripe Determine sq elow. Enter the % F Right Bank Left Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank quare footage for each by measuring Riparian Area and Score for each rip % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% Score > 0.85 M HABITAT: Varied substrate siz	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating leng varian category in f	Additional Cate; ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present; with 30% to 60% tree canopy cover and a maintained understoy. Recent cutover (dense vegetation). Low 1.1 tegories and Cond the blocks below.	yegory High Marginal: Non-maintained, dense herbaccous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 tition Scores using culators are provi	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you	Prevention of the second secon	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100%	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl >	0.85 0.85	
Riparian Buffers Scores Delineate ripe Delemine sq elow. Enter the % F Right Bank Left Bank Left Bank	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 Traina areas along each stream bank uare footage for each by measuring score for each the measuring score > 0.85 % Riparian Area and Score for each new score > 0.85 % Riparian Area> 100% Score > 0.85 M HABITAT: Varied substrate side features.	Con Subo High Suboptimal: Riparian areas with tree stratum (db > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating leng parian category in 1 zes, water velocity Stable habitat ele present in 30-50% adequate for r	Aditional Cate ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understoy. Recent cutover (dense vegetation). Low 1.1 tegories and Cond gth and width. Cal the blocks below. And depths; woor Conditional	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 tition Scores using lculators are provi lculators a	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understory Low 0.75 g the descriptors. ided for you ginal s; stable substrate ginal ments are typically	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Blocks e Blocks e Labitated area the second blocks e Blocks e Labitated area the second Blocks e Labitated area the second condition.	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100% 100% ss; shade; underce	NOTES>> CI= (Sum % RA * So Rt Bank CI > Lt Bank CI > ut banks; root mats	0.85 0.85 s; SAV; riffle/pool	0.85
Riparian Buffers Scores Delineate ripa Determine sq elow. Enter the % F Right Bank Left Bank Left Bank Instream Habitat/ Available	Optimal Tree stratum (dbh > 3 inches) present, with > 60% tree canopy cover. Wetlands located within the riparian areas. 1.5 arian areas along each stream bank quare footage for each by measuring % Riparian Area> 100% Score > 0.85 % Riparian Area> 100% Score > 0.85 M HABITAT: Varied substrate size features. Optimal Habitat elements are typically present	Con Subo High Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non- maintained understory. High 1.2 into Condition Cat or estimating leng or estimating leng sarian category in f sarian category in f satisfies and satisfies and satisfies satisfies and satisfies and satisfies and satisfies and satisfies satisfies and satisfies and sa	Aditional Cate; ptimal Low Suboptimal: Riparian areas with tree stratum (dbh > 3 inches) present; with 30% to 60% tree canopy cover and a maintained understory. Recent cutover (dense vegetation). Low 1.1 tegories and Cond gth and width. Cal the blocks below. y and depths; woor Conditiona ptimal ments are typically of the reach and are	gory Mar High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover. High 0.85 itition Scores using lculators are provid dy and leafy debri al Category Stable habitat ele present in 0-30% adequate for n popul	ginal Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh >3 inches) present, with <30% tree canopy cover with maintained understry Low 0.75 g the descriptors. ided for you s; stable substrate ginal ments are typically of the reach and are maintenance of	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition. High 0.6 Blocks e blocks e condition elements are typic than 10% of	Dor Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions. Low 0.5 Riparian equal 100 100% 100% Sector stable, Habitat ally present in less	NOTES>> Cl= (Sum % RA * Sc Rt Bank Cl > Lt Bank Cl > Lt Bank Cl >	0.85 0.85 s; SAV; riffle/pool	

Reach R3-R4 File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 2nd submittal\S-C8_20210913JC\9. S-C8_USM_MVP_20210913JC.xlsx


Conditional Category NoTES>> Negligible Minor Moderate Severe V - 00% 01 reach hardening absent. Stream has nu unaltered pattern or has naturalized. Less than 20% of the stream reach disrupted by any of the channel alterations listed in disrupted by any of the channel alterations listed in alterations listed in alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Freater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Scores 1.5 1.3 1.1 0.9 0.7 0.5 REACH CONDITION UNDEX and STREAM CONDITION UNITS FOR THIS REACH		St	tream In	npact A	ssessn	nent Fo	rm Pag	e 2			
Z2865.07 Valley Pipeline, LLC) County R3 or R4 03010101 8-27-21 S-C8 86 1 4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock Negligible Minor Moderate Severe NOTES>> Image: Channel Alteration Less than 20% of the stream reach is stream reach is unatered pattern or has naturalized. 20-40% of the stream reach is grameter guidelines. If the parameter guidelines. If the parameter guidelines. If greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. If gu	Project #	Project Name (App	licant)	Locality		нис	Date	SAR #			
Channel Alteration Negligible Minor Moderate Severe Channel Alteration Less than 20% of the stream reach is unaltered pattern or has naturalized. Less than 20% of the stream reach is disrupted by any of the channel alterations listed in alterations listed in unaltered pattern or has naturalized. Less than 20% of the stream reach is disrupted by any of the channel alterations listed in alterations listed in alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in alterations listed in alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in alterations listed in the parameter guidelines. Scores 1.5 1.3 1.1 0.9 0.7 0.5 REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH THE REACH CONDITION INDEX (RCI) >> RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI	22865.07		•	-	R3 or R4	03010101	8-27-21	S-C8	86	1	
Negligible Minor Moderate Severe Alteration Image: Channelization, dredging, alteration, image: Channelization, dredging, alteration, image: Channelization, dredging, alteration, image: Channelization, and ening absent. Stream has an unaltered pattern or has naturalized. Less than 20% of the stream reach is stream reach is stream reach is disrupted by any of the channel alterations listed in the parameter guidelines. If guidelines. If guidelines. If guidelines. Channelization, dredging, alteration, of the channel alterations listed in the parameter guidelines and unaltered pattern or has naturalized. Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines. If guidelines. If guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines AND/OR 80% of banks shored with gabion, riprap, or cement. Scores 1.5 1.3 1.1 0.9 0.7 0.5 WOTE: The Cls and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.	4. CHANNE	LALTERATION: Stream cross	ings, riprap, concr	ete, gabions, or co	oncrete blocks, sti	raightening of cha	innel, channelizati	on, embankments	s, spoil piles, constr	ictions, livestock	
Channel Alteration Less than 20% of the stream reach is hardening absent. Stream has net unaltered pattern or has naturalized. Less than 20% of the stream reach is the channel alterations listed in alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Scores 1.5 1.3 1.1 0.9 0.7 0.5 REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH worte: The Cls and RCl should be rounded to 2 decimal places. The CR should be rounded to a whole number. THE REACH CONDITION INDEX (RCl) >> RCl= (Sum of all Cl's)/5, except if stream is ephemeral RCl =				Conditiona	al Category				NOTES>>		
Channel Alteration Instruction of the stream reach is stream has an unaltered pattern or has naturalized. Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines. is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted by any of the channel alterations listed in the parameter guidelines. Greater than 80% of reach is disrupted in the parameter guidelines. Greater than 80% of reach is disrupted in the parameter guidelines. Greater than 80% of reach is disrupted in the parameter guidelines. Greater than 80% of reach is disrupt		Negligible	Mir	nor			Sev	/ere			
REACH CONDITION INDEX and STREAM CONDITION UNITS FOR THIS REACH WOTE: The Cls and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number. THE REACH CONDITION INDEX (RCI) >> RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI	Alteration	hardening absent. Stream has an unaltered pattern or has naturalized.	the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered	of the channel alterations listed in the parameter guidelines. If stream has been channelized, normal stable stream meander pattern has not recovered	Greater than 80% of by any of the chan in the parameter g 80% of banks sh riprap, o	nel alterations listed guidelines AND/OR lored with gabion, r cement.			СІ
VOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number. THE REACH CONDITION INDEX (RCI) >> RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI	Scores	1.5	1.3	1.1	0.9	0.7	0	.5			1.30
RCI= (Sum of all CI's)/5, except if stream is ephemeral RCI		REACH (CONDITION I	INDEX and S	STREAM CO	NDITION UN	ITS FOR TH	IS REACH			
	<i>NOTE:</i> The Cls a	and RCI should be rounded to 2 dec	imal places. The C	CR should be roun	ided to a whole n	umber.		THE REACH	CONDITION IN	DEX (RCI) >>	0.93
COMPENSATION REQUIREMENT (CR) >>							RCI= (Sum of	all CI's)/5, exce	ept if stream is ep	ohemeral RCI =	(Riparian (
								COMPENSA	TION REQUIRE	MENT (CR) >>	80
CR = RCI X L, X IF								CR = RC	CI X L _I X IF		




DESCRIBE PROPOSED IMPACT:


PROVIDED UNDER SEPARATE COVER

File: C:\Users\dan.weidenhof\Documents\Documents\VA Stream Sampling\0 QAQC SUBMITTALS\QAQC working 2nd submittal\S-C8_20210913JC\9. S-C8_USM_MVP_20210913JC.xlsx





CL STAKEOUT POINTS: S-C8 CROSS SECTION B (PIPE CL)							
	PR	E-CROSSING		POST-C	ROSSING		
PT. LOC.	NODTUNC	FASTING	ELEV	VERT.	HORZ.		
P1. LUC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.		
TS-L	13458115.93	1974820.03	979.38				
BS-L	13458119.44	1974814.06	975.42				
THW	13458120.95	1974812.23	975.19				
BS-R	13458121.62	1974811.31	975.41				
TS-R	13458124.68	194807.14	979.69				



SURVEY NOTES:

1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on February 13, 2019.


2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.

3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).

4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.

5. All section views shown are left to right facing downstream.

6. Cross-section B shot at location of pipe centerline (based on best professional judgement).



LEGEND

	STUDY AREA (EASEMENT)
	EXISTING SURVEY-LOCATED THALWEG
EW	EXISTING SURVEY-LOCATED EDGE OF WATER (AS NECESSARY)
	EXISTING CONTOUR LINE (MAJOR)
	EXISTING CONTOUR LINE (MINOR)
976.4 +	EXISTING SURVEYED GROUND SHOT ELEVATION
\triangle	BENCHMARK POINT (WSSI)

